

DAFTAR PUSTAKA

- Andrawulan. 2003. Analisis Kadar Gizi Hotong. Jurusan Teknologi Pangan dan Gizi. Fakultas Teknologi Pertanian. Bogor. Institut Pertanian Bogor.
- Amadou I, Gouna ME, Le GW. 2013. Millets: nutritional composition, some health benefits and processing. *J Food Agric.* 25(7):501-508.
- Badan Pusat Statistik (BPS). 2018. Di akses dari <https://www.bps.go.id/dynamictable/2019/04/15/1608/luas-penan-produksi-dan-produktivitas-padi-menurut-provinsi-2018.html>, diakses pada tanggal 1 Juli 2019 pada jam 20.20 WIB
- Badan Litbang Pertanian (ID). 2011. Buru hotong, sumber pangan non-beras dan alat mesin penggunaannya. Agroinovasi. 33(1):1-2.
- Baker, R.D. 2003. Millet Production. Cooperative Extension Service. College of Agriculture and Home Economics of New Mexico State University. USA.
- Bushamuka, V.N. and R.W. Zobel. 1998. Maize and soybean top, basal, and lateral root responses to a stratified acid, aluminium toxic soil. *Crop Sci.* 38: 416-421.
- Callahan, Joseph F. and Clark, Leonard H. 1988. Planning for Competence. New York: Macmillan Publishing Co.
- Chiang P.N., Chiu C.Y., Wang M.K. and Chen B.T. 2011. Low-molecular-weight organic acids exuded by millet (*Setaria italica* (L.) Beauv.) roots and their effect on the remediation of cadmium-contaminated soil. Technical Article. 176(1):33-38.
- Dassanayake MD. 1994. A Revised Handbook of the Flora of Ceylon. [Internet]. [diunduh 1 Juli 2019]. Tersedia pada <http://www.hear.org/pier/index>.
- Dharmawan, Agus. 2005. *Ekologi Hewan*. Malang: UM Press.
- Delhaiz, E.S. Craig, Collen D, Beaton R.J. Bennet, V.C. Jagadish, and P. J. Randall. 1993. Aluminiumtolerance in wheat (*Triticum aestivum* L.) uptakeand distribution of aluminium in root apices. *PlantPhysiol.* 103 : 685 –693.
- Delhaize E and PR Ryan. 1995. Aluminum toxicity and tolerance in plant. *Plant Physiol.* 107: 315-321
- Doust A.N., Kellogg E.A., Devos K.M. and Bennetzen J.L. 2009. Foxtail millet: a sequence-driven grass model system. *Journal of Plant Physiology.* 149:137-141.

- Fang X., Dong K., Wang X., Liu T., He J., Ren R., Zhang L., Liu R., Liu X., Li M., Huang M., Zhang Z. and Yang T. 2016. A high density genetic map and QTL for agronomic and yield traits in foxtail millet [*Setaria italica* (L.) P. Beauv.]. *BMC Genomics.* 17:336.
- Fitter, A.H., dan R.K.M Hay. 1991. *Fisiologi Lingkungan Tanaman.* Gadjah Mada University Press, 421 hal.
- Firmansyah, M.A 2010. *Respons Tanaman Terhadap Alumunium.* Angripura, 6 (2): 807-818.
- Ferrufino A, TJ Smyth, DW Israel and TE Jr Carter. 2000: Root elongation of soybean genotypes in response to acidity constraints in a subsurface solution compartment. *Crop Science* 40:413 – 421.
- Hadiatmi. 2002. Evaluasi Toleransi Plasma Nutfah Sorghum Terhadap Lahan Masam. Prosiding Kongres IV dan Simposium Nasional Perhimpunan Ilmu Pemuliaan Indonesia. Peripi Komda DIY dan Fak. Pertanian UGM, Yogyakarta. pp. 150-156.
- Hanum, C., W.Q. Mugnisjah, S. Yahya., D. Sopandy., K. Idris., dan A. Sahar. 2007. Pertumbuhan Akar Kedelai pada Cekaman Alumunium, Kekeringan dan Cekaman Ganda Alumunium Kekeringan. *Agritrop.* 26 (1); 13-18.
- Hasbullah, R., Sutrisno, dan Sam Herodian. 2003. Teknologi Pengolahan Hermada dalam Rangka Diversifikasi Usaha Tani Hotong. Makalah Lokakarya Pengembangan Hotong-Dinas Pertanian dan Kehutanan DKI Jakarta. Hotel Indonesia. Jakarta 6 – 7 Oktober 2003.
- Herodian S., Sugiyono S., Widowati dan Susila B.A. 2008. Pengembangan buru hotong sebagai sumber pangan pokok alternatif. Laporan Hasil Penelitian IPB bekerjasama dengan Badan Penelitian dan Pengembangan Pertanian.
- Huang, P.M., dan A Violante. 1997. Pengaruh asam organik terhadap kristalisasi dan sifat permukaan produk pengendapan aluminium. Dalam Huang, P.M., dan M. Schnitzel (eds). Interaksi Mineral Tanah dengan Organik Alami dan Mikroba. UGMPress. 242-331 hal.
- Islam MS, Akhter MM, Sabagh AE, Liu LY, Nguyen NT, Ueda A, Masaoka Y, and H Saneoka . 2011. Comparative studies on growth and physiological responses to saline and alkaline stresses of foxtail millet (*Setaria italica* L.) and proso millet (*Panicum miliaceum* L.). *AJCS.* 5(10):1269-1277.
- ISTA. (2007). International rules for seed testing. Switzerland: ISTA
- Karyudi and Fletcher RJ. 2003. Osmoregulation in birdseed millet under conditions of water stress II. Variation in F3 lines of *Setaria italica* and its relationship to plant morphology and yield. *Euphytica.* 132:191-197.

- Krishiworld (The Pulse of Indian Agriculture). 2005. Fileds Crops of *Setaria italica* (L.) Beauv. <http://www.krishworld.com/strartsearch.asp>. Dalam Prakoso dan T Wahyu. 2006. Kajian Metode Tanam Pada Budidaya Tanaman Hotong Buru. [Skripsi]. Fakultas Teknologi Pertanian. Institut Pertanian Bogor. Bogor.
- Larcher, W. 1975. Physiological Plant Ecology: Ecophysiology and Stress Physiology of Functional Groups. Third Edition. Springer. New York.
- Lim TK. 2013. Edible Medical and Non-Medical Plants: Volume 5, Fruits. New York (US): Springer.
- Li P. and Brutnell T.P. 2011. *Setaria viridis* and *Setaria italica*, model genetic systems for the Panicoide grasses. *Journal of Experimental Botany*. 62(9):3031-3037.
- Marschner, H. 1995 Mineral Nutrition Of Highter Plants. Academic Press. London p. 596-680.
- Michel. 2003. The influence of country image structure on consumer evaluations of foreign products. *International Marketing Review*, Vol. 22 No. 1, 2005, hal. 96-115
- Montagnac JA, RD Christopher and AT Sherry. 2009. Nutritional value of cassava for use as a staple food and recent advances for improvement. *Food Sci and Food Safety*. 8:181-194.
- Nasution, I. dan T. Suhartini. 1991. Evaluasi metode uji ketahanan kultivar padi gogo terhadap tanahmasam. Dalam: Machmud, M., M. Kosim, L. Gunarto (eds). Prosiding Lokakarya Penelitian Komoditas dan Studi Khusus. Puslitbang. Jakarta.p. 65-80.
- Nurshanti, R. 2008. Pengaruh Umur Bibit dan Jarak Tanam Terhadap Pertumbuhan dan Produktivitas Tanaman Buru Hotong (*Setaria Italica* (L.) Beauv.). [Skripsi]. Program Studi Agronomi, Fakultas Pertanian, IPB. Bogor. 44 hal.
- Prasetyo, B.H. dan D.A. Suriadikarta, 2006. Karakteristik, Potensi, dan Teknologi Pengelolaan Tanah Ultisol untuk Pengembangan Pertanian Lahan Kering di Indonesia. *Jurnal Litbag Pertanian*, 25 (2); 39-47.
- Prasetyo, J. dan Tasliah. 2008. Strategi Pendekatan Bioteknologi untuk Pemulian Tanaman Toleran Keracunan Alumunium. *Jurnal Ilmu Pertanian*, 10 (1): 64-67
- Putri, Nike Vorinda. 2017. Kajian aluminium pada pertumbuhan awal dua belas genotipe padi beras merah (*Oryza nivara*) lokal Sumatera Barat di media kultur hara. [Skripsi]. Universitas Andalas. Padang. 87 hal.

- Rengel, Z. and M.S. Wheal. 1997. Kinetic parameters of Zn uptake by wheat are affected by the herbicide chlorsulfuron. *Journal of Experimental Botany* 48: 935-941.
- Ryan PR, DiTomaso JM dan Kochian LV. 1993. Aluminum toxicity in root: a investigation of spatial sensitivity and the role of the root cap. *J Exp Bot* 44.
- Salisbury, F. B. dan C. W. Ross. 1995. *Fisiologi Tumbuhan*. Jilid I. Edisi IV. Lukman, D.R dan Sumaryono. Bandung: Institut Teknologi Bandung.343 h.
- Sadeghi, H., Khazaei, F and Sheidaei, S. 2011. Effect of Seed Osmopriming on Seed Germination Behavior and Vigor of Soybean. *J. Agric.* 6, (1): 39-43.
- Sadjad, S., S.E. Murniati, dan Ilyas. 1999. *Parameter Pengujian Vigor Benih*. Grasindo. Jakarta. 185 hal.
- Sivaguru, M., B. Fransitisck, V. Dieter, H.F. Huber, and J.H. Walter. 1999. Impacts of aluminium on the cytoskeleton of the maize root apex. Short term effects on the distal part of the transition zone. *Plant Physiol.* 199: 1073 – 1082.
- Shan S, Zongwei L, Ian PN, Chao Z, Zhuoyu L and Maolin G. 2014. A novel protein extracted from foxtail millet bran displays anti-carcinogenic effects in human colon cancer cells. *Toxicology Letters*. 227:129–138.
- Sintia M. 2017. Pertumbuhan dan produksi sepuluh genotipe hotong (*Setaria italica* (L.) Beauv.). [Skripsi]. Fakultas Pertanian. Institut Pertanian Bogor.
- Subagyo, H., N. Suharta dan A.B. Siswanto. 2000. Tanah-tanah pertanian di Indonesia. hal. 21-66. Dalam Sumber Daya Lahan Indonesia dan Pengelolaannya. Pusat Penelitian Tanah dan Agroklimat, Bogor.
- Sulistiyowati, E. 2015. Karakterisasi sepuluh aksesi hotong (*Setaria italica* (L) Beauv) di rumah kaca. [Skripsi]. Fakultas Pertanian. Institut Pertanian Bogor.
- Sulistyaningsih E, Kurniasih B dan Kurniasih E (2005) Pertumbuhan dan hasil Caisin pada berbagai warna sungkup plastik. Ilmu Pertanian 12(1):65-76
- Suprianto E (1998) Evaluasi beberapa varietas dan galur padi pada kondisi kekeringan. [Skripsi]. Institut Pertanian Bogor. Bogor
- Sopandie, D.M., A. Chozin, Sastrosumarjo, Suwarno, A.P. Lontoh, and T. Takano, 1999. Upland Rice Tolerance to Shade: Field Screening and Preliminary Studyon Physiological Mechanism. Proceeding of International Plant Breeding Symposium. Okayama, Japan.
- Suharno, Sufaati S., Agustini V. dan Tanjung R.H.R. 2015. Usaha domestifikasi tumbuhan pokem (*Setaria italica* (L.) Beauv) masyarakat lokal pulau numfor, kabupaten Biak Numfor sebagai upaya menunjang ketahanan pangan nasional. *Jurnal Manusia dan Lingkungan*. 22(1):73-83.

- Swarbrick JT. 1997. Weeds of the pacific islands. technical paper no. 209. South Pacific Commission, Noumea, New Caledonia. 124 p.
- Syafruddin dan T. Miranda. Vigor Benih Beberapa Varietas Jagung pada Media Tanam Tercemar Hidrokarbon,. *J. Floratek*, vol. 10, pp. 18–25, 2015.
- Tirajoh S., Achmanu, Sjofjan O. and Widodo E. 2014. Evaluation of nutritive values of Papua foxtail millet (*Setaria italica* sp) and its substitutive effect for yellow corn on brioler performances. *International Journal of Agronomy and Agricultural Research*. 4(5):195-201.
- Tirajoh S. 2015. Pemanfaatan jawawut (*Setaria italica*) asal Papua sebagai bahan pakan pengganti jagung. Balai Pengkajian Teknologi Pertanian Papua. 25(3):117-124.
- Utama, M.Z.H., Y.M. Zen dan W. Haryoko. 2004. Mekanisme fisiologi toleransi terhadap cekaman aluminium pada spesies legum penutup tanah. *Jur.Stigma*. 7 (2) 186-191.
- Zhang, X., T. Garnett, K. Davies, D. Peck, A. Humphries, and G. Auricht. 2004. Genetic evaluation and improvement of acid stress tolerance in lucerne breeding. New direction for a divers planet: Proc. of the 4th International Crop Science Congress. Barisbane, Australia.
- Zhang G, Liu X, Quan Z, Cheng S, Xu X, Pan S, Xie M, Zeng P, Yue Z, Wang W. 2012. Genome sequence of foxtail millet (*Setaria italica*) provides insights into grass evolution and biofuel potential. *Nature Biotech.* 30(6):549-556.