

## DAFTAR PUSTAKA

- [1] W. A. Wirawan *et al.*, “Pengaruh jenis matrik terhadap sifat tarik pada natural fiber komposit,” vol. 3, no. 1994, 2017.
- [2] J. Hitipeuw, “Indonesia, The world’s second mega biodiversity country,” *Kompas*, 2011.
- [3] Y. Dahman, “Nanostructured Biomaterials and Biocomposites from Bacterial Cellulose Nanofibers,” *J. Nanosci. Nanotechnol.*, vol. 9, no. 9, pp. 5105–5122, 2009.
- [4] Y. Hermiati, E. Heri, D. Yanto, “Proses Pembuatan Serat Selulosa Berukuran Nano dari Sisal ( *Agave sisalana* ) dan Bambu Betung ( *Dendrocalamus asper* ),” *Microscope*, pp. 57–65, 2014.
- [5] H. Abral, V. Lawrensus, D. Handayani, and E. Sugiarti, “Preparation of nano-sized particles from bacterial cellulose using ultrasonication and their characterization,” *Carbohydr. Polym.*, 2018, doi: 10.1016/j.carbpol.2018.03.026.
- [6] L. C. Hao, S. M. Sapuan, M. R. Hassan, and R. M. Sheltami, “Natural fiber reinforced vinyl polymer composites,” in *Natural Fibre Reinforced Vinyl Ester and Vinyl Polymer Composites*, 2018.
- [7] M. Indra Reddy, U. R. Prasad Varma, I. Ajit Kumar, V. Manikanth, and P. V. Kumar Raju, “Comparative Evaluation on Mechanical Properties of Jute, Pineapple leaf fiber and Glass fiber Reinforced Composites with Polyester and Epoxy Resin Matrices,” in *Materials Today: Proceedings*, 2018, doi: 10.1016/j.matpr.2017.12.158.
- [8] H. Abral *et al.*, “Improving impact, tensile and thermal properties of thermoset unsaturated polyester via mixing with thermoset vinyl ester and methyl methacrylate,” *Polym. Test.*, 2020, doi: 10.1016/j.polymertesting.2019.106193.
- [9] D. W. Callister, “Materials Science and Engineering: An Introduction, 9th Edition,” no. Wiley Global Education: New York, 2013.
- [10] R. F. Gibson, *Principles of Composite Material Mechanics*. 2016.
- [11] F. Gaffar, “Pengaruh Larutan Natrium Hidroksida Terhadap Sifat Mekanik Komposit Serat Pandan Samak (*Pandanus Odoratissimus*),” no. Jurusan Teknik Mesin FT-UNAND : Padang, 2010.
- [12] P. J. K. Raya, “Spesifikasi Unsaturated Polyester Resin Yukalac157® BTQN-EX,” no. Jakarta, 2014.
- [13] N. Halib, M. C. I. M. Amin, and I. Ahmad, “Physicochemical Properties and Characterization of Nata de Coco from Local Food Industries as a Source of Cellulose,” *Sains Malaysiana*, 2012.
- [14] D. W. Van Krevelen and K. Te Nijenhuis, *Properties of Polymers*. 2009.
- [15] F. A. Tanjung, S. Husseinsyah, K. Hussin, and I. Tahir, “Chemically chitosan modified with methyl methacrylate and its effect on mechanical and thermal

- properties of polypropylene composites,” *Indones. J. Chem.*, 2013, doi: 10.22146/ijc.21293.
- [16] R. Fajrul, “Peningkatan Sifat Mekanik Dan Termal Dari Unsaturated Poliester Dengan Pencampuran Metil Metakrilat Dan Vinilester,” 2019.
- [17] “Methanol: Definition, Formula, Structure and Uses Biology Dictionary,” <https://biologydictionary.net/methanol/>, 2019.
- [18] A. F. Asokawati, “Prarancangan Pabrik Metanol Dari Batubara Dengan Proses Gasifikasi Kapasitas Produksi 100.000 Ton/Tahun,” no. Univ. Muhammadiyah Surakarta, 2016.
- [19] C. J. Grande, F. G. Torres, C. M. Gomez, O. P. Troncoso, J. Canet-Ferrer, and J. Martinez-Pastor, “Morphological characterisation of bacterial cellulose-starch nanocomposites,” *Polym. Polym. Compos.*, vol. 16, no. 3, pp. 181–185, 2008, doi: 10.1177/096739110801600302.
- [20] I. M. G. Martins *et al.*, “New biocomposites based on thermoplastic starch and bacterial cellulose,” *Compos. Sci. Technol.*, vol. 69, no. 13, pp. 2163–2168, 2009, doi: 10.1016/j.compscitech.2009.05.012.
- [21] A. N. Nakagaito, S. Iwamoto, and H. Yano, “Bacterial cellulose: The ultimate nano-scalar cellulose morphology for the production of high-strength composites,” *Appl. Phys. A Mater. Sci. Process.*, 2005, doi: 10.1007/s00339-004-2932-3.
- [22] Hiroyuki Y, “Potential of Cellulose-based Material,” no. Kyoto University: Japan, 2010.
- [23] <https://netcomposites.com/guide-tools/guide/manufacturing/wethand-lay-up>, “Wet / Hand Lay-Up Process.”
- [24] M. Mahardika, “Studi Kekuatan Tarik & Impak Serta Analisis Permukaan Patahan Dari Komposit Polyester Dengan Serat Nata De Coco,” no. Jurusan Teknik Mesin, Universitas Andalas, 2015.
- [25] A. Fauzen, “KEKUATAN IMPAK DAN ANALISIS PERMUKAAN PATAHAN POLIMER BLEND POLYESTER / VINYL,” 2019.
- [26] M. Jonoobi, J. Harun, A. P. Mathew, and K. Oksman, “Mechanical properties of cellulose nanofiber (CNF) reinforced polylactic acid (PLA) prepared by twin screw extrusion,” *Compos. Sci. Technol.*, vol. 70, no. 12, pp. 1742–1747, 2010, doi: 10.1016/j.compscitech.2010.07.005.
- [27] N. M. Barkoula, B. Alcock, N. O. Cabrera, and T. Peijs, “Flame-Retardancy Properties of Intumescent Ammonium Poly(Phosphate) and Mineral Filler Magnesium Hydroxide in Combination with Graphene,” *Polym. Polym. Compos.*, vol. 16, no. 2, pp. 101–113, 2008, doi: 10.1002/pc.
- [28] A. P. Mathew, K. Oksman, and M. Sain, “Mechanical properties of biodegradable composites from poly lactic acid (PLA) and microcrystalline cellulose (MCC),” *J. Appl. Polym. Sci.*, vol. 97, no. 5, pp. 2014–2025, 2005, doi: 10.1002/app.21779.
- [29] P. D. Setyawan, N. H. Sari, and D. G. Pertama Putra, “Pengaruhorientasi Danfraksi Volume Serat Daun Nanas (Ananas Comosus)Terhadap Kekuatan Tarik Komposit Polyestertak Jenuh(Up),” *Din. Tek. Mesin*, vol. 2, no. 1, pp. 28–32,

2012, doi: 10.29303/d.v2i1.108.

- [30] H Abral and M Mahardika, "Tensile properties of bacterial cellulose nanofibers - polyester composites," vol. Conf. Ser, no. Mater. Sci. Eng, p. 137 012019, 2016.
- [31] M. S. Saharudin, R. Atif, I. Shyha, and F. Inam, "The degradation of mechanical properties in halloysite nanoclay-polyester nanocomposites exposed to diluted methanol," *J. Compos. Mater.*, 2017, doi: 10.1177/0021998316660178.

