

REFERENCE

- Adhroey, A., Zurainee M., Hesham M., Al-Mekhlafi, Adel A. 2013 . Antimalarial Activity of Methanolic Leaf Extract of Piper betle L. *Molecules*, 16:107-118.
- Ahmad, N. Hina F., Haider A.i , Muhammad R. , Tariq M. and Nighat F. 2010. Efficient regeneration and antioxidant potential in regenerated tissues of *Piper nigrum* L. *Plant Cell Tiss Organ Cult*, 102:129–134.
- Ahmad, N., Bilal H., Hina F., Mubarak A., Muhammad S. 2014. Effect of reverse photoperiod on in vitro regeneration and piperine production in *Piper nigrum* L. *C. R. Biologies* 337 : 19–28.
- Ahmad, N., Bilal H., Inayat R., Hina F. 2013. Piper nigrum: Micropropagation, Antioxidative enzyme activities, and Chromatographic Fingerprint Analysis for Quality Control . *Appl Biochem Biotechnol*, 169:2004–2015.
- Anjusha S., Gangaprasad A. 2016. Callus culture and in vitro production of anthraquinone in *Gynochthodes umbellata* (L.) Razafim. & B. Bremer (Rubiaceae). *Industrial Crops and Product*, 95: 608-614.
- Ariati, S.N., Waeniati, Muslimin , and I Nengah S. 2012. Induksi Kalus Tanaman Kakao (*Theobroma cacao* L.) Pada Media MS Dengan Penambahan 2,4-D, BAP Dan Air . *Jurnal Natural Science* Vol. 1.(1) 74-84.
- Arunrat Chaveerach, Piya Mokkamul, Runglawan Sudmoon, and Tawatchai Tanee . 2006. Ethnobotany of the genus Piper (Piperaceae) in Thailand. *Ethnobotany Research & Applications* 4:223-231.
- Balbuena, T, Claudete S., Vanildo S., Massuo J and Eny Iochevet S. 2009. In vitro morphogenesis and cell suspension culture establishment in *Piper solmsianum* C. DC. (Piperaceae). *Acta bot. bras.* 23(1): 274-281.
- Benjamin, E. D., Gali A., Fartisinha A. and Abolade S. 2019. Callus Culture for the Production of Therapeutic Compounds. *American Journal of Plant Biology*, 4(4): 76-84.
- Bourgaud, F. , A. Gravot, S. Milesi, E. Gontier. 2001. Production of plant secondary metabolites: a historical perspective. *Plant Science* 161:839–851.

- Cammarck, N. 2011. Exploiting Malaria Drug Resistance to our Advantage. AAAS Science. Vol 333: 705-706.
- Carmo, D., Ana C., G rzia M., Leonor L. and Jefferson R. 2012. Chemical and Biological Analyses of the Essential Oils and Main Constituents of Piper Species. *Molecules*, 17: 1819-1829.
- Chaveerach, A., Piya M., Runglawan S., and Tawatchai T. 2006. Ethnobotany of the genus Piper (Piperaceae) in Thailand. *Ethnobotany Research & Applications*, 4:223-231.
- Chopra, B., Ashwani K., Ram P. and Deo N. 2016. Piperine and Its Various Physicochemical and Biological Aspects: A Review. *Open Chemistry Journal*, (3): 75-96.
- Costa, T., Roberto F., Humberto R., D maris S. and Marcos A. 2013. Secondary Metabolites. *Source: InTech S. Ghosh*, 1(2): 113-122.
- Dinas Kesehatan Provinsi Sumatera barat. *Laporan Kumulatif penemuan dan pengobatan malaria*. 2011.
- Dissanayake ,S., L. Alwis, H. Jayasinghe. 2015. Development of a protocol for in-vitro propagation of black pepper (*Piper nigrum* L.) local selections. *Proceedings of the Research Symposium of UvaWellassa University*. Faculty of Animal Science and Export Agriculture, UvaWellassa University of Sri Lanka.
- Duangporn,P. 2009. Effect of Auxin and Cytokinin on Phyllanthusol A Production by Callus Cultures of *Phyllanthus acidus* Skeels. *American-Eurasian J. Agric. & Environ. Sci.*, 5 (2): 258-263.
- Efferth, T. 2019. Biotechnology Applications of Plant Callus Cultures. *Engineering*, 5: 50-59.
- Ekasari, W., Widyawaruyanti A., Zaini N., Honda T., Morita H. And Syafruddin S. 2009. Antimalarial Activity of Cassiarin A from the Leaves of *Cassia siamea*. *Heterocycles* 78. 10.3987?COM-09-11680.
- Esperandim, V., Daniele S., Karen C., Lizandra G., Julia M., Patr cia M., Ana H., Rosangela S.,Jairo K., Guilherme V., Wilson R., M rcio L. 2013. In Vitro Antiparasitic Activity and Chemical Composition of the Essential Oil Obtained from the Fruits of *Piper cubeba*. *Planta Med* , 79: 1653–1655.

- Estrada, K., F. Cruz-Sosa, M. Rodri, J. R. Verde-Calvo, E. J. Vernon. 2009. Phenylpropanoid production in callus and cell suspension cultures of *Buddleja cordata*. *Plant Cell Tiss Organ Cult*, 97:39–47.
- Evans DE, Coleman JOD, Kearns A. 2003. *Plant Cell Culture*. New York (US): Bios Scientific.
- Fauziaturrahmi, F. .2020. Induksi Alkaloid Kalus Johar (*Senna Siamea* Lam) dengan Pemberian Beberapa Konsentrasi Prekursor Tirosin. Diploma Thesis, Universitas Andalas.
- Flores N, Jiménez IA, Giménez A, Ruiz G, Gutiérrez D. 2009. Antiparasitic activity of prenylated benzoic acid derivatives from Piper species. *Phytochemistry*, 79: 621-
- Flores, N. Jimenez, I.A. Gimenez, A. Ruiz, G. Gutierrez, D. Bourdy, G. Bazzocchi, I.L. 2009. Antiparasitic activity of prenylated benzoic acid derivatives from Piper species. *Phytochemistry*. 70: 621-627.
- Gaspar, T, Claire K., Claude P., and Hubert G. 1996. Plant hormones and plant growth regulators in plant tissue culture. *J.Plant* 32(4):272-289.
- Ghosh, S. 2013. A Review: Antimalarial Drug. *International Journal of Pharmacy and Technology (IJPE)*, 1(2): 113-122
- Gutiérrez, M., Adriana M. and Carlos H. 2013. Alkaloids from Piper: A Review of its Phytochemistry and Pharmacology. *Medicinal Chemistry*, 13(1): 1389-5575.
- Isda, M.N., and Siti F. 2014. Induksi Akar pada Eksplan Tunas Anggrek *Grammatophylum scriptum* var *citrinum* secara In Vitro pada Media MS dengan Penambahan NAA dan BAP. *Al-Kaunyah J.Bio*, 7(2):53-57.
- Jaramillo, M., and Paul S. 2001. Phylogeny And Patterns Of Floral Diversity In The Genus Piper (Piperaceae). *American Journal Of Botany*, 88(4): 706–716.
- Junairiah, Nabilah I. Z, Sri W. M, Ni'matuzahroh, Lilis S. 2020. Profil biomassa dan terpenoid ekstrak kalus *Piper betle* L. var. *Nigra* dengan elicitor cobalt (II) chloride. *Konferensi Internasional Pertama tentang Sains, Sains Terapan*. Vol (8).
- Junairiah, A Mahmuda, Y S W Manuhara, Ni'matuzahroh, L Sulistyorini. 2019. Callus Induction and Bioactive Compounds from *Piper betle* L. var *nigra*. IOP Conf. Series: Earth and Environmental Science 217012026

- Junairiah, A Mahmuda, Y S W Manuhara, Ni'matuzahroh, L Sulistyorini. 2019. Callus Induction and Bioactive Compounds from *Piper betle* L. var nigra. *Earth and Environmental Science*, 217 : 012026.
- Junairiah, Nabilah I., Fairuz N., and Yosephine S. 2017. Callus induction of leaf explant *Piper betle* L. Var Nigra with combination of plant growth regulators indole-3-acetic acid (IAA), benzyl amino purin (BAP) and kinetin Cite as: AIP Conference Proceedings 1888, 020028 <https://doi.org/10.1063/1.5004305>
- Kabiru, A., F. Ibikunle, D. A. Innalegwu, B. M. Bola, and F. M. Madaki. 2015. In Vivo Antiplasmodial and Analgesic Effect of Crude Ethanol Extract of *Piper guineense* Leaf Extract in Albino Mice. *Scientifica* 2016: 8687313.
- Kamaraj, C., Naveen K., Abdul A., Dinesh M., Asokan B., Gandhi E., Abdul A., Thirunavukkarasu S., Sampath M., Chidambaram J., Arivarasan V., Govindasamy R., Kanayairam V. and Dinkar S. 2012. *Journal of Ethnopharmacology* 141 : 796-802.
- Kartika, L.,P. Kianto A., L.M. Ekawati P. 2007. Callus Induction Rate and Eugenol Content of Red Betel(*Piper crocatum* Ruiz and Pav.) Treated Using a Variation of The Type and Concentration of Auksin. Universitas Atma Jaya Yogyakarta
- Kathryn N. Suh, Kevin C. Kain, Jay S. 2004. Malaria Keystone, *CMAJ* 170 (11).
- Kato, M., and Maysa F. 2007. Chemistry and evolution of the Piperaceae. *Pure Appl. Chem*, 79(4):529–538.
- Kemenkes. 2013. Pedoman Tata Laksana Malaria. Lampiran Peraturan Menteri Kesehatan Republik Indonesia Nomor 5 Tahun 2013 Tentang Pedoman Tata Laksana Malaria.
- Kitisripanyaa, T., Jukrapun K., Nirachara T., Chuennapha A. and Waraporn P. 2013. Dicentrine Production in Callus and Cell Suspension Cultures of *Stephania venosa*. *Natural Product Communications*, 8(4): 443 – 445
- Lestari, E.G and Hutami. 2011. Peranan Zat Pengatur Tumbuh dalam Perbanyakan Tanaman melalui Kultur Jaringan. *Jurnal AgroBiogen* 7(1):63-68.
- Lestari, E.G. and S. Hutami. 2005. Produksi bibit kencur melalui kultur jaringan. *Berita Biologi* 7(6):315-322.

- Liu, C.-Z., Gao, M., & Guo, B. 2008. Update: Biological and Chemical Aspects of *Senna spectabilis* *Plant Cell Report*, 27: 39–45.
- Mace, K., Paul M., Kathrine R. 2018. Malaria Surveillance — United States. *Centers for Disease Control and Prevention*, 67(7): 1.
- Maharik, N. Souad E., and Hussein T. 2009. Anthocyanin Production In Callus Cultures Of *Crataegus Sinaica* Boiss. *International Journal Of Academic Research* Vol. 1(1).
- Maharik, N., Souad E., Hussein T. 2009. Anthocyanin Production In Callus Cultures Of *Crataegus Sinaica* Boiss. *International Journal Of Academic Research*, 1(1).
- Metanat, M., Malaria K. , Kevin C., and Jay S. 2015. Malaria in Children. *Int J Infect*, 170 (11): e20984
- Moher, D., Alessandro L., Jennifer T., Douglas G.A. 2009. Preferred Reporting Items for Systematic Reviews and Meta-analysis: the PRISMA Statement. *BMJ*, 339:b2535.
- Monzote, L. Ramon S., Paul C., and William N.S. 2017. Essential Oil from *Piper aduncum*: Chemical Analysis Antimicrobial Assessment, and Literature Review. *MDPI Journal of Medicines*, 4(49) doi:10.3390.
- Munawaroh, Inggit P., and Sumanto. 2011., Studi Keanekaragaman Dan Potensi Suku Piperaceae Di Sumatera Barat. *Berk. Penel. Hayati Edisi Khusus*, 5A: 35-40.
- Naeem, M., Tariq A., M. Masroor. 2017. *Catharanthus roseus*: Current Research and Future Prospects. *Springer*
- Padhan, B. 2015. Regeneration of plantlets of *Piper longum* L. through in vitro culture from nodal segments. *Journal of Applied Biology and Biotechnology* 3(5):035-039
- Pelayo, V., Socorro F., Oscar C., Jorge M. 2016. A Phytochemical and Ethnopharmacological Review of the Genus *Piper*: as a Potent Bio-Insecticide. *Research Journal of Biology* 4(2): 45-51.
- Pivatto, M., Luciene R.B., Abhinay S., Myna N., Amanda D., Claudio V.J., Celia R.S, Vanderlan S.B. 2014. Antimalarial Activity of Piperidine Alkaloids from *Senna Spectabilis* and semisynthetic derivatives. *J.Braz.Chem.Soc.* 25(10).

- Portet B. 2007. Activity-guided isolation of antiplasmodial dihydrochalcones and flavanones from *Piper hostmannianum* var. *berbicense*. *Phytochemistry* 68: 1312–1320.
- Pratiwi, D. R., Sumaryono, P. T. Sari, and D. Ratnadewi. 2018. Cinchona cells performance in in vitro culture: Quinine alkaloid production with application of different elicitors,” IOP Conf. Ser. Earth Environ. Sci., vol. 185(1).
- Pratoko, D. 2013. *Studi Interaksi Senyawa Alkaloid Piper Longum (L.) Dengan Plasmepsin Ii Dalam Skrining Obat Antimalaria*. Prosiding Seminar Nasional Current Challenges in Drug Use and Development Tantangan Terkini Perkembangan Obat dan Aplikasi Klinis. Fakultas Farmasi Universitas Jember
- Purnamaningsih,R., and Misky A. 2011. The Effect of BAP and NAA on Callus Induction and Artemisinin Content of *Artemisia annua* L. *Berita Biologi*, 10(4).
- Raj, D., A. Kokotkiewicz and Maria L. 2015. Effect of Plant Growth Regulators on the Accumulation of Indolizidine Alkaloids in *Securinega suffruticosa* Callus Culture. *Plant Cell, Tissue and Organ Culture*, 123; 39-45.
- Ridhawati, A., Tantri D.A.A., and Rully D.P. 2017. Pengaruh Komposisi Media Terhadap Induksi Tunas dan Akar Lima Genotipe Tanaman Agave pada Kultur In Vitro. *Buletin Tanaman Tembakau, Serat & Minyak Industri*, 9(1).
- Riskesdas. 2013. Laporan Riset Kesehatan Dasar. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Rivai, R., Hendra H. 2015. Induksi kalus *Chrysanthemum indicum* untuk meningkatkan keragaman genetik dari sel somatik. *Pros Sem Nas Masy Biodiv Indon*(8):167-170
- Rukachaisirikul, T., Prabpai, S., Champung, P., Suksamran A., 2002. Chabamide, a novel piperine dimer from stems of *Piper chaba*. *Planta Medica*, 68: 853–855.
- Santos, M.R.A, Guimarães, M.C.M.2 Paz, E.S., Magalhães, G.M.O. Souza, C.A. Smozinski, C.V. Nogueira, W.O. 2015. Induction and growth pattern of callus from *Piper permucronatum* leaves. *Rev. Bras. Pl. Med., Campinas*, 18(1):142-148.

- Selegato, M., F. Monteiro, Natália C., Patrícia C., Victor D., Vanderlan S. and Ian C. 2017. Piperine and Its Various Physicochemical and Biological Aspects: A Review. *J. Braz. Chem. Soc.*, 28 (3): 415-426.
- Shakirova, F. M, Azamat M. A, Marina V. B, Guzel R. K. 2010. Role of Endogenous Hormonal System in the Realization of the Antistress Action of Plant Growth Regulators on Plants. *Plant Stress* 4 (Special Issue 1), 32-38.
- Siddique, S., Tessay T., Shagufta K. 2019. Comparative Analysis of Piperine in Wild Plant and Callus of *Piper longum* by HPLC Method. *Pharmaceutical and Biosciences Journal*, 7(2): 07-10.
- Silva, J., Emerson L., Antoniana U., Wanderli P., Adrian M., Lin, Z., Liao, Y., Venkatasamy, R., Hider, R.C., Soumyanath, A. 2007. Amides from *Piper nigrum* L. with dissimilar effects on melanocyte proliferation in vitro. *Journal of Pharmacy and Pharmacology* 59: 529–536.
- Silva, L., Karla L.A, Cristina S., Alejandro M., Rodrigo A. Magno P., Valter F., Francisco C., 2015. In Vivo Antimalarial Activity and Mechanisms of Action of 4- Nerolidylcatechol Derivatives . *Antimicrobial Agents and Chemotherapy*, 59 (6).
- Silva, L., Ana C., Adrian M., Etienne L., Pedro P., Wanderli P., Fransisco C., Jean F., Carlos A., Monica R., Maria G., and Velter F. 2011. In Vivo and In Vitro Antimalarial Activity of 4-Nerolidylcatechol. *Phytother*, 25: 1181-1188.
- Smith, R.H. 2011. *Plant Tissue Culture*. Department of Horticulture Vegetable Crops Improvement Center Texas and University College Station, Texas.
- Sulichantini, E.D. 2015. *Produksi Metabolit Sekunder melalui Kultur Jaringan*. Prosiding Seminar Nasional Kefarmasian Ke-1, Samarinda.Laboratorium Kultur Jaringan, Fakultas Pertanian, Universitas Mulawarman.
- Sumaryono, S and Imron R. 2005. Growth of Callus and Cell Suspension Cultures of Cinchona (*Cinchona ledgeriana* Moens). *Menara Perkebunan*, 73(1): 1-11.
- Tahir , S. M., I. S. Usman, M. D. Katung, and M. F. Ishiyaku. 2016. The effect of plant growth regulators on callus initiation in wormwood (*Artemisia annua* L.). *Bayero J. Pure Appl. Sci.*, vol. 9(1): 160.

- Thiengsusuk, A., Chaijaroenkul, W., Na-Bangchang, K., 2013. Antimalarial activities of medicinal plants and herbal formulations used in Thai traditional medicine. *Parasitol. Res*, 112(4):1475–1481.
- Thiengsusuk, A., Muhamad, P., Chaijaroenkul, W., Na-Bangchang, K., 2018. Antimalarial activity of piperine. *J. Trop. Med.* 9486905.
- Tuntiwachwuttikul, P., Photchana P., Yupa P. and Walter C.T. 2006. Chemical Constituents of the Roots of *Piper sarmentosum*. *Chem. Pharm. Bull.* 54(2): 149-151.
- Tse, E. G., Marat K. and Matthew H. Todd. Malar J .2019. REVIEW The past, present and future of anti-malarial medicines. *Malaria J* , Vol 18(93).
- Tusom. 2020. tmedweb.tulane.edu/pharmwiki/doku.php/treatment_of_malaria, 1/14/2020. treatment_of_malaria [TUSOM | Pharmwiki] accessed in 15 April 2020.
- Vanegas , A., Jhon F., Ana M., Silvia B., Carlos P., Santiago D., César A.and Miguel C. 2018. Antiplasmodial and Cytotoxic Activity of *Piper Piedecuestanum* Trel. And Yunck. Res. *J. Med. Plants*, 12 (2): 57-64.
- Vega, A.S., Benjamin R., Silvia B., Cesar S., Bruno F., Blandine S., Philippe G. and Jairo S. 2008. Antimalarials and antioxidants compounds from *Piper tricuspe* (Piperaceae). *Pharmacology*, 1: 1–8.
- Verpoorrtte, R. and A.W. Alfermann. 2000. *Metabolic Engineering of Plant Secondary Metabolism*. Kluwer Academic Publisher. Boston, London Veeresham, C. 2012. Natural products derived from plants as a source of drugs. *J AdvPharm Technol Res.* 3(4): 200–201.
- Verpoorrtte, R. Winjnsmma R., Mulder-Krieger T., Harkes P.A., Baerheim S. 1985. *Plant Cell and Tissue Culture of Cinchona Species*. Neumann KH, Barz W., Reinhard E., (eds) Primary and Secondary Metabolism of Plant Cell Cultures. Proceeding in Life Sciences. Springer, Berlin, Heidelberg.
- Warseno, T., Siswoyo P., and Dyan M. 2018. Multiplikasi Tunas dan Induksi Perakaran pada Perbanyak Rhododendron Radians J.J Sm (Ericaceae) secara in vitro. *Jurnal Hortikultura* 28(1): 51-58.

- Wasti, A. and Krishna K. 2019. Pant Callus Induction from the Leaves and Organogenesis from the Leaf induced Calli of *Piper longum* L. *International Journal of Bio-resource and Stress Management*. 10(3):287-291.
- WHO. 2019. <https://www.who.int/news-room/feature-stories/detail/world-malaria-report-2019> accessed in 30 April 2020.
- Wu, C. T., Vanisree M., Satish M. N., Chen, C. L., Yang, T. F, and Tsay, H.S. 2003. Isolation and quantitative analysis of cryptotanshinone, an active quinoid diterpene formed in the callus of *Salvia miltiorrhiza* Bunge. *Biological and Pharmaceutical Bulletin*, Vol 26 (6): 845-848.
- Yuliani, F., W. S. Dewi, A. Yunus, and U. Siswanto. 2018. The Study of Artemisinin Content in Callus *Artemisia annua* L. Cultures Elicited with Endophytic Fungi *Aspergillus* sp. *Molekul*, vol. 13 (2) : 155.
- Yusuf, A., R.K. Tyagi, S.K. Malik. 2001. Research note Somatic embryogenesis and plantlet regeneration from leaf segments of *Piper colubrinum*. *Plant Cell, Tissue and Organ Culture* 65: 255–258.
- Yuwono T. 2006. *Bioteknologi Pertanian*. Yogyakarta (ID): Univ Gadjah Mada Press.
- Zu'niga, K. M. E. Estrada F. Cruz-Sosa, M. Rodri'guez-Monroy, J. R. Verde-Calvo and E. J. Vernon-Carter . 2009. Phenylpropanoid production in callus and cell suspension cultures of *Buddleja cordata*. *Plant Cell Tiss Organ Cult*, 97:39–47.

