

DAFTAR PUSTAKA

1. Morcos R, Louka B, Tseng A, Misra S, McBane R, Esser, H, et al. The evolving treatment of peripheral arterial disease through guideline-directed recommendations. *J Clin Med*. 2018; 7(1):9.
2. Eka Aryani, K. Heri Nugroho HS, Ani Margawati JKD. Hubungan antara dislipidemia dengan status penyakit arteri perifer (PAP) pada pasien diabetes melitus tipe 2 terkontrol sedang. Semarang; 2016. 720 - 736
3. Beckman JA., Creager MA. Peripheral artery disease: Clinical evaluation. In: *A companion to Braunwald's heart disease*. 2nd Ed. Philadelphia: Elsevier; 2013. 231-241.
4. Antono, D, Dasnan I. Penyakit arteri perifer. In : Alwi, I, editor. *Buku ajar ilmu penyakit dalam*. Jilid II, Edisi kelima. Jakarta: Interna publishing; 2009. 1831
5. Antono, D. Peran intervensi perifer pada kasus kaki diabetik. Jakarta. 2008.https://www.medistra.com/index.php?option=com_content&view=article&id=175. Diakses Februari 2020.
6. Antono D, Hamonangani R. Penyakit arteri perifer. In: Setiati S, editor. *Buku ajar ilmu penyakit dalam edisi keenam Jilid II*. Jakarta: Interna Publishing; 2014. 1516–26.
7. McDermott MM, Liu K, Criqui MH, Ruth K, Goff D, Saad MF, et al. Ankle-brachial index and subclinical cardiac and carotid disease: the multi-ethnic study of atherosclerosis. 2005. 33–41.
8. Fowkes FGR, Rudan D, Rudan I, Aboyans V, Denenberg JO, McDermott MM, et al. Comparison of global estimates of prevalence and risk factors for peripheral artery disease in 2000 and 2010: a systematic review and analysis. Elsevier Ltd; 2013. 29–40.
9. Criqui MH, Aboyans V. Epidemiology of peripheral artery disease. *Circ Res*. 2015 Apr 24;116(9):1509-26.
10. Kannel WB, Mc Gee DL. Update on some epidemiologic features of intermittent claudication: the Framingham study. *Am J Geriatr Soc*. 1985; 33(1):13-8.
11. Fowkes FGR, Low LP, Tuta S, Kozak J. Ankle-brachial index and extent of atherothrombosis in 8891 patients with or at risk of vascular disease: Results of the international AGATHA study. *Eur Heart J*. 2006; 27(15):1861–7.
12. Elfi, Fitra Eka. Peran latihan disupervisi pada pasien dengan penyakit arteri perifer ekstremitas bawah. *Bagian Jantung dan Pembuluh Darah Fakultas Kedokteran Universitas Andalas, Padang*; 2012. 193- 201.
13. Rhee S. Multi-country study on the prevalence and clinical features of peripheral arterial disease in Asian type 2 diabetes patients at high risk of atherosclerosis. *Diabetes Res Clin Pract*. 2007; 76(1):82–92.
14. Selvin E. Prevalence of and risk factors for peripheral arterial disease in the United States: Results From the National Health and Nutrition Examination Survey, 1999-2000. 2004;110(6):738–43.

15. Mahmood, S. S., Levy, D., Vasan, R. S., & Wang, T. J. The framingham heart study and the epidemiology of cardiovascular disease: A historical perspective. 2014. 999–1008.
16. American Heart Association. What is peripheral vascular disease? In American Heart Association; 2012. https://www.heart.org/-/media/data-import/downloadables/8/3/c/pe-abh-what-is-peripheral-vascular-disease-ucm_300323.pdf. Diakses Februari 2020
17. American Diabetes Association. Epidemiology and impact of peripheral arterial disease in people with diabetes. *Diabetes Care*. 2003; 26(12): 3333–41.
18. Creager M, Libby P. Peripheral arterial disease. In: Mann DL, Zipes DP, Libby P, Bonow RO, editors. *Braunwald's heart disease: A textbook of cardiovascular medicine*. 10th ed. Philadelphia: Elsevier Saunders; 2015. 1312-1335
19. Rhee S, Kim YS. Peripheral arterial disease in patients with type 2 diabetes mellitus. *Diabetes Metab J*; 2015. 39(4): 283–290.
20. Wilbert S, A. Peripheral arterial disease of the lower extremities. *Journal of New York Medical College, USA*; 2012. Vol 8 (No 2). 375-388.
21. Hirsch AT, Haskal ZJ, Hertzner NR, Bakal CW, Creager MA, Halperin JL, et al. ACC/AHA 2005 practice guidelines for the management of patients with peripheral arterial disease (lower Extremity, renal, mesenteric, and abdominal aortic). *Circulation*. 2006;113(11):463-654.
22. Sarangi S, Srikant B, Rao D, Joshi L, Usha, G. Correlation between peripheral arterial disease and coronary artery disease using ankle brachial index-a study in Indian population. 2012; 2-6.
23. Fuster, Rourke O, Walsh, Wilson P, editors. *Peripheral arterial disease. Hurst's the heart manual of cardiology*. 12th ed. New York: McGraw-Hill Education. 2009; 2375-2376
24. Labropoulos N, Tassiopoulos AK. Noninvasive diagnostic evaluation of peripheral arterial disease. In: Caralis DG. and Bakris GL. *Clinical hypertension and avascular diseases: Lower extremity arterial disease*. Totowa: Humana press Inc. 2005; 23-38.
25. Tendera M, Aboyans v, Bartelink ML, Baumgartner I, Clement D, Collet JP, et al. ESC Guidelines on the diagnosis and treatment of peripheral artery diseases. *Eur Hear J*. 2011; 32: 2851-2906.
26. Norgren L, Hiatt WR, Dormandy JA, Nehler MR, Harris KA, Fowkes FGR. Inter-society consensus for the management of peripheral artery disease (TASC II). *Journal of vascular surgery*. 2007; 45(1): S5A-S67A.
27. Scottish Intercollegiate Guidelines Network. *Diagnosis and management of peripheral arterial disease a national clinical guideline*. Edinburgh: Scottish Intercollegiate Guidelines Network. 2006.
28. Kurniawan, A. Penyakit arteri perifer pada diabetes mellitus. *Jurnal Universitas Pelita Harapan*; 2013. Vol. 4 (No. 3): 2-8.
29. Gerhard-Herman, M.D, Gornik, H.L., Barret, C., Barshes, N.R., Corriere, M.A, Drachman, D, et al. AHA/ACC guideline on the management of patients with lower extremity peripheral artery disease: Executive Summary. *the Journal of the American College of Cardiology*; 2016. 14–31.

30. Stephens, Everett. Which lab tests are indicated in the workup of peripheral vascular disease (PVD)?. 2017. <https://www.medscape.com/answers/761556-89708/which-lab-tests-are-indicated-in-the-workup-of-peripheral-vascular-disease-pvd>. Diakses Februari 2020
31. Gary T, Pichler M, Schilcher G, Hafner F, Hackl G, Rief P, Eller P, Brodmann M. Elevated Blood Urea Nitrogen is Associated With Critical Limb Ischemia in Peripheral Arterial Disease Patients. *Medicine (Baltimore)*. 2015 Jun; 94(24):e948.
32. Sibley RC, Reis SP, MacFarlane JJ, Reddick MA, Kalva SP, and Sutphin PD. Noninvasive physiologic vascular studies: A guide to diagnosing peripheral arterial disease. *RSNA*. 2016; 37(1): 1-12
33. Gornik HL, Beckman JA. Peripheral arterial disease. *J Circulation*. 2005;111(13): 72-169
34. Shammas W Nicolas, 2007. Epidemiology, classification, and modifiable risk factors of peripheral arterial disease. *Midwest Cardiovascular Research Foundation, Cardiovascular Medicine, Davenport, USA; 2007. 229-233.*
35. Norgren L, Hiatt WR, Dormandy Ja, Nehler MR, Harris KA, Fowkes FGR, et al. Inter-society consensus for the management of peripheral arterial disease (TASC II). *European Journal of Vascular and Endovascular Surgery*. 2007; 33(1):S1-S75.
36. Creager MA, Kaufman JA, Conte MS. Acute Limb Ischemia *N Engl J Med*. 2012; 366: 198- 206.
37. Patel M.R., Conte M.S, Cutlip D.E. Evaluation and treatment of patients with lower extremity peripheral artery disease: Consensus Definitions from Peripheral Academic Research Consortium (PARC). *J Am Coll Cardiol*. 2015; 931-941
38. Tendera M, Victor A, Marie LB, Iris B, Denis C, Jean PC, et al., ESC Guidelines on the diagnosis and treatment of peripheral artery diseases. The Task Force on the Diagnosis and Treatment of Peripheral Artery Diseases of the European Society of Cardiology (ESC). *Eur Heart J*.2011; 32: 2851–2906.
39. Savji N, Rockman CB, Skolnick AH, Guo Y, Adelman MA, Riles T, et al. *J Am Coll Cardiol*. 2013; 36-43.
40. Nirala N, Periyasamy R, Kumar A. Noninvasive Diagnostic Methods for Better Screening of Peripheral Arterial Disease. *Ann Vasc Surg*. 2018 Oct; 52:263-272.
41. Høyer C, Sandermann J, Petersen LJ. The toe-brachial index in the diagnosis of peripheral arterial disease. *J Vasc Surg*. 2013 Jul; 58(1):231-8.
42. Boudi. Noncoronary atherosclerosis overview of atherosclerosis. 2011. <https://emedicine.medscape.com/article/1950759-overview>. Diakses Februari 2020
43. Tugasworo, Dodik. Patogenesis aterosklerosis. Semarang : Badan Penerbit Universitas Diponegoro; 2010. 3 – 24
44. Fakhrzadeh H, Tabatabaei-malazy O. Dyslipidemia and cardiovascular disease. *Endocrinol Metabolic Rescent Tehran Univ Med Sci*. 2008

45. Hiratzka LF, Murphy WR, Olin JW, Puschett JB, Rosenfield KA, Sacks D, et al. ACC/AHA Task force on practice guidelines writing committee to develop guidelines for the management of patients with peripheral arterial disease., American Association of Cardiovascular and Pulmonary Rehabilitation. 2006; 113(11): 463-654.
46. Jawaharlal W.B. Senaratne and Green FR. Pathobiology of atherosclerosis. In Peter J. Morris, William C. Wood Oxford eds. Textbook of Surgery, 2nd edition. US: Oxford press; 2000: Vol. 3.
47. Diehm C, Schuster A, Allenberg J, Darius H, Haberl R, Lange S. et al. High prevalence of peripheral arterial disease and co-morbidity in 6880 primary care patients: cross-sectional study. *Atherosclerosis*. 2004; 172: 95–105
48. Kannel WB, Shurtleff D. Update on some epidemiologic features of intermittent claudication: the Framingham Study. 1973; 28 (2): 61-8
49. Selvin E, Hirsch AT. Contemporary risk factor control and walking dysfunction in individuals with peripheral arterial disease: NHANES 1999-2004. *Atherosclerosis*. 2008;201(2):425-433.
50. Conen David, Everett B, Kurth Tobias, Cragger Mark. Smoking, smoking cessation and risk of symptomatic peripheral artery disease in women: A Prospective Study; 2011; 154(11): 719–726.
51. Coffman J, Eberhardt R, Cannon C. Peripheral arterial disease: Springer Science & Business Media; 2003.
52. Olin J, Sealove B, editors. Peripheral artery disease: current insight into the disease and its diagnosis and management. Mayo Clinic Proceedings; 2010.
53. Izzo J, Levy D, Black H. Importance of systolic blood pressure in older Americans. *Hypertension*; 2000. 35(5):1021-4
54. Marso S, Hiatt W.J *Am Coll Cardiol*. Review peripheral arterial disease in patients with diabetes; 2006. 47(5):921-9.
55. Bulughapitiya U, Siyambalapitiya S, Sithole J, Idris. Review Is diabetes a coronary risk equivalent? Systematic review and meta-analysis; 2009. 26(2):142-8.
56. Hirsch AT, Criqui MH, Treat-Jacobson D, Regensteiner JG, Creager MA, Olin J, et al. Peripheral arterial disease detection, awareness, and treatment in primary care. *Jama*; 2001.286(11):1317-24.
57. Agrawal K, Eberhardt RT. Contemporary medical management of peripheral arterial disease. *Cardiol Clin*. Elsevier Inc; 2015; 33(1):111–37
58. Longo DL, Kasper DL, Jameson JL, Fauci AS, Hauser SL, Loscalzo J, editors. Harrison's principles of internal medicine. 18th ed. New York: Mc Graw Hill; 2012. 206 .
59. Runge MS, Greganti MA. Peripheral Arterial Disease. *Netter's internal medicine*. 2nd ed. Philadelphia: Saunders Elsevier; 2009. 213.
60. Bailey MA, Griffin KJ, Scott DJ. Review clinical assessment of patients with peripheral arterial disease. *Semin Intervent Radiol*; 2014. 31(4):292-9.
61. Occas Pap R *Coll Gen Pract*. Edinburgh claudication questionnaire. 2002; (82):44. <http://europepmc.org/article/PMC/2560464>. Diakses Februari 2020
62. Schainfeld RMJ *Am Board Fam Pract*. Management of peripheral arterial disease and intermittent claudication; 2001. 14(6):443-50.
63. Neschis D, Golden M, Eidt J . Waltham, MA, editors. Clinical features and diagnosis of lower extremity peripheral artery disease. 2018

64. Bowyer MW. Compartment syndrome. In: Gahtan V, Costanza MJ, editors. *Essentials of vascular surgery for the general surgeon*. New York : Springer; 2014. 55–69.
65. Creager MA. Vascular Disease of Extremities. In: Fauci A, Kasper D, Longo D, Braunwald E, Hauser S, Jameson J, editors. *Harrison's principles of internal medicine*. 18th ed. United States of America : The McGraw-Hill Companies; 2012. Chapter 249
66. Teraa M, Conte MS, Moll FL, Verhaar MC. Critical limb ischemia: current trends and future directions. *J Am Heart Assoc*. 2016;5:1-8.
67. Aboyans V, Criqui MH, Abraham P, Allison M, Creager M, Hiatt W, et al. Measurement and interpretation of the ankle-brachial index: A Scientific Statement From the American Heart Association *Circulation*; 2012. 126(24): 2890-2909.
68. Begelman SM., and Jaff MR. Noninvasive diagnostic strategies for peripheral arterial disease. *Cleveland Clinic Journal of Medicine*; 2006. 73(4): S22-S29.
69. Carr AC, Turnipseed WD, Grist TM. The role of magnetic resonance angiography in peripheral vascular disease. In :Mansour MA, Labropoulos N, editors. *Vascular diagnosis*. Philadelphia : Elsevier Inc; 2005. 299-306.
70. Executive Summary of The Third Report of The National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, And Treatment of High Blood Cholesterol In Adults (Adult Treatment Panel III). Expert panel on detection, evaluation, and treatment of high blood cholesterol in adults; 2001. 285(19):2486-97.
71. Stead LF, Bergson G, Lancaster T Cochrane. *Database Syst Rev*. Review Physician advice for smoking cessation. 2008; (2): 165.
72. Ernst E, Fialka V *Arch Intern Med*. A review of the clinical effectiveness of exercise therapy for intermittent claudication. 1993; 153(20):2357-60.
73. Milani RV, Lavie CJ. The role of exercise training in peripheral arterial disease. *Vasc Med*; 2007. 12: 351-358.
74. Rutherford RB. Clinical staging of acute limb ischemia as the basis for choice of revascularization method: when and how to intervene. *Semin Vasc Surg*. 2009; 22: 5–9.
75. Thukkani AK, Kinlay S *Circ Res*. Review endovascular intervention for peripheral artery disease; 2015. 116(9): 599-613.
76. Dormandy J, Heeck L, Vig S. *Semin Vasc Surg*. Review major amputations: clinical patterns and predictors; 1999. 12(2):154-61
77. Dahlan S. Besar sampel aksis deskriptif. Besar sampel dalam penelitian kedokteran dan kesehatan. Seri 2, edisi 5. Jakarta: Salemba Emban Patria; 2019. 13-17
78. James PA, Ortiz E, et al. 2014 evidence-based guideline for the management of high blood pressure in adults: (JNC8). *JAMA*. 2014 Feb 5;311(5):507-20
79. Ferdiansyah, M.H. Hubungan antara rasio kadar kolesterol total terhadap high-density lipoprotein (HDL) dengan kejadian penyakit jantung koroner Di RSUD. Moewardi. Skripsi Universitas Muhammadiyah. Surakarta; 2014.

80. Amir, S. Kadar glukosa darah sewaktu pada pasien diabetes melitus tipe 2 di Puskesmas Bahu Kota Manado. *Jurnal e-Biomedik (eBm)*. 2015. Vol. 3. No. 1.
81. Thendria, T., Toruan, I. L., & Natalia, D. (2014). Hubungan antara hipertensi dan penyakit arteri perifer berdasarkan nilai ankle-brachial index. *E-Journal Kedokteran Indonesia*, 2(1).
82. Song P, Rudan D, Wang M, Chang X, Rudan I. National and subnational estimation of the prevalence of peripheral artery disease (PAD) in China: a systematic review and meta-analysis. *J Glob Health*. 2019 Jun; 9(1): 010601.
83. Sigvant B, Wiberg-Hedman K, Bergqvist D, Rolandsson O, Andersson B, Persson E, et al. A population-based study of peripheral arterial disease prevalence with special focus on critical limb ischemia and sex differences. *J Vasc Surg*. 2007 Jun; 45(6):1185-91.
84. Egogrova N, Ageliki GV, Jacquelyn Q, Stephanie G, Alan M, Michael M, et al. Analysis of gender-related differences in lower extremity peripheral arterial disease. *J Vasc Surg*. 2010;51:372-9.
85. Faglia E, Mantero M, Caminiti M, Caravaggi C, Giglio R, Pritelli C, et al. Extensive use of peripheral angioplasty, particularly infrapopliteal, in the treatment of ischaemic diabetic foot ulcers: clinical results of a multicentric study of 221 consecutive diabetic subjects. *J Intern Med* 2002; 252: 225-32.
86. Fowkes FG, Housley E, Cawood EH, Macintyre CC, Ruckley CV, Prescott RJ. Edinburgh Artery Study: prevalence of asymptomatic and symptomatic peripheral arterial disease in the general population. *Int J Epidemiol*. 1991;20(2):384-392.
87. Meijer WT, Hoes AW, Rutgers D, Bots ML, Hofman A, Grobbee DE. Peripheral arterial disease in the elderly: The Rotterdam Study. *Arterioscler Thromb Vasc Biol*. 1998;18(2):185-192.
88. T Iwai, S Sato, K Sakurazawa, Y Muraoka, Y Inowe, M. Endo Hip claudication: its pathophysiology and treatment *Vasc Surg*, 27 (1993), pp. 19-26
89. McDermott MM, Greenland P, Liu K, Guralnik J, Celic L, Criqui M, et al. The ankle brachial index is associated with leg function and physical activity: the Walking and Leg Circulation Study. *Ann Intern Med*. 2002;136(12):873-883
90. David A. Smith, Craig J. Lillie. *Acute Arterial Occlusion : Stat Pearls Publishing*; 2020 Jan.
91. Dieter RS, Chu WW, Pacanowski JP, McBride PE, Tanke TE . The significance of lower extremity peripheral arterial disease. *Clinical Cardiol* 2002; **25**: 3–10.
92. Safar ME, Priollet P, Luizy F, Mourad JJ, Cacoub P, Levesque H, et al. Peripheral arterial disease and isolated systolic hypertension: the attest study. *J Hum Hypertens*. 2009;23:182-187.
93. Vogt MT, Wolfson SK, Kuller LH. Segmental arterial disease in the lower extremities: correlates of disease and relationship to mortality. *J Clin Epidemiol*. 1993; 46:1267–1276
94. Diehm N, Shang A, Silvestro A, Dick F, Schmidli J, Mahler F, et al. Association of cardiovascular risk factors with pattern of lower limb

- atherosclerosis in 2659 patients undergoing angioplasty. *Eur J Vasc Endovasc Surg.* 2006; 31:59–63.
95. Ozkan U, Oguzkurt L, Tercan F. Atherosclerotic risk factors and segmental distribution in symptomatic peripheral artery disease. *J Vasc Interv Radiol.* 2009; 20:437–441.
 96. Barretto S, Ballman KV, Rooke TW, Kullo IJ. Early-onset peripheral arterial occlusive disease: clinical features and determinants of disease severity and location. *Vasc Med.* 2003;8(2):95-100.
 97. Klein AJ, Chen SJ, Messenger JC, Hansgen AR. Quantitative assessment of the conformational change in the femoropopliteal artery with leg movement. *Catheterization and Cardiovascular Interventions.* 2009;74:787-798
 98. Hairu Nurul Mutmainah, Yusra Pintaningrum, I Gede Yasa Asmara. Hubungan antara diabetes melitus dengan penyakit arteri perifer (PAP) melalui pemeriksaan ankle brachial index (ABI) pada pasien poliklinik rumah sakit di Mataram. *Mataram : Jurnal Kedokteran Unram;* 2017, 6 (3): 6-10
 99. Dick F, Diehm N, Galimanis A, Husmann M, Schmidli J, Baumgartner I. Surgical or endovascular revascularization in patients with critical limb ischemia: influence of diabetes mellitus on clinical outcome. *J Vasc Surg.* 2007 Apr; 45(4):751-61
 100. Hirsch AT. Diagnosis of intermittent claudication. *Fam Pract Recert.* 2000; 22:6–12
 101. Yoon HS, Choi WJ, Sung IH, Lee HS, Chung HJ, Lee JW. Effects of Beraprost sodium on subjective symptoms in diabetic patients with peripheral arterial disease. *Clin Orthop Surg.* 2013 Jun; 5(2):145-51.
 102. Meijer WT, Hoes AW, Rutgers D, Bots ML, Hofman A, Grobbee DE. Arteriosclerosis, thrombosis and vascular biology. *American Heart Association.* 2007; 18:185-192.
 103. Duff S, Mafilios MS, Bhounsule P, Hasegawa JT. The burden of critical limb ischemia: a review of recent literature. *Vasc Health Risk Manag.* 2019; 15:187–208.
 104. Unwin N. Epidemiology of lower extremity amputation in centres in Europe, North America and East Asia. *Br J Surg.* 2000; 87:328–337.
 105. Humphries MD, Brunson A, Li CS, Melnikow J, Romano PS. Amputation trends for patients with lower extremity ulcers due to diabetes and peripheral artery disease using statewide data. *J Vasc Surg.* 2016; 64:1747–1755
 106. Fagundes C, Fuchs FD, Fagundes A, Poerschke RA, Vacaro MZ. Prognostic factors for amputation or death in patients submitted to vascular surgery for acute limb ischemia. *Vasc Health Risk Manag.* 2005;1(4):345-349.
 107. Alexiadou K, Doupis J. Management of diabetic foot ulcers. *Diabetes Ther.* 2012;3(1):4.