

## DAFTAR PUSTAKA

- Acosta-Motos, J., Ortúñoz, M., Bernal-Vicente, A., Diaz-Vivancos, P., Sanchez-Blanco, M., & Hernandez, J. (2017). Plant Responses to Salt Stress: Adaptive Mechanisms. *Agronomy*, 7(1), 8.
- Ahmad, N. N. R., Fernando, W. J. N., & Uzir, M. H. (2015). Parametric evaluation using mechanistic model for release rate of phosphate ions from chitosan-coated phosphorus fertiliser pellets. *Biosystems Engineering*, 129, 78–86.
- Allé, B. (1999). ABC Guide to Mineral Fertilizers A basic handbook on fertilizers and their use. Yara International ASA.
- Azeem, B., KuShaari, K., Man, Z. B., Basit, A., & Thanh, T. H. (2014). Review on materials & methods to produce controlled release coated urea fertilizer. *Journal of Controlled Release*, 181, 11-21.
- Badan pusat statistik n.d., Impor Pupuk Menurut Negara Asal Utama, <https://www.bps.go.id/statictable/2014/09/08/1044/impor-pupuk-menurut-negara-asal-utama-2000-2016.html>. [diakses 22 November 2017].
- Balai Penelitian Tanah. (2005). *Analisis Kimia Tanah, Tanaman, Air dan Pupuk*. Bogor: Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian.
- Benedict, C. V., Cook, W. J., Jarrett, P., Cameron, J. A., Huang, S. J., & Bell, J. P. (1983). Fungal degradation of polycaprolactones. *Journal of Applied Polymer Science*, 28(1), 327-334.

Bruschi, M. L. (2015). *Strategies to modify the drug release from pharmaceutical systems*. Woodhead Publishing.

Brussels, E. C., & Parliament, E. (2016). laying down rules on the making available on the market of CE marked fertilising products and amending Regulations (EC) No 1069/2009 and (EC) No 1107/2009, (1069), 1–74.

Cahyono B. 2003. *Teknik Budidaya Cabai rawit dan Analisis Usaha Tani*. Yogyakarta (ID): Kanisius.

Cho, H. S., Moon, H. S., Kim, M., Nam, K., & Kim, J. Y. (2011). Biodegradability and biodegradation rate of poly (caprolactone)-starch blend and poly (butylene succinate) biodegradable polymer under aerobic and anaerobic environment. *Waste management*, 31(3), 475-480.

Cook, W. J., Cameron, J. A., Bell, J. P., & Huang, S. J. (1981). Scanning electron microscopic visualization of biodegradation of polycaprolactones by fungi. *Journal of Polymer Science: Polymer Letters Edition*, 19(4), 159-165.

Costa, M. M., Cabral-Albuquerque, E. C., Alves, T. L., Pinto, J. C., & Fialho, R. L. (2013). Use of Polyhydroxybutyrate and Ethyl Cellulose for Coating of Urea Granules. *J of Agric and food Chem*, 61(42), 9984-9991.

Costa, P., & Lobo, J. M. S. (2001). Modeling and comparison of dissolution profiles. *European journal of pharmaceutical sciences*, 13(2), 123-133.

Dindar, B., & Içli, S. (2001). Unusual photoreactivity of zinc oxide irradiated by concentrated sunlight. *Journal of Photochemistry and Photobiology A: Chemistry*, 140(3), 263-268.

- Djamaan, A. (2015). Coating of Urea Granules for Slow Release Fertilizer Using Biobblend Polystyrene / Polycaprolactone. *J of Chem and Pharm Res*, 7(11), 478-484.
- Dobermann, A. R. (2005). *Nitrogen Use Efficiency – State of the Art*. University of Nebraska, Agronomy & Horticulture -- Faculty Publications, 6, 1–16.
- Du, C., Tang, D., Zhou, J., Wang, H., & Shaviv, A. (2008). Prediction of nitrate release from polymer-coated fertilizers using an artificial neural network model. *Biosystems Engineering*, 99(4), 478–486.
- El-Arini, S. K., & Leuenberger, H. (1998). Dissolution properties of praziquantel–PVP systems. *Pharmaceutica Acta Helveticae*, 73(2), 89-94.
- Elzubair, A., Elias, C. N., Suarez, J. C. M., Lopes, H. P., & Vieira, M. V. B. (2006). The Physical Characterization of a Thermoplastic Polymer for Endodontic Obturation. *J of Dentist*, 34(10), 784-789.
- Erisman, J. W., Sutton, M. A., Galloway, J., Klimont, Z., & Winiwarter, W. (2008). How a century of ammonia synthesis changed the world. *Nature Geoscience*, 1(10), 636–639.
- Erisman, J. W., Sutton, M. A., Galloway, J., Klimont, Z., & Winiwarter, W. (2008). How a century of ammonia synthesis changed the world. *Nature Geoscience*, 1(10), 636.
- Eshbaugh, W. H. (2012). The taxonomy of the genus Capsicum. *Peppers: Botany, production and uses*, 14.
- García, M. T., Gracia, I., Duque, G., de Lucas, A., & Rodríguez, J. F. (2009). Study Of The Solubility And Stability of Polystyrene Wastes in a Dissolution Recycling Process. *Waste Management*, 29(6), 1814-1818.

- Gregorich, E., Janzenx, H. H., Helgason, B., & Ellert, B. (2015). Nitrogenous Gas Emissions from Soils and Greenhouse Gas Effects. *Advances in Agronomy* (Vol. 132). Elsevier Inc.
- Guaita, M., Chiantore, O., & Costa, L. (1985). Changes in degree of polymerization in the thermal degradation of polystyrene. *Polymer degradation and stability*, 12(4), 315-332.
- Hachemi, R., Belhaneche-Bensemra, N., & Massardier, V. (2014). Elaboration and Characterization of Bioblends Based on PVC/PLA. *J of Appl Polym Sci*, 131(7).
- Hakkarainen, M., & Albertsson, A. C. (2002). Heterogeneous biodegradation of polycaprolactone - Low molecular weight products and surface changes. *Macromolecular Chemistry and Physics*, 203(10–11), 1357–1363.
- Haponiuk, J., & Karlsson, S. (2002). Biodegradation of modified poly ( $\epsilon$ -caprolactone) in different environments. *Polish Journal of Environmental Studies*, 11(4), 413-420.
- Haq, M., Burgueño, R., Mohanty, A. K., & Misra, M. (2008). Hybrid Bio-Based Composites from Blends of Unsaturated Polyester and Soybean Oil Reinforced with Nanoclay and Natural Fibers. *Comp Sci and Tech*, 68(15–16), 3344–3351.
- Harpenas A, Dermawan R. 2010. *Budidaya Cabai Unggul*. Jakarta (ID): Penebar Swadaya.
- Higuchi, T. (1961). Rate of release of medicaments from ointment bases containing drugs in suspension. *Journal of pharmaceutical sciences*, 50(10), 874-875.

- Higuchi, W. I. (1962). Analysis of data on the medicament release from ointments. *Journal of pharmaceutical sciences*, 51(8), 802-804.
- Higuchi, T. (1963). Mechanism of sustained-action medication. Theoretical analysis of rate of release of solid drugs dispersed in solid matrices. *Journal of pharmaceutical sciences*, 52(12), 1145-1149.
- Kan, A., & Demirboğa, R. (2009). A New Technique of Processing for Waste-Expanded Polystyrene Foams as Aggregates. *J of Mat Proc Tech*, 209(6), 2994-3000.
- Kanneh, S. M., Musa, P. D., Osei, M. K., Quee, D. D., Akromah, R., & Lahai, M (2017). Response of Different NPK Fertilizer Rate On The Growth and Yield of Two Local Varieties of Pepper (*Capsicum annuum L.*) in Ogoo Farm, Western Area, Sierre Leone, 12(4), 123–127.
- Karama, A.S., J. Sri Adiningsih, dan Sri Rochayati. 1996. *Prospek penggunaan SKMg di Indonesia*. Pusat Penelitian Tanah dan Agroklimat. Badan Penelitian dan Pengembangan Pertanian.
- Katzhendler, I., Hoffman, A., Goldberger, A., & Friedman, M. (1997). Modeling of drug release from erodible tablets. *Journal of pharmaceutical sciences*, 86(1), 110-115.
- Kim, H., & Fassihi, R. (1997). Application of binary polymer system in drug release rate modulation. Influence of formulation variables and hydrodynamic conditions on release kinetics. *Journal of pharmaceutical sciences*, 86(3), 323-328.
- Kim, M. S., Seo, K. S., Khang, G., & Lee, H. B. (2005). Ring-opening polymerization of  $\epsilon$ -caprolactone by poly(ethylene glycol) by an

- activated monomer mechanism. *Macromolecular Rapid Communications*, 26(8), 643–648.
- Kurnia, U., Agus F., Adimihardja A., dan Dariah A., (2006). *Sifat Fisik Tanah dan Metode Analisisnya*. Balai Besar Litbang Sumberdaya Lahan Pertanian. Badan Litbang Pertanian. Departemen Pertanian. Bogor.
- Kusumaningtyas, D. I., & Sukamto, S. (2016). Analisis Kadar Ortofosfat di Perairan Waduk Ir. Djuanda Periode Bulan Mei 2008. *Buletin Teknik Litkayasa Sumber Daya dan Penangkapan*, 8(1), 9-14.
- Lachman, L., Lieberman, H. A., & Kanig, J. L. (1986). *The theory and practice of industrial pharmacy*. Philadelphia : Lea & Febiger.
- Lafferty, R.M., Karsatko, B., & Karsatko, W. (1998). *Microbial Production of Poly β-hydroxybutyric acid*, H.J. Rehm and G. Reed (Eds), 6B. New York: VCH Publ.
- Lam, C. X., Hutmacher, D. W., Schantz, J. T., Woodruff, M. A., & Teoh, S. H. (2009). Evaluation of polycaprolactone scaffold degradation for 6 months in vitro and in vivo. *Journal of Biomedical Materials Research*, 90(3), 906-919.
- Lee, S.-T., & Park, C. B. (2014). *Foam Extrusion - Principles and Practice*. (vol. 2). CRC Press.
- Leja, K., & Lewandowicz, G. (2010). Polymer Biodegradation and Biodegradable Polymers-a Review. Polish *Journal of Environmental Studies*, 19(2).
- Maul, J., Frushour, B. G., Kontoff, J. R., Eichenauer, H., Ott, K. H., & Schade, C. (2000). Polystyrene and styrene copolymers. *Ullmann's encyclopedia of industrial chemistry*.

McKeen, L. (2012). Renewable Resource and Biodegradable Polymers. *The Effect of Sterilization on Plastics and Elastomers*, 305–317.

Mohamed, A., Finkenstadt, V. L., Gordon, S. H., & Palmquist, D. E. (2010). Thermal and Mechanical Properties of Compression-Molded Pmdi-Reinforced Polycaprolactone/Gluten Composites. *J of Appl Polym Sci*, 118(5), 2778-2790.

Mohamed, A., Gordon, S. H., & Biresaw, G. (2007). Polycaprolactone/polystyrene bioblends characterized by thermogravimetry, modulated differential scanning calorimetry and infrared photoacoustic spectroscopy. *Polymer Degradation and Stability*, 92(7), 1177–1185.

Mohamed, A., Gordon, S. H., & Biresaw, G. (2007). Polycaprolactone/Polystyrene Bioblends Characterized by Thermogravimetry, Modulated Differential Scanning Calorimetry and Infrared Photoacoustic Spectroscopy. *Polymer Degrad and Stab*, 92(7), 1177-1185.

Mohanty, A. K., Misra, M., & Hinrichsen, G. (2000). Biofibres, Biodegradable Polymers and Biocomposites: an overview. *Macromolecul Mat and Engineer*, 276(1), 1-24.

Motiwalla, M. J., Punyarthi, P. P., Mehta, M. K., D'Souza, J. S., & Kelkar-Mane, V. (2013). Studies on degradation efficiency of polycaprolactone by a naturally-occurring bacterium. *Journal of environmental biology*, 34(1), 43.

Nishida, H., & Tokiwa, Y. (1993). Distribution of Poly (b-hydroxybutyrate ) and Poly (e-caprolactone) Aerobic Degrading Microorganisms in Different Environments. *Journal of Environmental Polymer Degradation*, 1(3), 227–233.

Muslim, S. (2015) ‘Use of biobblend polystyrene / starch for coating urea granules as slow release fertilizer Use of biobblend polystyrene / starch for coating urea granules as slow release fertilizer’, (December).

Ohmura, T., Yano, K., Sugiura, H., Takada, N., Kawata, R., & Kawada, H. (1974). U.S. Patent No. 3,798,054. Washington, DC: U.S. Patent and Trademark Office.

Peet, M. M., & Wolfe, D. W. (2000). *Crop ecosystem responses to climate change: vegetable crops*. CABI Publishing, New York, and Wallingford, UK.

Peppas, N. (1985). Analysis of Fickian and non-Fickian drug release from polymers. *Pharmaceutica Acta Helveticae*, 60(4), 110-111.

Peppas, N. A., & Narasimhan, B. (2014). Mathematical models in drug delivery: How modeling has shaped the way we design new drug delivery systems. *Journal of Controlled Release*, 190, 75-81.

Pitt, C. G., Chasalow, F. I., Hibionada, Y. M., Klimas, D. M., & Schindler, A. (1981). Aliphatic polyesters. I. The degradation of poly (ε-caprolactone) in vivo. *Journal of Applied Polymer Science*, 26(11), 3779-3787.

Prasad, R., Kumar, V., & Kumar, M. (2017). Nanotechnology: Food and environmental paradigm. *Nanotechnology: Food and Environmental Paradigm*.

- Raban, S., & Shaviv, A. (1995). Controlled release characteristics of coated urea fertilizers. Intern. Symp. Control. Rel. Bioact. (Vol. 22).
- Raban, S., Zeidel, E., & Shaviv, A. (1997). Release mechanisms controlled release fertilizers in practical use. Third Int. Dahlia Greidinger Sym. on Fertilisation and The Environment (JJ Mortwedd, and A. Shaviv, Eds.), 287-295.
- Rohindra, D., Sharma, P., & Khurma, J. (2005, April). Soil and Microbial Degradation Study of Poly ( $\epsilon$ -caprolactone)-Poly (vinyl butyral) Blends. *Macromolecular Symposia* (Vol. 224, No. 1, pp. 323-332). Weinheim: WILEY-VCH Verlag.
- Salman, O. A. (1988). Polymer Coating on Urea Prills to Reduce Dissolution Rate. *J of Agric and Food Chem*, 36(3), 616-621.
- Savvas, D., Gianquinto, G., Tuzel, Y., & Gruda, N. (2013). *Soilless culture. Good Agricultural Practices for greenhouse vegetable crops*. Food and Agriculture Organization of the United Nations.
- Scheirs, J., & Priddy, D. (2003). *Modern styrenic polymers: polystyrenes and styrenic copolymers* (Vol. 6). John Wiley & Sons.
- Scherer, H. W., Mengel, K., Kluge, G., & Severin, K. (2000). Fertilizers, 1. General. *Ullmann's Encyclopedia of Industrial Chemistry*.
- Sekiguchi, T., Sato, T., Enoki, M., Kanehiro, H., Uematsu, K., & Kato, C. (2011). Isolation and characterization of biodegradable plastic degrading bacteria from deep-sea environments. *JAMSTEC Report of Research and Development*, 11, 33-41.

- Sempeho, S. I., Kim, H. T., Mubofu, E., & Hilonga, A. (2014). Meticulous overview on the controlled release fertilizers.
- Shaviv, A. (1993). Controlled supply of fertilizers for increasing use efficiency and reducing environmental damage. *Optimization of Plant Nutrition* (pp. 651-656). Springer, Dordrecht.
- Shaviv, A. (2001). Advances in Controlled-Release Fertilizers. *Advances in agronomy*, 71, 1-49.
- Shoji, S., & Kanno, H. (1994). Use of polyolefin-coated fertilizers for increasing fertilizer efficiency and reducing nitrate leaching and nitrous oxide emissions. *Fertilizer Research*, 39(2), 147–152.
- Sibanda, W., Pillay, V., Danckwerts, M. P., Viljoen, A. M., van Vuuren, S., & Khan, R. A. (2004). Experimental design for the formulation and optimization of novel cross-linked oilispheres developed for in vitro site-specific release of *Mentha piperita* oil. *AAPS PharmSciTech*, 5(1), 128-141.
- Siepmann, J., & Peppas, N. A. A. (2012). Modeling of drug release from delivery systems based on hydroxypropyl methylcellulose (HPMC). *Advanced drug delivery reviews*, 64, 163-174.
- Sinha, V. R., Bansal, K., Kaushik, R., Kumria, R., & Trehan, A. (2004). Poly- $\epsilon$ -caprolactone microspheres and nanospheres: An overview. *International Journal of Pharmaceutics*, 278(1), 1–23.
- Srivastava, S., & Mishra, G. (2010). Fluid bed technology: Overview and Parameters for Process Selection. *International J of Pharm Sci and Drug Res*, 2(4), 236–246.

- Sumarni, N., & Muharam, A. (2005). *Budidaya Tanaman Cabai Merah*. Balai Penelitian Tanaman Sayuran. Lembang :Bandung.
- Sun, H., Mei, L., Song, C., Cui, X., & Wang, P. (2006). The in vivo degradation, absorption and excretion of PCL-based implant. *Biomaterials*, 27(9), 1735-1740.
- Sunaryono, H., dan Rismunandar. 1984. *Kunci Bercocok Tanam Sayur-sayuran Penting Di Indonesia*. CV. Sinar Baru. Bandung.
- Suwandi N, Nurtika, Sahat S. 1997. *Bercocok tanam sayuran dataran rendah*. Lembang: Balai Penelitian Hortikultura Lembang dan Proyek ATA 395.pp: 3.1-3.6.
- Syukur M, Yunianti R, Dermawan R. 2012. *Sukses Panen Cabai Tiap Hari*. Jakarta(ID): Penebar Swadaya.
- Tjahjadi, N. 1991. *Bertanam Cabai*. Yogyakarta. Penerbit Kanisius.
- Tokiwa, Y., & Suzuki, T. (1977). Hydrolysis of polyesters by lipases. *Nature*, 270(5632), 76.
- Tomaszewska, M., & Jarosiewicz, A. (2002). Use of polysulfone in controlled-release NPK fertilizer formulations. *Journal of agricultural and food chemistry*, 50(16), 4634-4639.
- Tracton, A. A. (Ed.). (2007). *Coating Technology: Fundamentals, Testing, and Processing Techniques*. CRC Press.
- Trenkel, M. E. (1997). *Controlled-release and stabilized fertilizers in agriculture* (Vol. 11). Paris: International fertilizer industry association.

Trenkel. (2010). Slow and Controlled-Release and stabilized Fertilizers. Second Edition. Paris: *Journal of Chemical Information and Modeling* (Vol. 53). 163 hal.

Turton, R., & Cheng, X. X. (2005). The Scale-up of Spray Coating Processes for Granular Solids and Tablets. *Powder technology*, 150(2), 78-85.

Varelas, C. G., Dixon, D. G., & Steiner, C. A. (1995). Zero-order release from biphasic polymer hydrogels. *Journal of Controlled Release*, 34(3), 185–

192.

Vinhas, G. M., Souto-Maior, R. M., Lapa, C. M., & Almeida, Y. M. B. D. (2003). Degradation studies on plasticized PVC films submitted to gamma radiation. *Materials Research*, 6(4), 497-500.

Vivek, K., Harivardhan Reddy, L., & Murthy, R. S. R. (2007). Comparative study of some biodegradable polymers on the entrapment efficiency and release behavior of etoposide from microspheres. *Pharmaceutical development and technology*, 12(1), 79-88.

Wardani, L.A.. (2012) Validasi Metode Analisis Dan Penentuan Kadar Vitamin C Pada Minuman Buah Kemasan Dengan Spektrofotometri UV-Visible (Skripsi, FMIPA Universitas Indonesia Depok).

Winanto A, 2018. Konsumsi Pupuk Urea 2017 Terbesar Dalam 10 Tahun Terakhir.

<http://industri.bisnis.com/read/20180215/257/738966/konsumsi-pupuk-urea-2017-terbesar-dalam-10-tahun-terakhir>. [diakses 15 Februari 2018].

- Woodruff, M. A., & Hutmacher, D. W. (2010). The return of a forgotten polymer polycaprolactone in the 21st century. *Progress in polymer science*, 35(10), 1217-1256.
- Woodruff, M. A., & Hutmacher, D. W. (2010). The Return of a Forgotten Polymer Polycaprolactone In The 21st Century. *Progress in Polymer Science*, 35(10), 1217-1256.
- Yang, Y. C., Zhang, M., Li, Y., Fan, X. H., & Geng, Y. Q. (2012). Improving the quality of polymer-coated urea with recycled plastic, proper additives, and large tablets. *Journal of agricultural and food chemistry*, 60(45), 11229-11237.
- Yousif, E., & Haddad, R. (2013). Photodegradation and photostabilization of polymers, especially polystyrene: Review. *SpringerPlus*, 2(1), 1–32.
- Zaidel, E. (1996). Models of controlled release of fertilizers. Technion-Israel Institute of technology, Faculty of agricultural engineering.
- Silva, J. A., & Uchida, R. S. (2000). *Plant nutrient management in Hawaii's soils: Approaches for tropical and subtropical agriculture*. University of Hawaii.