

DAFTAR PUSTAKA

- Adelia Ratna Sundari Gunawan (2017) Faktor-Faktor yang Mempengaruhi Tingkat Kepatuhan Pasien Terhadap Pengobatan Tuberkulosis Paru Di Lima Puskesmas Se-Kota Pekanbaru.
- Agustin, N. (2016). *Analisis Faktor Klinik dan Pengobatan yang Mempengaruhi Keberhasilan Terapi Tuberkulosis pada Pasien Koinfeksi HIV-TB di Klinik VCT RSD dr. Soebandi Jember*. Universitas Jember.
- Alemayehu, M., Wubshet, M., Mesfin, N., Tamiru, A., & Gebayehu, A. (2017). Health-related quality of life of HIV infected adults with and without Visceral Leishmaniasis in Northwest Ethiopia. *Health and Quality of Life Outcomes*, 15(65), 1–10. <https://doi.org/10.1186/s12955-017-0636-6>
- Ali, S. A., Mavundla, T. R., Fantu, R., & Awoke, T. (2016). Outcomes of TB treatment in HIV co-infected TB patients in Ethiopia: A cross-sectional analytic study. *BMC Infectious Diseases*, 16(1), 1–9. <https://doi.org/10.1186/s12879-016-1967-3>
- Ambaw, F., Mayston, R., Hanlon, C., Medhin, G., & Alem, A. (2018). Untreated depression and tuberculosis treatment outcomes , quality of life and disability , Ethiopia. *Bulletin of the World Health Organization*, 1–25.
- Azwar, S. (2002). *Penyusunan Skala Psikologi*. Yogyakarta: Pustaka Belajar.
- Bell, L. C. K., & Noursadeghi, M. (2018). Pathogenesis of HIV-1 and mycobacterium tuberculosis co-infection. *Nature Reviews Microbiology*, 16(2), 80–90. <https://doi.org/10.1038/nrmicro.2017.128>
- Carvalho, P. P., Barroso, S. M., Coelho, H. C., & Penaforte, F. R. de O. (2019). Factors associated with antiretroviral therapy adherence in adults: An integrative review of literature. *Ciencia e Saude Coletiva*, 24(7), 2543–2555. <https://doi.org/10.1590/1413-81232018247.22312017>
- Centers for Disease Control and Prevention. (2013). Managing Drug Related Interactions in the Face of HIV- Related Tuberculosis. *National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention Division*, 32. Retrieved from http://www.cdc.gov/tb/publications/guidelines/tb_HIV_drugs/pdf/tbHIV.pdf
- Chem, E. D., Van Hout, M. C., & Hope, V. (2019). Treatment outcomes and antiretroviral uptake in multidrug-resistant tuberculosis and HIV co-infected patients in Sub Saharan Africa: A systematic review and meta-

analysis. *BMC Infectious Diseases*, 19(1), 1–8.
<https://doi.org/10.1186/s12879-019-4317-4>

Chenneville, T., Machacek, M., St. John Walsh, A., Emmanuel, P., & Rodriguez, C. (2017). Medication Adherence in 13- to 24-Year-Old Youth Living With HIV. *Journal of the Association of Nurses in AIDS Care*, 28(3), 383–394. <https://doi.org/10.1016/j.jana.2016.11.002>

Chirambo, L., Valeta, M., Banda Kamanga, T. M., & Nyondo-Mipando, A. L. (2019). Factors influencing adherence to antiretroviral treatment among adults accessing care from private health facilities in Malawi. *BMC Public Health*, 19(1), 1–11. <https://doi.org/10.1186/s12889-019-7768-z>

Conde, M., & Silva, J. L. (2011). New regimens for reducing the duration of the treatment of drug- susceptible pulmonary tuberculosis. *NIH Public Access*, 72(6), 1–7. <https://doi.org/10.1038/jid.2014.371>

de Souza Neves, L. A., Reis, R. K., & Gir, E. (2010). Compliance With the ant by patients with the co-infection HIV/tuberculosis: Integrative literature review. *Revista Da Escola de Enfermagem*, 44(4), 1135–1141. <https://doi.org/10.1590/S0080-62342010000400041>

Debby, C., Sianturi, S. R., & Susilo, W. H. (2019). Faktor-Faktor Yang Berhubungan Dengan Kepatuhan Minum Obat Arv Pada Pasien HIV Di RSCM Jakarta. *E-Journal UMM*, 10(April), 16–25. <https://doi.org/10.22219/jk.v10i1.5886>

Department: Health Republic of South Africa. (2014). *National Tuberculosis Management Guidelines 2014*. South Africa: Department of Health, Republic of South Africa.

Dessy Era Puspitasari (2016) Analisis Faktor yang Mempengaruhi Kepatuhan Minum Obat Antiretroviral (ARV) pada Ibu HIV Berbasis Information Motivation Behavioral Skills (IMB) Model Of Antiretroviral Therapy (ART) Adherence di poli Upipi RSUD dr. Soetomo Surabaya: Universitas Airlangga

Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan. (2012). *Petunjuk Teknis Tata Laksana Klinis Ko-Infeksi TB-HIV*. Jakarta: Kementerian Kesehatan Indonesia.

Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan. (2015). *Rencana Aksi Nasional Kolaborasi TB-HIV 2015-2019*. Jakarta: Kementerian Kesehatan Republik Indonesia Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan.

Dorjmaa, D., Munkhjargal, D., Buyankhishig, B., Doljinsuren, D., Unenchime, P., Oyunbileg, B., & Anuzaya, P. (2017). Lecture , Overview , Consulting Clinical Case of HIV , Aids and Drug-Resistant Tb. *SM Tuberculosis Research and Treatment*, 1(1), 1–6.

El-shabrawy, M., & El-shafei, D. A. (2017). Evaluation of treatment failure outcome and its predictors among pulmonary tuberculosis patients in Sharkia Governorate , 2013 – 2014. *Egyptian Journal of Chest Diseases and Tuberculosis*, 66(1), 145–152. <https://doi.org/10.1016/j.ejcdt.2015.11.002>

Erawatyningsih, E., Purwanta, & Subekti, H. (2009). Faktor-Faktor yang Mempengaruhi Ketidakpatuhan Berobat pada Penderita Tuberkulosis Paru. *Faktor-Faktor Yang Mempengaruhi Ketidakpatuhan Berobat Pada Penderita Tuberkulosis Paru*, 25(3), 117–124. <https://doi.org/10.22146/bkm.3558>

Erlinda Rahmatin (2015) Faktor-Faktor yang Berhubungan dengan Keteraturan Kunjungan Layanan *Care Support And Treatment* (CST) pada Pasien Koinfeksi TB-HIV di Balai Kesehatan Paru Masyarakat. UNNES

Esmail, A., Sabur, N. F., Okpechi, I., & Dheda, K. (2018). Management of drug-resistant tuberculosis in special subpopulations including those with HIV co-infection, pregnancy, diabetes, organ-specific dysfunction, and in the critically ill. *Journal of Thoracic Disease*, 10(5), 3102–3118. <https://doi.org/10.21037/jtd.2018.05.11>

Fagundez, G., Perez-Freixo, H., Eyene, J., Momo, J. C., Biyé, L., Esono, T., ... Herrador, Z. (2016). Treatment adherence of tuberculosis patients attending two reference units in Equatorial Guinea. *PLoS ONE*, 11(9), 1–13. <https://doi.org/10.1371/journal.pone.0161995>

Fauziyah, N. (2010). *Faktor yang Berhubungan dengan Drop Out Pengobatan pada Penderita TB Paru di Balai Pengobatan Penyakit Paru-Paru (BP4) Salatiga*. Universitas Negeri Semarang.

Flandrois, J., Lina, G., & Dumitrescu, O. (2015). MUBII-TB-DB : a database of mutations associated with antibiotic resistance in *Mycobacterium tuberculosis*. *BMC Bioinformatics*, 15(107), 1–9. <https://doi.org/10.1186/1471-2105-15-107>

Fujiwara, P. I., & Dlodlo, R. (2012). *Implementing collaborative TB-HIV activities: a programmatic guide*.

Gebreweld, F. H., Kifle, M. M., Gebremicheal, F. E., Simel, L. L., Gezae, M. M., Ghebreyesus, S. S., ... Wahd, N. G. (2018). Factors influencing adherence

to tuberculosis treatment in Asmara, Eritrea: a qualitative study. *Journal of Health, Population and Nutrition*, 37(1), 1. <https://doi.org/10.1186/s41043-017-0132-y>

Gengiah, T. N., Gray, A. L., Naidoo, K., & Karim, Q. A. (2011). Initiating antiretrovirals during tuberculosis treatment: A drug safety review. *Expert Opinion on Drug Safety*, 10(4), 559–574. <https://doi.org/10.1517/14740338.2011.546783>

Glick, I. D., Stekoll, A. H., & Hays, S. (2011). The role of the family and improvement in treatment maintenance, adherence, and outcome for schizophrenia. *Journal of Clinical Psychopharmacology*, 31(1), 82–85. <https://doi.org/10.1097/JCP.0b013e31820597fa>

Govender, S., Naidoo, P. V., & Esterhuizen, T. (2011). Impact of Pharmacists Intervention on the knowledge of HIV infected patients in a public sector hospital of KwaZulu-Natal: original research. *African Journal of Primary Health Care and Family Medicine*, 3(1), 1-8.

Gray, J. M., & Cohn, D. L. (2013). Tuberculosis and HIV coinfection. *Seminars in Respiratory and Critical Care Medicine*, 34(1), 32–43. <https://doi.org/10.1055/s-0032-1333469>

Gugssa, C., Shimels, T., & Bilal, A. I. (2017). Journal of Infection and Public Health Factors contributing to non-adherence with treatment among TB patients in Sodo Woreda , Gurage Zone , Southern Ethiopia : A qualitative study. *Journal of Infection and Public Health*, 10(5), 527–533. <https://doi.org/10.1016/j.jiph.2016.11.018>

Gunawan, A. R. S., Simbolon, R. L., & Fauzia, D. (2017). Faktor-Faktor Yang Mempengaruhi Tingkat Kepatuhan Pasien Terhadap Pengobatan Tuberkulosis Paru di Lima Puskesmas Se-kota Pekanbaru. *Jurnal Online Mahasiswa Fakultas Kedokteran Universitas Riau*, 4(2), 1–20.

Gunda, D. W., Maganga, S. C., Nkandala, I., Kilonzo, S. B., Mpondoro, B. C., Shao, E. R., & Kalluvya, S. E. (2018). Prevalence and risk factors of active TB among Adult HIV Patients Receiving ART in Northwestern Tanzania: A Retrospective Cohort Study. *Canadian Journal of Infectious Diseases and Medical Microbiology*, 2018. <https://doi.org/10.1155/2018/1346104>

Harries, A., Maher, D., & Graham, S. (2004). *TB/HIV: A clinical manual*. WHO Library Cataloguing in Publication Data (2nd ed.). New York: World Health Organization. [https://doi.org/10.1016/s0035-9203\(97\)90302-3](https://doi.org/10.1016/s0035-9203(97)90302-3)

Hayati, A. (2011). Evaluasi Kepatuhan Berobat Penderita Tuberkulosis Paru Tahun 2010-2011 di Puskesmas Kecamatan Pancoran Mas Depok. Universitas Indonesia.

Hitchcock, M., Gillespie, B., Crilly, J., & Chaboyer, W. (2014). Triage: An investigation of the process and potential vulnerabilities. *Journal of Advanced Nursing*, 70(7), 1532–1541. <https://doi.org/10.1111/jan.12304>

Interagency Coalition on AIDS and Development. (2010). *TB / HIV CO - INFECTION*. Ottawa.

Janssen, M. A. P., Van Achterberg, T., Adriaansen, M. J. M., Kampshoff, C. S., Schalk, D. M. J., & Mintjes-de Groot, J. (2012). Factors influencing the implementation of the guideline Triage in emergency departments: A qualitative study. *Journal of Clinical Nursing*, 21(3–4), 437–447. <https://doi.org/10.1111/j.1365-2702.2011.03921.x>

Jendra F.J Dotulong (2015) Hubungan Faktor Risiko Umur, Jenis Kelamin dan Kepadatan Hunian dengan Kejadian Penyakit TB Paru Di Desa Wori Kecamatan Wori: Universitas Sam Ratulangi

Joint United Nations Programme on HIV/AIDS. (2018). *Tuberculosis and HIV Tb Is the Leading Cause of Death*. Unaids. Switzerland.

Kemenkes RI. (2014). *Pedoman Nasional Pengendalian Tuberkulosis*. Kementerian Kesehatan Republik Indonesia Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan. Retrieved from http://www.tbindonesia.or.id/opendir/Buku/bpn_p-tb_2014.pdf

Kementerian Kesehatan Republik Indonesia. (2011). Rencana Aksi Nasional Programmatic Management of Drug resistance Tuberculosis Pengendalian Tuberkulosis Indonesia: 2011-2014. *Kementerian Kesehatan Republik Indonesia*, 6–18.

Kementerian Kesehatan Republik Indonesia. (2018). *Profile Kesehatan Indonesia Tahun 2017. Ministry of Health Indonesia*. <https://doi.org/10.1002/qj>

Kigozi, G., Heunis, C., Chikobvu, P., Botha, S., & Rensburg, D. Van. (2017). International Journal of Infectious Diseases Factors influencing treatment default among tuberculosis patients in a high burden province of South Africa. *International Journal of Infectious Diseases*, 54, 95–102. <https://doi.org/10.1016/j.ijid.2016.11.407>

Komang Leo Krisnahari (2018) Karakteristik Pasien HIV/AIDS dengan Koinfeksi Tuberkulosis di Rumah Sakit Umum Daerah (RSUD) Badung dan Klinik

Bali Medika Kuta. Medika Udayana

- Krasniqi, S., Jakupi, A., Daci, A., Tigani, B., Jupolli-Krasniqi, N., Pira, M., ... Neziri, B. (2017). Tuberculosis Treatment Adherence of Patients in Kosovo. *Tuberculosis Research and Treatment*, 2017, 1–8. <https://doi.org/10.1155/2017/4850324>
- Kusuma, H. (2011). *Hubungan antara depresi dan dukungan keluarga dengan kualitas hidup pasien HIV/AIDS yang menjalani perawatan di RSUP Cipto Mangunkusumo Jakarta*. Universitas Indonesia. Retrieved from www.lib.ac.id
- Legesse, T. A., & Reta, M. A. (2019). Adherence to Antiretroviral Therapy and Associated Factors among People Living with HIV/AIDS in Hara Town and Its Surroundings, North-Eastern Ethiopia: A Cross-Sectional Study. *Ethiopian Journal of Health Sciences*, 29(3), 299–308. <https://doi.org/10.4314/ejhs.v29i3.2>
- Lestari, T. (2015). *Kumpulan Teori untuk Kajian Pustaka Penelitian Kesehatan*. Yogyakarta: Nuha Medika.
- Leyva-Moral, J. M., Loayza-Enriquez, B. K., Palmieri, P. A., Guevara-Vasquez, G. M., Elias-Bravo, U. E., Edwards, J. E., ... Leon-Jimenez, F. E. (2019). Adherence to antiretroviral therapy and the associated factors among people living with HIV/AIDS in Northern Peru: A cross-sectional study. *AIDS Research and Therapy*, 16(1), 1–12. <https://doi.org/10.1186/s12981-019-0238-y>
- Manosuthi, W., Wiboonchutikul, S., & Sungkanuparph, S. (2016). Integrated therapy for HIV and tuberculosis. *AIDS Research and Therapy*, 13(1), 1–12. <https://doi.org/10.1186/s12981-016-0106-y>
- Mayberry, L. S., & Osborn, C. Y. (2012). Family support, medication adherence, and glycemic control among adults with type 2 diabetes. *Diabetes Care*, 35(6), 1239–1245. <https://doi.org/10.2337/dc11-2103>
- Mcmahon, J. M., Braksmajer, A., Zhang, C., Leblanc, N., Chen, M., Aidala, A., & Simmons, J. (2019). Syndemic factors associated with adherence to antiretroviral therapy among HIV - positive adult heterosexual men. *AIDS Research and Therapy*, 1–10. <https://doi.org/10.1186/s12981-019-0248-9>
- Meintjes, G., Moorhouse, M. A., Carmona, S., & Davies, N. (2017). Adult antiretroviral therapy guidelines 2017. *Southern African Journal of HIV Medicine*, 1–24. <https://doi.org/https://doi.org/10.4102/>

- Mejri, I., Louki, M., Khalfallah, I., & Hedia, G. (2016). Side effects of tuberculosis treatment with fixed-dose combinations. *European Respiratory Journal*, 48(60). <https://doi.org/DOI: 10.1183/13993003.congress-2016.PA2713>
- Ministry of Health of Lesotho. (2016). *National Guidelines on the Use of Antiretroviral Therapy for HIV Prevention and Treatment* (5th ed.). Government of Lesotho.
- Mongo-Delis, A., Mombo, L. E., Mickala, P., Bouassa, W., Bouedy, W. S., M'batchi, B., & Bisseye, C. (2019). Factors associated with adherence to ARV treatment in people living with HIV/AIDS in a rural area (Koula-Moutou) in East Gabon. *African Journal of AIDS Research*, 18(1), 51–57. <https://doi.org/10.2989/16085906.2018.1552878>
- Moriarty, A. S., Louwagie, G. M., Mdege, N. D., Morojele, N., Tumbo, J., Omole, O. B., ... Parrott, S. (2019). ImPROving TB outcomes by modifying LIFE-style behaviours through a brief motivational intervention followed by short text messages (ProLife): study protocol for a randomised controlled trial. *BMC Nursing*, 20(457), 1–12.
- Morisky, D. (2008). Predictive Validity of a Medication Adherence Measure for Hypertension Cont. *Journal of Clinical Hypertension*, 10(5), 348–354.
- Mukonzo, J., Aklillu, E., Marconi, V., & Schinazi, R. F. (2019). Potential drug–drug interactions between antiretroviral therapy and treatment regimens for multi-drug resistant tuberculosis: Implications for HIV care of MDR-TB co-infected individuals. *International Journal of Infectious Diseases*, 83, 98–101. <https://doi.org/10.1016/j.ijid.2019.04.009>
- Mulyadi, & Fitrika, Y. (2012). Hubungan Tuberkulosis dengan HIV/AIDS. *Jurnal PSIK - FK Unsyiah*, II(2).
- Myo Su Kyi, Win Myint Oo, K. M. M. (2015). Factors influencing adherence to TB treatment among TB/HIV co-infected patients attending TB clinic at Mingalardon Specialist Hospital. *Bulletin of Preventive & Social Medicine Society, Myanmar Medical Association*, (3), 0–6.
- Naidoo, K. (2019). Quality of TB care among people living with HIV : Gaps and solutions. *J Clin Tuberc Other Mycobact Dis*, 17, 100122. <https://doi.org/10.1016/j.jctube.2019.100122>
- National Department of Health South Africa. (2014). *A practical guide for TB and HIV integration at primary health care facilities*.

Nursalam. (2013). *Metodologi Penelitian ilmu Keperawatan: Pendekatan Praktis* (3rd ed.). Jakarta: Salemba Medika.

Oyugi, S. O., Garama, C. M. ;, Kweri, J. K., Malik, N. A., Bett, S. K. ;, & Biego, S. C. (2017). Patient Factors Influencing Adherence To Anti-Tuberculosis Medication in Njoro Sub County Hospital, Nakuru County, Kenya. *International Journal of Scientific and Research Publications*, 7(5), 766–795. Retrieved from www.ijrsp.org

Pawlowski, A., Jansson, M., Sköld, M., Rottenberg, M. E., & Källenius, G. (2012). Tuberculosis and HIV co-infection. *PLoS Pathogens*, 8(2). <https://doi.org/10.1371/journal.ppat.1002464>

Persatuan Dokter Paru Indonesia (PDPI). (2006). Pedoman Diagnosis & Penatalaksanaan Tuberkulosis di Indonesia. In *Konsensus Persatuan Dokter Paru Indonesia*. Jakarta. <https://doi.org/10.5860/CHOICE.41-4081>

Pohan, J., & Budiningsih, T. (2018). Faktor-Faktor yang Mempengaruhi Ketidakpatuhan Minum Obat Pasien Tuberkulosis di Rumah Sakit Paru dr. Ario Wirawan Salatiga. *Intuisi : Jurnal Psikologi Ilmiah*, 4(3), 113–117.

Prayogo, A. (2013). *Faktor-Faktor yang Mempengaruhi Kepatuhan Minum Obat Anti Tuberkulosis pada Pasien Tuberkulosis Paru di Puskesmas Pamulang Kota Tangerang Selatan Propinsi Banten*. Universitas Islam Negeri Syarif Hidayatullah.

Ravimohan, S., Kornfeld, H., Weissman, D., & Bisson, G. P. (2018). Tuberculosis and lung damage: From epidemiology to pathophysiology. *European Respiratory Review*, 27(147). <https://doi.org/10.1183/16000617.0077-2017>

Rehman, S. A., & Ali, P. A. (2016). A review of factors affecting patient satisfaction with nurse led triage in emergency departments. *International Emergency Nursing*, 29, 38–44. <https://doi.org/10.1016/j.ijen.2015.11.002>

Sawadogo, B., Tint, K. S., Tshimanga, M., Kuonza, L., & Ouedraogo, L. (2015). Risk factors for tuberculosis treatment failure among pulmonary tuberculosis patients in four health regions of Burkina Faso, 2009: case control study. *Pan African Medical Journal*, 21(152), 1–14. <https://doi.org/10.11604/pamj.2015.21.152.4827>

Scheurer, D., Choudhry, N., Swanton, K. a, Matlin, O., & Shrank, W. (2012). Association between different types of social support and medication adherence. *The American Journal of Managed Care*, 18(12), e461-7. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/23286676>

Sontakke, P. C., Waghmode, J. P., & Khade, A. A. (2015). A Brief Review on Pathophysiology and Treatment of HIV and TB Co-Infection. *IJSRM*, 1(1), 49–59. Retrieved from www.ijsrn.humanjournals.com/www.ijsrn.humanjournals.com

Srivatsan, N., Thiagarajan, S., Ganesan, S., Kumar, A., Seth, S., Nash, E., & Technology Solutions, C. (2014). Medication Adherence in the Real World. Retrieved August 11, 2018, from <https://www.cognizant.com/InsightsWhitepapers/medication-adherence-in-the-real-world-codex1089.pdf>

Suarli, S., & Bachtiar, Y. (2013). *Manajemen Keperawatan dengan Pendekatan Praktis*. Ciracas: Erlangga.

Sugiyono. (2013). *Metode Penelitian Kuantitatif dan Kualitatif*. Bandung: Alfabeta.

Surur, A. S., Teni, F. S., Wale, W., Ayalew, Y., & Tesfaye, B. (2017). Health related quality of life of HIV / AIDS patients on highly active anti-retroviral therapy at a university referral hospital in Ethiopia. *BMC Health Services Research*, 1–8. <https://doi.org/10.1186/s12913-017-2714-1>

Tesfaye, B., Alebel, A., Gebrie, A., Zegeye, A., Tesema, C., & Kassie, B. (2018). The twin epidemics: Prevalence of TB/HIV coinfection and its associated factors in Ethiopia; A systematic review and meta-analysis. *PLoS ONE*, 13(10), 1–18. <https://doi.org/10.1371/journal.pone.0203986>

Trinh, Q. M., Nguyen, H. L., Nguyen, V. N., & Nguyen, T. V. A. (2015). Tuberculosis and HIV co-infection — focus on the Asia-Pacific region. *International Journal of Infectious Diseases*, 32, 170–178. <https://doi.org/10.1016/j.ijid.2014.11.023>

Twanya, H., Feldacker, C., Phiri, S., Ben-Smith, A., Fenner, L., Jahn, A., ... Keiser, O. (2013). Comparison of treatment outcomes of new smear-positive pulmonary tuberculosis patients by HIV and antiretroviral status in a TB/HIV clinic, Malawi. *PLoS ONE*, 8(2). <https://doi.org/10.1371/journal.pone.0056248>

UNAIDS. (2019). *HIV and Tuberculosis Co-infection Programmes*. America.
Vasilyeva, E., Lozovskaya, M., Klochkova, L., & Yaroyava, Y. (2016). Clinical Presentation, Diagnosis and Management of TB-HIV Comorbidity in Children. *InTech, i(tourism)*, 13. <https://doi.org/http://dx.doi.org/10.5772/57353>

WHO. (2015). *A Guide to Monitoring and Evaluation for Collaborative TB/HIV*

activities.

WHO. (2017). *Guidelines for treatment of drug-susceptible tuberculosis and patient care*. WHO press (Vol. 1). <https://doi.org/10.1586/17476348.1.1.85>

Widianingrum, T. R. (2017). *Hubungan Pengetahuan Dan Motivasi Dengan Kepatuhan Minum Obat Anti Tuberkulosis Pada Pasien Tb Di Wilayah Kerja Puskesmas Perak Timur Surabaya*. Skripsi.

Widyastuti, H. (2016). Faktor-Faktor yang Berhubungan dengan Kepatuhan Berobat Pasien TB Paru di Balai Kesehatan Paru Masyarakat Kota Pekalongan. *Undergraduated Thesis*.

World Health Organization. (2017). *Global Tuberculosis Report 2017*. Geneva: World Health Organization.

World Health Organization. (2018). HIV-Associated Tuberculosis. *Creative Commons Attribution-NonCommercial-ShareAlike*, 2018–2019.

Wulandari, D. (2015). Analisis Faktor-Faktor yang Berhubungan dengan Kepatuhan Pasien Tuberkulosis Paru Tahap Lanjutan Untuk Minum Obat di RS Rumah Sehat Terpadu Tahun 2015. *Jurnal Administrasi Rumah Sakit*, 2(1), 17–28.

Yang, T. W., Park, H. O., Jang, H. N., Yang, J. H., Kim, S. H., Moon, S. H., ... Kang, D. H. (2017). Side effects associated with the treatment of multidrug-resistant tuberculosis at a tuberculosis referral hospital in South Korea: A retrospective study. *Medicine*, 96(28), e7482. <https://doi.org/10.1097/MD.0000000000007482>

Yuliandra, Y., Nosa, U., Raveinal, & Almasdy, D. (2017). Terapi Antiretroviral pada Pasien HIV di RSUP Dr. M. Djamil Padang. *JSFK*, 4(1), 1–8.

Zahroh, C., & Subai'ah. (2016). Hubungan Lama Pengobatan TBC dengan Tingkat Stres Penderita TBC di Puskesmas Tambelangan Kabupaten Sampang. *Jurnal Ilmiah Kesehatan*, 9(2), 138–145.