

## DAFTAR PUSTAKA

- Adnan, Muhammad. 1997. Teknik Kromatografi : untuk Analisis Bahan Makanan. Andi Offset : Yogyakarta
- Aksoy, H. A., Kahraman, I., Karaosmanoglu, F., dan Civelekoglu, H. 1998. Evaluation of Turkish Sulphur Olive Oil as and Alternative Diesel Fuel. *Journal of Biosci. Bioeng.*
- Amarowicz, R. 2009. Squalene: A natural antioxidant. *European journal of lipid science and technology*. 111 (5) : 411-412.
- Arita, S., Dara, M. B., dan Irawan, J. 2008. Pembuatan Metil Ester Asam Lemak dari Cpo Off Grade Dengan Metode Esterifikasi-Transesterifikasi. Palembang: Universitas Sriwijaya. *Jurnal Teknik Kimia*, No. 2, Vol. 15.
- Auffray, B. 2007. Protection against singlet oxygen, the main actor of sebum squalene peroxidation during sun exposure, using *Commiphora myrrha* essential oil. *Int. Journal of Cosmet. Sci.*, 29, 23-29.
- Bahadur B, Rajam M.V., Sahijram L & Krishnamurthy K.V. 2015. Plant Biology and Biotechnology. Indian Institute Of Horticultural Reserch: India
- Berk, Z. 2018. Extraction. *Food Process Engineering and Technology*, 289–310. doi:10.1016/b978-0-12-812018-7.00011-7
- Chu, B., Quek, S., & Baharin, B. 2003. Optimisation of enzymatic hydrolysis for concentration of vitamin E in palm fatty acid distillate. *Food Chemistry*, 80(3), 295–302
- Chua, C. S. L., Baharin, B. S., Man, Y. B. C., & Tan, C. P. 2007. Separation of squalene from palm fatty acid distillate using adsorption chromatography. *European Journal of Lipid Science and Technology*, 109(11), 1083–1087. doi:10.1002/ejlt.200700312
- Estiasih T, Ahmadi K, Widyaningsih TD, Maligan JM, Mubarok AZ, Zubaidah E, Mukhlisiyyah J, Puspitasari R. 2013. Bioactive compounds of palm fatty acid distillate (PFAD) from several palm oil refineries. *Adv. J. Food Sci. Tech.* 5(9): 1153
- Freedman, B., Pryde, E. H., & Mounts, T. L. 1984. Variables affecting the yields of fatty esters from transesterified vegetable oils. *Journal of the American Oil Chemists Society*, 61(10), 1638–1643.
- Frega, N., Bocci, F., & Lercker, G. 1992. Direct gas chromatographic analysis of the unsaponifiable fraction of different oils with a polar capillary column. *Journal of the American Oil Chemists' Society*, 69(5), 447–450.
- Fukuda, H., Kondo, A, & Noda, H. 2001. Biodiesel fuel production by transesterification of oils. *Journal of Bioscience and Bioengineering*,

- Gabás-Rivera, C., Barranquero, C., Martínez-Beamonte, R., Navarro, M. A., Surra, J. C., & Osada, J. 2014 *Dietary Squalene Increases High Density Lipoprotein-Cholesterol and Paraoxonase 1 and Decreases Oxidative Stress in Mice*. *PLoS ONE*, 9(8), e104224.
- Gapor, M.T. 2010. Production and utilization of palm fatty acid distillate (PFAD). Malaysian Palm Oil Board (MPOB) 22(1):11-13.
- Güçlü-Üstündağ, Ö., & Temelli, F. 2004. *Correlating the solubility behavior of minor lipid components in supercritical carbon dioxide*. *The Journal of Supercritical Fluids*, 31(3), 235–253.
- Hoang, H. N., & Matsuda, T. 2017. *Biotransformation Using Liquid and Supercritical CO<sub>2</sub>. Future Directions in Biocatalysis*, 3–25.
- Huang, Z.-R., Lin, Y.-K., & Fang, J.-Y. 2009. *Biological and Pharmacological Activities of Squalene and Related Compounds: Potential Uses in Cosmetic Dermatology*. *Molecules*, 14(1), 540–554
- Kelly, G.S. 1999. Squalene and its potential clinical uses. *Altern Med Rev*. 4. 29:365.
- Kementrian Pertanian. 2018. Statistik Perkebunan Indonesia 2018. Jakarta (ID): Direktorat Jendral Perkebunan Kementrian Pertanian Indonesia.
- Ketaren, S. 2005. *Minyak dan Lemak Pangan*. UI Press, Jakarta
- Kim, S.-K., & Karadeniz, F. 2012. *Biological Importance and Applications of Squalene and Squalane*. *Advances in Food and Nutrition Research*, 223–233.
- Kohno, Y., Egawa, Y., Itoh, S., Nagaoka, S., Takahashi, M., & Mukai, K. 1995. *Kinetic study of quenching reaction of singlet oxygen and scavenging reaction of free radical by squalene in n-butanol*. *Biochimica et Biophysica Acta (BBA) - Lipids and Lipid Metabolism*, 1256(1), 52–56.
- Lopez, S., Bermudez, B., Montserrat-de la Paz, S., Jaramillo, S., Varela, L. M., Ortega-Gomez, A., Muriana, F. J. G. 2014. *Membrane composition and dynamics: A target of bioactive virgin olive oil constituents*. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1838(6), 1638–1656.
- Lozano-Grande, M. A., Gorinstein, S., Espitia-Rangel, E., Dávila-Ortiz, G., & Martínez-Ayala, A. L. 2018. *Plant Sources, Extraction Methods, and Uses of Squalene*. *International Journal of Agronomy*, 2018, 1–13.
- Luque de Castro, M. ., & García-Ayuso, L. 1998. *Soxhlet extraction of solid materials: an outdated technique with a promising innovative future*. *Analytica Chimica Acta*, 369(1-2), 1–10.
- Lyon, C. K., & Becker, R. 1987. *Extraction and refining of oil from amaranth seed*. *Journal of the American Oil Chemists' Society*, 64(2), 233–236.

- Mandal, S. C., Mandal, V., & Das, A. K. 2015. *Classification of Extraction Methods. Essentials of Botanical Extraction*, 83–136.
- Mendez, E., M. Blanco, A. Laguna and E. Garcia. 2003. Isolation and characterization of a mixture of higher primary aliphatic alcohols of high molecular weight from henequen (*Agave furcroydes L.*) wax. *Revista CENIC ciencias químicas* 34 (1) : 35- 38.
- Mentari, B. D, Pinatih, G. N. I., and Wiraguna A. A. G. P. 2020. Topical administration of *deep sea shark liver oil (desslo<sup>tm</sup>)* inhibited mmp-1 expression in rat's skin exposed to ultraviolet-B Indonesian Journal of Anti-Aging Medicine Volume 4, Number 1, January - June 2020: 1-4
- Mishra, V. K., Temelli, F., & Ooraikul, B. 1993. *Extraction and purification of ω-3 fatty acids with an emphasis on supercritical fluid extraction—A review*. *Food Research International*, 26(3), 217–226.
- Mohamed, M. A., Jaafar, J., Ismail, A. F., Othman, M. H. D., & Rahman, M. A. 2017. *Fourier Transform Infrared (FTIR) Spectroscopy. Membrane Characterization*, 3–29.
- Norhidayah, S., B.S. Baharin, M. Hamed, and I.S.M. Zaidul, 2012. *Squalene recovery from palm fatty acid distillate using supercritical fluid extraction*. *International food research journal* 19 (4) : 1661-1667.
- Pathak P.V., Charhate P.S., Kurkani M.G. 2019. Process For The Preparation of Tocols and *Squalene*. *United States Patent Application Publication*
- Pham, D.-M., Boussouira, B., Moyal, D., & Nguyen, Q. L. 2015. *Oxidization of squalene, a human skin lipid: a new and reliable marker of environmental pollution studies*. *International Journal of Cosmetic Science*, 37(4), 357–365.
- Popa, O., Băbeanu, N. E., Popa, I., Niță, S., & Dinu-Pârvu, C. E. 2015. *Methods for Obtaining and Determination of Squalene from Natural Sources*. *BioMed Research International*, 2015, 1–16.
- Posada, L. R., Shi, J., Kakuda, Y., & Xue, S. J. 2007. *Extraction of tocotrienols from palm fatty acid distillates using molecular distillation. Separation and Purification Technology*, 57(2), 220–229.
- Ray, S., & Das, G. 2020. *Extraction. Process Equipment and Plant Design*, 385–425.
- Reddy, L. H., & Couvreur, P. 2009. *Squalene: A natural triterpene for use in disease management and therapy*. *Advanced Drug Delivery Reviews*, 61(15), 1412–1426.
- Reverchon, E., & De Marco, I. 2006. *Supercritical fluid extraction and fractionation of natural matter*. *The Journal of Supercritical Fluids*, 38(2), 146–166.
- Richardson, J. F., Harker, J. H., & Backhurst, J. R. 2002. *Liquid–Liquid*

- Extraction. Chemical Engineering*, 721–770.
- Roop, R. K., Akgerman, A., Dexter, B. J., & Irvin, T. R. 1989. *Extraction of phenol from water with supercritical carbon dioxide. The Journal of Supercritical Fluids*, 2(2-3), 51–56
- Sibuyo, L., Widiputri, D., & Legowo, E. 2017. *Optimization of squalene extraction from Palm Fatty Acid Distillate (PFAD) in multistage process. International Symposium on Applied Chemistry (ISAC)*
- Sotiroudis, T. G., & Kyrtopoulos, S. A. 2008. *Anticarcinogenic compounds of olive oil and related biomarkers. European Journal of Nutrition*, 47(S2), 69–72.
- Spanova, M., & Daum, G. 2011. *Squalene - biochemistry, molecular biology, process biotechnology, and applications. European Journal of Lipid Science and Technology*, 113(11), 1299–1320.
- Sun, H., Wiesenborn, D., Tostenson, K., Gillespie, J., & Rayas-Duarte, P. 1997. *Fractionation of squalene from amaranth seed oil. Journal of the American Oil Chemists' Society*, 74(4), 413–418.
- Tarhan, İ. 2020. *A comparative study of ATR-FTIR, UV-visible and fluorescence spectroscopy combined with chemometrics for quantification of squalene in extra virgin olive oils. Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 241, 118714.
- Thorbjarnarson, T., & Drummond, J. C. 1935. *Occurrence of an unsaturated hydrocarbon in olive oil. The Analyst*, 60(706), 23.
- Tsujimoto, M. 1916. A highly unsaturated hydrocarbon in shark liver oil. *Ind. Eng. Chem.* 8, 889-896.
- Verleyen, T., Verhe, R., Huyghebaert, A., Dewettinck, K., & De Greyt, W. 2001. *Identification of α-Tocopherol Oxidation Products in Triolein at Elevated Temperatures. Journal of Agricultural and Food Chemistry*, 49(3), 1508–1511.
- Viji,P., Madhusudana R., and Jesmi,D. 2018. *Squalene in the Perspective of Human Health. Journal of Fishing Chimes*. Vol.38, No.3
- Wefers, H., Melnik, B. C., Flür, M., Bluhm, C., Lehmann, P., & Plewig, G. 1990. *Influence of UV Irradiation on the Composition of Human Stratum Corneum Lipids. Journal of Investigative Dermatology*, 96(6), 959–962.
- Widiputri, D. I., Jayaratana, A., & Legowo, E. H. 2020. Improving the Methodology of Squalene Extraction from Palm Fatty Acid Distillate (PFAD) through Enhanced Pre-Treatment Process. *Journal of Functional Food and Nutraceutical*, 1(2), 101-110.
- Yusuf *et al* 2015. Improvement in the Extraction of Squalene from Palm Fatty Acid Distillate 14:92.

Zaidul, I. S. M., Norulaini, N. A. N., Omar, A. K. M., Sato, Y., & Smith, R. L. 2007. *Separation of palm kernel oil from palm kernel with supercritical carbon dioxide using pressure swing technique*. *Journal of Food Engineering*, 81(2), 419–428.

Zulkifli M, Estasih T. 2014. Sabun dari distilat samping lemak minyak sawit. *Jurnal Pangan dan Agroindustri*. 2(4): 170–177.

