

DAFTAR PUSTAKA

1. WHO. Global tuberculosis report. Switzerland 2014.
2. Perez-Velez CM, Marais BJ. Tuberculosis in children. *The New England Journal of Medicine* 2012;367:348-61.
3. Middelkoop K, Bekker L-G, Morrow C, Lee N, Wood R. Decreasing household contribution to TB transmission with age: a retrospective geographic analysis of young people in a South African township. *BMC Infectious Disease* 2014;14:221.
4. Morrison J, Pai M, Hopewell PC. Tuberculosis and latent tuberculosis infection in close contacts of people with pulmonary tuberculosis in low-income and middle-income countries: a systematic review and meta-analysis. *The Lancet* 2008;8:359-68.
5. Nguyen TN, Odermatt P, Slesak G, Barennes H. Risk of latent tuberculosis infection in children living in household with tuberculosis patients: a cross sectional survey in remote northern Lao People's Democratic Republic. *BMC Infectious Disease* 2009;9:1-9.
6. Tornee S, Kaewkungwal J, Fungladda W, Silachamroon U, Akarawesi.P, P. S. Risk factors for tuberculosis infection among household contacts in bangkok, Thailand. *Southeast asian J Trop Med Public Health* 2004;33:375-83.
7. Padang DKK. Profil Kesehatan Tahun 2013. Dinas Kesehatan Kota Padang; 2013.
8. Yani FF, Basir D, Dewi RK, et al. Improvement case finding for childhood tuberculosis using tuberculin skin test based on contact investigation at primary health care. *Parade Riset Tuberkulosis Nasional (Parade Riset TB Ke-4)* 2015:74.
9. Vetten M. Polymorphism in the regulatory region of the vitamin D receptor gene (VDR): in silico analysis, tuberculosis association and functional impact [Dissertation]. Johannesburg: University of Johannesburg; 2009.
10. Setiabudiawan B, Kartasasmita CB, Garna H, Parwati I, Masksoen AM. Polimorfisme FokI, BsmI, ApaI dan TaqI gen reseptor vitamin D pada kejadian tuberkulosis anak. *MKB* 2010;42:187-94.
11. Delgado JC, Baena A, Thim S. Ethnic-specific genetic associations with pulmonary tuberculosis. *The Journal of Infectious Diseases* 2002;186:1463-8.
12. Lewis SJ, Baker I, Smith GD. Meta-analysis of vitamin D receptor polymorphism and pulmonary tuberculosis risk. *Int J Tuberc Lung Dis* 2005;9:1174-7.
13. Leandro ACCS, Rocha MA, Cardoso CSA, Bonecini-Almeid MG. Genetic polymorphisms in vitamin D receptor, vitamin D-binding protein, Toll-like receptor 2, nitric oxide synthase 2, and interferon- γ genes and its association with susceptibility to tuberculosis. *Braz J med biol res* 2009;42:312-22.
14. Bornman L, Campbell SJ, Fielding K, et al. Vitamin D receptor polymorphism and susceptibility to tuberculosis in West Africa : a case control and family study. *The Journal of Infectious Diseases* 2004;190:1631-41.

15. Arora VK, Jaiswal AK. Vitamin D receptor polymorphism and active tuberculosis. Indian Journal of Tuberculosis 2013;60:199-201.
16. Gao L, Tao Y, Zhang L, Jin Q. Vitamin D receptor genetic polymorphisms and tuberculosis: updated systematic review and meta-analysis. Int J Tuberc Lung Dis 2010;14:14-23.
17. Wilkinson RJ, Llewelyn M, Toossi Z, et al. Influence of vitamin D deficiency and vitamin D receptor polymorphisms on tuberculosis on tuberculosis among Gujarati Asians in west London: a case-control study. The Lancet 2000;355:618-783.
18. Karmila A, Aditiawati, Nazir M, Yangtjik K, Yuwono. Vitamin D serum levels and vitamin D receptor FokI polymorphism on tuberculosis children in Palembang, Indonesia. International Journal of Pediatric Endocrinology 2012;1:202.
19. Doss M WM TT, Hartshorn K. Human defensin and LL-37 in mucosal immunity. J Leukoc Biol 2010;87:79-92.
20. Agerberth. B CJ, Werr. J, Olsson. B, Idali. F, Lindblom. L, et al The human antimicrobial and chemotactic peptides LL-37 and a-defensins are expressed by specific lymphocyte and monocyte populations Blood 2000;96:3086-93.
21. Nijnik A HR. The role of cathelicidin LL-37 in immune defence and novel clinical applications. Curr Opin Hematol 2009;16:41-7.
22. Liu PT S, Li H, Wenzel L, Tan BH, Krutzik SR, Ochoa MT, Schaber J, Wu K, Meinken C et al Toll-like receptor triggering of vitamin D-mediated human antimicrobial response. Science 2006;311:1770-3.
23. Adams JS LP, Chun R, Modlin RL, Hewison M. Vitamin D in defense of human immune response. Ann NY Acad Sci 2007;1117:94-105.
24. Edfelt K LP, Chun R, Fabri M, Schenk M, Wheelwright M, et al. T-cell cytokines differentially control human monocyte antimicrobial responses by regulating vitamin D metabolism. PNAS 2010;107:22593-8.
25. Cheallaigh CN, Keane J, Lavelle EC, Hope JC, Harris J. Autophagy in the immune response to tuberculosis: clinical perspectives. Clinical and Experimental Immunology 2011;1-8.
26. Linde A, Lushington GH, Abello J, Melgarejo T. Clinical Relevance of Cathelicidin in Infectious Disease. Clinical and Cellular Immunology 2013;S13:1-11.
27. Jones C, Whittaker E, Bamford A, Kempmann B. Immunology and pathogenesis of childhood TB. Paediatric Respiratory Reviews 2011;12:3-8.
28. Marais BJ, Gie RP, Schaaf HS. The clinical epidemiology of childhood pulmonary tuberculosis : a critical review of literature from the pre-chemotherapy era. Int J Tuberc Lung Dis 2004;8:278-85.
29. Beyers N, Gie RP, Schaaf HS, et al. A prospective evaluation of children under the age of 5 years living in the same household as adult with recently diagnosed pulmonary tuberculosis. Int J Tuberc Lung Dis 1997;1:38-43.
30. Roy RB, Whittaker E, Kampmann B. Current understanding of immune response to tuberculosis in children. Curr Opin Infect Dis 2012;25:250-7.
31. Smith I. Mycobacterium tuberculosis pathogenesis and molecular determinants of virulence. Clinical Microbiology Reviews 2003;16:463-96.
32. Jo E-K. Innate immunity to mycobacteria : vitamin D and autophagy. Cellular Microbiology 2010;12:1026-35.

33. Leandro ACCS, Rocha MA, Cardoso CSA, Bonecini-Almeid MG. Genetic polymorphisms in vitamin D receptor, vitamin D-binding protein, Toll-like receptor 2, nitric oxide synthase 2, and interferon- γ genes and its association with susceptibility to tuberculosis. *Brazilian Journal of Medical and Biological Research* 2009;42:312-22.
34. Dastani Z, Li R, Richards B. Genetic regulation of vitamin D level. *Calcif Tissue Int* 2013;92:106-17.
35. Fabri M, Stenger S, Shin D. Vitamin D is required for IFN-gamma mediated antimicrobial activity of human macrophages. *Sci Transl Med* 2011;3:104ra2.
36. Zmuda JM, Cauley JA, Ferrell RE. Molecular Epidemiology of Vitamin D Receptor Gene Variants. *Epidemiologic Reviews* 2000;22:203-13.
37. M LP. Human macrophage host defense against mycobacterium tuberculosis. *Current opinion in immunology* 2008;20:371-6.
38. Haussler MR, Hausller CA, Jurutka PW, et al. The vitamin D hormone and its nuclear receptor : molecular actions and disease states. *Journal of endocrinology* 1997;154:57-73.
39. Roth DE, Soto G, Arenas F, et al. Association between vitamin D receptor gene polymorphism and response to treatment of pulmonary tuberculosis. *The Journal of Infectious Diseases* 2004;190:920-7.
40. Uitterlinden AG, Fang Y, Meurs JBV, Pols HAP, Leeuwen JPTMV. Genetics and biology of vitamin D receptor polymorphism. *Gene* 2004;338:143-56.
41. Chen C, Liu Q, Zhu L, Yang H, Lu W. Vitamin D receptor gene polymorphisms on the risk of tuberculosis, a meta-analysis of 29 case-control studies. *Plos One* 2013;8:e83843:1-10.
42. Kang TJ, Jin SH, Yeum C-E, et al. Vitamin D receptor gene TaqI, BsmI, and FokI polymorphisms in Korean patients with tuberculosis. *Immune Network* 2011;11:253-7.
43. Mahmoud AA, Ali AHK. Vitamin D receptor gene polymorphism and 25 hydroxy vitamin D levels in Egyptian patients with pulmonary tuberculosis. *Egyptian Journal of Chest Disease and Tuberculosis* 2014;1-5.
44. Wilbur AK, Kubatko LS, Hurtado AM, Hill KR, Stone AC. Vitamin D receptor gene polymorphism and susceptibility M. tuberculosis in Native Paraguayans. *Tuberculosis* 2007;87:329-37.
45. Marashian SM, Farnia P, Seyf S, Anoosheh S, Velayati AA. Evaluating the role of vitamin D receptor polymorphism on susceptibility to tuberculosis among Iranian patients: a case-control study. *Tuberkuloz ve Toraks Dergisi* 2010;58:147-53.
46. Ramos R DL GM-. LL37, a human antimicrobial peptide with immunomodulatory properties. *Formatex* 2011:915-25.
47. Rekha BVV JK, Wares F, Chandrasekaran V, Swaminathan S. Contact screening and chemoprophylaxis in Indias Revised Tuberculosis Control Programme: a situational analysis. *Int J Tuberc Lung Dis* 2009;13:1507-12.
48. Tomasisig L ZM. The Cathelicidin-structure, Function and Evolution. *Current protein and peptide science* 2005;6:23-34.
49. Seil M NC DJ, Vandenbranden, Lensink MF. Spotlight on Human LL-37, an Immunomodulatory Peptide with Promising Cell-Penetrating Properties. *Pharmaceuticals* 2010;3:3435.

50. Sorensen E FP JA, Calafat J, Tjabringa GS, Hiemstra PS, Borregaard N .. Human cathelicidin, hCAP-18, is processed to antimicrobial peptide LL-37 by extracellular cleavage with proteinase 3. *Blood* 2001;97:391-5.
51. Victor Nizet RLG. Cathelicidins and innate defense against invasive bacterial infection. *Scand J Infect Dis*;35:670-6.
52. Jo EK. Shin DM. Antimicrobial peptides in innate immunity against mycobacteria. *Immune network* 2011;11:245-52.
53. Shin D-M, Jo E-K. Antimicrobial peptides in innate immunity against Mycobacteria. *Immune Network* 2011;11:245-52.
54. Gallo A. The vitamin D-antimicrobial peptide pathway and its role in protection against infection. *Future Microbiol* 2009;4:1-22.
55. Chun RF AJ HM-. Immunomodulation by vitamin D: implications for TB. *Expert Rev Clin Pharmacol* 2011;4:583-91.
56. Liu PT, Stenger S, Tang DH, Modlin RL. Cutting edge : vitamin D-mediated human microbial activity against *Mycobacterium tuberculosis* is dependent on the induction of cathelicidin. *J Immunol* 2007;179:2060-3.
57. Martineau AR, Wilkinson KA, Newton SM, et al. IFN-gamma and TNF-independent vitamin D-inducible human suppression of mycobacteria : the role of cathelicidin LL-37. *J Immunol* 2007;178:7190-98.
58. Castaneda-Delgado J, Gonzalez-Curiel I, Mendez-Garcia R, et al. Role of cathelicidin in the immunopathogenesis of pulmonary experimental tuberculosis. *Revista De Salut Publica* 2010;12:74-5.
59. Rosa MD, Malaguarnera M, Nicoletti F, Malaguarnera L. Vitamin D3: a helpful immuno-modulator. *Immunology* 2011;134:123-39.
60. Selvaraj P. Vitamin D, vitamin D receptor, and cathelicidin in the treatment of tuberculosis. *Vitamins and Hormones* 2011;86:315-16.
61. Rivas-Santiago B, Hernandez-Pando R, Carranza C, et al. Expression of Cathelicidin LL-37 during *Mycobacterium tuberculosis* Infection in Human Alveolar Macrophages, Monocytes, Neutrophils, and Epithelial Cells. *Infection and Immunity* 2008;76:935-41.
62. Tecle T, Tripathi S, Hartshorn K. Review defensins and cathelicidins in lung immunity. *Innate immunity* 2010;16:151-9.
63. Sovira N, Sutoyo DK, Burhan E, Dillon DH. The relation of 1,25-dihydroxyvitamin D level to interferon gamma, cathelicidin, and bacterial load in pulmonary tuberculosis patients. Jakarta: Fakultas Kedokteran Universitas Indonesia; 2013.
64. Kartasasmita CB, Basir D. Tuberkulosis. In: Rahayu NN, Supriyatno B, Setyanto DB, eds. Buku ajar respirologi anak. Jakarta: Ikaran dokter anak Indonesia; 2008:162-8.
65. Rajagukguk R, Kosim M, Rini A, Mardiana F. Meconium stained amniotic fluid viscosity and chest x-ray findings *Pediatrica Indonesiana* 2012;52:336-40.
66. Setiabudiawan B. Peran defisiensi vitamin D dan polimorfisme FokI, ApaI serta TaqI gen reseptor vitamin D terhadap tuberkulosis pada anak. Bandung: Padjajaran; 2009.
67. Sidabutar B, Soedibyo S, Tumbelaka A. Nutritional status of under-five pulmonary tuberculosis patients before and after six-month therapy. *Paediatrica Indonesiana* 2004;44:21-4.

68. Ho-Pham LT, Nguyen ND, Nguyen TT, et al. Association between vitamin D insufficiency and tuberculosis in a vietnamese population. BMC Infectious Disease 2010;10:306-14.
69. Yamshchikov AV, Kurbatova EV, Kumari M, et al. Vitamin D status and antimicrobial peptide cathelicidin (LL-37) concentrations in patients with active pulmonary tuberculosis. AM J Clin Nutr 2010;92:603-11.
70. Gombart AF, Borregaard N, Koeffler HP. Human cathelicidine, antimicrobial peptide (CAMP) gene is a direct target inducer of vitamin D receptor and is strongly up-regulated in myeloid cells by 1,25-dihydroxyvitamin D3. FASEB J 2005;19:1067-77.
71. Gombart AF, Bhan I, Borregaard N, et al. Low plasma level of cathelicidine antimicrobial peptide (hCAP18) predicts increased infectious disease mortality in patients undergoing hemodialysis. Clin Infect Dis 2009;48:418-24.
72. Luong K, Nguyen L. Impact of vitamin D in the treatment of tuberculosis. Am J Med Sci 2011;341:493-8.
73. Marcos MM, Gabr AA, Samuel S. Vitamin D administration to tuberculous children and its value. Bolletino Chimico Farmaceutico 1998;137:157-64.
74. Nelson CD, Nonnecke BJ, Reinhhardt TA, Waters W, Beitz DC, Lippolis JD. Regulation of mycobacterium spesific mononuclear cell responses by 25-hidroxyvitamin D. Plos One 2011;6:2011.
75. Jaganath D, Mupere E. Childhood Tuberculosis and Malnutrition. JID 2012;206:1809-15.
76. Levy O. Innate immunity of the newborn: basic mechanisms and clinical correlates. Nat Rev Immunol 2007;7:379-90.
77. Smith S, Jacobs RF, Wilson CB. Immunobiology of childhood tuberculosis: A window on the ontogeny of cellular immunity. J Pediatr 1997;131:16-26.
78. Sinaga BYM, Amin M, Siregar Y, Sarumpaet SM. Correlation between Vitamin D Receptor Gene FokI and BsmI Polymorphisms and the Susceptibility to Pulmonary Tuberculosis in an Indonesian Batak-ethnic Population Acta Med Indones-Indones J Intern Med 2014;46:275-81.