

Daftar Pustaka

1. Anindhita T, Wiratman W. Buku Ajar Neurologi, Jilid 2. Edisi Pertama. Jakarta: Departemen Neurologi FK UI; 2017.
2. Venketasubramanian N, Yoon WB, Pandian J, Navarro JC. Stroke epidemiology in South, East, and South-East Asia : A Review. *J stroke*. 2017 Sep, 19(3): 286-294. Doi : 10.5853/jos.201700234.
3. Kementerian Kesehatan RI. Potret kesehatan Indonesia dari Riskesdas 2018. Kemenkes RI. [updated 2018 Nov 2, cited 2020 Feb 20]. Available from: <http://sehatnegeriku.kemkes.go.id/baca/rilis-media/20181102/0328464/potret-sehat-indonesia-riskesdas-2018/>.
4. Kemenkes RI. Laporan Hasil Riset Kesehatan Dasar (Riskesdas) Indonesia tahun 2018. Jakarta : Badan Penelitian dan Pengembangan Kesehatan Kemenkes RI; 2018.
5. Rizki IA. Perbedaan kadar LDL pada pasien rawat inap stroke iskemik dan stroke hemoragik di RSUP Dr. M. Djamil Padang [Skripsi]. Padang: Univeritas Andalas; 2015.
6. Usman R, Mulyadi B, Madhatir M. Pelaksanaan continuity of care melalui dukungan emosional keluarga pada pasien stroke iskemik. *Jurnal Ilmu Keperawatan Jiwa*. 3 (4), 439-444, 2020.
7. Liu-Ambrose T, Eng JJ. Exercise training and recreational activities to promote executive function in chronic stroke : A proof of concept study. *Journal stroke Cer ebrovasc Dis*. 2015; 24 (1): 130-137. doi:10.1016/j.jstrokecerebrovasdis.2014.08012.
8. Mardjono M, Sidharta P. Neurologi Klinis Dasar. Jakarta: Dian Rakyat; 2014.

9. Hanas M, Lestary E, Asni EK. 2016. Gambaran fungsi kognitif pada pasien pasca stroke di poliklinik saraf RSUD Arifin Achmad Provinsi Riau. *JOM FK*. 2016; 3 (1), 12 -18.
10. Ginsberg L. *Lecture Notes: Neurologi*. 9th edition. Hoboken: Wiley-Blackwell; 2010.
11. Wibowo MM, Karema W. Gambaran fungsi kognitif dengan INA-MoCA dan MMSE pada penderita post-stroke di Poliklinik Saraf blu RSUP Kandau Manado November-Desember 2014. *J eCI*. 2015; 3 (3).
12. Shuhaimi IF. *Karakteristik fungsi motorik dan status fungsional pada pasien pasca stroke yang mengikuti program rehabilitasi di Rumah sakit Dr.Wahidin Sudirohusodo Makassar [Skripsi]*. Makassar: Universitas Hasanuddin; 2017.
13. Ovbiagele B, Nguyen-Huynh MN. Stroke epidemiology: advancing our understanding of disease mechanism and therapy. *Neurotherapeutics*. 2011; 8(3): 319 – 329. doi : 10.1007/s13311-011-0053-1.
14. Widanarti ET, Lesmana S, Sundari HR. Gambaran tingkat kemandirian pasien stroke infark menggunakan Indeks Barthel saat keluar Rumah Sakit TK II Dustira. Cimahi: FK Unjani; 2017.
15. Ekasari MF, Riasmini NM, Hartini T. Meningkatkan kualitas hidup lansia konsep dan berbagai intervensi. Jakarta: Wineka Media; 2018.
16. Chayati N, Putranti DP, Firmawati E. Perkembangan dan faktor-faktor yang memengaruhi tingkat kemandirian pasien strok selama rawat inap di Yogyakarta berdasar atas skor modifikasi Indeks Barthel. *Majalah Kedokteran Bandung*. 2018; 50 (4): 208-214.
17. Caplan LR. *Caplan's Stroke: A Clinical Approach*. 5th Edition. Inggris: Cambridge; 2016.

18. Purnell JQ. 2018. Definitions, classification, and epidemiology of obesity. South Darmouth (MA): MDText.com,Inc.; 2000. Available from: <http://www.ncbi.nlm.nih.gov/books/NBK279167>
19. Kiyohora Y, Kubo M, Kato I, Tanizaki Y, Tanaka K, Okubo K, et al. Ten-year prognosis of stroke and risk factors for death in a Japanese community. *J stroke*. 2003;34:2343-2347.
20. Kim S, Kim Y, Park SM. Body mass index and decline of cognitive function. *PloS One*. 2016; 11(20): e0148908. doi: 10.1371/journal.pone.0148908.
21. Ryu WS, Lee SH, Kim CK, Kim BJ, Yoon BW. Body mass index, initial neurological severity and long-term mortality in ischemic stroke. *Cerebrovasc Dis*. 2011; 32: 170-176. doi: 10.1159/000328250.
22. Burke DT, Al-Adawi S, Bell RB, Easley K, Chen S, Burke DP (2014) Effect of body mass index on stroke rehabilitation. *Arch Phys Med Rehabil* 95:1055–1059. <https://doi.org/10.1016/j.apmr.2014.01.019>
23. Andersen KK, Olsen TS. The obesity paradox in stroke: lower mortality and lower risk of remission for recurrent Stroke in obese stroke patients. *Int J stroke*. 2015; 10(1): 99 – 104. doi: 10.1111/ij.s.12016.
24. Mukhtar D. Makrofag pada jaringan adiposa obes sebagai penanda terjadinya resistensi insulin. *Jurnal Medika Widya*. 2012; 218723.
25. Katsnelson M, Rundek T. Obesity paradox and stroke, noticing the (fat) man behind the curtain. *Stroke*. 2011; 42: 3331 – 3332.
26. Park H, Lee HW, Yoo J, Lee SH, Nam HS, Kim YD, et al. Body mass index and prognosis in ischemic stroke patients with type 2 diabetes mellitus. *Front Neural*. 2019; 10: 563. Doi: 10.3389/fneur.2019.00563.

27. Aparicio HJ, Himali JJ, Beiser AS, davis-Plourde KL, Vasan RS, Kase CS, et al. Overweight, obesity, and survival after stroke in the Framingham Heart Study. *J Am Heart Assoc.* 2017; 6 (6): e004721. doi: 10.1161/JAHA.116.004721.
28. Baker JD. The Purpose, Process, and Methods of Writing a Literature Review. *AORN J.* 2016;103(3):265-269. doi:10.1016/j.aorn.2016.01.016.
29. Meschia JF, Brott T. Ischaemic stroke. *Eur J Neurol.* 2018;25(1):35-40. doi:10.1111/ene.13409.
30. Nuttall FQ. Body mass index: Obesity, BMI, and health: A critical review. *Nutr Today.* 2015;50(3):117–28.
31. Kmet L, Lee R, Cook L. Standard quality assessment criteria for evaluating primary research papers from a variety of fields. HTA Initiative #13. Edmonton: Alberta Heritage Foundation for Medical Research (AHFMR): 2004.
32. National Centre for Biotechnology Information (2000). Stroke. MeSH database. <https://www.ncbi.nlm.nih.gov/mesh/68020521> - Diakses Oktober 2020
33. National Centre for Biotechnology Information (2000). Intracranial Hemorrhages. MeSH database. <https://www.ncbi.nlm.nih.gov/mesh/68020300> - Diakses Oktober 2020
34. National Centre for Biotechnology Information (2000). Rehabilitation. MeSH database. <https://www.ncbi.nlm.nih.gov/mesh/68012046> - Diakses Oktober 2020
35. National Centre for Biotechnology Information (2000). Activities of daily living. MeSH database. <https://www.ncbi.nlm.nih.gov/mesh/68000203> - Diakses Oktober 2020

36. National Centre for Biotechnology Information (2000). Cognitive Disorders. MeSH database. <https://www.ncbi.nlm.nih.gov/mesh/68060825> - Diakses Oktober 2020.
37. National Centre for Biotechnology Information (2012). Dementia. MeSH database. <https://www.ncbi.nlm.nih.gov/mesh/68003704> - Diakses Oktober 2020.
38. National Centre for Biotechnology Information (2012). Paresis. MeSH database. <https://www.ncbi.nlm.nih.gov/mesh/68010291>- Diakses Oktober 2020.
39. Doehner W, Schenkel J, Anker SD, Springer J, Audebert HJ. Overweight and obesity are associated with improved survival, functional outcome, and stroke recurrence after acute stroke or transient ischaemic attack: observations from the TEMPiS trial. *Eur Heart J*. 2013 Jan;34(4):268-77. doi: 10.1093/eurheartj/ehs340. Epub 2012 Oct 16. PMID: 23076781
40. Zhao L, Du W, Zhao X, Liu L, Wang C, Wang Y, et al. Favorable functional recovery in overweight ischemic stroke survivors: findings from the China National Stroke Registry. *J Stroke Cerebrovasc Dis*. 2014 Mar;23(3):e201-6. doi: 10.1016/j.jstrokecerebrovasdis.2013.10.002. Epub 2013 Nov 12. PMID: 24231138.
41. Saini M, Saqqur M, Shuaib A; VISTA Collaborators. Body Mass Index and Acute Ischemic Stroke Outcomes. *Int J Stroke*. 2014 Jul;9(5):618-623. doi: 10.1111/ijvs.12168. PMID: 29117790.
42. Jang SY, Shin YI, Kim DY, Sohn MK, Lee J, Lee SG, et al. Effect of obesity on functional outcomes at 6 months post-stroke among elderly Koreans: a prospective multicentre study. *BMJ Open*. 2015 Dec 18;5(12):e008712. doi: 10.1136/bmjopen-2015-008712. PMID: 26685024; PMCID: PMC4691741.

43. Kim Y, Kim CK, Jung S, Yoon BW, Lee SH. Obesity-stroke paradox and initial neurological severity. *J Neurol Neurosurg Psychiatry*. 2015 Jul;86(7):743-7. doi: 10.1136/jnnp-2014-308664. Epub 2014 Sep 10. PMID: 25209415.
44. Vaughan L, Bushnell C, Bell CL, Espeland MA. Global cognitive function before, surrounding, and after ischemic stroke: the role of risk and protective factors varies with time among ischemic stroke survivors. *Neuropsychol Dev Cogn B Aging Neuropsychol Cogn*. 2016;23(1):117-31. doi: 10.1080/13825585.2015.1058323. Epub 2015 Jun 15. PMID: 26073439; PMCID: PMC4916645.
45. Sun W, Huang Y, Xian Y, Zhu S, Jia Z, Liu R, et al. Association of body mass index with mortality and functional outcome after acute ischemic stroke. *Sci Rep*. 2017 May 31;7(1):2507. doi: 10.1038/s41598-017-02551-0. PMID: 28566757; PMCID: PMC5451428.
46. Junaidi ENSA, Winarsih S, Nasution TH. Perbedaan tingkat status gizi dengan luaran klinis pasien stroke iskemik fase akut di RSUD Dr. Saiful Anwar Malang. Malang: Universitas Brawijaya; 2017. Thesis.
47. Bembenek JP, Karlinski M, Niewada M, Kurkowska-Jastrzębska I, Członkowska A. Measurement of Nutritional Status Using Body Mass Index, Waist-to-Hip Ratio, and Waist Circumference to Predict Treatment Outcome in Females and Males with Acute First-Ever Ischemic Stroke. *J Stroke Cerebrovasc Dis*. 2018 Jan;27(1):132-139. doi: 10.1016/j.jstrokecerebrovasdis.2017.08.016. Epub 2017 Oct 12. PMID: 28893573.
48. Wierzbicki K, Horyniecki M, Mamak D, Szopa M, Buchała J, Stawarz G, et al. Does the nutritional status of acute stroke patients affect the neurological status in the early post-stroke period? *Neurol Res*. 2020 Jan;42(1):1-7. doi: 10.1080/01616412.2019.1672379. Epub 2019 Nov 3. PMID: 31679480

49. Xu J, Wang A, Meng X, Jing J, Wang Y, Wang Y, ACROSS- China investigators (2019) Obesity-stroke paradox exists in insulin-resistant patients but not insulin sensitive patients. *Stroke* 50:1423–1429. <https://doi.org/10.1161/strokeaha.118.023817>.
50. Yun SM, Lee SY, Sohn MK, Lee J, Kim DY, Lee S-G, et al. Factors associated with changes in functional independence after six months of ischemic stroke. *bnr.* 2020 Nov;13(3):e19. doi: <https://doi.org/10.12786/bn.2020.13.e19>.
51. Cho BH, Cheon K, Lee KY, Jung YH, Han SW, Park JH, et al. Association between body mass index and stroke severity in acute ischaemic stroke with non-valvular atrial fibrillation. *Eur J Neurol.* 2020 Aug;27(8):1672-1679. doi: 10.1111/ene.14304. Epub 2020 May 30. PMID: 32392368.
52. Harrison JK, McArthur KS, Quinn TJ. Assessment scales in stroke: clinimetric and clinical considerations. *Clin Interv Aging.* 2013;8:201-211.
53. Kwah LK, Diong J. National Institutes of health Stroke Scale (NIHSS). *J Physiother* 2014;60.
54. Sun JH, Tan L, Yu JT. 2014. Post-stroke cognitive impairment: epidemiology, mechanisms and management. *Ann Transl Med.* 2(8): 80. Doi: 10.3978/j.issn.2305-5839.2014.08.05.
55. Zulkifly MHM, Ghazali SE, Din NC, Singh DKA, Subramaniam P. A review of risk factors for cognitive impairment in stroke survivors. *ScientificWorldJ.* 2016: 3456943. doi: 10.1155/2016/3456943.
56. Dromerick AW, Edwards DF, Diringer MN. Sensitivity to changes in disability after stroke: a comparison of four scales useful in clinical trials. *J Rehabil Res Dev.* 2003;40:1– 8.

57. Forlivesi S, Cappellari M, Bonetti B. Obesity paradox and stroke: a narrative review. *Eat Weight Disord.* 2020 Mar 2. doi: 10.1007/s40519-020-00876-w. Epub ahead of print. PMID: 32124408.
58. Rodríguez-Castro E, Rodríguez-Yáñez M, Arias-Rivas S et al (2019) Obesity paradox in ischemic stroke: clinical and molecular insights. *Transl Stroke Res.* <https://doi.org/10.1007/s12975-019-00695-x>.
59. Oesch L, Tatlisumak T, Arnold M, Sarikaya H. Obesity paradox in stroke - Myth or reality? A systematic review. *PLoS One.* 2017;12(3):e0171334. Published 2017 Mar 14. doi:10.1371/journal.pone.0171334.
60. Scherbakov N, Dirnagl U, Doehner W (2011) Body weight after stroke: lessons from the obesity paradox. *Stroke* 42:3646–3650. <https://doi.org/10.1161/strokeaha.111.619163>.
61. Doehner W, Clark A, Anker SD (2010) The obesity paradox: weighing the benefit. *Eur Heart J* 31: 146–148. 10.1093/eurheartj/ehp339.
62. Davis, C., Mudd, J., & Hawkins, M. (2014). Neuroprotective effects of leptin in the context of obesity and metabolic disorders. *Neurobiology of Disease*, 72, 61–71.
63. Lloret A, Monllor P, Esteve D, Cervera-Ferri A, Lloret MA. Obesity as a Risk Factor for Alzheimer's Disease: Implication of Leptin and Glutamate. *Front Neurosci.* 2019 May 22;13:508. doi: 10.3389/fnins.2019.00508. PMID: 31191220; PMCID: PMC6540965.
64. Kivimäki M, Luukkonen R, Batty GD, Ferrie JE, Pentti J, Nyberg ST, et al. Body mass index and risk of dementia: Analysis of individual-level data from 1.3 million individuals. *Alzheimers Dement.* 2018 May;14(5):601-609. doi: 10.1016/j.jalz.2017.09.016. Epub 2017 Nov 21. PMID: 29169013; PMCID: PMC5948099.

65. Skinner JS, Abel WM, McCoy K, Wilkins CH. Exploring the "Obesity Paradox" as a Correlate of Cognitive and Physical Function in Community-dwelling Black and White Older Adults. *Ethn Dis.* 2017 Dec 7;27(4):387-394. doi: 10.18865/ed.27.4.387. PMID: 29225439; PMCID: PMC5720948

