

DAFTAR PUSTAKA

- Ali, H. A. *et al.* (2014) 'Growth of *Scenedesmus dimorphus* in different algal media and pH profile due to secreted metabolites', *African Journal of Biotechnology*, 13(16), pp. 1714–1720. doi: 10.5897/ajb2013.13455.
- Alvarez, M. H.. (2002) 'Triacylglycerols in prokaryotic microorganisms', pp. 367–368. doi: 10.1007/s00253-002-1135-0.
- Araujo, G. S. *et al.* (2013) 'Extraction of lipids from microalgae by ultrasound application: Prospection of the optimal extraction method', *Ultrasonics Sonochemistry*. Elsevier B.V., 20(1), pp. 95–98. doi: 10.1016/j.ultsonch.2012.07.027.
- Azachi, M. *et al.* (2002) 'Salt Induction of Fatty Acid Elongase and Membrane Lipid Modifications in the Extreme Halotolerant Alga *Dunaliella salina*', *Plant physiology*, 129(July), pp. 1320–1329. doi: 10.1104/pp.001909.1320.
- Baba, M. and Shiraiwa, Y. (2013) 'Biosynthesis of Lipids and Hydrocarbons in Algae', *Photosynthesis*. doi: 10.5772/56413.
- Basuki, A. T. (2014) *Penggunaan SPSS dalam statistik*. Yogyakarta: Danisa Media.
- Berg, J. M., Tymoczko, J. L. and Stryer, L. (2012) *Biochemistry*. Basingstoke: W.H. Freeman.
- Bold H.C.; Wynne M.J. (1985) *Introduction to the algae structure and reproduction 2nd edition*.
- Calixto, C. D. *et al.* (2016) 'Biochemical compositions and fatty acid profiles in four species of microalgae cultivated on household sewage and agro-industrial residues', *Bioresource Technology*. Elsevier Ltd, 221, pp. 438–446. doi: 10.1016/j.biortech.2016.09.066.
- Cardozo, K. H. M. *et al.* (2007) 'Metabolites from algae with economical impact', *Comparative Biochemistry and Physiology - C Toxicology and Pharmacology*, 146(1–2 SPEC. ISS.), pp. 60–78. doi: 10.1016/j.cbpc.2006.05.007.
- Cavonius, L. R., Carlsson, N. and Undeland, I. (2014) 'Quantification of total fatty acids in microalgae: comparison of extraction and transesterification methods', *Anal Bioanal Chem*, 406, pp. 7313–7322. doi: 10.1007/s00216-014-8155-3.
- Chaidir, Z. *et al.* (2016) 'Isolation and molecular identification of freshwater microalgae in Maninjau Lake West Sumatra', *Der Pharmacia Lettre*, 8(20), pp. 177–187.
- Chen, J. *et al.* (2018) 'The potential of microalgae in biodiesel production', *Renewable and Sustainable Energy Reviews*, 90(December 2016), pp. 336–346. doi: 10.1016/j.rser.2018.03.073.

- Chi, N. T. L. *et al.* (2019) 'Evaluating the potential of green alga *Chlorella* sp. for high biomass and lipid production in biodiesel viewpoint', *Biocatalysis and Agricultural Biotechnology*. Elsevier Ltd, 17, pp. 184–188. doi: 10.1016/j.bcab.2018.11.011.
- Chia, M.A., A. T. Lombardi. (2013) 'Growth and biochemical composition of *Chlorella vulgaris* in different growth media', *Anais da Academia Brasileira de Ciências*, 85(4), pp. 1427–1438.
- Cuellar-Bermudez, S. P. *et al.* (2015) 'Extraction and purification of high-value metabolites from microalgae: Essential lipids, astaxanthin and phycobiliproteins', *Microbial Biotechnology*, 8(2), pp. 190–209. doi: 10.1111/1751-7915.12167.
- Daliry, S. *et al.* (2017) 'Investigation of optimal condition for *Chlorella vulgaris* microalgae growth', *Global J. Environ. Sci. Manage*, 3(2), pp. 217–230. doi: 10.22034/gjesm.2017.03.02.010.
- Danesh, A. F. *et al.* (2018) 'Effective role of medium supplementation in microalgal lipid accumulation', *Biotechnology and Bioengineering*, 115(5), pp. 1152–1160. doi: 10.1002/bit.26548.
- Das, P. *et al.* (2019) 'Long-term semi-continuous cultivation of a halo-tolerant *Tetraselmis* sp. using recycled growth media', *Bioresource Technology*. Elsevier, 276(November 2018), pp. 35–41. doi: 10.1016/j.biortech.2018.12.108.
- Dharmayanti, I. (2011) 'Filogenetika Molekuler: Metode Taksonomi Organisme Berdasarkan Sejarah Evolusi', (30), pp. 1–10.
- El-Sheekh, M. *et al.* (2018) 'Screening of different species of *Scenedesmus* isolated from Egyptian freshwater habitats for biodiesel production', *Renewable Energy*. Elsevier B.V., 129, pp. 114–120. doi: 10.1016/j.renene.2018.05.099.
- Fan, J. and Zheng, Ivhong (2017) 'Acclimation to NaCl and light stress of heterotrophic *Chlamydomonas reinhardtii* for lipid accumulation', *Journal of Bioscience and Bioengineering*. Elsevier Ltd, 124(3), pp. 302–308. doi: 10.1016/j.jbiosc.2017.04.009.
- Fan, Y. *et al.* (2018) 'Characterization of 3-ketoacyl-coA synthase in a nervonic acid producing oleaginous microalgae *Mychonastes afer*', *Algal Research*, 31(February), pp. 225–231. doi: 10.1016/j.algal.2018.02.017.
- Fromm, H. and M. H. (2012) *Essentials of Biochemistry*, Springer. New York. doi: 10.1007/978-3-642-29294-1_6.
- Gong, Q. *et al.* (2014) 'Effects of light and pH on cell density of *Chlorella vulgaris*', *Energy Procedia*, 61, pp. 2012–2015. doi: 10.1016/j.egypro.2014.12.064.
- Gour, R. S. *et al.* (2016) 'Characterization and Screening of Native *Scenedesmus* sp. Isolates Suitable for Biofuel Feedstock', (May). doi: 10.1371/journal.pone.0155321.

- Guiry, M. D. (2012) 'How many species of algae are there?', *Journal of Phycology*, 48(5), pp. 1057–1063. doi: 10.1111/j.1529-8817.2012.01222.x.
- Gunstone, F. D. (1996) *Fatty acid and lipid chemistry*. London: Blackie Academic & Professional.
- Harper, H. A., V. W. R. and P. A. M. (1979) *Biochemistry: Review of Physiological Chemistry.*, Lange Medical Publication. California. doi: 10.1056/NEJM198310063091425.
- Hegewald, E., Bock, C. and Krienitz, L. (2013) 'A phylogenetic study on Scenedesmaceae with the description of a new species of Pectinodesmus and the new genera Verrucodesmus and Chodatodesmus (Chlorophyta, Chlorophyceae)', *Fottea*, 13(2), pp. 149–164. doi: 10.5507/fot.2013.013.
- Hidayat, S. (2008) *Exploration of Indonesia's Biodiesel Producing Microalgae As Sustainable Energy Source Acknowledgments*.
- Johnson, M. K. *et al.* (1968) 'Effects of salts on the halophilic alga *Dunaliella viridis*.' *Journal of Bacteriology*, 95(4), pp. 1461–1468.
- Joyard, J. *et al.* (2010) 'Chloroplast proteomics highlights the subcellular compartmentation of lipid metabolism', *Progress in Lipid Research*. Elsevier Ltd, 49(2), pp. 128–158. doi: 10.1016/j.plipres.2009.10.003.
- Kang, J. X. (2011) 'Omega-3: A link between global climate change and human health', *Biotechnology Advances*, 29(4), pp. 388–390. doi: 10.1016/j.biotechadv.2011.02.003.
- Kebeish, R. (2017) 'Effect of Salinity on Biochemical Traits and Photosynthesis-Related Gene Transcription in *Chlorella vulgaris*', *Egyptian Journal of Botany*, 54(2), pp. 281–294. doi: 10.21608/ejbo.2014.492.
- Krause, L. B. (1997) *Fundamentals of General, Organic and Biological Chemistry, 2nd ed.* Pearson. Columbia
- Krzemińska, I. *et al.* (2015) 'Alterations of the lipid content and fatty acid profile of *Chlorella protothecoides* under different light intensities', *Bioresource Technology*. Elsevier Ltd, 196, pp. 72–77. doi: 10.1016/j.biortech.2015.07.043.
- Liang, K., Zhang, Q. and Cong, W. (2012) 'Enzyme-assisted aqueous extraction of lipid from microalgae', *Journal of Agricultural and Food Chemistry*, 60(47), pp. 11771–11776. doi: 10.1021/jf302836v.
- Maadane, A. *et al.* (2015) 'Antioxidant activity of some Moroccan marine microalgae: PUFA profiles, carotenoids and phenolic content', *Journal of Biotechnology*. Elsevier B.V., 215, pp. 13–19. doi: 10.1016/j.jbiotec.2015.06.400.
- Martínez, F., Ascaso, C. and Orús, M. I. (1991) 'Morphometric and stereologic analysis of *Chlorella vulgaris* under heterotrophic growth conditions', *Annals of Botany*, 67(3), pp. 239–245. doi: 10.1093/oxfordjournals.aob.a088128.

- Neto, A. M. P. *et al.* (2013) 'Improvement in microalgae lipid extraction using a sonication-assisted method', *Renewable Energy*. Elsevier Ltd, 55, pp. 525–531. doi: 10.1016/j.renene.2013.01.019.
- Parvin, M., Zannat, M. N. and Habib, M. A. B. (2007) 'Two Important Techniques for Isolation of Microalgae', *Asian Fisheries Science*, 20(1/2), p. 117.
- Gómez, M. *et al.* (2016) 'Direct spectrophotometric method to determine cell density of *Isochrysis galbana* in serial batch cultures from a larger scale fed-batch culture in exponential phase', *Nereis*, 8, pp. 35–43.
- Ramluckan, K., Moodley, K. G. and Bux, F. (2014) 'An evaluation of the efficacy of using selected solvents for the extraction of lipids from algal biomass by the soxhlet extraction method', *Fuel*. Elsevier Ltd, 116, pp. 103–108. doi: 10.1016/j.fuel.2013.07.118.
- Řezanka, T. *et al.* (2011) 'Effect of nitrogen and phosphorus starvation on the polyunsaturated triacylglycerol composition, including positional isomer distribution, in the alga *Trachydiscus minutus*', *Phytochemistry*, 72(18), pp. 2342–2351. doi: 10.1016/j.phytochem.2011.08.017.
- Rismani, S. and Shariati, M. (2017) 'Changes of the total lipid and Omega-3 fatty acid contents in two microalgae *Dunaliella Salina* and *Chlorella vulgaris* under salt stress', *Brazilian Archives of Biology and Technology*, 60(December), pp. 1–11. doi: 10.190/1678-4324-2017160555.
- Rodolfi, L. *et al.* (2009) 'Microalgae for oil: Strain selection, induction of lipid synthesis and outdoor mass cultivation in a low-cost photobioreactor', *Biotechnology and Bioengineering*, 102(1), pp. 100–112. doi: 10.1002/bit.22033.
- Ruangsomboon, S. (2012) 'Effect of light, nutrient, cultivation time and salinity on lipid production of newly isolated strain of the green microalga, *Botryococcus braunii* KMITL 2', *Bioresource Technology*. Elsevier Ltd, 109, pp. 261–265. doi: 10.1016/j.biortech.2011.07.025.
- Ruxton, C. H. S. *et al.* (2004) 'The health benefits of omega-3 polyunsaturated fatty acids: A review of the evidence', *Journal of Human Nutrition and Dietetics*, 17(5), pp. 449–459. doi: 10.1111/j.1365-277X.2004.00552.x.
- Safi, C. *et al.* (2014) 'Morphology, composition, production, processing and applications of *Chlorella vulgaris*: A review', *Renewable and Sustainable Energy Reviews*, 35, pp. 265–278. doi: 10.1016/j.rser.2014.04.007.
- Sajjadi, B. *et al.* (2018) 'Microalgae lipid and biomass for biofuel production: A comprehensive review on lipid enhancement strategies and their effects on fatty acid composition', *Renewable and Sustainable Energy Reviews*, 97(September), pp. 200–232. doi: 10.1016/j.rser.2018.07.050.
- Salama, E.S. *et al.* (2013) 'Biomass, lipid content, and fatty acid composition of freshwater *Chlamydomonas mexicana* and *Scenedesmus obliquus* grown under salt stress', *Bioprocess and Biosystems Engineering*, 36(6), pp. 827–833. doi: 10.1007/s00449-013-0919-1.

- Sanjaya, E. H. *et al.* (2017) 'Identification of Species and Fatty Acid Composition of Microalgae from Raas Beach Sendang Biru Malang and Their Potential as Biodiesel Feedstock', *Jurnal Kimia Riset*, 2(1), pp. 51–56.
- Setijono, S. (2016) *Statistika dalam Biologi*. Malang: Biologi FMIPA Universitas Negeri Malang.
- Seto, A., Wang, H. L. and Hesseltine, C. W. (1984) 'Culture Conditions Affect Eicosapentaenoic Acid Content of', *Science*, 61(5), pp. 892–894.
- Sharma, T. *et al.* (2015) 'Lipid content in *Scenedesmus* species correlates with multiple genes of fatty acid and triacylglycerol biosynthetic pathways', *Algal Research*. Elsevier B.V., 12, pp. 341–349. doi: 10.1016/j.algal.2015.09.006.
- Singh, R. *et al.* (2018) 'Sodium chloride incites reactive oxygen species in green algae *Chlorococcum humicola* and *Chlorella vulgaris*: Implication on lipid synthesis, mineral nutrients and antioxidant system', *Bioresource Technology*. Elsevier, 270(July), pp. 489–497. doi: 10.1016/j.biortech.2018.09.065.
- Smith, A. G. *et al.* (2007) 'Plants need their vitamins too', *Current Opinion in Plant Biology*, 10(3), pp. 266–275. doi: 10.1016/j.pbi.2007.04.009.
- Suh, S.S. *et al.* (2015) 'Fatty acid methyl ester profiles and nutritive values of 20 marine microalgae in Korea', *Asian Pacific Journal of Tropical Medicine*. Hainan Medical College, 8(3), pp. 191–196. doi: 10.1016/s1995-7645(14)60313-8.
- Takagi, M., Karseno and Yoshida, T. (2006) 'Effect of salt concentration on intracellular accumulation of lipids and triacylglyceride in marine microalgae *Dunaliella* cells', *Journal of Bioscience and Bioengineering*, 101(3), pp. 223–226. doi: 10.1263/jbb.101.223.
- Tan, X. B. *et al.* (2018) 'Semi-continuous cultivation of *Chlorella vulgaris* using chicken compost as nutrients source: Growth optimization study and fatty acid composition analysis', *Energy Conversion and Management*. Elsevier, 164(November 2017), pp. 363–373. doi: 10.1016/j.enconman.2018.03.020.
- Tandon, P., Jin, Q. and Huang, L. (2017) 'A promising approach to enhance microalgae productivity by exogenous supply of vitamins', *Microbial Cell Factories*. BioMed Central, 16(1), pp. 1–13. doi: 10.1186/s12934-017-0834-2.
- Varshney, P. *et al.* (2018) 'Isolation and biochemical characterisation of two thermophilic green algal species- *Asterarcys quadricellulare* and *Chlorella sorokiniana*, which are tolerant to high levels of carbon dioxide and nitric oxide', *Algal Research*. Elsevier, 30(May 2017), pp. 28–37. doi: 10.1016/j.algal.2017.12.006.
- Wan, C. *et al.* (2017) 'Manipulating environmental stresses and stress tolerance of microalgae for enhanced production of lipids and value-added products—A review', *Bioresource Technology*. Elsevier Ltd, 244, pp. 1198–1206. doi:

10.1016/j.biortech.2017.05.170.

- Wang, N. *et al.* (2018) 'Identification of Salt Stress Responding Genes Using Transcriptome Analysis in Green Alga *Chlamydomonas reinhardtii*', *International journal of molecular sciences*, 19(11). doi: 10.3390/ijms19113359.
- Weber Prescott, G. (2019) *How to know the freshwater algae / G. W. Prescott, SERBIULA (sistema Librum 2.0)*.
- Xu, J. and Hu, H. (2013) 'Screening high oleaginous *Chlorella* strains from different climate zones', *Bioresource Technology*. Elsevier Ltd, 144, pp. 637–643. doi: 10.1016/j.biortech.2013.07.029.
- Xu, X., Shen, Y. and Chen, J. (2015) 'Cultivation of *Scenedesmus dimorphus* for C/N/P removal and lipid production', *Electronic Journal of Biotechnology*. Elsevier B.V., 18(1), pp. 46–50. doi: 10.1016/j.ejbt.2014.12.003.
- Yamaji, I. (1980) *Illustration of the Freshwater Plankton of Japan*. Japan: Houkuso.
- Yang, Y. and Guo, Y. (2018) 'Unraveling salt stress signaling in plants', *Journal of Integrative Plant Biology*, 60(9), pp. 796–804. doi: 10.1111/jipb.12689.
- Zhang, L. *et al.* (2017) 'Salinity-induced cellular cross-talk in carbon partitioning reveals starch-to-lipid biosynthesis switching in low-starch freshwater algae', *Bioresource Technology*, 250, pp. 449–456. doi: 10.1016/j.biortech.2017.11.067.

