

## DAFTAR PUSTAKA

- (1) Surowiak, Z.; Bochenek, D. Multiferroic Materials for Sensors, Transducers and Memory Devices (Review Article). *Arch. Acoust.* **2008**, 33 (2), 243–260.
- (2) Birenbaum, A. Y.; Ederer, C. Potentially Multiferroic Aurivillius Phase  $\text{Bi}_5\text{FeTi}_3\text{O}_{15}$ : Cation Site Preference, Electric Polarization, and Magnetic Coupling from First Principles. *Phys. Rev. B - Condens. Matter Mater. Phys.* **2014**, 90 (21), 1–12. <https://doi.org/10.1103/PhysRevB.90.214109>.
- (3) Sammes, N. M.; Tompsett, G. A.; Näfe, H.; Aldinger, F. Bismuth Based Oxide Electrolytes - Structure and Ionic Conductivity. *J. Eur. Ceram. Soc.* **1999**, 19 (10), 1801–1826. [https://doi.org/10.1016/S0955-2219\(99\)00009-6](https://doi.org/10.1016/S0955-2219(99)00009-6).
- (4) Suárez, D. Y.; Reaney, I. M.; Lee, W. E. Relation between Tolerance Factor and  $T_c$  in Aurivillius Compounds. *J. Mater. Res.* **2001**, 16 (11), 3139–3149. <https://doi.org/10.1557/JMR.2001.0433>.
- (5) Yao, Z.; Chu, R.; Xu, Z.; Hao, J.; Du, J.; Li, G. Electrical Properties and Thermal Stability of  $\text{Na}_{0.5}\text{Bi}_{4.5-x}(\text{La}_{0.5}\text{Ce}_{0.5})_x\text{Ti}_4\text{O}_{15}$  Aurivillius Ceramics. *Mater. Lett.* **2016**, 180, 252–255. <https://doi.org/10.1016/j.matlet.2016.05.148>.
- (6) Yu, Z.; Meng, X.; Zheng, Z.; Lu, Y.; Chen, H.; Huang, C.; Sun, H.; Liang, K.; Ma, Z.; Qi, Y.; Zhang, T. Room Temperature Multiferroic Properties of Rare-Earth-Substituted Aurivillius Phase  $\text{Bi}_5\text{Ti}_3\text{Fe}_{0.7}\text{Co}_{0.3}\text{O}_{15}$  Ceramics. *Mater. Res. Bull.* **2019**, 115 (April), 235–241. <https://doi.org/10.1016/j.materresbull.2019.04.002>.
- (7) Zulhadjri, Z.; Ramadhani, R.; Billah, A. A.; Arief, S.; Emriadi, E. Sintesis Senyawa Aurivillius  $\text{Ca}_{1-x}\text{Bi}_{3.5+x}\text{La}_{0.5}\text{Ti}_{4-x}\text{Mn}_x\text{O}_{15}$ : Struktur Dan Sifat Dielektrik. *ALCHEMY J. Penelit. Kim.* **2018**, 14 (1), 143. <https://doi.org/10.20961/alchemy.14.1.14476.143-151>.
- (8) Diao, C. L.; Xu, J. B.; Zheng, H. W.; Fang, L.; Gu, Y. Z.; Zhang, W. F. Dielectric and Piezoelectric Properties of Cerium Modified  $\text{BaBi}_4\text{Ti}_4\text{O}_{15}$  Ceramics. *Ceram. Int.* **2013**, 39 (6), 6991–6995. <https://doi.org/10.1016/j.ceramint.2013.02.036>.
- (9) Mealy, N. E.; Bayés, M. K-111. *Drugs Future* **2004**, 29 (11), 1161.
- (10) Zulhadjri; Bilian Sahiga, J. I.; Putra, W. T.; Emriadi. Synthesis and Structural Analysis of Aurivillius Phase,  $\text{Ca}_{1-x}\text{Bi}_{3+x}\text{NdTi}_{4-x}\text{Mn}_x\text{O}_{15}$ . *Res. J. Chem. Environ.* **2018**, 22 (Special issue II), 4–9.
- (11) Missyul, A. B.; Zvereva, I. A.; Palstra, T. T. M.; Kurbakov, A. I. Double-Layered Aurivillius-Type Ferroelectrics with Magnetic Moments. *Mater. Res. Bull.* **2010**, 45 (5), 546–550. <https://doi.org/10.1016/j.materresbull.2010.02.002>.
- (12) Ismunandar; Kamiyama, T.; Hoshikawa, A.; Zhou, Q.; Kennedy, B. J.; Kubota, Y.; Kato, K. Structural Studies of Five Layer Aurivillius Oxides:  $\text{A}_2\text{Bi}_4\text{Ti}_5\text{O}_{18}$  (A=Ca, Sr, Ba and Pb). *J. Solid State Chem.* **2004**, 177 (11), 4188–4196. <https://doi.org/10.1016/j.jssc.2004.07.032>.
- (13) Zhou, Q.; Kennedy, B. J.; Elcombe, M. M. Synthesis and Structural Studies of Cation-Substituted Aurivillius Phases  $\text{ASrBi}_2\text{Nb}_2\text{TiO}_{12}$ . *J. Solid State Chem.* **2006**, 179 (12), 3744–3750. <https://doi.org/10.1016/j.jssc.2006.08.009>.
- (14) Kumar, S.; Varma, K. B. R. Influence of Lanthanum Doping on the Dielectric, Ferroelectric and Relaxor Behaviour of Barium Bismuth Titanate Ceramics. *J.*

*Phys. D. Appl. Phys.* **2009**, 42 (7). <https://doi.org/10.1088/0022-3727/42/7/075405>.

- (15) Khokhar, A.; Mahesh, M. L. V.; James, A. R.; Goyal, P. K.; Sreenivas, K. Sintering Characteristics and Electrical Properties of  $\text{BaBi}_4\text{Ti}_4\text{O}_{15}$  Ferroelectric Ceramics. *J. Alloys Compd.* **2013**, 581, 150–159. <https://doi.org/10.1016/j.jallcom.2013.07.040>.
- (16) Ba, F.; Doping, T.; Bnst, N. O.; Wahyu, P.; Hikam, M. Pengujian Sifat Feroelektrik. *5*, 211–216.
- (17) How, S. I. A. C. Theoretical Studies Of Dielectric Susceptibility In Ferroelectric Thin Film by Master of Science. **2007**, No. December.
- (18) Fajarin, R.; Purwaningsih, H.; Baqiya, M. A.; Hayu, R. Sifat Feroelektrik Dan Dielektrik  $\text{PbTiO}_3$  Doping ZnO Dengan Keywords: Abstract: **2015**, 14 (September), 13–20.
- (19) Didik, L. A. Pengaruh Pemberian Medan Magnet Terhadap. *Konstan* **2016**, 2 (1), 2–5.
- (20) Waltrip, B.; Avramov-zamurovic, S.; Koffman, A. And a Current Transformer Interface. **2005**, No. May, 17–19.
- (21) Fan, H.; Fang, P.; Xi, Z.; Chen, W. Studies of Structural and Electrical Properties on Four-Layers Aurivillius Phase  $\text{BaBi}_4\text{Ti}_4\text{O}_{15}$ . *Solid State Commun.* **2012**, 152 (12), 979–983. <https://doi.org/10.1016/j.ssc.2012.03.007>.
- (22) Zulhadjri; Prijamboedi, B.; Nugroho, A. A.; Mufti, N.; Ismunandar. Five Layers Aurivillius Phases  $\text{Pb}_{2-x}\text{Bi}_{4+x}\text{Ti}_{5-x}\text{Mn}_x\text{O}_{18}$ : Synthesis, Structure, Relaxor Ferroelectric and Magnetic Properties. *ITB J. Sci.* **2011**, 43 A (2), 139–150. <https://doi.org/10.5614/itbj.sci.2011.43.2.6>.
- (23) Gilbert, M. R. Molten Salt Synthesis of Titanate Pyrochlore Waste-Forms. *Ceram. Int.* **2016**, 42 (4), 5263–5270. <https://doi.org/10.1016/j.ceramint.2015.12.054>.
- (24) Tian, X.; Gao, F.; Qu, S.; Ma, H.; Wang, B. Effects of Molten Salt Content and Reaction Temperature on Molten Salt Preparation of  $\text{CaNaBi}_2\text{Nb}_3\text{O}_{12}$  Powder. *J. Mater. Sci. Mater. Electron.* **2015**, 26 (8), 6189–6193. <https://doi.org/10.1007/s10854-015-3201-2>.
- (25) Wibowo, G. R. Sintesis Senyawa Aurivillius Lapis Empat  $\text{PbBi}_4\text{Ti}_4\text{O}_{15}$  Dan  $\text{PbBi}_3\text{NdTi}_4\text{O}_{15}$  Dengan Metode Lelehan Campuran Garam NaCl-KCl Dan Karakterisasi Struktur. *J. Ris. Kim.* **2019**, 10 (2), 85–92. <https://doi.org/10.25077/jrk.v10i2.307>.
- (26) Wicaksono, D. D.; Setiawan, N. I.; Wilopo, W.; Harijoko, A. Teknik Preparasi Sampel Dalam Analisis Mineralogi Dengan XRD Di Departemen Teknik Geologi, Fakultas Teknik, Universitas Gadjah Mada. *Semin. Nas. Kebumihan ke- 10* **2017**, No. September, 1864–1880.
- (27) Pratapa, S. Difraksi Sinar-X Untuk Sidikjari Dalam Analisis Nanostruktur. **2009**, No. 1, 1–5.
- (28) Du, H.; Shi, X.; Li, H. Phase Developments and Dielectric Responses of Barium Substituted Four-Layer  $\text{CaBi}_4\text{Ti}_4\text{O}_{15}$  Aurivillius. *Bull. Mater. Sci.* **2011**, 34 (6), 1201–1207. <https://doi.org/10.1007/s12034-011-0236-8>.
- (29) Mccusker, L. B.; Von Dreele, R. B.; Cox, D. E.; Louër, D.; Scardi, P. Rietveld

Refinement Guidelines. *J. Appl. Crystallogr.* **1999**, *32*  
(1,36–50. <https://doi.org/10.1107/S0021889898009856>).

- (30) Kennedy, B. J.; Zhou, Q.; Ismunandar; Kubota, Y.; Kato, K. Cation Disorder and Phase Transitions in the Four-Layer Ferroelectric Aurivillius Phases  $ABi_4Ti_4O_{15}$  (A=Ca, Sr, Ba, Pb). *J. Solid State Chem.* **2008**, *181* (6), 1377–1386. <https://doi.org/10.1016/j.jssc.2008.02.015>.
- (31) Sharma, S. K.; Verma, D. S.; Khan, L. U.; Kumar, S.; Khan, S. B. *Handbook of Materials Characterization*; 2018. <https://doi.org/10.1007/978-3-319-92955-2>.
- (32) Tellier, J.; Boullay, P.; Manier, M.; Mercurio, D. A Comparative Study of the Aurivillius Phase Ferroelectrics  $CaBi_4Ti_4O_{15}$  and  $BaBi_4Ti_4O_{15}$ . *J. Solid State Chem.* **2004**, *177* (6), 1829–1837. <https://doi.org/10.1016/j.jssc.2004.01.008>.
- (33) Xiao, J.; Zhang, H.; Xue, Y.; Lu, Z.; Chen, X.; Su, P.; Yang, F.; Zeng, X. The Influence of Ni-Doping Concentration on Multiferroic Behaviors in  $Bi_4NdTi_3FeO_{15}$  Ceramics. *Ceram. Int.* **2015**, *41* (1), 1087–1092. <https://doi.org/10.1016/j.ceramint.2014.09.033>.
- (34) Luo, Y.-R. *Comprehensive Handbook of Chemical Bond Energies*\_0849373662.Pdf. 2002, pp 1–1687.

