

DAFTAR PUSTAKA

1. Kemenkes RI. Profil Kesehatan Indonesia 2018 [Indonesia Health Profile 2018] [Internet]. 2019. 207 p. Available from: http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/Data-dan-Informasi_Profil-Kesehatan-Indonesia-2018.pdf
2. WHO. Maternal mortality : level and trends 2000 to 2017 [Internet]. Sexual and Reproductive Health. 2019. p. 12. Available from: <https://www.who.int/reproductivehealth/publications/maternal-mortality-2000-2017/en/>
3. Wagner A, Pimentel VM, Eckardt MJ. Maternal health. The MassGeneral Hospital for Children Handbook of Pediatric Global Health. 2014. 73–86 p.
4. Panjaitan IM, Tarigan AM. Hubungan Karakteristik Ibu Bersalin dengan Ketuban Pecah Dini di Rumah Sakit Martha Friska. *J Bidan Komunitas*. 2018;1(2):67.
5. SDKI. Survey Demografi dan Kesehatan Indonesia. Survei Demogr dan Kesehat Indones. 2013;
6. Gahwagi MMM, Busarira MO, Atia M. Premature Rupture of Membranes Characteristics, Determinants, and Outcomes of in Benghazi, Libya. *Open J Obstet Gynecol*. 2015;05(09):494–504.
7. Purwaningtyas. Purwaningtyas, D. K. dan Galuh, N. P. 2017. Faktor Kejadian Anemia pada Ibu Hamil. *HIGEIA*, 1(3):46. *JournalUnnesAcId* [Internet]. 2017;2(1):23–32. Available from: <https://journal.unnes.ac.id/sju/index.php/higeia/article/view/17937>
8. Khadijah S, Santoso I, Qana'ah S. Faktor-Faktor yang Berhubungan dengan Kejadian Ketuban Pecah Dini di RSUD DR. H. Moch Ansari Saleh Banjarmasin 2015. *Din Kesehat*. 2016;7(1):13–22.
9. Nursalam, 2016 metode penelitian. Faktor Yang Mempengaruhi Ketuban Pecah Dini. *J Chem Inf Model*. 2013;53(9):1689–99.
10. Rsd DI, Bengkulu MY. Hubungan Multipara Dengan Kejadian Ketuban Pecah Dini Di Rsd Dr. M. Yunus Bengkulu Tahun 2013. 2014;(3):1–3.
11. Aprilla Nia. FAKTOR RISIKO IBU BERSALIN YANG MENGALAMI

KETUBAN PECAH DINI DI RSUD BANGKINANG TAHUN 2017 NIA
APRILLA Dosen S1 Keperawatan Universitas Pahlawan Tuanku
Tambusai. *J Kesehat Masy*. 2018;2(April):48–57.

12. Cunningham. Williams Obstetrics 25th Edition. 2018.
13. Ehsanipoor R. Premature rupture of membranes. *Obstet Gynecol*. 2016;127(1):e39–51.
14. Xia H, Li X, Li X, Liang H, Xu H. The clinical management and outcome of term premature rupture of membrane in East China: Results from a retrospective multicenter study. *Int J Clin Exp Med*. 2015;8(4):6212–7.
15. SD P, Akram SA. A study of maternal and perinatal outcome in premature rupture of membranes at term. *Int J Clin Obstet Gynaecol*. 2019;3(2):93–7.
16. Mondal A, Kanoongo S, Mondal A. Original Research Article A study on management of premature rupture of membranes. *Int J Reprod Contraception, Obstet Gynecol*. 2018;7(3):855–9.
17. Menon R, Richardson LS. Preterm prelabor rupture of the membranes: A disease of the fetal membranes. *Semin Perinatol* [Internet]. 2017;41(7):409–19. Available from: <http://dx.doi.org/10.1053/j.semperi.2017.07.012>
18. Song J, Lu M, An Z, Liu Y, Zheng L, Li Y, et al. Estimating the acute effects of ambient ozone pollution on the premature rupture of membranes in Xinxiang, China. *Chemosphere* [Internet]. 2019;227:191–7. Available from: <https://doi.org/10.1016/j.chemosphere.2019.04.062>
19. Prawirohardjo S. Ilmu Kebidanan Sarwono Prawirohardjo. Ed Ke-4 Jakarta Yayasan Bina Pustaka Sarwono Prawirohardjo. 2016;
20. Mahajan C, Faruqi M. Maternal and perinatal outcome in pregnancy complicated by premature rupture of membranes (Prom): A prospective study. *Int J Clin Obstet Gynaecol*. 2020;4(2):19–23.
21. Aris IM, Logan S, Lim C, Choolani M, Biswas A, Bhattacharya S. Preterm prelabour rupture of membranes: A retrospective cohort study of association with adverse outcome in subsequent pregnancy. *BJOG An Int J Obstet Gynaecol*. 2016;124(11):1698–707.
22. Drassinower D, Friedman AM, Običan SG, Levin H, Gyamfi-Bannerman

- C. Prolonged latency of preterm prelabour rupture of membranes and neurodevelopmental outcomes: a secondary analysis. *BJOG An Int J Obstet Gynaecol.* 2016;123(10):1629–35.
23. Chandra I, Sun L. Third trimester preterm and term premature rupture of membranes: Is there any difference in maternal characteristics and pregnancy outcomes? *J Chinese Med Assoc* [Internet]. 2017;80(10):657–61. Available from: <http://dx.doi.org/10.1016/j.jcma.2016.12.006>
24. Stirnemann J, Djaafri F, Kim A, Mediouni I, Bussieres L, Spaggiari E, et al. Preterm premature rupture of membranes is a collateral effect of improvement in perinatal outcomes following fetoscopic coagulation of chorionic vessels for twin–twin transfusion syndrome: a retrospective observational study of 1092 cases. *BJOG An Int J Obstet Gynaecol.* 2018;125(9):1154–62.
25. Kanakannavar S, Km U. Feto maternal out come in premature rupture of membranes. 2019;3(5):46–9.
26. Halimiasl AA, Safari S, Hamrah MP. Epidemiology and related risk factors of preterm labor as an obstetrics emergency. *Arch Acad Emerg Med.* 2019;7(1):1–8.
27. Patil A, Kulkarni N, Arun A, Singh S, Patel N. Maternal and Perinatal Outcome in Term Premature Rupture of Membrane. *Indian J Obstet Gynecol.* 2018;6(2):102–6.
28. Mishra S, Joshi M. Premature Rupture of Membrane-Risk Factors: A Clinical Study. *Int J Contemp Med Res* [Internet]. 2017;4(1):2454–7379. Available from: www.ijcmr.com
29. Assefa NE, Berhe H, Girma F, Berhe K, Berhe YZ, Gebreheat G, et al. Correction to: Risk factors of premature rupture of membranes in public hospitals at Mekele city, Tigray, a case control study. *BMC Pregnancy Childbirth.* 2018;18(1):1–7.
30. Ha S, Liu D, Zhu Y, Sherman S, Mendola P. Acute Associations between Outdoor Temperature and Premature Rupture of Membranes. *Epidemiology.* 2018.
31. Soni S, Moldenhauer JS, Spinner SS, Rendon N, Khalek N, Martinez-Poyer

- J, et al. Chorioamniotic membrane separation and preterm premature rupture of membranes complicating in utero myelomeningocele repair. *Am J Obstet Gynecol* [Internet]. 2016;214(5):647.e1-647.e7. Available from: <http://dx.doi.org/10.1016/j.ajog.2015.12.003>
32. Chmait RH, Chon AH, Korst LM, Llanes A, Kontopoulos E V., Quintero RA. 218: Risks of preterm premature rupture of membranes and preterm birth based on location of trocar insertion site. *Am J Obstet Gynecol* [Internet]. 2017;216(1):S138–9. Available from: <http://dx.doi.org/10.1016/j.ajog.2016.11.123>
33. Addisu D, Melkie A, Biru S. Prevalence of Preterm Premature Rupture of Membrane and Its Associated Factors among Pregnant Women Admitted in Debre Tabor General Hospital, North West Ethiopia: Institutional-Based Cross-Sectional Study. *Obstet Gynecol Int.* 2020;2020:1–7.
34. Djamba YK, Neuman WL. *Social Research Methods: Qualitative and Quantitative Approaches*. Vol. 30, Teaching Sociology. 2002. p. 380.
35. Nakubulwa S, Kaye DK, Bwanga F, Tumwesigye NM, Mirembe FM. Genital infections and risk of premature rupture of membranes in Mulago Hospital, Uganda: A case control study *Womens Health. BMC Res Notes.* 2015;8(1):1–9.
36. Dotters-Katz SK, Panzer A, Grace MR, Smid MC, Keku JA, Vladutiu CJ, et al. Maternal Morbidity after Previabie Prelabor Rupture of Membranes. *Obstet Gynecol.* 2017;129(1):101–6.
37. Ibishi VA, Isjanovska RD. Prelabour rupture of membranes: Mode of delivery and outcome. *Maced J Med Sci.* 2015;
38. Sae-Lin P, Wanitpongpan P. Incidence and risk factors of preterm premature rupture of membranes in singleton pregnancies at Siriraj Hospital. *J Obstet Gynaecol Res.* 2019;45(3):573–7.
39. Fifi Ria Ningsih Safari. FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN KEJADIAN KETUBAN PECAH DINI DI RUMAH SAKIT UMUM H. ABDUL MANAN SIMATUPANG TAHUN 2016. 2017;6(2):149–56.
40. Meiriza W, Oviana A. Hubungan paritas dan riwayat kpd dengan kejadian

ketuban pecah dini di ruang rawat inap kebidanan rsud solok. 2017;4:113–8.

41. Zhou Q, Zhang W, Xu H, Liang H, Ruan Y, Zhou S, et al. Risk factors for preterm premature rupture of membranes in Chinese women from urban cities. *Int J Gynecol Obstet* [Internet]. 2016;127(3):254–9. Available from: <http://dx.doi.org/10.1016/j.ijgo.2014.06.020>
42. Zhang LX, Sun Y, Zhao H, Zhu N, Sun X De, Jin X, et al. A bayesian stepwise discriminant model for predicting risk factors of preterm premature rupture of membranes: A case-control study. *Chin Med J (Engl)*. 2017;130(20):2416–22.
43. Leigh SJ, Morris MJ. Diet, inflammation and the gut microbiome: Mechanisms for obesity-associated cognitive impairment. *Biochim Biophys Acta - Mol Basis Dis* [Internet]. 2020;1866(6):165767. Available from: <https://doi.org/10.1016/j.bbadis.2020.165767>
44. van Strien T, Kontinen HM, Ouwens MA, van de Laar FA, Winkens LHH. Mediation of emotional and external eating between dieting and food intake or BMI gain in women. *Appetite* [Internet]. 2020;145(October 2019):104493. Available from: <https://doi.org/10.1016/j.appet.2019.104493>
45. Workineh Y, Birhanu S, Kerie S, Ayalew E, Yihune M. Determinants of premature rupture of membrane in Southern Ethiopia, 2017: Case control study design. *BMC Res Notes* [Internet]. 2018;11(1):1–7. Available from: <https://doi.org/10.1186/s13104-018-4035-9>
46. Wallace ME, Grantz KL, Liu D, Zhu Y, Kim SS, Mendola P. Exposure to ambient air pollution and premature rupture of membranes. Vol. 183, *American Journal of Epidemiology*. 2016. 1114–1121 p.
47. Reddy UM, Rice MM, Grobman WA, Bailit JL, Wapner RJ, Varner MW, et al. Serious maternal complications after early preterm delivery (24-33 weeks' gestation). *Am J Obstet Gynecol*. 2015;
48. Jiang M, Mishu MM, Lu D, Yin X. A case control study of risk factors and neonatal outcomes of preterm birth. *Taiwan J Obstet Gynecol* [Internet]. 2018;57(6):814–8. Available from: <https://doi.org/10.1016/j.tjog.2018.10.008>

49. Sari IM, Adisasmita AC, Prasetyo S, Amelia D, Purnamasari R. Effect of premature rupture of membranes on preterm labor: a case-control study in Cilegon, Indonesia. *Epidemiol Health*. 2020;42:1–6.
50. ACOG. Clinical Management Guidelines for Obstetrician – Gynecologists: Prelabor Rupture of Membranes. *Obstet Gynecol*. 2019;133(76):168–86.
51. Erawati AD, Rinayati R, Wahyuning S. Midwife roles to decline maternal mortality rate. *Int J Public Heal Sci*. 2019;9(1):29.
52. Nazareth JV, de Souza KV, Beininger MA, Barra JS, Brüggemann OM, Pimenta AM. Special attention to women experiencing high-risk pregnancy: Delivery, care assistance and neonatal outcomes in two Brazilian maternity wards. *Midwifery* [Internet]. 2017;53(July):42–8. Available from: <http://dx.doi.org/10.1016/j.midw.2017.07.009>
53. Kuliukas LJ, Hauck YC, Lewis L, Duggan R. The woman, partner and midwife: An integration of three perspectives of labour when intrapartum transfer from a birth centre to a tertiary obstetric unit occurs. *Women and Birth* [Internet]. 2017;30(2):e125–31. Available from: <http://dx.doi.org/10.1016/j.wombi.2016.10.008>
54. Ramseyer AM, Whittington JR, Magann EF, Pates JA, Ounpraseuth ST. Can maternal characteristics on admission for preterm prelabor rupture of membranes predict pregnancy latency? *Am J Obstet Gynecol MFM* [Internet]. 2020;100194. Available from: <https://doi.org/10.1016/j.ajogmf.2020.100194>
55. Goshu M, Godefay H, Bihonegn F, Ayalew F, Haileselassie D, Kebede A, et al. Assessing the competence of midwives to provide care during labor, childbirth and the immediate postpartum period - A cross sectional study in Tigray region, Ethiopia. *PLoS One*. 2018;13(10):1–12.
56. Monitoring emergency obstetric care.
57. Geleto A, Chojenta C, Taddele T, Loxton D. Perceptions of midwives on the quality of emergency obstetric care at hospitals in Ethiopia: A qualitative explanatory study. *Midwifery*. 2020;90.
58. Kemenkes. Selama Social Distancing. Pedoman Bagi Ibu Hamil , Ibu Nifas dan Bayi Baru Lahir Selama Covid-19. 2020;Kemenkes. (2020). Selama

Social Distancing. Pedoma.

59. World Health Organization (WHO). Pelayanan kesehatan berbasis komunitas termasuk penjangkauan dan kampanye , dalam konteks pandemi COVID-19 [Internet]. Panduan Interim. Jeneva, Switzerland; 2020. 43 p. Available from: <file:///D:/who-2019-ncov-comm-health-care-2020-1-eng-indonesian-final.pdf>

