

**HUBUNGAN PENGETAHUAN DAN TINDAKAN *PERSONAL HYGIENE*
DENGAN KEJADIAN KEPUTIHAN PATOLOGIS PADA SISWI
SMK NEGERI 6 PADANG**



Pembimbing :

1. Dr. dr. Yuniar Lestari, M.Kes
2. Feni Andriani, Bd, M.Keb

**PROGRAM STUDI S1 KEBIDANAN
FAKULTAS KEDOKTERAN UNIVERSITAS ANDALAS
PADANG 2021**

**BACHELOR OF MIDWIFEY PROGRAM FACULTY OF MEDICINE
ANDALAS UNIVERSITY**

Undergraduate, January 2021.

RAMA LARA ALTI. NIM. 1610331009

THE ASSOCIATION BETWEEN KNOWLEDGE AND *PERSONAL HYGIENE* ACTION WITH THE INCIDENCE OF PATHOLOGICAL VAGINAL DISCHARGE IN FEMALE STUDENTS AT SMK NEGERI 6 PADANG

xx+52 pages, 7 tables, 3 pictures, 12 appendices

ABSTRACT

Background and Objective

Pathological discharge is discharge from the vagina that colored (white like stale milk, gray, yellow-greenish), smells fishy, sticky, hot, painful, large amounts and accompanied by itching. Knowledge and personal hygiene action are factors that affect the incidence of pathological vaginal discharge. Vocational School 6 Padang is a vocational school that has the highest number of female students in Padang city, so the possibility of vaginal discharge is also higher. The purpose of this study was to determine the relationship between knowledge and personal hygiene action with the incidence of pathological vaginal discharge in female student SMK Negeri 6 Padang.

Method

Quantitative research with cross sectional design was carried out in SMK Negeri 6 Padang from July 2020 to January 2021. Respondents were students in grade XI and XII counted 77 respondents. The sampling technique using stratified random sampling method and samples in each class using simple random sampling method. The research instrument used was a questionnaire. Analysis of univariate and bivariate data using chi-square analysis ($p < 0.05$).

Result

The results of univariate analysis obtained data on respondents who experienced pathological vaginal discharge (59.7%), respondents with sufficient knowledge (61%), and respondents with poor personal hygiene action (54.5%). Bivariate test results with chi-square between knowledge and the incidence of pathological vaginal discharge obtained p -value = 0.002 ($p < 0.05$). Cross-test between personal hygiene action and the incidence of pathological vaginal discharge obtained p -value = 0,003($p < 0.05$).

Conclusion and Suggestion

There is a relationship between knowledge and *personal hygiene* action with the incidence of pathological vaginal discharge in female student of SMK Negeri 6 Padang. Beside the suggest to next resercher to examine other variable that cause incidence of pathological vaginal discharge .

References : 71 (2000-2018)

Keywords : Knowledge, Personal Hygiene, Pathological Vaginal Discharge

**PROGRAM STUDI S1 KEBIDANAN FAKULTAS KEDOKTERAN
UNIVERSITAS ANDALAS**

Skripsi, Januari 2021.

RAMA LARA ALTI. NIM. 1610331020

**HUBUNGAN PENGETAHUAN DAN TINDAKAN *PERSONAL HYGIENE*
DENGAN KEJADIAN KEPUTIHAN PATOLOGIS PADA SISWI SMK
NEGERI 6 PADANG**

xx+57 halaman, 7 tabel, 3 gambar, 12 lampiran

ABSTRAK

Latar Belakang dan Tujuan Penelitian

Keputihan patologis merupakan cairan yang keluar dari vagina berwarna (putih seperti susu basi, abu-abu, kuning-kehijauan), berbau amis, lengket, panas, nyeri, jumlahnya banyak dan disertai rasa gatal. Pengetahuan dan tindakan *personal hygiene* merupakan faktor yang mempengaruhi kejadian keputihan patologis. SMKN 6 Padang adalah sekolah kejuruan yang memiliki jumlah siswi perempuan terbanyak di kota Padang sehingga kemungkinan terjadinya keputihan juga lebih besar. Tujuan penelitian ini adalah untuk mengetahui hubungan pengetahuan dan tindakan *personal hygiene* dengan kejadian keputihan patologis pada siswi SMK N 6 Padang.

Metode

Penelitian kuantitatif dengan desain *cross sectional*, dilakukan di SMKN 6 Kota Padang pada bulan Juli 2020 hingga bulan Januari 2021. Responden penelitian adalah siswi kelas XI dan XII sebanyak 77 responden. Teknik pengambilan sampel dengan metode *stratified random sampling* dan sampel pada setiap kelas menggunakan metode *simple random sampling*. Instrumen penelitian yang digunakan adalah angket. Analisis data secara univariat dan bivariat dengan menggunakan analisis *chi-square* ($p < 0.05$).

Hasil

Hasil analisis univariat diperoleh data responden yang mengalami keputihan patologis (59,7%), responden dengan pengetahuan cukup (61%), dan responden dengan tindakan *personal hygiene* buruk (54,5%). Hasil uji bivariat dengan *chi-square* antara pengetahuan dengan kejadian keputihan patologis didapatkan $p\text{-value} = 0,002$ ($p < 0,05$). Uji silang antara tindakan *personal hygiene* dengan kejadian keputihan patologis didapatkan $p\text{-value} = 0,003$ ($p < 0,05$).

Kesimpulan dan Saran

Terdapat hubungan antara pengetahuan dan tindakan *personal hygiene* dengan kejadian keputihan patologis pada siswi SMKN 6 Padang. Disarankan untuk dilakukan penelitian lebih lanjut mengenai variabel lainnya yang berhubungan dengan kejadian keputihan patologis.

Referensi : 71 (2000-2018)

Kata Kunci : Pengetahuan, *Personal Hygiene*, Keputihan Patologis