

DAFTAR PUSTAKA

- Agustina, D, dkk. (2016). Pengaruh senam tai chi terhadap keseimbangan tubuh lansia di yayasan taman bodhi sari kabupaten deli serdang. *Jurnal Ilmu Kesehatan*, 2 (1), 1 – 8
- Alviah, S. (2017). Perbedaan pengaruh latihan jalan tandem dan senam Tai Chi terhadap peningkatan keseimbangan pada lansia. *Naskah Publikasi Sekolah Tinggi Ilmu Kesehatan Aisyiyah Yogyakarta*
- Anggraini, F. S . (2017). “Faktor – faktor yang berhubungan dengan kejadian jatuh di wilayah puskesmas andalas kota padang tahun 2016”. *Skripsi*. Fakultas Keperawatan Universitas Andalas
- Anto, S. W. (2015). Pegaruh penambahan latihan keseimbangan pada latihan core stability lebih baik terhadap resiko jatuh pada lansia. *Skripsi*. Program Studi Fisioterapi Sekolah Tinggi Ilmu Kesehatan Aisyiyah Yogyakarta
- Arifin, M. Z. (2011). Senam Tai chi dan Senam Jantung pada profil lipida dan kebugaran pra lansia. UNESA. Surabaya
- Arikunto, S. (2012). Prosedur penelitian suatu pendekatan praktek. Jakarta : Rineka Cipta.
- Astriyana, S. (2012). Pengaruh latihan keseimbangan terhadap resiko jatuh pada lansia. *Skripsi*. Surakarta. Universitas Muhamadiyah Surakarta

Badan Pusat Statistik. (2018). Statistik penduduk lansia. Jakarta : Badan Pusat Statistik.

Bandiyah, S . (2009). Lanjut usia dan keperawatan geontik. Yogyakarta : Nuha Medika.

Darmodjo & Budhi. (2011). GERIATRI : Ilmu Kesehatan Usia Lanjut Ed. 4. Jakarta :

Balai Penerbit FKUI

Deniro, dkk. (2017). Hubungan antara usia dan aktivitas sehari – hari dengan resiko jatuh pasien instalasi rawat jalan geriatri. *Jurnal Penyakit dalam Indonesia*, 4 (4).

Departemen Kesehatan Republik Indonesia. (2015). Pedoman Pembinaan Kesehatan Lanjut Usia Bagi Petugas Kesehatan. Jakarta

Ediawati, E. (2012). Gambaran tingkat kemandirian dalam Activity Of Daily Living (ADL) dan resiko jatuh pada lansia di panti sosial tresna werdha budi 01 dan 03 jakarta timur. *Skripsi*. Universitas Indonesia

Effendi. (2009). Dasar – dasar keperawatan kesehatan masyarakat edisi 2. Jakarta : EGC

Fuzhong, Li,et. al. (2018). Effectiveness of therapeutic Tai Ji Quan intervention vs a multimodal exercise intervention to prevent falls among older adults at high

risk of falling a Randomized Clinical Trial. *Jama Intern. Med.* 178 (10), 1301 - 1310

Gale, et. al. (2018). Risk factors for incident falls in older men and women : the English longitudinal study of aging. *BMC Geriatrics*, (18), 117

Gallant, et. al. (2017). Using Tai Chi to reduce fall risk factors among older adults : an evaluation of a community based implementation. *Journal of applied gerontology*. 38 (7). 983 – 998

Hidayat, A. (2009). Metode penelitian keperawatan dan teknik analisa data. Jakarta : Salemba Medika

Hei Fen, et. al. (2016). Effects of home based Tai Chi and Lower Extremity Training and Self Practice of falls and functional outcomes in older fallers from the emergency department – A Randomized Controlled Trial. *Journal Compilation*. 64 (3)

Hosseini. L. (2018). Tai Chi Chuan can improve balance and reduce fear of falling in community dwelling older adults : a randomized control trial. *Journal of exercise rehabilitation*, 14 (6), 1024 – 1031

Kittichittipanich, B, et. al. (2019). The effectiveness of Tai Chi exercise in improving balance and preventing falls among older adults. *The Open Public Health Journal*, (12), 465 - 471

Lesley, D, et. al (2015). Impact of Tai Chi on falls among preclinically disabled older people. A Randomized Controlled Trial. *Journal of the American Medical Directors Association*, 1 -7

Liu, H & A Frank. (2010). Tai Chi as a balance improvement exercise for older adults ; a systematic review. *Journal of Geriatric Physical Therapy*, (33), 103 – 109

Li, X. (2011). The application of music to tai chi movements. *Journal of Physical Education in Tianjin Institute*, (1), 67 – 72

Logghe, et. al (2009). Lack of effect of Tai Chi Chuan in preventing falls in elderly people living at home : a randomized controlled trial. *J Am Geriatr Soc.* (57), 70 – 75

Maryam, R.Siti, dkk. (2012). Mengenal usia lanjut dan perawatannya. Jakarta: Salemba Medika.

Miller, S & R. E. T. Pilie. (2017). The association between Tai Chi exercise and safe driving performance among older adults : An Observational Study. *Journal of Sport and Health Science*, (7), 83 – 84

Mortazalv, H, et al. (2018). The Effect of Tai Chi Exercise on the Risk and Fear of Falling in older Adults : a Randomized Clinical Trial. *Journal of the Academy of Medical Sciences of Bosnia and Herzegovina*, 30 (1), 38 – 42

Nanda. 2012 – 2014. Diagnosis keperawatan. Jakarta : EGC

Nifta, R. (2018). Pengaruh senam tai chi terhadap keseimbangan tubuh saat berjalan pada lansia dengan resiko jatuh di up telayanan sosial tresna werdha jember.

Skripsi. Fakultas Keperawatan Universitas Jember

Ning Hu, et. al. (2016). Effect of Tai Chi Exercise on fall prevention in older adults : Systematic Review and Meta – Analysis of Randomized Controlled Trials.

International of Journal of Gerontology, (10), 131 – 136

Pablo, et. al. (2014). Effects of Tai Chi Chuan on the elderly balance : a semi – experimental study. *Journal Of Geriatri*. 17 (2), 373 – 381

Putri, R. K. (2014). Pengaruh senam Tai Chi terhadap peningkatan keseimbangan dinamis dan penurunan faktor risiko jatuh pada lanjut usia. *Skripsi*. Univeristas Muhamadiyah Surakarta

Rohaedi, et. al. (2016). Tingkat kemandirian lansia dalam activities daily living di panti sosial tresna werdha senja rawi. *Jurnal Pendidikan keperawatan Indonesia*, 2 (1), 16 – 21

Ruscello. et. al. (2014). The influence of music on exercise in a group of sedentary elderly women : An important tool to help the elderly to stay active. *Journal of Sports Medicine and Physical Fitness*, (54), 536 - 544

Shariat. et. al .(2018). Effects of stretching exercise training and ergonomic modifications on musculoskeletal discomforts of office workers : a

randomized controlled trial. *Brazilian Journal of Physical Therapy*, (22), 144 - 153

Stanley, & P. G. Beare. (2006). Buku ajar keperawatan edisi 2. EGC : Jakarta
Song. et. al. (2014). Effect of Tai Chi exercise on lower limb muscle strength bone mineral density and balance function on elderly women. *International Jurnal of Clinical and Experimental Medicine*, 7 (6), 1569 – 1576

Sugiyono. (2002). Metode penelitian administrasi. Bandung : Alfabeta
Suparwati, K. T. A. (2017). Senam Tai Chi lebih efektif meningkatkan fleksibilitas dan keseimbangan daripada senam bugar lansia pada lansia di Kota Denpasar. *Sport and Fitness Journal*. 5 (1)

Sutanto, J. (2010). Tai Chi great harmony. Kompas : Jakarta
Sutanto, J. (2013). The Dancing Leader 3. 0 : Tai Chi untuk perawatan membangun keluarga dan rumah sehat. Kompas : Jakarta

Takeshima, N. (2017). Effects of 12 weeks of Tai Chi Chuan training on balance and functional fitness in older Japanese adults. *Journal of Sport and Health Science*. 5, (32)

Tian, T. (2014). The effects of music on the instruction of 24- form yang style Tai Chi. *Nei Jang Technology*, (9), 38 – 43

Tougsinant, et. al. (2012). Efficacy of supervised Tai Chi exercise versus conventional physical therapy exercise in fall prevention for frail older adults : a randomized controlled trial. *Disabil Rehabilitation*, (35), 1429 – 1435

Widianti, A. T. dan P. Atikah. (2010). Senam kesehatan. Yogyakarta : Nuha Medika

Yan, Du. et. al. (2016). The effects of Tai Chi practice with asynchronous music on compliance and fall-related risk factors in middle aged and older women. *Journal of Holistic Nursing*. 20 (10), 1-9

Yogisutanti. G. et .al. (2018). Pengaruh senam Tai Chi terhadap fleksibilitas dan kekuatan otot ekstremitas pada lansia di Gereja Bandung Barat. *Journal of Public Health Research and Community Health Development*. 2 (1),

Yudiarto. F. L. (2010). Tai Chi menuju succesfull aging ditinjau dari ilmu penyakit saraf. Dalam Sutanto, J : Jalan cerdas menuju sehat, edisi 2. Jakarta : PT KompasMediaNusantara



