

## DAFTAR PUSTAKA

1. Sesuk, T.; Tammawat, P.; Somton, K.; Limthongkul, P.; Kobsiriphat, W.: Activated Carbon Derived from Coconut Coir Pith as High Performance Supercapacitor Electrode Material. *Journal of Energy Storage* 2019, 25, 1-9.
2. Zang, J.; Tian, T.; Yang, G.; Jia, S.; Zhou, S.; Xu, H.; Wang, Y.: A Facile Preparation of Pomegranate-like Porous Carbon by Carbonization and Activation of Phenolic Resin Prepared via Hydrothermal Synthesis in KOH Solution for High Performance Supercapacitor Electrodes. *Advanced Powder Technology* 2019. 1-8.
3. Tetra, O.N.; Admin, A.; Hermansyah A.; Emriadi, E.; Ibrahim S.: Superkapasitor Berbahan Dasar Karbon Aktif dan Larutan Ionik sebagai Elektrolit. *Jurnal Zarah* 2018, 6(1), 39-46.
4. Borghei, S.A.; Zare, M.H.; Ahmadi, M.; Sedegi, M.H.; Marjani, A.; Shirazian, S.; Ghadiri, M.: Synthesis of Multi-Application Activated Carbon from Oak Seeds by KOH Activation for Methylene Blue Adsorption and Electrochemical Supercapacitor Electrode. *Arabian Journal of Chemistry* 2021, 14(2), 1.
5. Winata, A.S.; Devianto, H.; Susanti, R.F.: Synthesis of Activated Carbon from Salacca Peel with Hydrothermal Carbonization for Supercapacitor Application. *Materialstoday : Proceedings* 2020, 1.
6. Chao, P.; Xing-bin, Y.; Ru-tao, W.; Jun-wei, L.; Yu-jing, O.; Quin-ji X.: Promising Activated Carbon Derived from Waste Tea-Leaves and Their Application in High Performance Supercapacitor Electrodes. *Electrochemical Acta* 2013. 401-408.
7. Basta, A.H.; Fierro, V.; El-Saied, H.; Celzard, A.: 2-Step Activation of Rice Straw: An Efficient Method for Preparing High-Performance Activated Carbons. *Journal of Power Science* 2009. 3941-3947.
8. Cagnon, B.; Xavier, P.Y.; Guilot, A.; Stoeckli, F.; Chambat, G.: Contributions of Hemicellulose, Cellulose, and Lignin to The Mass and Porous Properties of Chars and Steam Activated Carbon from Various Lignocellulosic Precursors. *Bioresource Technology* 2009. 292-298.
9. Tumimomor, F.R.; Palilingan, S.C.: Pemanfaatan Karbon Aktif dari Sabut Kelapa sebagai Elektroda Superkapasitor. *FULLERENE Journal of Chemistry* 2018, 3(1), 13-18.
10. Yu, D.; Ma, Y.; Chen, M.; Dong, X.: KOH Activation of Wax Gourd-Derived Carbon Materials with High Porosity and Heteroatom Content for Aqueous or All-Solid-State Supercapacitors. *Journal of Colloid Interface Science* 2019, 537, 569–578.
11. Yang, L.; Feng, Y.; Cao, M.; Yao, J.: Two-Step Preparation of Hierarchical Porous Carbon from KOH-Activated Wood Sawdust for Supercapacitor. *Material Chemical Physic* 2019, 238.
12. Chaudhuri, M.; Saminal, S.N.B.: Coconut Coir Activated Carbon: An Adsorbent for Removal of Lead from Aqueous Solution. Universitas Teknologi Petronas Malaysia 2011, 148, 95-104.
13. Rosi, M.; Iskandar, F.; Ekaputra, M.P.; Abdullah M.: Superkapasitor Menggunakan Polimer Hidrogel Elektrolit dan Elektroda Nanopori Karbon. *Prosiding Seminar Nasional Material* 2012. 42-45.
14. Liu, Y.; Hu, Z.; Xu, K.; Zheng, X.; Gao, Q.: Surface Modification and Performance of Activated Carbon Electrode Material. *Acta Physico-Chimica Sinica* 2008, 24(7), 1-6
15. Ellenbogen, J.C.; Halper, M.S.: Supercapacitors: A Brief Overview. *Mitre Corporation* 2006. 1-34.

16. Choudhury, N.A.; Sampath, S.; Shukla, A.K.: Hydrogel-Polymer Electrolytes for Electrochemical Capacitor : An Overview. *Energy & Environmental Science* 2009, (1), 55-67.
17. Burke, A.: Ultrasupercapacitors: Why, How, and Where is The Technology. *Journal of Power Science* 2000, 9(1), 37-50.
18. Arief, E.N.; Taer, E.; Farma, R.: Pembuatan dan Karakterisasi Sel Supercapacitor Menggunakan Karbon Aktif Monolit Kayu Karet berdasarkan Variasi Konsentrasi HNO<sub>3</sub>. *JOM FMIPA* 2015, 2(1), 50-51.
19. Sullivan, M.G.; Schnyder, B.; Bartsch, M.; Alliata, D.; Barbero, C.; Imhof, R.; Kötz, R.: Electrochemically Modified Glassy Carbon for Capacitor Electrodes Characterization of Thick Anodic Layers by Cyclic Voltammetry, Differential Electrochemical Mass Spectrometry, Spectroscopic Ellipsometry, X-Ray Photoelectron Spectroscopy, FTIR, and AFM. *Journal of The Electrochemical Society* 2000, 147(7), 2636-2643.
20. Chiu, Y.H.; Lin, L.Y.: Effect of Activating Agent for Producing Activated Carbon using A Facile One-Step Synthesis with Waste Coffee Grounds for Symmetric Supercapacitor. *Journal of The Taiwan Institute of Chemical Engineers* 2019, 101, 177-185.
21. Cheng, J.; Hu, S.C.; Sun, G.T.; Kang, K.; Zhu, M.Q.; Geng, Z.C.: comparison of activated carbons prepared by one-step and two-step chemical activation process based on cotton stalk for supercapacitors application. *Journal Pre-proof Energy* 2020, 215.
22. Vinayagam, M.; Babu, R.S.; Sivasamy, A.; Barros, A.L.F.: Biomass-Derived Porous Activated from *Syzygium cumini* Fruit Shells and *Chrysopogon zizanioides* Roots for High-Energy Density Symmetric Supercapacitors. *Biomass and Bioenergy* 2020, 143.
23. Wang, A.; Sun, K.; Xu, R.; Sun, Y.; Jiang, J.: Cleanly Synthesizing Rotten Potato-based Activated Carbon for Supercapacitor by Self-Catalytic Activation. *Journal Pre-proof Journal of Cleaner Production* 2020, 283.
24. Rajasekaran, S.J.; Raghavan, V.: Facile Synthesis of Activated Carbon Derived from *Eucalyptus globulus* Seeds as Efficient Electrode Material for Supercapacitors. *Diamond and Related Materials* 2020, 109.
25. Jain, A.; Tripathi, S.K.: Fabrication and Characterization of Energy Storing Supercapacitor Devices using Coconut Shell based Activated Charcoal Electrode. *Material Science and Engineering* 2014, 183, 54-60.
26. Vikram, S.; Devandra, K.S.; Dhukarya, D.C.: The Effect of Frequency and Temperature on Dielectric Properties of Pure Poly Vinylidene Fluoride (PVDF) Thin Films. *Proceedings of the International Multi Conference of Engineers and Computers Scientist* 2010, 3, 5-8.
27. Antonucci, L.; Antonucci V.: Energy Storage in The Emerging Era of Smart Grids. *InTech* 2011. 3-20.
28. Godse, L.S.: Study of Carbon Materials and Effect of It's Ball Milling On Capacitance of Supercapacitor. *Energy Procedia* 2014, (54), 302-309.
29. Kinoshita, K.: Carbon Electrochemical and Physicochemical Properties. *John Willey & Sons* 1988, 92(9).
30. Darmawan, S.: Sifat Arang Aktif Tempurung Kemiri dan Pemanfaatannya sebagai Penyerap Emisi Formaldehida Papan Serat Berkerapatan Sedang. *Tesis, Institut Pertanian Bogor. Bogor*, 2008.
31. Hassler, J. W.: Activated Carbon. *Chemical Pub. Co* 1963.
32. Tawalbeh, M.; Allawzi, M. A.; Kandah, M. I.: Production of Activated Carbon from Jojoba Seed Residue by Chemical Activation Residue Using a Static Bed Reactor. *Journal Application Science* 2005, 5 (3), 482-487.

33. Sudibandriyo, M.: A Generalized Ono-Kondo Lattice Model For High Pressure on Carbon Absorben. *Oklahoma State University*. Oklahoma. 2003 [Disertasi]
34. Marsh, H.; Reinoso, F.R.: Activated Carbon. *Elsevier Science* 2006.
35. Wardhani, I.Y.; Surjokusumo, S.; Hadi, S.Y.; Nugroho, N.: Distribusi Kandungan Kimia Kayu Kelapa (*Cocos nucifera* L). *Jurnal Ilmu dan Teknologi Kayu Tropis* 2004, 2(1), 1-7.
36. Carrijo, O.A.; Liz, R.S.; Makishima N.: Fiber of Green Coconut Shell as Agriculture Substratum. *Brazilian Horticulture* 2002, (20), 533-535.
37. Abdullah, A.; Saleh, A.; Novianty, I.: Adsorpsi Karbon Aktif dari Sabut Kelapa (*Cocos nucifera*) terhadap Penurunan Fenol. UIN Makassar 2013, 1(2), 32-44.
38. Anggraini, V. Shear Strength Improvement of Sandy Soil Using Coconut Fiber. *International Journal of Civil Engineering and Technology* 2016, 7(3), 2.
39. Gunawan B, Azhari C: Karakterisasi spektrofotometri IR dan Scanning Electron Microscopy (SEM) Sensor Gas dari bahan Polimer Poly Etylen Glicol (PEG). *Jurnal Sains dan Teknologi*, 2010, 3(2): 1-17.
40. Sujatno, Agus; R. Salam; Bandriyana; A. Dimiyati.; Studi Scanning Electron Microscopy (SEM) untuk Karakterisasi Proses Oksidasi Paduan Zirkonium. *Jurnal Forum Nuklir (JFN)*. Pusat Sains dan Teknologi Bahan Maju. PSTBM-BATAN. 2015.
41. Setabudi, A.; Hardian, R.; Mudzakir, A.: Buku Karakterisasi Material, Prinsip dan Aplikasinya dalam Penelitian Kimia. *UPI Press*, Universitas Pendidikan Indonesia 2012.
42. Setyaningsih, N.E.; Muttaqin, R.; Mar'ah, I.: Optimalisasi Waktu Pelapisan Emas-Palladium pada Bahan Komposit Alam untuk Karakterisasi Morfologi dengan *Scanning Electron Microscopy (SEM) – Energy Dispersive X-Ray Spectroscopy (EDX)*. *Physic Communication* 2017, 1(2), 36-40.
43. Sulistyani, M.; Nuril, H. Optimasi Pengukuran Spektrum Vibrasi Sampel Protein Menggunakan Spektrofotometer Fourier Transform Infrared (FT-IR). *Indonesian Journal of Chemical Science*. 2017, 6(2): 173-180.
44. Siti, Z.; Aris, W.; Nur, H.; Apriza, M.; Yoga, A. P.; Lutfi, N.; Novita, D.; R.: Analisis Luas Permukaan Zeolit Alam Termodifikasi Dengan Metode BET Menggunakan Surface Area Analyzer (SAA). *Pelatihan Instrumen* 2015, FMIPA, Universitas Negeri Semarang: Semarang. 2015.
45. Grandys, P Rika.; D Istria.; P.R Ahmad.; F Amanda, P.; Analisis luas permukaan arang aktif dengan menggunakan metode BET (SAA). *Universitas Negeri Semarang*. Semarang. 2004.
46. Thommes, M.; Kaneko, K.; Neimark, A.V.; Olivier, J.P.; Reinoso, R.F.; Rouquerol, J.; Sing, K.S.W.: Physisorption of Gases, with Special Reference to The Evaluation of Surface Area and Pore Size Distribution (IUPAC Technical Report). *IUPAC Technical Report* 2015, 87(9-10), 1051-1069.
47. Kanaka Raju P.; Purna Chandra Rao M.: Design and development of portable digital LCR meter by auto balancing bridge method. *International Journal of Innovations in Engineering and Technology (IJJET)*. 2016, 7(3), 130-137.
48. Waltrip, B.; Seifert, F.: A Programmable Capacitor for Inductance Measurement. *IEEE Transaction on Instrumental and Measurement* 2017, 99, 1-7.
49. Daud, T.: Pengaruh arus listrik dan waktu proses terhadap ketebalan dan massa lapisan yang terbentuk pada proses elektroplating pelat baja. *Jurnal Ilmiah Sains*. 2011, 11(1): 97 – 101.
50. Taer, E.; Zlukifli, Z.; Syech, R.; Taslim, R.: Sifat Elektrokimia Superkapasitor Menggunakan Metode Charge Discharge Untuk Elektroda Karbon dari Kayu Karet. *Universitas Islam Negeri Sultan Syarif Kasim Pekanbaru* 2015, 1-6.

51. Lota, K.; Sierzynska, A.; Acznik I.: Effect of Aqueous Electrolytes on Electrochemical Capacitor Capacitance. *Science Technique* 2013, 67(11), 1138-1145.
52. Erlina.; Umiatin.; Budi, S.: Pengaruh Konsentrasi Larutan KOH Pada Karbon Aktif Tempurung Kelapa Untuk Adsorpsi Logam Cu. *Prosiding Seminar Nasional Fisika (e-journal) SNF*. 2015, 4: 55-60.
53. Sahara, E.; Sulihingtyas, W.D.; Mahardika, I P.A.S.: Pembuatan dan Karakterisasi Arang AKKtof dari Batang Tanaman Gumitir (*Tagetes erecta*) yang Diaktivasi dengan  $H_3PO_4$ . *Jurnal Kimia* 2017, 11(1), 1-9.
54. Jamilatun, S.; Setyawan, M.: Pembuatan Arang Aktif dari Tempurung Kelapa dan Aplikasinya untuk Penyerapan Asap Cair. Universitas Ahmad Dahlan Yogyakarta 2014, 12(1), 1-14.
55. Nandiyanto, A.B.D.; Oktiani, R.; Raghadita, R.: How to Read and Interpret FTIR Spectroscopy of Organic Material. *Indonesian Journal of Science and Technology* 2019, 4(1), 97-118.
56. Ghosh, S., Santhosh, R., Jeniffer, S., Raghavan, V., Jacob, G., & Nanaji, K. et al.; Natural biomass derived hard carbon and activated carbons as electrochemical supercapacitor electrodes. *Scientific Reports*. 2019, 9, 16315.
57. Fristina, R.: Pemanfaatan Kertas Karbon Sebagai Bahan Elektroda pada Superkapasitor, *Skripsi*. Fakultas MIPA, Universitas Andalas. 2016.
58. Bambang, A.S.; Widodo, C.S.; Saroja, G.: Studi Pengukuran Kapasitansi dan Konstanta Dielektrik pada Cabe Merah (*Capsicum annum* L.) Giling. *FMIPA Universitas Brawijaya*: Malang.
59. Pradana, H. Y.; Sintesis rGO/Glukosa dengan Variasi Perbandingan Massa dan Proses Eksfoliasi Secara Kimia Untuk Bahan Elektroda Superkapasitor. *Skripsi*. Fakultas MIPA, Institut Teknologi Sepuluh November, Surabaya, 2017.
60. Perdana, Y.A.: *Performance* Karbon Aktif dari Limbah Cangkang Kelapa Sawit sebagai Bahan Elektroda Superkapasitor, *Skripsi*. FMIPA, Universitas Andalas. 2017.
61. Fitriana, V. N., Diantoro, N., Nasikhudin: Sintesis dan Karakterisasi Superkapasitor Berbasis Nanopartikel Berbasis Nanopartikel  $TiO_2/C$ . *Skripsi*. FMIPA, Universitas Negeri Malang, 2014.
62. Kaiwen, Z.; Yuanyuan, L.; Ming, Z.: The Porous Carbon Derived From Water Hyacinth With Well-Designed Hierarchical Structure For Supercapacitors. *Journal of Power Sources*. 2017, 366: 270-277.
63. Aliza, R.: Pengaruh Suhu Pembakaran terhadap Performance  $TiO_2/C$  Berpendukung Keramik Sebagai Elektroda Superkapasitor. *Skripsi*, FMIPA Universitas Andalas. 2015.