

DAFTAR PUSTAKA

1. Mohamed A, Osman TA, Toprak MS, Muhammed M, Yilmaz E, Uheida A. Visible light photocatalytic reduction of Cr(VI) by surface modified CNT/titanium dioxide composites nanofibers. *J Mol Catal A Chem.* 2016;424:45-53. doi:10.1016/j.molcata.2016.08.010
2. Yin Q, Xiang J, Wang X, Guo X, Zhang T. Preparation of highly crystalline mesoporous TiO₂ by sol – gel method combined with two-step calcining process. *J Exp Nanosci.* 2016;11(14):1127-1137. doi:10.1080/17458080.2016.1189097
3. Karim S, Pardoyo, Subagiyo A. Jurnal Kimia Sains dan Aplikasi Sintesis dan Karakterisasi TiO₂ Terdoping Nitrogen (N-Doped. *J Kim Sains dan Apl.* 2016;19(2):63-67.
4. Toe ED, Kurniawan W, Mariquit EG, Hinode H. Synthesis of N-doped Mesoporous TiO₂ by Facile One-step Solvothermal Process for Visible Light Photocatalytic Degradation of Organic Pollutant Journal of Environmental Chemical Engineering Synthesis of N-doped mesoporous TiO₂ by facile one-step solvothe. *J Environ Chem Eng.* 2018;6(4):5125-5134. doi:10.1016/j.jece.2018.08.005
5. Islam SZ, Nagpure S, Kim DY, Rankin SE. Synthesis and Catalytic Applications of Non-Metal Doped Mesoporous Titania. *Inorganic.* 2017;5(15):1-43. doi:10.3390/inorganics5010015
6. Li H, Liu H, Fu A, et al. Synthesis and characterization of N-doped porous TiO₂ hollow spheres and their photocatalytic and optical properties. *Materials (Basel).* 2016;9(10):1-15. doi:10.3390/ma9100849
7. Tian G, Chen Y, Pan K, et al. Efficient visible light-induced degradation of phenol on N-doped anatase TiO₂ with large surface area and high crystallinity. *Appl Surf Sci.* 2010;256(12):3740-3745. doi:10.1016/j.apsusc.2010.01.016
8. Li X, Liu P, Mao Y, Xing M, Zhang J. Preparation of homogeneous nitrogen-doped mesoporous TiO₂ spheres with enhanced visible-light photocatalysis. *Appl Catal B Environ.* 2015;164:352-359. doi:10.1016/j.apcatb.2014.09.053
9. Shibata H, Ogura T, Mukai T, Ohkubo T, Sakai H, Abe M. Direct Synthesis of

- Mesoporous Titania Particles Having a Crystalline Wall. *J Am Chem Soc.* 2005;127(47):16396-16397.
10. Endo T, Okada S, Torigoe K, Koshikawa N. Removal of surfactant template from mesoporous titania. *Colloids Surfaces A Physicochem Eng Asp.* 2015;464:52-56. doi:10.1016/j.colsurfa.2014.10.004
 11. Zi SC, Chandren S, Yuan LS, et al. New method to synthesize mesoporous titania by photodegradation of surfactant template. *Solid State Sci.* 2016;52:83-91. doi:10.1016/j.solidstatesciences.2015.12.016
 12. Nasikhudin, Diantoro M, Kusumaatmaja A, Triyana K. Study on Photocatalytic Properties of TiO₂ Nanoparticle in various pH condition. *J Phys Conf Ser.* 2018;1011(1):1-7. doi:10.1088/1742-6596/1011/1/012069
 13. Zhang J, Zhou P, Liu J, Yu J. New understanding of the difference of photocatalytic activity among anatase, rutile and brookite TiO₂. *Phys Chem Chem Phys.* 2014;16(38):20382-20386. doi:10.1039/c4cp02201g
 14. Etacheri V, Di C, Schneider J, Bahnemann D, Pillai SC. Visible-light activation of TiO₂ photocatalysts: Advances in theory and experiments. *J Photochem Photobiol C Photochem Rev.* 2015;25:1-29. doi:10.1016/j.jphotochemrev.2015.08.003
 15. Aini ZN. Artikel Review: Studi Variasi Metode Pada Sintesis Komposit Fotokatalis TiO₂ Artikel Review: Studi Variasi Metode Pada Sintesis Komposit Fotokatalis. Published online 2019:1-8.
 16. Slamet, Syakur R, Danumulyo W. Pengolahan Limbah Logam Berat Chromium (VI) dengan Fotokatalis TiO₂. *MAKARA Technol Ser.* 2003;7(1):1-7. doi:10.7454/mst.v7i1.132
 17. Linsebigler AL, Lu G, Yates JT. Photocatalysis on TiO_n Surfaces: Principles, Mechanisms, and Selected Results. *Chem Rev.* 1995;95(3):735-758.
 18. Asapu R, Palla VM, Wang B, Guo Z, Sadu R, Chen DH. Phosphorus-doped titania nanotubes with enhanced photocatalytic activity. *J Photochem Photobiol A Chem.* 2011;225(1):81-87. doi:10.1016/j.jphotochem.2011.10.001
 19. Parthasarathy P, Narayanan SK. Effect of Hydrothermal Carbonization

- Reaction Parameters on. *Environ Prog Sustain Energy*. 2014;33(3):676-680. doi:10.1002/ep
20. Ansari SA, Khan M, Ansari O. Nitrogen-doped titanium dioxide (N-doped TiO₂) for visible light photocatalysis. *New J Chem*. 2016;40:3000-3009. doi:10.1039/C5NJ03478G
21. Shao GS, Zhang XJ, Yuan ZY. Preparation and photocatalytic activity of hierarchically mesoporous-macroporous TiO₂-xNx. *Appl Catal B Environ*. 2008;82(3-4):208-218. doi:10.1016/j.apcatb.2008.01.026
22. Niu B, Wang X, Wu K, He X, Zhang R. Mesoporous Titanium Dioxide: Synthesis and Applications in Photocatalysis, Energy and Biology. *Materials (Basel)*. 2018;11:1-23. doi:10.3390/ma11101910
23. Fahyuan HD, Dahlan D, - A. Pengaruh Konsentrasi CTAB Dalam Sintesis Nanopartikel Tio₂ Untuk Aplikasi Sel Surya Menggunakan Metode Sol Gel. *J Ilmu Fis*. 2013;5(1):16-23. doi:10.25077/jif.5.1.16-23.2013
24. Byranvand MM, Kharat AN, Fatholahi L, Beiranvand ZM. A Review on Synthesis of Nano-TiO₂ via Different Methods. *J Nanostructures*. 2013;3:1-9.
25. Ningsih SKW. Sintesis Anorganik. In: Oktavia B, Ratna E, eds. *Sintesis Anorganik*. UNP Press Padang; 2016:245.
26. Yang G, Park S-J. Conventional and Microwave Hydrothermal Synthesis and Application of Functional Materials: A Review. *Materials (Basel)*. 2019;12:1-18. doi:10.3390/ma12071177
27. Khodaparast P, Ounaies Z. Influence of dispersion states on the performance of polymer-based nanocomposites. *Smart Mater Struct*. 2014;23(10):1-13. doi:10.1088/0964-1726/23/10/104004
28. Arista A, Dahlan D, Syukri. Sintesis Lapisan TiO₂ pada substrat ITO menggunakan Metode Elektrodeposisi dan Spin Coating. *J Ilmu Fis*. 2016;8(1):17-27.
29. Karatutlu A, Barhoum A, Sapelkin A. *Chapter 1 - Liquid-Phase Synthesis of Nanoparticles and Nanostructured Materials*. Elsevier Inc.; 2018. doi:10.1016/B978-0-323-51254-1/00001-4

30. Shinde PS, Bhosale CH. Properties of chemical vapour deposited nanocrystalline TiO₂ thin films and their use in dye-sensitized solar cells. *J Anal Appl Pyrolysis*. 2008;82:83-88. doi:10.1016/j.jaap.2008.01.004
31. Eddy DR, Lestari MW, Hastiawan I, Noviyanti AR. Sintesis Partikel Nano Titanium dioksida pada Kain Katun dan Aplikasinya sebagai Material Self-Cleaning. *Chem Nat Acta*. 2016;4(3):130-137.
32. Asgharzadehahmadi S, Aziz A, Raman A, Parthasarathy R. Sonochemical reactors: Review on features, advantages and limitations. *Renew Sustain Energy Rev*. 2016;63:302-314. doi:10.1016/j.rser.2016.05.030
33. Gerwert K, Kotting C. Fourier Transform Infrared (FTIR) Spectroscopy. *Encycl Life Sci*. Published online 2010:369-379. doi:10.5650/jos1956.32.586
34. Setiabudi A, Hardian R, Muzakir A. *Karakterisasi Material; Prinsip Dan Aplikasinya Dalam Penelitian Kimia.*; 2012.
35. Abdullah M, Khairurrijal K. Review: Karakterisasi Nanomaterial. *J Nano Saintek*. 2009;2(1):1-9.
36. Wellia DV. Sintesis Lapisan Tipis TiO₂ Berpori yang Dimodifikasi oleh Nitrogen dengan Metode Perokso Sol-Gel, Karakterisasi dan Aplikasi sebagai Material Pembersih Diri (Self Cleaning Material). *J Ris Kim*. 2016;9(2):6-14.
37. Dolat D, Ohtani B, Mozia S, et al. Preparation, characterization and charge transfer studies of nickel – modified and nickel, nitrogen co-modified rutile titanium dioxide for photocatalytic application. *Chem Eng J*. 2014;239:149-157. doi:10.1016/j.cej.2013.11.016
38. Jones E, Michael S, Sittampalam GS. Basics of Assay Equipment and Instrumentation for High Throughput Screening. *Assay Guid Man*. 2004;(Md):1-26. <http://www.ncbi.nlm.nih.gov/pubmed/22553880>
39. Low W, Boonamnuayvitaya V. A study of photocatalytic graphene – TiO₂ synthesis via peroxo titanate acid refluxed sol. *Mater Res Bull*. 2013;48(8):2809-2816. doi:10.1016/j.materresbull.2013.04.020
40. Katouezadeh E, Zebarjad SM, Janghorban K. Synthesis and enhanced visible-light activity of N-doped TiO₂ nano-additives applied over cotton textiles. *J*

Mater Res Technol. 2018;7(3):204-211. doi:10.1016/j.jmrt.2017.05.011

41. Cheng X, Yu X, Xing Z, Wan J. Enhanced Photocatalytic Activity of Nitrogen Doped TiO₂ Anatase Nano-Particle under Simulated Sunlight Irradiation. *Energy Procedia.* 2012;16:598-605. doi:10.1016/j.egypro.2012.01.096
42. Widyanto AR, Wardani DK, Firdaus AW, Anubawa H. Review Artikel: Pengaruh Dopan terhadap Aktivitas Serapan Cahaya Tampak pada TiO₂. 2019;(June).
43. Xie Y, Zhao X, Li Y, Zhao Q, Zhou X, Yuan Q. CTAB-assisted synthesis of mesoporous F-N-codoped TiO₂ powders with high visible-light-driven catalytic activity and adsorption capacity. *J Solid State Chem.* 2008;181(8):1936-1942. doi:10.1016/j.jssc.2008.04.021
44. Yang S., Yao L., Wang X, et al. Synthesis of Ce / N Co-doped TiO₂ Using CTAB Template with Improved Visible Light-Driven Photocatalysis. *2nd Annu Int Conf Adv Mater Eng (AME 2016)*. Published online 2016:1016-1022.
45. Yang G, Jiang Z, Shi H, Xiao T, Yan Z. Preparation of highly visible-light active N-doped TiO₂ photocatalyst. *J Mater Chem.* 2010;20(25):5301-5309. doi:10.1039/c0jm00376j

