

DAFTAR PUSTAKA

- Afiyanti, Y., & Rachmawati, I. N. (2014). *Metodologi Penelitian Kualitatif dalam Riset Keperawatan* (1st ed.). Jakarta: Rajawali Pers.
- Airheart, J. W. (2016). Lived Experiences of Individuals with End-Stage Renal Disease on Peritoneal Dialysis. *Nursing Theses and Capstone Projects*.
- Al Kalaldeh, M., Shosha, G. A., Saiah, N., & Salameh, O. (2017). Dimensions of Phenomenology in Exploring Patient's Suffering in Long-Life Illnesses. *Journal of Patient Experience*, 5(1), 43–49. <https://doi.org/10.1177/2374373517723314>
- Al Kalaldeh, M., Shosha, G. A., Saiah, N., & Salameh, O. (2018). Dimensions of Phenomenology in Exploring Patient's Suffering in Long-Life Illnesses. *Journal of Patient Experience*, 5(1), 43–49. <https://doi.org/10.1177/2374373517723314>
- Al Nazly, E., Ahmad, M., Musil, C., & Nabolsi, M. (2013). Hemodialysis stressors and coping strategies among Jordanian patients on hemodialysis: a qualitative study. *Nephrol Nurs J*.
- Aldukhayel, A. (2015). Prevalence of Depressive Symptoms among Hemodialysis and Peritoneal Dialysis Patients. *International Journal of Health Sciences*, 9(1), 9–15. <https://doi.org/10.12816/0024678>
- Alexopoulou, M., Giannakopoulou, N., Komna, E., Alikari, V., Toulia, G., & Polikandrioti, and. (2016). The Effect of Perceived Social Support on Hemodialysis Patients' Quality of Life. *Materia Socio Medica*, 28(5), 338. <https://doi.org/10.5455/msm.2016.28.338-342>
- Alikari, V., Sachlas, A., Giatrakou, S., Stathoulis, J., Fradelos, E., Theofilou, P., ... Zyga, S. (2017). Clinical, Social and Demographics Factors Associated with SpiritualWellbeing in End Stage Renal Disease. *Springer International Publishing*, 987, 243–256. <https://doi.org/10.1007/978-3-319-57379-3>
- Alnazly, E. (2016). Coping Strategies and Socio-Demographic Characteristics among Jordanian Caregivers of Patients Receiving Hemodialysis. *Saudi J Kidney Dis Transpl*, 27(1), 101–106.
- Alonso, G. J. (2010). Pain and Suffering; commentaries by patients who undergo kidney dialysis. *Rev Enferm*, 33(6), 8–32. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/20672716?report=docsum&format=text>
- Alshammari, B., Noble, H., McAneney, H., & O'Halloran, P. (2019). An exploration of symptom burden and its management, in Saudi Arabian patients receiving haemodialysis, and their caregivers: A mixed methods study protocol. *BMC Nephrology*, 20(1), 1–9. <https://doi.org/10.1186/s12882-019-1424-9>

Alshammari, B., Noble, H., McAneney, H., & O'Halloran, P. (2020). An exploration of symptom burden and its management, in Saudi Arabian patients receiving haemodialysis, and their caregivers: A mixed methods study protocol. *BMC Nephrology*, 20(1). <https://doi.org/10.1186/s12882-019-1424-9>

Ashuntantang, G. E., Fouda, H., Kaze, F. F., Halle, M. P., Tabi-Arrey, C., & Biwole-Sida, M. (2016). A practical approach to low protein diets for patients with chronic kidney disease in Cameroon. *BMC Nephrology*, 17(1), 1–6. <https://doi.org/10.1186/s12882-016-0340-5>

Balitbangkes. (2018). Hasil Utama Riset Kesehatan Dasar 2018. *Kementerian Kesehatan Republik Indonesia*, 1–100. <https://doi.org/10.1186/s12882-016-0340-5>

Bartel, M. (2004). What is spiritual? What is spiritual suffering? *The Journal of Pastoral Care & Counseling : JPCC*, 58(3), 187–201. <https://doi.org/10.1177/154230500405800304>

Bellis, R. De, Marcus, E., Kutscher, A. H., Torres, C. S., Barrett, V., & Siegel, M. E. (2014). Suffering: Psychological and social aspects in loss, grief, and care. In *Suffering: Psychological and Social Aspects in Loss, Grief, and Care*. <https://doi.org/10.4324/9781315826202>

Beng, T. S., Yun, L. A., Yi, L. X., Yan, L. H., Peng, N. K., Kun, L. S., ... Loong, L. C. (2019). The experiences of suffering of end-stage renal failure patients in Malaysia: A thematic analysis. *Annals of Palliative Medicine*, 8(4), 401–410. <https://doi.org/10.21037/apm.2019.03.04>

Bincy, J., Deepika C, K., & Sandeep, M. (2012). Fatigue and Depression and Sleep Problems among Hemodialysis Patients in a Tertiary Care Center. *Saudi Journal of Kidney Diseases and Transplantation*, 23(4), 729–735.

Blaber, Jones, & Willis. (2015). Spiritual Care: Which is the best assessment tool for palliative setting. *International Journal of Palliative Nursing*, 21, 329–401. <https://doi.org/10.12968/ijpn.2015.21.9.430>

Bostwick, D., Wolf, S., Samsa, G., Bull, J., Taylor, D. H., Johnson, K. S., & Kamal, A. H. (2017). Comparing the Palliative Care Needs of Those With Cancer to Those With Common Non-Cancer Serious Illness. *Journal of Pain and Symptom Management*, 53(6), 1079–1084.e1. <https://doi.org/10.1016/j.jpainsympman.2017.02.014>

Broers, N. J. H., Cuijpers, A. C. M., Van Der Sande, F. M., Leunissen, K. M. L., & Kooman, J. P. (2015). The first year on haemodialysis: A critical transition. *Clinical Kidney Journal*, 8(3), 271–277. <https://doi.org/10.1093/ckj/sfv021>

Burlacu, A., Artene, B., Nistor, I., Buju, S., Jugrin, D., Mavrichi, I., & Covic, A. (2019). Religiosity, spirituality and quality of life of dialysis patients: a systematic review. *International Urology and Nephrology*, 51(5), 839–850. <https://doi.org/10.1007/s11255-019-02129-x>

Chaves, K., Duarte, A., & Vesga, J. (2013). *Adaptación Transcultural Del Cuestionario*

Kdqol Sf 36 Para Evaluar Calidad De Vida En Pacientes Con Enfermedad Renal Crónica En Colombia Adaptation Transcultural Kdqol Questionnaire Sf 36 To Assess Quality of Life in Patients With Chronic Kidney Disease I. 21(2), 37–42. Retrieved from <http://www.scielo.org.co/pdf/med/v21n2/v21n2a04.pdf>

Chen, J. Y., Wan, E. Y. F., Choi, E. P. H., Chan, A. K. C., Chan, K. H. Y., Tsang, J. P. Y., & Lam, C. L. K. (2017). The Health-Related Quality of Life of Chinese Patients on Hemodialysis and Peritoneal Dialysis. *Patient*, 10(6), 799–808. <https://doi.org/10.1007/s40271-017-0256-6>

Combs, S. A., & Davison, S. N. (2015). Palliative and end-of-life care issues in chronic kidney disease. *Current Opinion in Supportive and Palliative Care*, 9(1), 14–19. <https://doi.org/10.1097/SPC.0000000000000110>

Contreras, F., Esguerra, G., Espinosa, J. C., Gutierrez, C., & Fajardo, L. (2006). Calidad De Vida Y Adhesión Al Tratamiento en Pacientes Con Insuficiencia Renal Cronica en Tratamiento de hemodialisis. *Trabajo Realizado Por El Grupo de Investigacion Psicología*.

Crews, D. C., Bello, A. K., Saadi, G., Li, P. K. T., Garcia-Garcia, G., Andreoli, S., ... Strani, L. (2019). Burden, access, and disparities in kidney disease. *Kidney International*, 95(2), 242–248. <https://doi.org/10.1016/j.kint.2018.11.007>

Delgado, C., & Johansen, K. L. (2012). Barriers to exercise participation among dialysis patients. *Nephrol Dial Transplant*. <https://doi.org/10.1093/ndt/gfr404>

Dharma, kelana K. (2017). *Metodologi Penelitian Keperawatan*. Jakarta Timur: TIM.

Donsu, J. D. T. (2017). *Metodologi Penelitian Keperawatan*. Yogyakarta: Pustaka Baru Press.

Elliott, J. O., Ortman, C., Almaani, S., Lee, Y. H., & Jordan, K. (2015). Understanding the Associations Between Modifying Factors, Individual Health Beliefs, and Hemodialysis Patients' Adherence to a Low-Phosphorus Diet. *Journal of Renal Nutrition*, 25(2), 111–120. <https://doi.org/10.1053/j.jrn.2014.08.006>

Errasti-Ibarrodo, B., Jordán, J. A., Díez-Del-Corral, M. P., & Arantzamendi, M. (2018). Conducting phenomenological research: Rationalizing the methods and rigour of the phenomenology of practice. In *Journal of Advanced Nursing* (Vol. 74). <https://doi.org/10.1111/jan.13569>

Ferrell, B., & Coyle, N. (2008). *The Nature of Suffering and the Goals of Nursing*. United States of America: Oxford University Press.

Gaignard, M. E., & Hurst, S. (2019). A qualitative study on existential suffering and assisted suicide in Switzerland. *BMC Medical Ethics*, 20(1), 1–8. <https://doi.org/10.1186/s12910-019-0367-9>

Gebrie, M. H., & Ford, J. (2019). Depressive Symptoms and Dietary non-adherence among End Stage Renal Disease Patients Undergoing Hemodialysis Therapy: Systematic Review. *BMC Nephrology*, 20(1), 429. <https://doi.org/10.1186/s12882-019-1622-5>

Gerogianni, G., Babatsikou, F., Polikandrioti, M., & Grapsa, E. (2019). Management of anxiety and depression in haemodialysis patients: the role of non-pharmacological methods. *International Urology and Nephrology*, 51(1), 113–118. <https://doi.org/10.1007/s11255-018-2022-7>

Gerogianni, S., Babatsikou, F., Gerogianni, G., Grapsa, E., Vasilopoulos, G., Zyga, S., & Koutis, C. (2014). “Concerns of patients on dialysis: A research study.” *Health Science Journal*, 8(4), 423–437.

Gerogianni, S. K., & Babatsikou, F. P. (2014). Psychological Aspects in Chronic Renal Failure. *Health Science Journal*, 8(2), 205–214.

Green, S. O. (2017). Multidimensional Assesment and Management of Pain (Suffering) at the End of Life. In *Collaborative Caring*.

Gutierrez, L. F. H., Castano, J. J. V., & Quiceno, J. N. J. (2019). Health-related quality of life in patients with chronic kidney disease in Hemodialysis in Medellin (Colombia). *Patient Preference and Adherence*, 13, 2061–2070. <https://doi.org/10.15446/revfacmed.v63.n4.49805>

Han, E., Shiraz, F., Haldane, V., Koh, J. J. K., Quek, R. Y. C., Ozdemir, S., ... Legido-Quigley, H. (2019). Biopsychosocial experiences and coping strategies of elderly ESRD patients: A qualitative study to inform the development of more holistic and person-centred health services in Singapore. *A BMC Public Health*, 19(1), 1–13. <https://doi.org/10.1186/s12889-019-7433-6>

Heisig, M., Reich, A., & Szepietowski, J. C. (2015). Is uremic pruritus still an important clinical problem in maintenance hemodialysis patients? *Journal of the European Academy of Dermatology and Venereology*, 30(12), e198–e199. <https://doi.org/10.1111/jdv.13524>

Hong, Xie, L., Yang, J., & Pang, X. (2018). Symptom Burden amongst Patients Suffering from End-Stage Renal Disease and Receiving Dialysis: A Literature Review. *International Journal of Nursing Sciences*, 5(4), 427–431. <https://doi.org/10.1016/j.ijnss.2018.09.010>

Horigan, A. E., Schneider, S. M., Docherty, S., & Barroso, J. (2013). The Experience and Self-Management of Fatigue in Hemodialysis Patients. *Nephrol Nurs J*, 40, 113–123. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3703392/>

Hsu, C. C., Huang, C. C., Chang, Y. C., Chen, J. S., Tsai, W. C., & Wang, K. Y. (2020). A comparison of quality of life between patients treated with different dialysis modalities in Taiwan. *PloS One*, 15(1), e0227297. <https://doi.org/10.1371/journal.pone.0227297>

Huether, S. E., & McCance, K. L. (2012). *Understanding Pathophysiology* (5th ed.). Mosby Elsevier.

Hussni, S., & Ahmad, A. A. (2018). Spirituality in the Lives of Patients with End-Stage Renal Disease: A Systematic Review. *Journal of Religion and Health*. <https://doi.org/10.1007/s10943-018-0622-2>

Indian Society of Nephrology. (2014). Standard Treatment Guidelines - Haemodialysis. *Ministry of Health and Family Welfare Govt. of India*, 1–132.

Indonesian Renal Registry. (2016). *9 th Report Of Indonesian Renal Registry 2016*.

Jamila, I. N., & Herlina, S. (2019). *Study Comparatif Kualitas Hidup Antara Pasien Hemodialisis*. 4, 54–59.

John, J. F., & Thomas, V. J. (2013). The Psychosocial Experience of Patients with End-Stage Renal Disease and Its Impact on Quality of Life: Findings from a Needs Assessment to Shape a Service. *ISRN Nephrology*, 2013, 1–8. <https://doi.org/10.5402/2013/308986>

Jones, D. J. W., Harvey, K., Harris, J. P., Butler, L. T., & Vaux, E. C. (2018). Understanding the impact of haemodialysis on UK National Health Service patients' well-being: A qualitative investigation. *Journal of Clinical Nursing*, 27(1–2), 193–204. <https://doi.org/10.1111/jocn.13871>

Kardena, I. M., Putra, T. A., Septiani, N. H., Ningrat, D. A. W. K., Utama, P. D. Y., Damayanthi, I. D. G. T., & Siswanto, F. M. (2016). Pendekatan Psikoneuroimunologi dalam Penanganan Penyakit Hewan. *Indonesia Medicus Veterinus*, 5(2), 154–164. Retrieved from <https://ojs.unud.ac.id/index.php/imv/article/view/22884>

Kramer, A., Pippas, M., Noordzij, M., Stel, V. S., Andrusev, A. M., Aparicio-Madre, M. I., ... Jager, K. J. (2019). The European Renal Association - European Dialysis and Transplant Association (ERA-EDTA) Registry Annual Report 2016: A summary. *Clinical Kidney Journal*, 12(5), 702–720. <https://doi.org/10.1093/ckj/sfz011>

Lee, M. C., Wu, S. F. V., Hsieh, N. C., & Tsai, J. M. (2016). Self Management Programs on eGFR, Depression, and Quality of Life among Patients with Chronic Kidney Disease: A Meta-Analysis. *Asian Nursing Research*, 10(4), 255–262. <https://doi.org/10.1016/j.anr.2016.04.002>

Lewis, S. M., Dirksen, M. M. H., & Bucher, L. (2014). *Medical Surgical Nursing : Assesment and Management of Clinical Problems*. Elsevier Inc.

Li, H., Xie, L., Yang, J., & Pang, X. (2018). Symptom burden amongst patients suffering from end-stage renal disease and receiving dialysis: A literature review. *International Journal of Nursing Sciences*, 5(4), 427–431. <https://doi.org/10.1016/j.ijnss.2018.09.010>

Li, P. K. T., & Chow, K. M. (2012). Infectious complications in dialysis-epidemiology and

outcomes. *Nature Reviews Nephrology*, 8(2), 77–88. <https://doi.org/10.1038/nrneph.2011.194>

Liu, M. H., Wang, C. H., Tung, T. H., Kuo, L. T., & Chiou, A. F. (2018). Effects of a multidisciplinary disease management programme with or without exercise training for heart failure patients: Secondary analysis of a randomized controlled trial. *International Journal of Nursing Studies*, 87, 94–102. <https://doi.org/10.1016/j.ijnurstu.2018.06.010>

Lu, K. (2001). *The haemodialysis machine as a lifeline : experiences of suffering from end-stage renal disease.*

Luyckx, V. A., Tonelli, M., & Stanifer, J. W. (2018). The global burden of kidney disease and the sustainable development goals. *Bulletin of the World Health Organization*, 96(6), 414–422C. <https://doi.org/10.2471/BLT.17.206441>

Mailani, F., S, S., & T. S, C. (2015). Pengalaman Spiritualitas pada Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis. *Jurnal Keperawatan Padjadjaran*, v3(n1), 11–17. <https://doi.org/10.24198/jkp.v3n1.2>

Majd, S., Rastegar, K., Zarifkar, A., & Takhshid, M. A. (2008). Illness perceptions in dialysis patients and their association with quality of life. *Brain Research*, 1185(1), 321–327. <https://doi.org/10.1016/j.brainres.2007.09.033>

Manen, M. A. Van. (2014). Qualitative Health Research on Ethical Decisions Experienced by Parents of Infants in Neonatal Intensive. *SAGE*. <https://doi.org/10.1177/1049732313520081>

Maria, N., Souza, G. F. de, Mendes-Rodrigues, C., Almeida Neto, O. P. de, Rodrigues, D. D. M., & Cunha, C. M. (2019). Quality of life of individuals with chronic kidney disease on dialysis. *Jornal Brasileiro de Nefrologia : 'Orgao Oficial de Sociedades Brasileira E Latino-Americana de Nefrologia*, 41(3), 364–374. <https://doi.org/10.1590/2175-8239-JBN-2018-0152>

Meerabeau, L., & Wright, K. (2011). *Long Term Conditions? Nursing Care and Management* (1st ed.). USA: Blackwell Publishing Ltd.

Mehta, A., & Chan, L. S. (2008). Understanding of the Concept of Total Pain. *Journal of Hospice & Palliative Nursing*, 10(1), 26–32. <https://doi.org/10.1097/01.njh.0000306714.50539.1a>

Mejia, P. C. G., Feliciano, E. E., Hussien, M. K., Boshra, A. Y., Feliciano, A. Z., Malabanan, M. C., ... Yngente, A. K. N. (2019). Synopsis of Critically Appraised Literature on Palliative Nursing Care. *International Journal of Africa Nursing Sciences*, (2019), 100152. <https://doi.org/10.1016/j.ijans.2019.100152>

Meuleman, Y., Hoekstra, T., Dekker, F. W., Navis, G., Vogt, L., van der Boog, P. J. M., ... Prantl, K. (2017). Sodium Restriction in Patients With CKD: A Randomized Controlled Trial of Self-management Support. *American Journal of Kidney Diseases*, 69(5), 576–586. <https://doi.org/10.1053/j.ajkd.2016.08.042>

Mha, A. (2018). *First , do no harm : The patient 's experience of avoidable suffering as harm.* 5(3), 3–6.

Morsch, C. M., Gonçalves, L. F., & Barros, E. (2015). Health-related quality of life among haemodialysis patients - Relationship with clinical indicators, morbidity and mortality. *Journal of Clinical Nursing*, 15(4), 498–504. <https://doi.org/10.1111/j.1365-2702.2006.01349.x>

Mukakarangwa, M. C., Chironda, G., Bhengu, B., & Katende, G. (2018). Adherence to Hemodialysis and Associated Factors among End Stage Renal Disease Patients at Selected Nephrology Units in Rwanda: A Descriptive Cross-Sectional Study. *Nursing Research and Practice*, 2018, 1–8. <https://doi.org/10.1155/2018/4372716>

Nah, R., Robertson, N., Niyi-Odumosu, F. A., Clarke, A. L., Bishop, N. C., & Smith, A. C. (2019). Relationships between Illness Representations, Physical Activity and Depression in Chronic Kidney Disease. *Journal of Renal Care*, 45(2), 74–82. <https://doi.org/10.1111/jorc.12274>

National Kidney Foundation. (2007). *A “New Normal”: Life on Dialysis—The First 90 Days.* 1–65. Retrieved from https://www.kidney.org/sites/default/files/docs/11-10-0307_dialysistransitionbk2_oct07_lr_bm.pdf

National Kidney Foundation. (2014). Frequently Asked Questions About GFR Estimates. *Kidney.Org*, 5.

National Kidney Foundation. (2019). *About Chronic Kidney Disease.* Retrieved from <https://www.kidney.org/kidneydisease/global-facts-about-kidney-disease>

Neupane, N., Parajuli, P. P., Ram, P., & Mehta, S. (2019). *Stressors and Coping Strategies among the Patients undergoing Maintenance Haemodialysis at B . P . Koirala Institute of Health Sciences.* 9(June), 180–192.

Ng, M. S. N., So, W. K. W., Wong, C. L., Hui, Y. H., Ho, E. H. S., Choi, K. C., ... Miaskowski, C. (2019). Stability and Impact of Symptom Clusters in Patients With End-Stage Renal Disease Undergoing Dialysis. *Journal of Pain and Symptom Management*, 59(1), 67–76. <https://doi.org/10.1016/j.jpainsympman.2019.08.013>

Nordman, T., Santavirta, N., & Eriksson, K. (2008). Developing an instrument to evaluate suffering related to care. *Scandinavian Journal of Caring Sciences*, 22(4), 608–615. <https://doi.org/10.1111/j.1471-6712.2007.00581.x>

Nurdin, A. E. (2015). Pendekatan Psikoneuroimunologi. *Majalah Kedokteran Andalas*, 34(1), 90. <https://doi.org/10.22338/mka.v34.i2.p90-101.2010>

Pan, K., Hung, S., Chen, C., Lu, C., Shih, M., & Id, C. H. (2019). Social support as a mediator between sleep disturbances , depressive symptoms , and health-related quality of life in patients undergoing hemodialysis. *PLOS ONE*, 14(4), 1–14.

<https://doi.org/https://doi.org/10.1371/journal.pone.0216045> April

Plager, K. A. (2005). Book Review: Spirituality, Suffering, and Illness: Ideas for Healing. In *Journal of Family Nursing* (Vol. 11). <https://doi.org/10.1177/1074840705280817>

Polikandrioti, M., Koutelkos, I., Gerogianni, G., Stefanidou, S., Kyriakopoulos, V., Floraki, E., & Babatsikou, F. (2017). Factors Associated with Hemodialysis Machine Dependency. *Medical Archives (Sarajevo, Bosnia and Herzegovina)*, 71(2), 122–127. <https://doi.org/10.5455/medarh.2017.71.122-127>

Polikandrioti, M., Koutelkos, I., Vasilopoulos, G., Babatsikou, F., GeorgiaGerogianni, G., Zyga, S., & GeorgePanoutsopoulos, G. (2017). Hemodialysis Patients' Information and Associated Characteristics. *Materia Socio Medica*, 29(3), 182. <https://doi.org/10.5455/msm.2017.29.182-187>

Polit, D., & Beck, C. T. (2010). *Essentials of Nursing Research : Appraising Evidence for Nursing Practice* (7th ed.). Philadelphia: Lippincott Williams & Wilkins.

Prasad, N., & Jha, V. (2015). Hemodialysis in Asia. *Kidney Diseases*, 1(3), 165–177. <https://doi.org/10.1159/000441816>

Price., S. A., & Wilson, L. M. (2005). *Patofisiologi: Konsep Klinis Proses-Proses Penyakit* (6th ed.). Jakarta: EGC.

Quintiliano, A., Oehmen, T., Kirsztajn, G. M., & Pegado, R. (2019). *Transcranial direct current stimulation in management of pain , mood , functionality , and quality of life in patients undergoing hemodialysis : a study protocol for a double-blind controlled randomized trial*. 1–9.

Rapport, F., & Wainwright, P. (2006). Phenomenology as a paradigm of movement. *Nursing Inquiry*, 13(3), 228–236. <https://doi.org/10.1111/j.1440-1800.2006.00325.x>

Rees, J., Chilcot, J., Donnellan, W., & Soulsby, L. (2018). Exploring the nature of illness perceptions in people with end-stage kidney disease. *Journal of Renal Care*, 44(1), 19–29. <https://doi.org/10.1111/jorc.12225>

Reszke, R., & Szepietowski, J. C. (2018). End Stage Renal Disease Chronic Itch and Its Management. *Dermatologic Clinics*, 36(3), 277–292. <https://doi.org/10.1016/j.det.2018.02.007>

Ritruenchai, S., Khumwong, W., Rossiter, R., & Hazelton, M. (2018). Thematic Analysis guided by Max Van Manen : Hermeneutic (interpretive) phenomenological approach. *Journal of Health Science Research*, 12(2).

Rodgers, B. L., & Cowles, K. V. (1997). A Conceptual Foundation for Human Suffering in Nursing Care and Research. *Journal of Advanced Nursing*, 25(5), 1048–1053.

<https://doi.org/10.1046/j.1365-2648.1997.19970251048.x>

Roth, A. R., & Canedo, A. R. (2019). Introduction to Hospice and Palliative Care. *Primary Care - Clinics in Office Practice*, 46(3), 287–302. <https://doi.org/10.1016/j.pop.2019.04.001>

Sanchez, P. L., Portolés, J., Rodríguez, L. M., Tornero, F., Martin-Vegue, A. J. R., Herrero, J. A., & Bermúdez, J. L. C. (2019). Impact of first year renal replacement therapy on the hospital admissions of a regional public health system. *Nefrologia*, 39(6), 653–663. <https://doi.org/10.1016/j.nefroe.2019.01.012>

Saran, R., Robinson, B., Abbott, K. C., Bragg-gresham, J., Chen, X., Gipson, D., ... Woodside, K. J. (2020). *US Renal Data System 2019 Annual Data Report: Epidemiology of Kidney Disease in the United States*. 75(January), 2019–2020. <https://doi.org/10.1053/j.ajkd.2019.09.003>

Saryono, & Anggareni, M. D. (2013). *Metodologi Penelitian Kualitatif dan Kuantitatif dalam Bidang Kesehatan*. Yogyakarta: Nuha Medika.

Sexton, D. J., Lowney, A. C., O'Seaghda, C. M., Murphy, M., O'Brien, T., Casserly, L. F., ... Conlon, P. J. (2016). Do patient-reported measures of symptoms and health status predict mortality in hemodialysis? An assessment of POS-S Renal and EQ-5D. *Hemodialysis International*, 20(4), 618–630. <https://doi.org/10.1111/hdi.12415>

Sheshadri, A., Kittiskulnam, P., & Johansen, K. L. (2019). Higher Physical Activity Is Associated With Less Fatigue and Insomnia Among Patients on Hemodialysis. *Kidney International Report*, 4(2), 285–292. <https://doi.org/10.1016/j.ekir.2018.10.014>

Sik, D. (2019). From mental disorders to social suffering: Making sense of depression for critical theories. *European Journal of Social Theory*, 22(4), 477–496. <https://doi.org/10.1177/1368431018760947>

Silva, R. A. R. da, Souza, V. L. de, Oliveira, G. J. N. de, Silva, B. C. O. da, Rocha, C. C. T., & Holanda, J. R. R. (2016). Coping strategies used by chronic renal failure patients on hemodialysis. *Escola Anna Nery - Revista de Enfermagem*, 20(1), 147–154. <https://doi.org/10.5935/1414-8145.20160020>

Smyth, J. M., Zawadzki, M. J., Santuzzi, A. M., & Filipkowski, K. B. (2014). Examining the effects of perceived social support on momentary mood and symptom reports in asthma and arthritis patients. *Psychology and Health*, 29(7), 813–831. <https://doi.org/10.1080/08870446.2014.889139>

Song, Y. Y., Chen, L., Yu, W. W., Wang, W. X., Yang, D. J., & Jiang, X. L. (2020). Correlates of Symptom Burden of Hemodialysis Patients. *Western Journal of Nursing Research*, (37). <https://doi.org/10.1177/0193945920957229>

Sopha, R. F., & Wardhani, I. Y. (2016). Stres dan Tingkat Kecemasan saat Ditetapkan Perlu Hemodialisis Berhubungan dengan Karakteristik Pasien. *Jurnal Keperawatan Indonesia*, 19(1), 55–61. <https://doi.org/10.7454/jki.v19i1.431>

- Stevenson, J., Tong, A., Gutman, T., Campbell, K. L., Craig, J. C., Brown, M. A., & Lee, V. W. (2018). Experiences and Perspectives of Dietary Management Among Patients on Hemodialysis: An Interview Study. *Journal of Renal Nutrition*, 28(6), 411–421. <https://doi.org/10.1053/j.jrn.2018.02.005>
- Su, A., Lief, L., Berlin, D., Cooper, Z., Holmes, J., Maciejewski, R., ... Holly, G. (2018). Beyond Pain: Nurses' Assessment of Patient Suffering, Dignity, and Dying in the Intensive Care Unit. *Journal of Pain and Symptom Management*. <https://doi.org/10.1016/j.jpainsympman.2018.02.005>
- Sukmawati. (2018). *Analysis Of Related Factors Of Patient's Self Acceptance With Chronic Renal Failure on going Hemodialysis Therapy*.
- Syamsiah, N. (2011). Faktor-faktor yang Berhubungan dengan Kepatuhan Pasien CKD yang Menjalani Hemodialisa. *Jurnal Visikes*, 10(2), 115–123.
- Tannor, E. K., Archer, A., & Kapembwa, K. (2017). Quality of life in patients on chronic dialysis in South Africa: A comparative mixed methods study. *BMC Nephrology*, 18(1), 1–9. <https://doi.org/10.1186/s12882-016-0425-1>
- Tchape, O. D. M., Tchapoga, Y. B., Atuhaire, C., Priebe, G., & Cumber, S. N. (2018). Physiological and psychosocial stressors among hemodialysis patients in the Buea Regional Hospital, Cameroon. *Pan African Medical Journal*, 30, 1–7. <https://doi.org/10.11604/pamj.2018.30.49.15180>
- Theodoritsi, A., Aravantinou, M. E., Gravani, V., Bourtsi, E., Vasilopoulou, C., Theofilou, P., & Polikandrioti, M. (2016). Factors associated with the social support of hemodialysis patients. *Iranian Journal of Public Health*, 45(10), 1261–1269.
- Tolley, E., Ulin, P., Mack, N., Robinson, E., & Succop, S. (2016). *Qualitative Methods in Public Health: A field Guide for Applied Research* (Second Edi). United States of America: John Wiley & Sons, Inc.
- Tuffuor, A. N., & Payne, R. (2017). Isolation and Suffering Related to Serious and Terminal Illness: Metaphors and Lessons From Albert Camus' Novel, The Plague. *Journal of Pain and Symptom Management*, 54(3), 400–403. <https://doi.org/10.1016/j.jpainsympman.2017.07.046>
- Tuominen, T., Jämsä, T., Oksanen, J., Tuukkanen, J., Gao, T. J., Lindholm, T. S., & Jalovaara, P. (2002). Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification and Stratification. In *National Kidney Fondation* (Vol. 90). New York, NY: National Kidney Foundation, Inc.
- Varelius, J. (2019). Suffering at the end of life. *Bioethics*, 33(1), 195–200. <https://doi.org/10.1111/bioe.12513>
- Vitorino, L. M., Soares, R. de C. e. S., Santos, A. E. O., Lucchetti, A. L. G., Cruz, J. P., Cortez, P. J. O., & Lucchetti, G. (2018). Two Sides of the Same Coin: The Positive and Negative Impact of Spiritual Religious Coping on Quality of Life and Depression in Dialysis Patients. *Journal of Holistic Nursing*, 36(4), 332–340.

<https://doi.org/10.1177/0898010117725429>

Wachholtz, A. B., Fitch, C. E., Makowski, S., & Tjia, J. (2016). A Comprehensive Approach to the Patient at end of life: Assessment of Multidimensional Suffering. *Southern Medical Journal*, 109(4), 200–206. <https://doi.org/10.14423/SMJ.0000000000000439>

Wachterman, M. W., Lipsitz, S. R., Lorenz, K. A., Marcantonio, E. R., Li, Z., & Keating, N. L. (2017a). End-of-Life Experience of Older Adults Dying of End-Stage Renal Disease : A Comparison With Cancer. *Journal of Pain and Symptom Management*, 54(6), 789–797. <https://doi.org/10.1016/j.jpainsympman.2017.08.013>

Wachterman, M. W., Lipsitz, S. R., Lorenz, K. A., Marcantonio, E. R., Li, Z., & Keating, N. L. (2017b). End of Life Experience of Older Adults Dying of End-Stage Renal Disease: a Comparison with Cancer. *Journal of Pain and Symptom Management*. <https://doi.org/10.1016/j.jpainsympman.2017.08.013>

Washington, T., Zimmerman, S., & Browne, T. (2016). Factors associated with chronic kidney disease self-management. *Social Work in Public Health*, 31(2), 58–69. <https://doi.org/10.1080/19371918.2015.1087908>

Zazzeroni, L., Pasquinelli, G., Nanni, E., Cremonini, V., & Rubbi, I. (2017). Comparison of Quality of Life in Patients Undergoing Hemodialysis and Peritoneal Dialysis: A Systematic Review and Meta-Analysis. *Kidney and Blood Pressure Research*, 42(4), 717–727. <https://doi.org/10.1159/000484115>

Zhang, X. Q., Zhang, H. M., & Chang, L. Y. (2016). Investigation and analysis of symptom burden in patients on maintenance hemodialysis. *Chinese Journal of Integrated Traditional and Western Nephrology*, 17(9), 818–820.

