

## DAFTAR PUSTAKA

- Adriyani, R. 2006. Usaha Pengendalian Pencemaran Lingkungan Akibat Penggunaan Pestisida Pertanian, *Jurnal Kesehatan Lingkungan*, 3(1): 95-106
- Akbar, M. R., Marlina., dan Mariana. 2017. Pengaruh Aplikasi Insektisida Serai Wangi Terhadap Hama Lalat Buah Pada Tanaman Tomat (*Solanum lycopersicum* L). 4(4): 259-271
- Anomsari, S.D., dan B. Prayudi. 2012. *Budidaya Tomat*. Semarang: Balai Pengkajian Teknologi Pertanian Jawa Tengah.
- Aravind, R., Kumar, A., Eapen, S.J., and Ramana, K.V. 2009. Endophytic Bacterial Flora in Root and Stem Tissues of Black Pepper (*Piper nigrum* L.) genotype: Isolation, Identification and Evaluation Against *Phytophthora capsici*. *LettAppl Microbiol*. 48(1):58–64
- Astriani, M., Rostman., dan Ismail. 2020. Keefektifitasan Bakteri *serratia* Endosimbion WBC Terhadap Lalat Buah Melon. Purwokerto: Universitas Jendral Sudirman.
- Aris, A. 2015. *Pengaruh Pestisida Terhadap Lingkungan*. Makassar: Universitas Hasanudin.
- Azevedo, J.L., Maccheroni Jr., W, Pereira., J.O., and Luiz de Araújo, W 2000, Endophytic microorganisms: a review on insect control and recent advances on tropical plants, *Electronic Journal of Biotechnology* 3(1):40–65
- Badan Pusat Statistik., 2019. *Produktivitas Sayuran di Indonesia 2015-2019*. <http://www.pertanian.go.id/ATAP2014-HORTI-pdf/307-Prodvtv-Tomat.pdf>. [ 25 Januari 2021].
- Bong, C.F.J., and Sikorowski, P.P., 1991. Effects of cytoplasmic polyhedrosis virus and bacterial contamination on growth and development of the corn earworm, *Helicoverpa zea*. *J. Invertebr. Pathol*. 57:406-412
- Chen, C., Bauske, E.M., Musson, G., Rodríguez Kábana, R., and Kloepper, J.W 1995, Biological control of *Fusarium* wilt on cotton by use of endophytic bacteria, *Biol. Control* 5:83–91
- Chen, L., Shenglian L., Xiao X., Hanjun G., Jueliang C., Yong W., Bo, L., Taoying, X., Qiang, X., Chan, R., Cheng, R., Chengbin L., and Guangming Z.2010. Application of Plant Growth Promoting Endophytes (PGPE) Isolated from *Solanum nigrum* L. for Phytoextraction of Cd-polluted soils. *Applied Soil Ecolog* 46:383-389

- Compants, B.D., Nowak, J., Clément, C., and Barka, E.A. 2005. Use of plant growth-promoting bacteria for biocontrol of plant diseases: Principles, mechanisms of action, and future prospects, *Appl. Environ. Microbiol.* 71:4951–4959
- Dahyan, M. (2019). Karakteristik Biokontrol Secara In-Vitro Isolat Bakteri Endofit Indigenos Terpilih Untuk Pengendalian Penyakit Layu Bakteri Dan Layu Fusarium Tomat. [Skripsi]. UNAND. Padang.
- Deptan. 2007. Pengenalan Lalat Buah. [http:// ditlin.hortikultura.go.id/ buku \\_peta/bagian\\_03](http://ditlin.hortikultura.go.id/buku_peta/bagian_03). [2 Februari 2019].
- Djatmiadi dan Djatnika. 2001. Petunjuk Teknis Surveilans Lalat Buah. Pusat Teknik dan Metode Karantina Hewan dan Tumbuhan. Jakarta: Badan Karantina Pertanian.
- Drew R.A.I., and Hancock D.L. 1994. The *Bactrocera dorsalis* complex of fruit flies (Diptera: Tephritidae: Dacinae) in Asia. *Bul of Entomol Res Supp* (2):68
- Gao, F.K., Dai, C.C., and Liu, X.Z. 2010. Mechanisms of fungal endophytes in plant protection against pathogens, *African Journal of Microbiology Research* 4:1346–1351
- Ginting, R. 2009. Keanekaragaman lalat buah (Diptera: Tephritidae) di Jakarta, Depok, dan Bogor sebagai Bahan Kajian Penyusun Analisis Resiko Hama. [Skripsi]. Bogor: Institut Pertanian Bogor.
- Glick, B. R. 2012. Plant Growth Promoting Bacteria: Mecanism and Aplication. *Hindawi Publishing Corporation Scientifica* 12: 1-15
- Hanafi, A., Traore, M., Schnitzler, W.H., and Voitke M. 2007. Induced Resistance of Tomato to Whiteflies and Phytium with the PGPR *Bacillus subtilis* in a Soilless Crop Grown under Greenhouse Condition. In: Hanafi A, Schnitzler WH (Eds) *Proceedings of VIIIth IS on protected Cultivation in winter climates. Acta horticulturae.* 747:315-322
- Jeun, Y.C., Park, K.S., Kim, C.H., Fowles, W.D., and Kloepper, J.W. 2004. Cytological Observations of Cucumber Plants during Induced Resistance Elicited by Rhizobacteria. *Biol Control.* 29:34-42
- Jones, B Jr. 2008. Tomato Plant Culture. In the field, Greenhouse and Home Garden. New York: CRC Press.
- Joni, F.R. 2018. Peningkatan Ketahanan Tomat (*Lycopersicum escolentum* Mill) dengan Bakteri Endofit Indigenos Terhadap *Bemisia tabaci* (Hemiptera: Aleyrodidae). [Skripsi]. Padang: Universitas Andalas.

- Kartika, E., Gani, Z., dan Kurniawan, D. 2013. Tanggapan Tanaman Tomat (*Lycopersicum Esculentum*. Mill) Terhadap Pemberian Kombinasi Pupuk Organik dan Pupuk Anorganik. Jambi: Universitas Jambi.
- Kalshoven, L. G. E. 1981. The Pest of Crops in Indonesia. Revised and Translated By P.A. Van der laan. Jakarta: PT. Ichthiar baru- Van Hoeve.
- Kementrian Pertanian Republik Indonesia. 2017. Statistik Pertanian 2017. Jakarta: Pusat Data Dan Sistem Informasi Pertanian Kementrian Pertanian Republik Indonesia.
- Kloepper, J.W., and Ryu, C.M. 2006. Bacterial Endophytes as Elicitors of Induced Systemic Resistance. In: Schulz BJE, Boyle CJC dan Sieber TN. Eds. Microbial Root Endophytes. Berlin: Springer.. 33-52
- Lodewyckx, C., Vangronsveld, J., Porteous, F., Moore, E.R.B., Taghavi, S., Mezgey, M., and van der Lelie, D. 2002. Endophytic bacteria and their potential applications, *Critical Reviews in Plant Sciences* 21:583–606
- Munif A, Arif R.W , dan Elis N.H. 2015. Bakteri Endofit dari Tanaman Kehutanan sebagai Pemacu Pertumbuhan Tanaman Tomat dan Agens Pengendali *Meloidogyne* sp. *J. Fitopatologi Indonesia* 11(6): 179-186
- Novianti, Rina. 2014. Kemampuan Bakteri Endofit Penghasil Asam Indol Asetat dan Pengaruhnya Terhadap Serangan Virus Gemini pada Tanaman Cabai (*Capsicum annum.*). [Skripsi]. Bogor: Institut Pertanian Bogor.
- Painter, R.H. 1951. *Insect Resistance in Crop Plant*. New York: Macmillan.
- Palaniyandi, S. A., Yang, S. H., Zhang, L., and Suh, J.-W. (2013). Effects of actinobacteria on plant disease suppression and growth promotion. *Applied microbiology and biotechnology*, 97(22), 9621-9636
- Pujiastuti Y. 2007. Populasi dan Serangan Lalat Buah (*Bactrocera Spp.*) serta Potensi Parasitoid pada Pertanaman Cabai Merah (*Capsicum Annum L.*) di Daerah Dataran Sedang Sumatera Selatan. *Tanaman Tropika* 10(2): 17–28
- Purwati, E. dan Khairunisa. 2007. Budidaya Tomat Dataran Rendah dengan Varietas Unggul serta Tahan Hama dan Penyakit. Jakarta: Penebar Swadaya.
- Qingwen, Z., Ping, L., Gang, W., and Qingnian, C., 1998. On the biochemical mechanism of induced resistance of cotton to cotton bollworm by cutting of young seedling at plumular axis. *Acta Phytophylacica Sinica* 25; 209-212
- Rajendran, L and Samiyappan. 2008. Endophytic Bacillus Species Confer Increased Resistance in Cotton Against Damping off Disease Caused by *Rhizoctonia solani*. *Jurnal Plant Pathology*. 7(1)1-12

- Siddiqui, I.A. and Shaukat, S.S. 2003. Endophytic bacteria: Prospects and opportunities for the biological control of plant-parasitic nematodes, *Nematol. Medit.* 31:111–120
- Siwi, S.S. 2005. *Eko-Biologi Hama Lalat Buah*. Bogor : BB-Biogen.
- Siwi, S.S. 2006. Taksonomi dan Bioekologi Lalat Buah Penting di Indonesia (Diptera : Tephritidae). Australia : Departement of Agriculture, Fisheries and Forestry.
- Sodiq, M. 2009. *Ketahanan Tanaman terhadap Hama*. Surabaya: UPN Press.
- Sukarmin. 2011. *Teknik Identifikasi Lalat Buah di Kebun Percobaan Aripin dan Sumani*. Solok: Balai Penelitian Tanaman Buah Tropika.
- Sumarno. 1992. *Pemuliaan untuk Ketahanan terhadap Hama*. Prosiding Symposium Pemuliaan Tanaman I. Perhimpunan Pemuliaan Tanaman Indonesia. Komisariat Daerah Jawa Timur.
- Suputa., Cahyanti., Kustaryati, A., Railan, M., Issusilaningtyas., dan Taufiq A. (2006). *Pedoman Identifikasi Lalat Buah (Diptera: Tephritidae)*. Yogyakarta: UGM.
- Syukur, M., Saputra, H.E. dan Hermanto R. 2015. *Bertanam Tomat di Musim Hujan*. Jakarta: Penebar Swadaya
- Utami, F. 2018. *Induksi Ketahanan Cabai (*Capsicum annum* L.) Terhadap Kutu Kebul (*Aleurotrachelus trachoides*) (Hemiptera: Aleyrodidae) Dengan Rizobakteri Indigenos Terseleksi*. [Skripsi]. UNAND. Padang
- Yanti, Y., Warnita., Reflin., and Busniah M. 2017. Identification and Characterization of Potensial Indegenus Endophytic Bacteria which had Ability to Promote Growth Rate Red Of Tomatoes And Biocontrol Agent of *Ralstonia solanacearum* and *Fusarium oxysporum* fsp. *solani*. *Jurnal Microbiology Indonesia* 11(4): 117-122
- Yulianti, T. 2013. Pemanfaatan endofit sebagai agensia pengendali hayati hama dan penyakit tanaman. *Buletin Tanaman Tembakau, Serat, dan Minyak Industri* 5: 40-49
- Zehner, G.W., J.F. Murphy, E.J., Sikora., and W. Klopper. 2001. Application of Rhizobacteria for Induced Resistance. *European Journal of Plant Pathology* 107: 39-50
- Zehnder, G.W., J. Kleopper, C. Yao, and G. Wei. 1997. Induction of Systemic Resistance in Cecumber Against Cucumber Beetles (Coleoptera: Chrysomelidae) by Plant Growth Promoting Rhizobacteria. *Journal of Economic Entomology* 90 (2): 391-396