

DAFTAR PUSTAKA

- Abasiubong, F., Bassey, E. A., Udobang, J. A., Akinbami, O. S., Udo, S. B., & Idung, A. U. (2012). Self-Medication: potential risks and hazards among pregnant women in Uyo, Nigeria. *Pan African Medical Journal*, 13(1).
- Adam, M. P., Polifka, J. E., & Friedman, J. (2011). *Evolving knowledge of the teratogenicity of medications in human pregnancy*. Paper presented at the American Journal of Medical Genetics Part C: Seminars in Medical Genetics.
- Adams, J., Lui, C. W., Sibbritt, D., Broom, A., Wardle, J., Homer, C., & Beck, S. (2009). Women's use of complementary and alternative medicine during pregnancy: a critical review of the literature. *Birth*, 36(3), 237-245.
- Afrizal. (2014). *Metode Penelitian Kualitatif*. Jakarta: Rajagrafindo.
- Ahmed, S., Creanga, A. A., Gillespie, D. G., & Tsui, A. O. (2010). Economic status, education and empowerment: implications for maternal health service utilization in developing countries. *PloS one*, 5(6), e11190.
- AIPI. (2018). *Laporan Tahunan Akademik Pengetahuan Indonesia*: Akademi Ilmu Pengetahuan Indonesia.
- Ajzen, I. (1998). Models of human social behavior and their application to health psychology. *Psychology and Health*, 13(4), 735-739.
- Al-Washali, A. Y. A., Kadri, H., Ismail, S., Rahman, H. A., & Elezzy, Y. A. (2018). Systematic review on effectiveness of theory-based intervention on self-care behaviors among patients with type 2 diabetes. *Clinical Trials in Degenerative Diseases*, 3(3), 88.
- Alderdice, F., McNeill, J., & Lynn, F. (2013). A systematic review of systematic reviews of interventions to improve maternal mental health and well-being. *Midwifery*, 29(4), 389-399.
- Allender, J. A., & Spradley, B. W. (2005). *Community health nursing: Promoting and protecting the public's health*: lippincott williams & wilkins.
- Amelia, R., Lelo, A., Lindarto, D., & Mutiara, E. (2018). Analysis of Factors Affecting The Self-Care Behaviors of Diabetes Mellitus type 2 Patients in Binjai, North Sumatera-Indonesia. *Asian J Microbiol Biotechnol Environ Sci*, 20(2), 361-367.
- Anand, S., & Bärnighausen, T. (2012). Health workers at the core of the health system: framework and research issues. *Health Policy*, 105(2-3), 185-191.
- Andreas, P. (2000). Kader Kesehatan Masyarakat sebagai Salah Satu bagian dari Upaya Pengembangan Masyarakat. *Jurnla Kedokteran Gigi Universitas Indonesia (edisi Khusus)*.

- Andriani, R. (2019). *Pencegahan Kematian Ibu Saat Hamil dan Melahirkan Berbasis Komunitas*. Yogyakarta: Deepublish.
- Anggraini, H., & Riansari, D. (2018). Faktor-Faktor yang Berhubungan dengan Perdarahan Post Partum pada Ibu Bersalin di RSUD Pringsewu Tahun 2016. *Midwifery Journal*, 3(1), 63-68.
- Asmadi. (2008). *Konsep Dasar Keperawatan*: EGC.
- Azimi, M., Fahami, F., & Mohamadirizi, S. (2018). The relationship between perceived social support in the first pregnancy and fear of childbirth. *Iranian journal of nursing and midwifery research*, 23(3), 235.
- Baffour, T. D., Jones, M. A., & Contreras, L. K. (2006). Family health advocacy: An empowerment model for pregnant and parenting African American women in rural communities. *Family & Community Health*, 29(3), 221-228.
- Bakhshian, F., & Jabari, H. (2009). Effectiveness of health services for mothers in Iran health system.
- Balali Meybodi. (2020). Knowledge, attitude and practice of pregnant women referred to health care centers of Kerman University of Medical Sciences in regard to gestational diabetes. *Journal of qualitative Research in Health Sciences*, 11(1), 17-24.
- Bamanikar, S., & Kee, L. K. (2013). Knowledge, attitude and practice of oral and dental healthcare in pregnant women. *Oman medical journal*, 28(4), 288.
- Bandura, A. (2010). *Self Efficacy Mechanism in Psikologi and Health Promoting Behavior*. Prentice Hall: New Jersey.
- Basri, H., Akbar, R., & Dwinata, I. (2018). Faktor yang Berhubungan dengan Hipertensi pada Ibu Hamil di Kota Makassar. *Jurnal Kedokteran dan Kesehatan*, 14(2), 21-30.
- Barakat, R. et al., 2011. Exercise during pregnancy improves maternal health perception: a randomized controlled trial. *American Journal of Obstetrics and Gynecology*, 204(5), pp.402.e1-402.e7.
- Barakat, R. et al., 2016. Exercise during pregnancy protects against hypertension and macrosomia: randomized clinical trial. *American Journal of Obstetrics and Gynecology*, 214(5), pp.649.e1-649.e8.
- Bayrampour, H. et al., 2012. Comparison of perception of pregnancy risk of nulliparous women of advanced maternal age and younger age. *Journal of Midwifery & Women's Health*, 57(5), pp.445–453.
- Becker, M. H., & Janz, N. K. (1985). The health belief model applied to understanding diabetes regimen compliance. *The Diabetes Educator*, 11(1), 41-47.
- Berscheid, E. S., & Regan, P. C. (2016). *The psychology of interpersonal relationships*: Psychology Press.

- Beyene, K.G. & Beza, S.W., 2018. Self-medication practice and associated factors among pregnant women in Addis Ababa, Ethiopia. *Tropical Medicine and Health*, 46(1), p.10.
- Bilano, V. L., Ota, E., & Ganchimeg, T. (201). Risk Factors of Preeclampsia/eclampsia and Its Adverse Outcomes in Low and Middle Income Countries: A Who Secondary Analysis. *PloS one*, 9(3 e91198).
- Birmeta, K., Dibaba, Y. & Woldeyohannes, D., 2013. Determinants of maternal health care utilization in Holeta town, central Ethiopia. *BMC Health Services Research*, 13(1), p.256.
- Boger, E. (2014). *Self-management following stroke. Concepts and measurement*. University of Southampton.
- BPS. (2017). *Kabupaten Bandung Barat Dalam Angka 2017*: Badan Pusat Statistik Kabupaten Bandung Barat.
- Braun, R., Catalani, C., Wimbush, J., & Israelski, D. (2013). Community health workers and mobile technology: a systematic review of the literature. *PloS one*, 8(6), e65772.
- Britz, J. A., & Dunn, K. (2010). Self Care and Quality Of Life Among Patients With Heart Failure. *Journal Of The American Academy Of Nursing Practitioners*, 22,480, 487.
- Brunton, G., O'Mara-Eves, A. & Thomas, J., 2014. The 'active ingredients' for successful community engagement with disadvantaged expectant and new mothers: a qualitative comparative analysis. *Journal of Advanced Nursing*, 70(12), pp.2847–2860.
- Burt, V. L., Whelton, P., Roccella, E. J., Brown, C., Cutler, J. A., Higgins, M., . . . Labarthe, D. (1995). Prevalence of hypertension in the US adult population: results from the Third National Health and Nutrition Examination Survey, 1988-1991. *Hypertension*, 25(3), 305-313.
- Buzaglo, N., Harlev, A., Sergienko, R., & Sheiner, E. (2015). Risk factors for early postpartum hemorrhage (PPH) in the first vaginal delivery, and obstetrical outcomes in subsequent pregnancy. *The Journal of Maternal-Fetal & Neonatal Medicine*, 28(8), 932-937.
- Byrne, J. et al., 2014. Effectiveness of a Mindfulness-Based Childbirth Education Pilot Study on Maternal Self-Efficacy and Fear of Childbirth. *Journal of Midwifery & Women's Health*, 59(2), pp.192–197.
- Çankaya, S., & Yılmaz, S. D. (2015). Factors associated with Genital Hygiene Behaviours in pregnant and non-pregnant women in Turkey. *Journal of Human Sciences*, 12(1), 920-932.
- Carvalho et al., 2014. Hubungan antara Pendidikan, Pengetahuan, Sikap, Perilaku dan Dukungan Keluarga dengan Kunjungan Antenatal Care (ANC) Ibu Hamil di Kabupaten Ermera Timor Leste, 2013. *Public Health and Preventive Medicine*, 2, pp.22–27.

- Chadir, R., Wahyuni, A. S., & Furkhani, D. W. (2017). Hubungan self care dengan kualitas hidup pasien diabetes melitus. *Jurnal Endurance: Kajian Ilmiah Problema Kesehatan*, 2(2), 132-144.
- Champion, V. L., & Skinner, C. S. (2008). The health belief model. *Health behavior and health education: Theory, research, and practice*, 4, 45-65.
- Cobb, S. (1976). Social support as a moderator of life stress. *Psychosomatic medicine*.
- Cohen, S., & Syme, S. L. (1985). Issues in the study and application of social support. *Social support and health*, 3, 3-22.
- Committee on Obstetric Practice. (2002). Committee opinion# 267: exercise during pregnancy and the postpartum period. *The American College of Obstetricians & Gynecologists*, 99(1), 171-173.
- Conde-Agudelo, A., & Belizán, J. M. (2000). Maternal morbidity and mortality associated with interpregnancy interval: cross sectional study. *Bmj*, 321(7271), 1255-1259.
- Conner, M., & Norman, P. (2017). Health behaviour: Current issues and challenges: Taylor & Francis.
- Creswell, J. W. (2016). Research design: pendekatan metode kualitatif, kuantitatif, dan campuran. Yogyakarta: Pustaka Pelajar.
- Cunningham, F. G., Gant, N. F., Leveno, K. J., Gilstrap, L. C., Hauth, J. C., & Wenstrom, K. D. (2006). Obstetri williams. Jakarta: Egc.
- Cutrona, C. E. (1990). Stress and social support—In search of optimal matching. *Journal of social and clinical Psychology*, 9(1), 3-14.
- Cutrona, C. E., & Suhr, J. A. (1994). Social support communication in the context of marriage: an analysis of couples' supportive interactions.
- Dako-Gyeke, P. et al., 2013. The influence of socio-cultural interpretations of pregnancy threats on health-seeking behavior among pregnant women in urban Accra, Ghana. *BMC Pregnancy and Childbirth*, 13(1), p.211.
- De Cheney AH, & Nathaan L. (2003). Current Obstetric and Gynecologic Diagnosis and Treatment. 9th edition. Mc. Graw – Hill, Inc.
- De Oliveria Melo, A.S. et al., 2012. Effect of a Physical Exercise Program During Pregnancy on Uteroplacental and Fetal Blood Flow and Fetal Growth. *Obstetrics & Gynecology*, 120(2, Part 1), pp.302–310.
- Dehghani-Tafti, A. et al., 2015. Determinants of self-care in diabetic patients based on health belief model. *Global journal of health science*, 7(5), p.33.
- Denyes, M.J., Orem, D.E. & Bekel, G., 2001. Self-Care: A Foundational Science. *Nursing Science Quarterly*, 14(1), pp.48–54.
- Depkes RI. (1996). *Penanganan Kegawat-daruratan Obstetri*. Jakarta: Ditjen Binkesmas, Depkes RI.

- Depkes RI. (1997). *Deteksi Dini Penatalaksanaan Kehamilan Risiko Tinggi*. Jakarta: Pusat Pendidikan dan Latihan Pegawai Departemen Kesehatan Republik Indonesia.
- Derbyshire, E. (2016). *Hidration for Pregnancy and Motherhood: Natural Hydration Council*.
- Dharmawan, Y. (2017). Evaluasi Sistem Pencatatan dan pelaporan Desa Siaga di Wilayah Puskesmas Sumowono Kecamatan Sumowono Kabupaten Semarang. *Kesmas Indonesia*, 7(02), 88-105.
- Dinas Kesehatan Bandung Barat. (2018). *Laporan Profil Kesehatan Bandung Barat*: Dinas Kesehatan Kabupaten Bandung Barat.
- Dinas Kesehatan Bandung Barat. (2019). Laporan Profil Kesehatan Bandung Barat: Dinas Kesehatan Kabupaten Bandung Barat.
- Dinas Kesehatan Jawa Barat. (2016). Profil Kesehatan Jawa Barat. <http://dinkesjawabarat.or.id>.
- Dipietro, L., Evenson, K. R., Bloodgood, B., Sprow, K., Troiano, R. P., Piercy, K. L., . . . Powell, K. E. (2019). Benefits of Physical Activity during Pregnancy and Postpartum: An Umbrella Review. *Medicine and science in sports and exercise*, 51(6), 1292-1302.
- Dominique, S., Genest, Falcao, S., Gotkowska, J., L, J., & Lovoie. (2012). Impact of Exercise Training on Preeclampsia. *Hypertension*.
- Dudek, S. G. (2013). *Nutrition essentials for nursing practice*: Lippincott Williams & Wilkins.
- Edmonds, J.K., Paul, M. & Sibley, L.M., 2011. Type, content, and source of social support perceived by women during pregnancy: evidence from Matlab, Bangladesh. *Journal of health, population, and nutrition*, 29(2), pp.163–73.
- E Royston, & Amstrong, S. (1998). *Pencegahan kematian ibu hamil. Alih bahasa : Maulany R.F*. Jakarta: Binarupa Aksara.
- Ekhtiari, Y. S., Majlessi, F., Foroushani, A. R., & Shakibazadeh, E. (2014). Effect of a self-care educational program based on the health belief model on reducing low birth weight among pregnant Iranian women. *International journal of preventive medicine*, 5(1), 76.
- Emamiasfshar, Jalilivand., S. H., Doaei., B. D., Aremikhan, A., & Motlagh, M. S. (2006). Health Mother Integrated Cares Ministry of Health, Treatment and Medical Educational.
- English, F. A., Kenny, L. C., & McCarthy, F. P. (2015). Risk Factors in Effective Management Preeclampsia. *Integreted Blood Pressure Control*, 8, 7-12.
- Fadare, R., Akpor, O., & Oziegbe, O. (2016). Knowledge and attitude of pregnant women towards management of pregnancy-induced hypertension in

- Southwest Nigeria. *Journal of Advances in Medical and Pharmaceutical Sciences*, 1-10.
- Fatereh et al, 2014. Comparison of Pregnancy Self-Care, Perceived Social Support and Perceived Stress of Women with Gestational Diabetes and Healthy Pregnant Women. *Iranian Journal of Endocrinology and Metabolism*, 16(3), pp.156–164.
- Fibriana, A. I., & Azinar, M. (2016). Model Kelas Ibu Hamil untuk Pemetaan Risiko Kehamilan dan Pencegahan Komplikasi Persalinan. *Jurnal Abdimas*, 20(1), 11-18.
- Fottrell, E. et al., 2013. The effect of increased coverage of participatory women's groups on neonatal mortality in Bangladesh: A cluster randomized trial. *JAMA pediatrics*, 167(9), pp.816–825.
- Gaston, A. & Prapavessis, H., 2009. Maternal-fetal disease information as a source of exercise motivation during pregnancy. *Health Psychology*, 28(6), p.726.
- George, J. B. (2011). *Nursing Theories: The Base for Professional Nursing Practice*, 6/e: Pearson Education India.
- Gilmore, B., & McAuliffe, E. (2013). Effectiveness of community health workers delivering preventive interventions for maternal and child health in low- and middle-income countries: a systematic review. *BMC public health*, 13(1), 847.
- Goonewardene M, & Shehata M. (2011). Anemia in Pregnancy; Best Practice & Research Clinical Obstetrics and Gynaecology xxx. 1-22.
- Grady, K. L. (2008). Self-care and quality of life outcomes in heart failure patients. *Journal of Cardiovascular Nursing*, 23(3), 285-292.
- Green, L. W., & Kreuter, M. W. (1991). Health promotion planning: an educational and environmental approach.
- Green, L. W., Kreuter, M. W., Deeds, S. G., Partridge, K. B., & Bartlett, E. (1980). Health education planning: a diagnostic approach.
- Groves, A.K. et al., 2012. Associations Between Intimate Partner Violence and Emotional Distress Among Pregnant Women in Durban, South Africa. *Journal of Interpersonal Violence*, 27(7), pp.1341–1356.
- Gurung, R. A., Sarason, B. R., & Sarason, I. G. (2001). Predicting relationship quality and emotional reactions to stress from significant-other-concept clarity. *Personality and Social Psychology Bulletin*, 27(10), 1267-1276.
- Guszkowska, M. et al., 2013. Influence of a single physical exercise class on mood states of pregnant women. *Journal of Psychosomatic Obstetrics & Gynecology*, 34(2), pp.98–104.
- Haines, H.M. et al., 2012. The influence of women's fear, attitudes and beliefs of childbirth on mode and experience of birth. *BMC Pregnancy and*

- Childbirth*, 12(1), p.55.
- Hair Jr, J.F. et al., 2014. Partial least squares structural equation modeling (PLS-SEM). *European business review*.
- Hayati, U. F., Fevriasanty, F. I., & Choiriyah, M. (2018). The Effect of Health Education with Audio-Visual Media Toward External Genital Hygiene Behaviors to Pregnant women in Primary Health care of Malang Working Area. *Jurnal Ilmu Keperawatan*, 6(1), 124-135.
- Heitmann, K. et al., 2016. Nausea in pregnancy: attitudes among pregnant women and general practitioners on treatment and pregnancy care. *Scandinavian Journal of Primary Health Care*, 34(1), pp.13–20.
- Henshaw, C., Cox, J., & Barton, J. (2009). *Modern Management of Perinatal Psychiatric Disorders*: RCPsych Publications.
- Hernandez-Tejada, M.A. et al., 2012. Diabetes Empowerment, Medication Adherence and Self-Care Behaviors in Adults with Type 2 Diabetes. *Diabetes Technology & Therapeutics*, 14(7), pp.630–634.
- Hetherington, E. et al., 2015. Preterm Birth and Social Support during Pregnancy: a Systematic Review and Meta-Analysis. *Paediatric and Perinatal Epidemiology*, 29(6), pp.523–535.
- Herlina, S. M. (2017). *Pelaksanaan Program Perencanaan Persalinan dan Pencegahan Komplikasi (P4K) dalam Menurunkan Angka Kematian Ibu di Puskesmas Imogiri 1 Bantul Yogyakarta*. Universitas 'Aisyiyah Yogyakarta.
- Hikmat, H. (2001). *Strategi pemberdayaan masyarakat*: Humaniora Utama Press.
- Hill, C., Zurakowski, D., Bennet, J., Walker-White, R., Osman, J. L., Quarles, A., & Oriol, N. (2012). Knowledgeable Neighbors: a mobile clinic model for disease prevention and screening in underserved communities. *American journal of public health*, 102(3), 406-410.
- Hillesund, E. R., Øverby, N. C., Engel, S. M., Klungsøy, K., Harmon, Q. E., Haugen, M., & Bere, E. (2014). Associations of adherence to the New Nordic Diet with risk of preeclampsia and preterm delivery in the Norwegian Mother and Child Cohort Study (MoBa). *European journal of epidemiology*, 29(10), 753-765.
- Hollander, M.H. et al., 2017. Preventing traumatic childbirth experiences: 2192 women's perceptions and views. *Archives of Women's Mental Health*, 20(4), pp.515–523.
- Hoque, M. & Hoque, M.E., 2011. Knowledge of Danger Signs for Major Obstetric Complications Among Pregnant KwaZulu-Natal Women. *Asia Pacific Journal of Public Health*, 23(6), pp.946–956.
- Hou, S.-I., 2014. Health education: theoretical concepts, effective strategies and core competencies. *Health promotion practice*, 15(5), pp.619–621.

- Imdad, A., Jabeen, A., & Bhutta, Z. A. (2011). Role of calcium supplementation during pregnancy in reducing risk of developing gestational hypertensive disorders: a meta-analysis of studies from developing countries. *BMC public health*, 11(3), S18.
- Inanir, S. et al., 2015. Body Image perception and self-esteem during pregnancy.
- Indriani, D. (2012). *Community participation as a strategy in reducing maternal and child mortality in rural areas: A Literature review*. The University of Bergen.
- Indriyani, D., 2015. Model Edukasi Postnatal Melalui Pendekatan Family Centered Maternity Care (Fcmc). *Jurnal Keperawatan*, 5(2), pp.128–141.
- Irdawati Muhlisin, A., 2010. Teori Self Care dari Orem dan Pendekatan dalam Praktek Keperawatan. *Berita Ilmu Keperawatan*, 2(2).
- Irianti dkk. (2017). *Aerobic Exercise and Its Effect on Oxytocin Level and Labor Progression*. Paper presented at the IOP Conference Series: Materials Science and Engineering.
- Isbandi, A. R. (2002). *Pemikiran-pemikiran dalam pembangunan Kesejahteraan Sosial*: Lembaga Penerbit, Fakultas Ekonomi, Universitas Indonesia.
- Isbandi, A. R. (2008). *Intervensi Komunitas Pengembangan Masyarakat sebagai Upaya Pemberdayaan Masyarakat*. Jakarta: Rajawali.
- Isyti'aroh, I. et al., 2019. Pembentukan dan Pelatihan Kader Pendukung ASI: Pengabdian Masyarakat Di Puskesmas Wiradesa Pekalongan. *Proceeding of The URECOL*, pp.437–440.
- Jackson, A. & Shannon, L., 2012. Examining Barriers to and Motivations for Substance Abuse Treatment Among Pregnant Women: Does Urban-Rural Residence Matter? *Women & Health*, 52(6), pp.570–586.
- James-Hawkins, L. et al., 2018. Women's agency and its relationship to current contraceptive use in lower-and middle-income countries: A systematic review of the literature. *Global Public Health*, 13(7), pp.843–858.
- Jasemzadeh, M. et al., 2016. Predictor of Pregnant Women's Self-care Behavior against Air Pollution: An explanation based on the Extended Parallel Process Model (EPPM). *Electronic physician*, 8(9), pp.2871–2877.
- Javanparast, S., Windle, A., Freeman, T., & Baum, F. (2018). Community health worker programs to improve healthcare access and equity: are they only relevant to low-and middle-income countries? *International Journal of Health Policy and Management*, 7(10), 943.
- Kamali, S. et al., 2018. Health information needs of pregnant women: information sources, motives and barriers. *Health Information & Libraries Journal*, 35(1), pp.24–37.
- Karthikeyan, V. J. (2015). *Hypertension in Pregnancy*; in Nadar, S. and Lip, G. Y. H., *Hypertension Ch 2nd Ed*. Oxford: Oxford Cardiology Library.

- Karwati. (2011). *Asuhan Kebidanan V (Kebidanan Komunitas)*. Jakarta: Trans Info Media.
- Kemenkes, R. (2018). Hasil utama RISKESDAS 2018. *Online* http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil%20Risksdas_202018.
- Kemenkes RI. (2010). *Laporan Hasil Riset Kesehatan Dasar (Risksdas) 2010*. Jakarta: Badan Penelitian dan Pengembangan Kementerian Kesehatan RI.
- Kemenkes RI. (2015). *Profil Kesehatan Indonesia Tahun 2015*. Jakarta: Kementerian Kesehatan RI.
- Kemenkes RI. (2016). *Laporan Tahunan Direktorat Kesehatan Keluarga Tahun 2016*. Jakarta: Direktorat Kesehatan Keluarga Kementerian Kesehatan RI.
- Kemenkes RI. (2017). *Laporan Kinerja Kementerian Kesehatan*. Jakarta: Kementerian Kesehatan RI.
- Kemenkes RI. (2018). *Profil Kesehatan Indonesia Tahun 2017*. Jakarta: Kementerian Kesehatan RI.
- Kementrian Kesehatan, R. (2012). Profil data kesehatan Indonesia tahun 2011. *Jakarta: Kementrian Kesehatan Republik Indonesia*.
- Khaing, W., Vallibhakara, S. A.-O., Tantrakul, V., Vallibhakara, O., Rattanasiri, S., McEvoy, M., . . . Thakkinstian, A. (2017). Calcium and vitamin D supplementation for prevention of preeclampsia: A systematic review and network meta-analysis. *Nutrients*, 9(10), 1141.
- Komisi Nasional Etik Penelitian Kesehatan. (2007). Pedoman nasional etik penelitian kesehatan: Suplemen V etik penelitian epidemiologi-[BUKU]. Jakarta: Departemen Kesehatan Komisi Nasional Indonesia.
- Kordi, M., Heravan, M. B., Asgharipour, N., Akhlaghi, F., & Mazloum, S. R. (2017). Does maternal and fetal health locus of control predict self-care behaviors among women with gestational diabetes? *Journal of education and health promotion*, 6.
- Krieger, J. L., Katz, M. L., Kam, J. A., & Roberto, A. (2012). Appalachian and non-Appalachian pediatricians' encouragement of the human papillomavirus vaccine: implications for health disparities. *Women's Health Issues*, 22(1), e19-e26.
- Kurniawan, A., Sistiarani, C., & Hariyadi, B. (2017). Early Detection of High Risk Pregnancy. *KEMAS: Jurnal Kesehatan Masyarakat*, 12(2), 225-232.
- Kusbandiyah, J. (2013). Analisis Implementasi Program Kelas Ibu Hamil oleh Bidan Puskesmas di Kota Malang. *Jurnal Ilmiah Kesehatan Media Husada*, 2(1), 1-9.
- Kusniyah, Y., & Nursiswati, R. U. (2016). Hubungan Tingkat Self Care Dengan Tingkat HbA1C Pada Klien Diabetes Melitus Tipe 2 di Poliklinik

Endokrin RSUP DR. Hasan Sadikin Bandung. Bandung: Universitas Padjadjaran.

- Kusumawati, F. (2016). *Pelaksanaan Kelas Ibu Hamil sebagai Upaya Menurunkan Angka Kematian Ibu ditinjau dari Peraturan Menteri Kesehatan No. 97 Tahun 2014 tentang Pelayanan Kesehatan Masa Hamil di Puskesmas Kota Semarang*. (Thesis), Universitas Katolik Soegijapranata, Semarang.
- Larrañaga, I. et al., 2013. Socio-Economic Inequalities in Health, Habits and Self-Care During Pregnancy in Spain. *Maternal and Child Health Journal*, 17(7), pp.1315–1324.
- Laverack, G., & Labonte, R. (2000). A planning framework for community empowerment goals within health promotion. *Health policy and planning*, 15(3), 255-262.
- Levin, J. S., & DeFrank, R. S. (1988). Maternal stress and pregnancy outcomes: a review of the psychosocial literature. *Journal of Psychosomatic Obstetrics & Gynecology*, 9(1), 3-16.
- Litbangkes. (2012). *Laporan Hasil Riset Fasilitas Kesehatan (Puskesmas) Tahun 2012*. Jakarta: Kemenkes RI.
- Lombo, G. E., Wagey, F. W., & Mamengko, L. (2017). Karakteristik Ibu Hamil dengan Preeklampsia di RSUP Prof. Dr. RD Kandou Manado Periode 1 Januari-31 Desember 2015. *Jurnal Kedokteran Klinik*, 1(3), 9-15.
- Lucas, C., Charlton, K.E. & Yeatman, H., 2014. Nutrition Advice During Pregnancy: Do Women Receive it and Can Health Professionals Provide it? *Maternal and Child Health Journal*, 18(10), pp.2465–2478.
- Luckow, P. W., Kenny, A., White, E., Ballard, M., Dorr, L., Erlandson, K., . . . Mukherjee, S. (2017). Implementation Research on Community Health Workers' Provision of Maternal and Child Health Services in Rural Liberia. *Bulletin of the World Health Organization*, 95(2), 113.
- Lunenburg, F.C., 2011. Self-efficacy in the workplace: Implications for motivation and performance. *International journal of management, business, and administration*, 14(1), pp.1–6.
- Machmudah, M. (2018). Penerapan Model Konsep Need For Help dan Self Care Pada Asuhan Keperawatan Ibu Pre Eklampsia Berat dengan Terminasi Kehamilan. *Jurnal Keperawatan Maternitas*, 3(1), 16-26.
- Magnani, J. W., Mujahid, M. S., Aronow, H. D., Cené, C. W., Dickson, V. V., Havranek, E., . . . Willey, J. Z. (2018). Health Literacy and Cardiovascular Disease: Fundamental Relevance to Primary and Secondary Prevention: A Scientific Statement from The American Heart Association. *Circulation*, 138(2), e48-e74.
- Mahadew, E. P., Nadhiroh, M., Heryana, A., & Esa, F. I.-i. K. U. (2018). Hubungan Pengetahuan tentang Tanda Bahaya Kehamilan dan Dukungan

Keluarga dengan Kepatuhan Kunjungan Antenatal Care (ANC) pada Ibu Hamil Trimester III di Puskesmas Ciruas Kabupaten Serang. *Forum Ilmiah Volume 15 Nomor 2, Mei 2018.*

- Manandhar, D. S., Osrin, D., Shrestha, B. P., Mesko, N., Morrison, J., Tumbahangphe, K. M., . . . Thapa, B. (2004). Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. *The Lancet*, 364(9438), 970-979.
- Manuaba, I. B. G. (1998). *Memahami Kesehatan Reproduksi Wanita*. Jakarta: Penerbit Arcan.
- Marangoni, F., Cetin, I., Verduci, E., Canzone, G., Giovannini, M., Scollo, P., . . . Poli, A. (2016). Maternal Diet and Nutrient Requirements in Pregnancy and Breastfeeding. An Italian Consensus Document. *Nutrients*, 8(10), 629.
- Mariani, P., Widarini, P., & Pangkahila, A. (2013). Laporan Hasil Penelitian Hambatan dalam Implementasi Program Perencanaan Persalinan dan Pencegahan Komplikasi (P4K) di Kabupaten Badung.
- Maseresha, N., Woldemichael, K. & Dube, L., 2016. Knowledge of obstetric danger signs and associated factors among pregnant women in Erer district, Somali region, Ethiopia. *BMC Women's Health*, 16(1), p.30.
- Mbalinda, S.N. et al., 2014. Does knowledge of danger signs of pregnancy predict birth preparedness? A critique of the evidence from women admitted with pregnancy complications. *Health Research Policy and Systems*, 12(1), p.60.
- McCarthy, J., & Maine, D. (1992). A framework for analyzing the determinants of maternal mortality. *Studies in family planning*, 23(1), 23-33.
- McCleary-Jones, V. (2011). Health literacy and its association with diabetes knowledge, self-efficacy and disease self-management among African Americans with diabetes mellitus. *ABNF Journal*, 22(2).
- Mersha, A. G. (2018). Male involvement in the maternal health care system: implication towards decreasing the high burden of maternal mortality. *BMC pregnancy and childbirth*, 18(1), 493.
- Mikrajab, Muhammmad A., T.R., 2012. Peran Kader Kesehatan dalam Program Perencanaan Persalinan dan Pencegahan Komplikasi pada Ibu Hamil di Posyandu di Kota Mojokerto, Provinsi Jawa Timur. *Buletin Penelitian Sistem Kesehatan*, 15(4).
- Mistry, R., Galal, O. & Lu, M., 2009. "Women's autonomy and pregnancy care in rural India: A contextual analysis." *Social Science & Medicine*, 69(6), pp.926-933.
- Mithra, P. et al., 2014. Compliance with Iron-folic acid (IFA) therapy among pregnant women in an urban area of South India. *African Health Sciences*, 14(1), p.255.

- Moonzwe Davis, L. et al., 2014. Women's empowerment and its differential impact on health in low-income communities in Mumbai, India. *Global Public Health*, 9(5), pp.481–494.
- Morozumi, R. et al., 2020. Impact of individual and neighborhood social capital on the physical and mental health of pregnant women: the Japan Environment and Children's Study (JECS). *BMC Pregnancy and Childbirth*, 20(1), p.450.
- Mulyadi, M., 2013. Pemberdayaan Masyarakat Adat Dalam Pembangunan Kehutanan. *Jurnal Penelitian Sosial dan Ekonomi Kehutanan*, 10(4), pp.224–234.
- Mulyani, S., 2017. Pregnant Women with Extended Family on Knowledge, Motivation, and Readiness In Exclusive Breastfeeding. *International Journal of Emerging Trends in Social Sciences*, 1(2), pp.104–107.
- Munadjat, D. (1985). *Hukum Lingkungan* Bandung: Nasional Binacit.
- Nadar, S. (2015). Pathophysiology of Hypertension in Oxford Cardiology Library Hypertension 2nd Edition Ch 2. *Oxford University Press*.
- Nascimento, S. L., Surita, F. G., Godoy, A. C., Kasawara, K. T., & Morais, S. S. (2015). Physical activity patterns and factors related to exercise during pregnancy: a cross sectional study. *PloS one*, 10(6), e0128953.
- Nashiro, K., Sakaki, M., & Mather, M. (2012). Age differences in brain activity during emotion processing: Reflections of age-related decline or increased emotion regulation. *Gerontology*, 58(2), 156-163.
- Negron, R. et al., 2013. Social Support During the Postpartum Period: Mothers' Views on Needs, Expectations, and Mobilization of Support. *Maternal and Child Health Journal*, 17(4), pp.616–623.
- Ningsih, D.A., 2020. Pengembangan Modul "Peduli Ibu Hamil" di Desa Sumberejo Banyuputih Situbondo. *Jomis (Journal of Midwifery Science)*, 4(1).
- Notoatmodjo, S. (2007). Promosi Kesehatan dan Ilmu Perilaku. *Jakarta: Rineka Cipta*, 20.
- Notoatmodjo, S., 2014. Ilmu Perilaku Kesehatan, Cet Ke-2. *Rineka Cipta*. Jakarta.
- Notoatmodjo, S., 2010. Ilmu perilaku kesehatan. *Jakarta: rineka cipta*, 200, pp.26–35.
- Notoatmodjo, S., 2008. Kesehatan dan Pembangunan Sumber Daya Manusia. *Kesmas: Jurnal Kesehatan Masyarakat Nasional (National Public Health Journal)*, 2(5), pp.195–199.
- Notoatmodjo, S., 2012. Promosi kesehatan dan perilaku kesehatan. *Jakarta: rineka cipta*, pp.45–62.

- Nursal, D. G. A., Tamela, P., & Fitrayeni, F. (2017). Faktor Risiko Kejadian Preeklampsia pada Ibu Hamil di Rsup Dr. M. Djamil Padang Tahun 2014. *Jurnal Kesehatan Masyarakat Andalas*, 10(1), 38-44.
- Nursal dkk. (2017). Faktor Risiko Kejadian Preeklampsia pada Ibu Hamil di Rsup Dr. M. Djamil Padang Tahun 2014. *Jurnal Kesehatan Masyarakat Andalas*, 10(1), 38-44.
- Nurul Hidayati Dyah Sulistyani, Jamzuri Jam, D.T.R., 2013. Perbedaan Hasil Belajar Siswa Antara Menggunakan Media Pocket Book dan Tanpa Pocket Book Pada Materi Kinematika Gerak Melingkar Kelas X. *Jurnal Pendidikan Fisika*, 1(1).
- Oakley, P. (1991). *Projects with people: The practice of participation in rural development*: International Labour Organization.
- Oo, W. M., Khaing, W., Mya, K. S., & Moh, M. M. (2015). Health Literacy-Is It Useful in Prevention of Behavioural Risk Factors of NCDs. *Int J Res Med Sci*, 3(9), 2331-2336.
- Orem. (2001). *Nursing: Concepts of Practice*: Mosby; 6 edition.
- Osborn, D., Cutter, A., & Ullah, F. (2015). Universal sustainable development goals. *Understanding the Transformational Challenge for Developed Countries*.
- Ott, M. A., Ofner, S., & Fortenberry, J. D. (2009). ORIGINAL RESEARCH-WOMEN'S SEXUAL HEALTH: Beyond Douching: Use of Feminine Hygiene Products and STI Risk among Young Women. *The journal of sexual medicine*, 6(5), 1335-1340.
- Owe, K. M., Nystad, W., & Bø, K. (2009). Correlates of regular exercise during pregnancy: the Norwegian Mother and Child Cohort Study. *Scandinavian journal of medicine & science in sports*, 19(5), 637-645.
- Oxorn, H., & Forte, W. R. (2003). *Ilmu Kebidanan. Patologi dan Fisiologi Persalinan; Human Labor and Birth*. Jakarta: Yayasan Essentia Medica.
- Pandey, S., Lama, G., & Lee, H. (2012). Effect of women's empowerment on their utilization of health services: A case of Nepal. *International social work*, 55(4), 554-573.
- Panthumas, S. et al., 2012. Self-Care Behaviors among Thai Primigravida Teenagers. *Global Journal of Health Science*, 4(3).
- Paramitha, P. A. I. (2016). Faktor yang Mempengaruhi Pemanfaatan buku KIA di Wilayah Kerja Puskesmas I Denpasar Timur.
- Potter, P. A., & Perry, A. G. (2009). Fundamental keperawatan buku 1 edisi 7. *A. Ferderika, Penerj*. Jakarta: Salemba Medika.
- Prasetyo, B., Winardi, B., Pranadyan, R., Erlin, H., Damayanti, M. A. C. L., Yusuf, M., & Dewi, E.R., 2020. Increasing of Early High-Risk Pregnancy Detection with Proactive Intervention in Bangkalan District, Madura

- Indonesia. *Journal of Global Pharma Technology*, 12(06), pp.26–31.
- Prata, N., Tavrow, P., & Upadhyay, U. (2017). Women's empowerment related to pregnancy and childbirth: introduction to special issue. *BMC pregnancy and childbirth*, 17(2), 352.
- Pratley, P., 2016. Associations between quantitative measures of women's empowerment and access to care and health status for mothers and their children: a systematic review of evidence from the developing world. *Social Science & Medicine*, 169, pp.119–131.
- Prawirohardjo, S. (2001). *Panduan Praktis Pelayanan Kesehatan Maternal dan Neonatal*. Jakarta: Yayasan Bina Pustaka.
- Pswarayi, I., 2012. The relationship between pregnancy induced hypertension (PIH) self care knowledge and hypertension control among pregnant mothers aged 18 to 49 years in Bindura District. *UZeScholar*, 4(9), p.2012.
- Purba, D. M., & Adisasmita, A. C. (2012). Faktor – Faktor yang Berhubungan dengan Kejadian Komplikasi Kehamilan dan Persalinan di Rumah Sakit Umum Daerah (RSUD) Kota Depok Tahun 2012.
- Purwati, Tamtomo, D. & Sulaeman, E.S., 2016. Context, Input, Process, Product Analysis in the Implementation of Iron Supplementation Program in Banyumas, Central Java. *Journal of Health Policy and Management*, 01(02), pp.113–120.
- Puspita, T., Jerayingmongkol, P. & Sanguanprasit, B., 2019. The Correlation between self-efficacy and iron tablets consuming of Pregnant Women in Garut District. *Unnes Journal of Public Health*, 8(2), pp.125–128.
- Puspita, T., Jerayingmongkol, P., & Sanguanprasit, B. (2015). Factors Predicting Self-Care Behaviors among Pregnant Women In Garut District, West Java Province, Indonesia. *Conference Paper - 3rd AASIC: Sustainable Development of Asian Community*.
- Puspitasari, L. (2012). Gambaran pelaksanaan kelas ibu hamil di Puskesmas Bangetayu Kota Semarang. *Jurnal Kesehatan Masyarakat Universitas Diponegoro*, 1(2).
- Rantung, J., Yetti, K., & Herawati, T. (2015). Hubungan self-care dengan kualitas hidup pasien diabetes mellitus (DM) di persatuan diabetes indonesia (Persadia) Cabang Cimahi. *Jurnal Skolastik Keperawatan*, 1(01).
- Reidpath, D. D., & Allotey, P. (2003). Infant mortality rate as an indicator of population health. *Journal of Epidemiology & Community Health*, 57(5), 344-346.
- Restuastuti, T., Zahtamal, Chandra, F., & Restila, R. (2017). Analisis Pemberdayaan Masyarakat di Bidang Kesehatan. *Jurnal Kesehatan Melayu*, 14-19.
- Rini, C. et al., 2006. Effective social support: Antecedents and consequences of

- partner support during pregnancy. *Personal Relationships*, 13(2), pp.207–229.
- Robbins, S.P. & Coulter, M., 2013. Management, Seven Edition. Australia: Pearson Education.
- Robledo-Colonia, A.F. et al., 2012. Aerobic exercise training during pregnancy reduces depressive symptoms in nulliparous women: a randomised trial. *Journal of Physiotherapy*, 58(1), pp.9–15.
- Rochjati, P. (2003). *Skrining Antenatal Pada Ibu Hamil*. Pusat Safe MotherHood-Lab/SMF Obgyn RSU Dr. Sutomo. Surabaya: Fakultas Kedokteran UNAIR.
- Rondhianto. (2011). *Pengaruh Diabetes Self Manajement Education dalam Discharge Planning Terhadap Self Efficacy dan Self care Behavior Pasien Diabetes Mellitus Type 2*. (Thesis), Universitas Airlangga, Surabaya.
- Rofiqoch, I., Purwati, P. & Margiana, W., 2020. Pendidikan Kesehatan Mobilisasi Dini Pasca Bersalin. *Jurnal ABDIMAS-HIP: Pengabdian Kepada Masyarakat*, 1(2), pp.60–63.
- Royston E, & Amstrong S. (1998). *Pencegahan kematian ibu hamil*. Alih bahasa : Maulany R.F. Jakarta: Binarupa Aksara.
- Russell, S. et al., 2020. Mindful Moms. MCN: *The American Journal of Maternal/Child Nursing*, 45(4), pp.233–239.
- Saifuddin AB. (2000). *Pelayanan Kesehatan Maternal dan Neonatal*. Jakarta JNPKKR, POGI.
- Saragih, R., & Nasution, R. S. (2018). Pengaruh Faktor Predisposisi, Pendukung dan Penguat terhadap Perawatan Kehamilan di Kecamatan Raya Kahean Kabupaten Simalungun. *Jurnal Bidan Komunitas*, 1(2), 76-85.
- Sarli, D. (2018). Faktor-Faktor yang Berpengaruh terhadap Penerapan Program Perencanaan Persalinan dan Pencegahan Komplikasi (P4K) di Kelurahan Balai Gadang Padang. *JIK - Jurnal Ilmu Kesehatan*, 2(1), 114-123.
- Sasnitiari, N.N. & Puspitasari, D.A., 2019. Hubungan keikutsertaan ibu dalam kelas ibu hamil dengan pengetahuan dan sikap terhadap tanda bahaya dalam kehamilan di Kota Bogor.
- Say, L., Chou, D., Gemmill, A., Tunçalp, Ö., Moller, A.-B., Daniels, J., . . . Alkema, L. (2014). Global causes of maternal death: a WHO systematic analysis. *The Lancet Global Health*, 2(6), e323-e333.
- Sen, A., & Smith, T., 2012. Model gravitasi perilaku interaksi spasial. Springer Science & Business Media.
- Setiyawati, N. & Meilani, N., 2015. Determinan Perilaku Tes HIV pada Ibu Hamil. *Kesmas: National Public Health Journal*, 9(3), p.201.
- Setyatama, I.P., 2012. Hubungan Pengetahuan dan Motivasi Kader dengan Peran Kader Posyndu Lansia di Desa Kangkung Kecamatan Mranggen

- Kabupaten Demak. *DInamika Kebidanan*, 2(2), pp.1–7.
- Setyawati, Irni, and E.S., 2020. Pentingnya Motivasi dan Persepsi Pimpinan Terhadap Perilaku Pemberian ASI Eksklusif Pada Ibu Bekerja. *Majalah Ilmiah Sultan Agung* 50, 127, pp.53–66.
- Shahnazi, H. et al., 2016. Effect of Educational Intervention on Perceived Susceptibility Self-Efficacy and DMFT of Pregnant Women. *Iranian Red Crescent Medical Journal*, 18(5).
- Shaw, B. A., Gallant, M. P., Riley-Jacome, M., & Spokane, L. S. (2006). Assessing sources of support for diabetes self-care in urban and rural underserved communities. *Journal of community health*, 31(5), 393-412.
- Shieh, C. et al., 2009. Health Literacy and Its Association With the Use of Information Sources and With Barriers to Information Seeking in Clinic-Based Pregnant Women. *Health Care for Women International*, 30(11), pp.971–988.
- Shulman, R. & Kottke, M., 2016. Impact of maternal knowledge of recommended weight gain in pregnancy on gestational weight gain. *American Journal of Obstetrics and Gynecology*, 214(6), pp.754.e1-754.e7.
- Sianipar, K., 2020. Hubungan Mpbilisasi Pada Masa Nifas Dengan Pengeluaran Lochea di Praktek Mandiri Bidan LM Pematasiantar.
- Silveira, R.A.M. et al., 2017. Perception of pregnant women about self-care and maternal care. *Revista da Rede de Enfermagem do Nordeste*, 17(6), p.758.
- Silvia, P.J., 2008. Interest—The Curious Emotion. *Current Directions in Psychological Science*, 17(1), pp.57–60.
- Simanjuntak, J., Sondakh, J. M., & Wagey, F. (2013). Hubungan Jumlah Pemeriksaan Antenatal dengan Hasil Kehamilan dan Persalinan di RSUP Prof. Dr. RD Kandou Manado. *Jurnal e-Biomedik*, 1(1).
- Sistiarani, C., Gamelia, E. & Sari, D.U.P., 2014. Fungsi pemanfaatan buku KIA terhadap pengetahuan kesehatan ibu dan anak pada ibu. *Kesmas: National Public Health Journal*, 8(8), pp.353–358.
- Slack, E., Brandon, H. & Heslehurst, N., 2018. Obesity and Pregnancy. In *Practical Guide to Obesity Medicine*. Elsevier, pp. 143–151.
- Smet, B. (1994). Psikologi Kesehatan. Jakarta: Grasindo.
- Snijder, C.A. et al., 2012. Physically demanding work, fetal growth and the risk of adverse birth outcomes. The Generation R Study. *Occupational and Environmental Medicine*, 69(8), pp.543–550.
- Soeilman et al, 2015. Measurement Of The Construcs Of Health Bilief Model Related to Self Care During Pregnancy in Women Referred to South Tehran Health Network. *Community Health Winter*, , 1(2), pp.89–98.
- Soetomo. (2006). *Strategi-Strategi Pembangunan Masyarakat*. Yogyakarta: Pustaka Pelajar.

- Solhi, M. et al., 2019. Effect of Health Literacy Education on Self-Care in Pregnant Women: A Randomized Controlled Clinical Trial. *International journal of community based nursing and midwifery*, 7(1), pp.2–12.
- Sousa, V. D., Zauszniewski, J. A., Musil, C. M., Lea, P. J. P., & Davis, S. A. (2005). Relationships among self-care agency, self-efficacy, self-care, and glycemic control. *Research and theory for nursing practice*, 19(3), 217.
- Souza, V. (2002). Conceptual analysis of self-care agency. *Online brazilian journal of nursing*, 1(3), 3-12.
- Suari, K.P., 2019. Hubungan Self Efficacy dan Dukungan Sosial Terhadap Self Care Management Pasien Diabetes Mellitus Tipe II. *Indonesia Jurnal Perawat*, 3(1), pp.51–59.
- Suharto, E. (2009). *Membangun Masyarakat Memerdekan Rakyat*. Bandung: Rideka Aditama.
- Sui, Z. & Dodd, J., 2013. Exercise in obese pregnant women: positive impacts and current perceptions. *International Journal of Women's Health*, p.389.
- Sulaeman, E. S., Karsidi, R., Murti, B., Kartono, D. T., Waryana, W., & Hartanto, R. (2012). Model pemberdayaan masyarakat bidang kesehatan, studi program desa siaga. *Kesmas: National Public Health Journal*, 7(4), 186-192.
- Suliha, U., Herawani, S., & Resnayati, Y. (2002). Pendidikan kesehatan dalam keperawatan. *Jakarta: Egc*.
- Sulistiyanti, A., 2015. Hubungan Usia dan Pendidikan Ibu Hamil Risiko Tinggi dengan Kepatuhan Antenatal Care.
- Sumiyarni, S., Jati, S. P., & Suparwati, A. (2016). *Analisis Faktor-Faktor yang Mempengaruhi Implementasi Program Perencanaan Persalinan dan Pencegahan Komplikasi oleh Bidan Desa di Kabupaten Demak*. UNIVERSITAS DIPONEGORO SEMARANG.
- SUPAS. (2015). Survei Penduduk Antar Sensus Tahun 2015: <http://sirusa.bps.go.id/sirusa/index.php/dasar/pdp?kd=2&th:2015>.
- Supriasa, I. (2002). Prinsip Dasar Ilmu Gizi. *Jakarta: Kedokteran EGC*.
- Suryati, B. (2012). Perilaku kebersihan remaja saat menstruasi. *Jurnal Health Quality*, 3(1), 54-65.
- Susilowati, 2012. Pengaruh Pendidikan Kesehatan Terhadap Pengetahuan Kader. *Jurnal Kebidanan*, 4(02), p.84.
- Syafrudin, & Hamidah. (2009). *Kebidanan Komunitas*. Jakarta: EGC.
- Taheri, Z. et al., 2014. Effect of Educational Intervention on Self-efficacy for Choosing Delivery Method among Pregnant Women in 2013. *International journal of preventive medicine*, 5(10), pp.1247–54.
- Takeuchi, M. et al., 2014. Long working hours and pregnancy complications:

- women physicians survey in Japan. *BMC Pregnancy and Childbirth*, 14(1), p.245.
- Teguh, A. (2004). Kemitraan dan model-model Pemberdayaan. *Penerbit Gaya Media, Yogyakarta*.
- The Open University. (2011). *Antenatal Care Module: 14. Health Promotion Issues During Pregnancy*: The Open University.
- The White Ribbon Alliance. (2017). Self Care.
- Torjusen, H., Brantsæter, A. L., Haugen, M., Alexander, J., Bakketeig, L. S., Lieblein, G., . . . Holmboe-Ottesen, G. (2014). Reduced risk of pre-eclampsia with organic vegetable consumption: results from the prospective Norwegian Mother and Child Cohort Study. *BMJ open*, 4(9), e006143.
- Triwidiyastuti, G., Ariyanto, R., & Nurlaela, E. (2015). *Hubungan Pengetahuan Self Care Diabetes Dengan Self Care Diabetes Pada Klien DM Tipe 2 Di Wilayah Kerja Puskesmas Karangdadap*. (Skripsi), Stikes Muhammadiyah.
- Tumini, 2010. engaruh Pemberian Konseling terhadap Pengetahuan tentang KB dan Kemantapan dalam Pemilihan Alat Kontrasepsi pada Calon Akseptor KB di Puskesmas Nguntuk Kabupaten Tulungagung. *UNS*.
- Turan, J.M. et al., 2013. A Community-Supported Clinic-Based Program for Prevention of Violence against Pregnant Women in Rural Kenya. *AIDS Research and Treatment*, 2013, pp.1–10.
- Tura, G., Afework, M. F., & Yalew, A. W. (2014). The effect of birth preparedness and complication readiness on skilled care use: a prospective follow-up study in Southwest Ethiopia. *Reproductive health*, 11(1), 60.
- UNFPA. (2015). *Reducing Maternal Mortality*. Human Right Centre: www2.essex.ac.id/human_rights_centre/; United Nations Population Fund
- Unpad. (2014). *Obstetri Fisiologi: Bagian Obstetri & Ginekologi* Fakultas Kedokteran Universitas Padjadjaran Bandung.
- Vamos, C.A. et al., 2015. Oral-Systemic Health During Pregnancy: Exploring Prenatal and Oral Health Providers' Information, Motivation and Behavioral Skills. *Maternal and Child Health Journal*, 19(6), pp.1263–1275.
- Varney Helen dkk. (2007). Buku ajar asuhan kebidanan. Jakarta: Egc, 672-788.
- Vaux, A. (1988). *Social support: Theory, research, and intervention*: Praeger publishers.
- Wahyuni, A., & Kurnia, O. S. (2014). Hubungan Self Care dan Motivasi dengan Kualitas Hidup Pasien Gagal Jantung. *Jurnal Keperawatan Padjadjaran*, 2(2).
- Wajda, B., Ho, A. C., Rovner, B., Murchison, A. P., Casten, R. J., & Haller, J. A. (2014). Depression and Self-Care Behaviors Among Patients with

- Diabetic Retinopathy. *Investigative Ophthalmology & Visual Science*, 55(13), 187-187.
- Wenzel, A. & Beck, A.T., 2008. A cognitive model of suicidal behavior: Theory and treatment. *Applied and preventive psychology*, 12(4), pp.189–201.
- WHO. (2005). *Report of a WHO Technical Consultan Birth Spacing Geneva, Switzerland 13–15 June 2005*: Wordd Health Organization.
- WHO. (2009). *Self care in the Context of Primary Health Care. Report of The Regional Consultation Bangkok, Thailand 7-9 Januari 2009*: World Health Organization.
- WHO. (2015). *Evaluasi Kematian Ibu*: <http://www.int/gho/mortality/text>: World Health Organization.
- WHO. (2016a). *Guidline: Use of Multiple Micronutrient Powder For Point of Use Fortification of Foods Consumed by Prignancy Women*: World Health Organization.
- WHO. (2016b). *Standards for Improving Quality of Maternal and Newborn Care in Health Facilities*: World Health Organization.
- WHO. (2017). *Infant Mortality: Situation and Trends*. : World Health Organization.
- WHO. (2018). Maternal Mortality: from <http://who.int/news-room/fact-sheet/detail>
- WHO. (2019). *Self-Care Interventions for Health from https://www.who.int/reproductivehealth/self-care.../en/*: World Health Organization.
- Wibowo, B., & Wiknjosastro, G. (1994). Kelainan dalam lamanya kehamilan. Dalam: *Ilmu kebidanan, edisi ketiga*, Jakarta, Yayasan Bina Pustaka, 323-338.
- Wiknjosastro dkk, (2002). *Ilmu Kebidanan Edisi III*. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo.
- Williams, L. et al., 2012. Associations Between Preconception Counseling and Maternal Behaviors Before and During Pregnancy. *Maternal and Child Health Journal*, 16(9), pp.1854–1861.
- Winardi, J., 2016. Kepemimpinan Dalam Manajemen. *Jakarta: Rineka Cipta*.
- World Health Organization. (2016). *WHO recommendations on antenatal care for a positive pregnancy experience*: World Health Organization.
- Yanti, Evi, E.Y.A. & Nasution, S.K., 2014. Peran Program Tabulin (Tabungan Ibu Bersalin) Terhadap Kemampuan Pembiayaan Kesehatan Ibu di Wilayah Kerja Puskesmas Blang Cut Kota Lhokseumawe. *Master's thesis*.
- Yee, L., Niznik, C. & Simon, M., 2016. Examining the Role of Health Literacy in Optimizing the Care of Pregnant Women with Diabetes. *American Journal*

of Perinatology, 33(13), pp.1242–1249.

Yee, L.M. et al., 2016. Factors promoting diabetes self-care among low-income, minority pregnant women. *Journal of Perinatology*, 36(1), pp.13–18.

Yee, L.M. et al., 2015. “I Was Tired of All the Sticking and Poking”: Identifying Barriers to Diabetes Self-Care Among Low-Income Pregnant Women. *Journal of Health Care for the Poor and Underserved*, 26(3), pp.926–940.

Yuliyati, A., Soejoenoe, A., Suwondo, A., Anies, & K, M. I. (2017). *Beberapa Faktor Kejadian Perdarahan Postpartum Ibu Bersalin yang Dirawat di Rumah Sakit*. Universitas Diponegoro. Semarang.

Yuliyati dkk. (2017). Beberapa Faktor Kejadian Perdarahan Postpartum Ibu Bersalin yang Dirawat di Rumah Sakit. Universitas Diponegoro. Semarang. .

Zaki, N.M. & Albarraq, A.A., 2014. Use, attitudes and knowledge of medications among pregnant women: A Saudi study. *Saudi Pharmaceutical Journal*, 22(5), pp.419–428.

Zamani-Alavijeh, F. et al., 2017. Pregnant women’s preferences for mode of delivery questionnaire: Psychometric properties. *Journal of Education and Health Promotion*, 6.

Zewdie, T., Azale, T., Shimeka, A., & Lakew, A. M. (2018). Self-medication during pregnancy and associated factors among pregnant women in Goba town, southeast Ethiopia: a community based cross sectional study. *BMC research notes*, 11(1), 713.

Zhang, Y., Kwekkeboom, K. & Petrini, M., 2015. Uncertainty, self-efficacy, and self-care behavior in patients with breast cancer undergoing chemotherapy in China. *Cancer Nursing*, 38(3), pp.E19–E26.

Zhianian, A., Zareban, I., Ansari-Moghaddam, A., & Rahimi, S. F. (2015). Improving self-care behaviours in pregnant women in zahedan: applying self-efficacy theory. *Caspian Journal of Health Research*, 1(1), 18-26.