

DAFTAR PUSTAKA

- Abbas, AK. Lichtman, AH. Pillai, S. (2016). ‘Perkembangan dan Fungsi CD4+ Limfosit T Efektor’, in Kalim, H. (ed.) *Imunologi Dasar Abbas Edisi Indonesia*. 5th edn. Indonesia: Elsevier Inc., pp. 138–43.
- Adjobimey, T. Hoerauf, A. (2010). ‘Induction of immunoglobulin G4 in human filariasis : an indicator of immunoregulation’, *Annals of Tropical Medicine and Parasitology*, 104(6), pp. 455–464.
- Allen, H. Engels, D. Chitsulo, L. Lazzins, J. Montresor, A. Palmer, K. et al. (2004). ‘Soil-transmitted Helminthiasis’, *Nature Reviews Microbiology*, 2, pp. 618–9.
- Allen, JE. Maizels, RM. (2011). ‘Diversity and dialogue in immunity to helminths’, *Nature Publishing Group*, 11(6), pp. 375–388.
- American Diabetes Association. (2018). ‘Factors Affecting Blood Glucose’, *Clinical Diabetes*, 36(2).
- Anwar, R. Y. Irawati, N. Masri, M. (2013) ‘Hubungan antara Higiene Perorangan dengan Infeksi Cacing Usus (Soil Transmitted Helminths) pada Siswa SDN 25 dan 28 Kelurahan Purus, Kota Padang, Sumatera Barat Tahun 2013’, *Jurnal Kesehatan Andalas*, 5(3), pp. 600–607.
- Ashraff, S. Siddiqui, MA. Carline, TE. (2013) ‘Obesity and Insulin Resistance : Management in Diabetes’, *Turkish Journal of Endocrinology and Metabolism* (9), pp. 57–62.
- American Diabetes Association. (2007). ‘Diagnosis and Classification of Diabetes Mellitus’, *Diabetes Care*, 30(1), pp. S42-7.
- Brooker, S. (2010). ‘Estimating the global distribution and disease burden of intestinal nematode infections : Adding up the numbers – A review’, *International Journal for Parasitology*. Australian Society for Parasitology Inc., 40(10), pp. 1137–1144.
- Brooker, SJ. Bundy, DAP. (2013). ‘Soil-transmitted Helminths (Geohelminths)’, in *Manson’s Tropical Diseases*. 23rd ed. Elsevier Ltd, pp. 766-794.
- Burks, DJ. and White, MF. (2001). ‘IRS Proteins and B-Cell Function’, *Diabetes*, 50(Supplement 1), pp. S140-44.
- CDC. (2013). *Parasites- Soil-Transmitted Helminths*. Accessed on November, 18th 2020,<<https://www.cdc.gov/parasites/sth/index.html>>.
- Chen, F. Liu, Z. Wu, W. Rozo, C. Bowdridge, S. Millman, A. et al. (2012). ‘An essential role for T H 2-type responses in limiting acute tissue damage during experimental helminth infection’, *Nature Medicine*, 18(2), pp. 262–268.

- Chen, H. Sullivan, G. Yue, LQ. Katz, A. Quon, MJ. (2003). 'QUICKI is a useful index of insulin sensitivity in subjects with hypertension', *American Journal of Physiology-Endocrinology and Metabolism*, 284, pp. 804–812.
- Chen, H. Sullivan, G. Quon, MJ. (2005). 'Assessing the Predictive Accuracy of QUICKI as a Calibration Model', *Diabetes*, 54, pp.1914-25.
- Chen, Y. et al. (2013) 'Association of previous schistosome infection with diabetes and metabolic syndrome: A cross-sectional study in rural China', *Journal of Clinical Endocrinology and Metabolism*, 98(2), pp. 283–287.
- Corti, M. (2016). 'Strongyloides stercoralis in Immunosuppressed Patients', *Archives of Clinical Infectious Diseases*.11(1), pp. 1–10.
- Dahlan, S. (2018). *Langkah-Langkah Membuat Proposal Penelitian Bidang Kedokteran dan Kesehatan*. 2nd ed. Jakarta; Sagung Seto.
- Darwin, E., Elfi, EF. Elvira, D. (2017). *Endotel Fungsi dan Disfungsi*. Padang: Andalas University Press.
- Defronzo, RA. (2004). 'Pathogenesis of type 2 diabetes mellitus', *The Medical Clinics of North America*, 88, pp. 787–835.
- Dinas Kesehatan Kota Padang. (2018). *Profil Kesehatan Kota Padang Tahun 2018*.
- Djarismawati. (2008). *Diagnostik Parasitologi Kedokteran*. Jakarta: EGC.
- Elia, RD. Behnke, JM. Bradley, JE. Elshe, KJ. (2009). 'Regulatory T Cells : A Role in the Control of Helminth-Driven Intestinal Pathology and Worm Survival 1', *The Journal of Immunology*, 182, pp. 2340-8.
- Everts, B. Perona-wright, H. Smiths, HH. Hokke, CH. Van der Ham, AJ. Fitzsimmons, CM. et al. (2009). 'Omega-1, a glycoprotein secreted by Schistosoma mansoni eggs, drives Th2 responses', *The Journal of Experimental Medicine*, 206(8), pp. 1673-80.
- Ferris, HA. Kahn, CR. (2016). 'Unraveling the Paradox of Selective Insulin Resistance in the Liver : the Brain – Liver Connection', 65, pp. 1481–1483.
- Figueiredo, CA. Barreto, ML. Rodrigues, LC. Cooper, PJ. Silva, NB. Amorim, LD. et al. (2010). 'Chronic Intestinal Helminth Infections Are Associated with Immune Hyporesponsiveness and Induction of a Regulatory Network', *Infection and Immunity*, 78(7), pp. 3160–3167.
- Gutch, M. et al. (2015). 'Assessment of insulin sensitivity / resistance', *Indian journal of Endocrinology and Metabolism*, 19(1), pp.160-4.
- Gutiérrez-rode洛, C. Roura-guiberna, A. Olivares-reyes, JA. (2017). 'Molecular Mechanisms of

Insulin Resistance : An Update', *Gaceta Medica de Mexico*, 153, pp. 197–209.

Hardjanti, A. Putri, R. Desiyanti, TC. Rahman, RF. Wahyudi, Y. Farellina, YI. (2017). 'Prevalensi dan Tingkat Infeksi Soil Transmitted Helminths Dihubungkan dengan Golongan Usia dan Jenis Kelamin pada 5 Sekolah Dasar Negeri (SDN) di Jakarta , Bekasi dan Serang (Banten)', *Majalah Kesehatan PharmaMedika*, 9(2), pp. 86-95.

Hirabara, SM. Gorjao, R. Vinolo, MA. Rodrigues, AC. Nachbar, RT. Curi, R. (2012). 'Molecular Targets Related to Inflammation and Insulin Resistance and Potential Interventions', *Journal of Biomedicine and Biotechnology*, 2012, pp.1-10.

Hotamisligil, S. (2010). 'Review Endoplasmic Reticulum Stress and the Inflammatory Basis of Metabolic Disease', *Cell*, 140, pp. 900–917.

Hotez, PJ. Brindley, PJ. Bethony, JM. King, CH. Pearce, EJ. Jacobson, J. (2008). 'Helminth infections : the great neglected tropical diseases', *The Journal of Clinical Investigation*, 118(4), pp. 1311–1321.

Hussaarts, L. Garcia-Tardon, N. Van Beek, L. Heemskrek, MM. Haeberlin, S. Van Der Zon, GC. et al. (2015). 'Chronic helminth infection and helminth-derived egg antigens promote adipose tissue M2 macrophages and improve insulin sensitivity in obese mice', *The FASEB Journal*, 29(7), pp. 3027–3039.

Ingle, PV. See, BY. Boon, JY. Leong, BK. Tiu, ZX. Lim, TH. et al. (2018). 'Current Trends in Pharmacological Treatment of Type II Diabetes Mellitus', *International Journal of Pharma Research & Review*, 7(1), pp.1-15.

Item, F. Konrad, D. (2012). 'Visceral fat and metabolic inflammation : the portal theory revisited', *Obesity Reviews*, 13(Supplement 2), pp. 30-39.

Jackson, JA. Turner, JD. Rentoul, L. Faulkner, H. Behnke, JM. Hoyle, M. et al. (2004). 'Helper Cell Type 2 Responsiveness Predicts Future Susceptibility to Gastrointestinal Nematodes in Humans', *The Journal of Infectious Disease*, 190, pp. 1804–11.

Jo, J. Gavrilova, O. Pack, S. Jou, W. Mulllen, S. Sumner AE. et al. (2009). 'Hypertrophy and / or Hyperplasia : Dynamics of Adipose Tissue Growth', *PLoS Computational Biology*, 5(3), pp. 1-10.

Jourdan, PM. Lamberton PHL, Fenwick, A. Addiss, DG. (2018). 'Soil-transmitted helminth infections', *The Lancet*, 391, pp. 252–265.

Jude, OA. Oladele, HA. Japhet, OM. Fatima, SF. Sulaiman, A. Dienye, AA. et al. (2011). 'Plasma lipids and lipoproteins in selected primary school children infected with intestinal helminthiasis in a metropolitan area of southwest Nigeria', *International Journal of Biological & Medical Research*, 2(4), pp. 933–937.

Kelana, E. Nasrul, E. Yaswir, R. Desywar. (2015). ‘Korelasi Indeks 20/(C-Peptide Puasa x Glukosa Darah Puasa) dengan HOMA-IR untuk Menilai Resistensi Insulin Diabetes Melitus Tipe 2’, *Majalah Kesehatan Andalas*, 38(3), pp. 155–164.

Kementerian Kesehatan. (2017). *PMK No.15 tentang Penanggulangan Cacingan*.

Lamberton, PHL. Jourdan, PM. (2015). ‘Human Ascariasis : Diagnostics Update’, *Current Tropical Medicine Reports*, 2, pp. 189–200.

Madden, KB. Yeung, KA. Zhao, A. Gause, WC. Finkleman, FD. Katona, IM. et al. (2004). ‘Enteric Nematodes Induce Stereotypic STAT6-Dependent Alterations in Intestinal Epithelial Cell Function’, *The Journal of Immunology*, 172(9), pp. 5616–5621.

Maizels, R.M. Yazdanbakhsh, M. (2008). ‘T-Cell Regulation in Helminth Parasite Infections : Implications for Inflammatory Diseases’, *Chemical Immunologu and Allergy*, 94, pp. 112–123.

Manz, KM. Clowes, P. Kroidi, I. Kowuor, DO. Geldmacher, C. Ntinginya, NE. et al. (2017). ‘Trichuris trichiura infection and its relation to environmental factors in Mbeya region, Tanzania: A cross-sectional, population-based study’, *PLOS ONE*, 12(4), pp. 1–16.

Masaku, J. Mutungi, F. Gichuki, PM. Okoyo, C. Njomo, DW. Njenga, SM. (2017). ‘High prevalence of helminths infection and associated risk factors among adults living in a rural setting , central Kenya : a cross- sectional study’, *Tropical Medicine and Health. Tropical Medicine and Health*, 45(15), pp. 1–9.

Matthews, D. R. et al. (1985) ‘Homeostasis Model Assessment : Insulin Resistance and Beta Cell Function from Fasting Plasma Glucose and Insulin Concentrations in Man’, *Diabetologia*, 28, pp. 412–419.

Mcsorley, HJ. Maizels, RM. (2012). ‘Helminth Infections and Host Immune Regulation’, *Clinical Microbiology Reviews*, 25(4), pp. 585–608.

Mishra, PK. Palma, M. Bleich, D. Loke, P. Gause, WC. (2014). ‘Systemic impact of intestinal helminth infections’, *Mucosal Immunology*, pp. 1–10.

Mohaghegh, MA. Vafaei, MR. Azami, M. Hashemi, N. Hejazi, SH. Kalani, H. et al. (2017). ‘Soil Contamination with Soil Transmitted Helminthes in Schools and Play Areas of Kermanshah City, West of Iran’, *International Journal of Infections*. 4(1), pp. 7–10.

Monzillo, LU. Hamdy, O. (2003). ‘Evaluation of Insulin Sensitivity in Clinical Practice and in’, *Nutrition Reviews*, 61(12), pp.397-412.

Muhammad, AA. (2018). ‘Resistensi Insulin dan Disfungsi Sekresi Insulin Sebagai Faktor Penyebab Diabetes Melitus Tipe 2’, *Jurnal Kesehatan Masyarakat*, 8(2),pp. 173-8.

Mutiara, H. (2015). ‘Immunity in Intestinal Worm Infection’, in *Proceedings of Scientific Article Presentation Seminar in The 13th Dies Natalis Medical Faculty Lampung University*. Lampung: Medical Faculty Lampung University, pp. 94–99.

Naish, S. McCarthy, J. Williams, GM. (2004). ‘Prevalence, intensity and risk factors for soil-transmitted helminth infection in a South Indian fishing village’, *Acta Tropica*, 91(2), pp. 177–187.

Nugraha, TI. Semiarty, R. Irawati, N. (2019). ‘Hubungan Sanitasi Lingkungan dan Personal Hygiene Dengan Infeksi Soil Transmitted Helminths (STH) pada Anak Usia Sekolah Di Kecamatan Koto Tangah Kota Padang’, *Jurnal Kesehatan Andalas*, 8(3), p. 590.

Nurhayati. Irawati, N. Darwin, E. Lipoeto, NI. (2020). ‘Relationship Between Interleukin-10, Cholesterol and Blood Glucose Levels in Geohelminth Positive Adolescents and Adults’, *Journal of Medical Sciences*, 20(1), pp. 18–23.

Pabalan, N. Singian, E. Tabangay, L. Jarjanazi, H. Boivin, MJ. Ezeamama, AE. (2018). ‘Soil-transmitted helminth infection, loss of education and cognitive impairment in school-aged children : A systematic review and meta-analysis’, *PLOS Neglected Tropical Diseases*, 12(1), pp. 1–31.

Paleva, R. (2019) ‘Mekanisme Resistensi Insulin Terkait Obesitas’, *Jurnal Ilmiah Kesehatan Sandi Husada*, 10(2), pp. 354–358.

Pasaribu, AP. Alam, A. Sembiring, K. Pasaribu, S. Setiabudi, D. (2019). ‘Prevalence and Risk Factors of Soil-transmitted Helminthiasis among School Children Living in an Agricultural Area of North Sumatera, Indonesia’, *BMC public health*. 19, p. 1066.

Pullan, RL. Smith, JL. Jasrasaria, R. Brooker, SJ. (2014). ‘Global numbers of infection and disease burden of soil transmitted helminth infections in 2010’, *Parasites and Vectors Journal*, 7(37), pp. 1–19.

Radikova, Z. Koska, J. Huckova, M. Ksinantova, L. Imrich, R. Vigas, M. (2006). ‘Insulin sensitivity indices: A proposal of cut-off points for simple identification of insulin-resistant subjects’, *Experimental and Clinical Endocrinology and Diabetes*, 114(5), pp. 249–256.

Reaven, G. (2004). ‘The metabolic syndrome or the insulin resistance syndrome ? Different names, different concepts, and different goals’, *Endocrinology and Metabolism Clinics of North America*, 33, pp. 283–303.

Renanti, R. Rusjdi, SR. SY, E. (2015) ‘Hubungan Infeksi Soil Transmitted Helminth dengan Status Gizi pada Murid SDN 29 Purus Padang’, *Jurnal Kesehatan Andalas*, 4(2), pp. 353–358.

Rosyidah, HN. Prasetyo, H. (2018). ‘Prevalence Of Intestinal Helminthiasis in Children at North Keputran Surabaya at 2017’, *Journal of Vocational Health Studies*, 01, pp. 117–120.

Rusmartini, T. (2014) ‘Penyakit Oleh Nematoda Usus’, in Natadisastra, D. (ed.) *Parasitologi Kedokteran*. Jakarta: EGC, pp. 72–87.

Sawant, DV. Gravano, DM. Vogel, P. Giacomin, P. Artis, D. Vignali, DAA. (2014). ‘Regulatory T Cells Limit Induction of Protective Immunity and Promote Immune Pathology following Intestinal Helminth Infection’, *The Journal of Immunology*, 192, pp. 2904–2912.

Setyowatiningsih, L. Surati, S. (2017). ‘Hubungan Higien Sanitasi dengan Kejadian Infeksi Soil-transmitted Helminths pada Pemulung di TPS Jatibarang’, *Jurnal Riset Kesehatan*, 6(1), pp. 40–44.

Shen, SW. Lu, Y. Li, F. Shen, ZH. Xu, M. Yao, WF. et al. (2015). ‘The potential long-term effect of previous schistosome infection reduces the risk of metabolic syndrome among Chinese men’, *Parasite Immunology*, 37(7), pp. 333–339.

Shoelson, SE. Lee, J. Goldfine, AB. (2006). ‘Inflammation and insulin resistance’, *The Journal of Clinical Investigation*, 116(7), pp. 1793–1801.

de Silva, NR. Brooker, S. Hotez, PJ. Montresor, A. Engels, D. Savioli, L. (2003). ‘Soil-transmitted helminth infections : updating the global picture’, *TRENDS in Parasitology*, 19(12), pp. 547–551.

de Silva, NR. Cooper, ES. (2011). ‘Nematode Infections’, in *Tropical Infectious Diseases*. 3rd Ed. Elsevier Inc., pp. 791–793.

Singh, B. Saxena, A. (2010). ‘Surrogate markers of insulin resistance : A review’, *world Journal of Diabetes*, 1(2), pp. 36–47.

Smith, U. (2002). ‘Impaired ('diabetic') insulin signaling and action occur in fat cells long before glucose intolerance — is insulin resistance initiated in the adipose tissue ?’, *International Journal of Obesity*, 26,pp. 897–904.

Soedarmo, SSP. Garna, H. Hadinegoro, SRS. Satari, IH. (2012). *Buku Ajar Infeksi dan Pediatri Tropis*. Jakarta: Badan Penerbit IDAI.

Solow, BT. Harada, S. Goldstein, BJ. Smith, JA. White, MF. Jarret, L. (2015). ‘Differential Modulation of the Tyrosine Phosphorylation State of the Insulin Receptor by IRS (Insulin Receptor Subunit) Proteins’, *Molecular Endocrinology*, 13 (10), pp. 1784–1798.

Strunz, EC. Addiss, DG. Stocks, ME. Ogden, S. Utzinger, J. Freeman, MC. (2014). ‘Water, Sanitation, Hygiene and Soil-Transmitted Helminth Infection : A Systematic Review and’, *PLOS Medicine*, 11(3), pp. 1-39.

Sutanto, I. Ismid, IS. Sjarifuddin, PK. Sungkar, S. (2009). ‘Nematoda’, in *Buku Ajar Parasitologi Kedokteran*. 4th ed. Jakarta: Balai Penerbit FKUI, pp. 6–25.

- Tang, Q. Li, X. Song, P. Xu, L. (2015). ‘Optimal cut-off values for the homeostasis model assessment of insulin resistance (HOMA-IR) and pre-diabetes screening: Developments in research and prospects for the future’, *Drug discoveries & therapeutics*, 9(6), pp. 380–385.
- Taylor, MD. van der Werf, N. Maizels, RM. (2012). ‘T cells in helminth infection : the regulators and the regulated’, *Trends in Immunology*. 33(4), pp. 181–189.
- Tjandrawinata, RR. (2016). ‘Mekanisme Molekuler dan Seluler pada Keadaan Resistensi Insulin’, *Research Gate*, Dexa Medica Group, pp.1-5.
- Tracey, EF. Mcdermott, RA. McDonald, MI. (2016). ‘Do worms protect against the metabolic syndrome ? A systematic review and meta-analysis’, *Diabetes Research and Clinical Practice*. 120, pp. 209–220.
- Trostdorf, U. Schar, F. Giardina, F. Khieu, V. Muth, S. Marti, H. et al. (2013). ‘Strongyloides stercoralis : Global Distribution and Risk Factors’, *PLOS Neglected Tropical Diseases*, 7(7), pp. 1–18.
- Trout, KK. Homko, C. Tkacs, NC. (2007). ‘Methods of Measuring Insulin Sensitivity’, *Biological Research for Nursing*, Vol. 8(4), pp. 305–18.
- Uneke, CJ. (2010) ‘Soil transmitted helminth infections and schistosomiasis in school age children in sub-Saharan Africa: Efficacy of chemotherapeutic intervention since World Health Assembly resolution 2001’, *Tanzania Journal of Health Research*, 12(1), p. 11.
- Utzinger, J. Bergquist, R. Olveda R. Zhou, X-N. (2010). ‘Important Helminth Infections in Southeast Asia : Diversity, Potential for Control and Prospects for Elimination’, *Advances in Parasitology*, 72(10), pp. 1–30.
- Virkamäki, A. Ueki, K. Kahn, CR. (1999). ‘Protein – protein interaction in insulin signaling and the molecular mechanisms of insulin resistance’, *The Journal of Clinical Investigation*, 103(7), pp. 931-40.
- Wallace, TM., Levy, JC. Matthews, DR. (2007). ‘Use and Abuse of HOMA Modeling’, *Diabetes Care*, 50(3), pp. 152–163.
- Weisberg, SP. McCann, D. Desai, M. Rosenbaum, M. Leibel, RL. Ferrante Jr., AW. (2003). ‘Obesity is associated with macrophage accumulation’, *The Journal of Clinical Investigation* 112(12), pp. 1796-1806.
- WHO. (2020). *Water Sanitation & Hygiene for Accelerating and Sustaining Progress on Neglected Tropical Diseases*. Geneva: World Health Organization.
- Wilcox, G. (2005) ‘Insulin and Insulin Resistance’, *The Clinical Biochemist Reviews*, 26, pp. 19–39.

Wiria, AE. Sartono, E. Supali, T. Yazdanbakhsh, M. (2014). ‘Helminth Infections, Type-2 Immune Response, and Metabolic Syndrome’, *PLOS Pathogens*, 10(7), pp. 1–6.

Wiria, AE. Hamid, F. Wammes, LJ. Prasetyani, MA. Dekkers, OM. May, L. *et al.* (2015). ‘Infection with Soil-Transmitted Helminths Is Associated with Increased Insulin Sensitivity’, *PLOS One*, 10 (6), pp. 1–11.

Wiria, AE. Djuardi, Y. Supali, T. Sartono, E. Yazdanbakhsh, M. (2012). ‘Helminth infection in populations undergoing epidemiological transition: a friend or foe?’, *Seminars in Immunopathology*, 34, pp. 889–901.

Wu, D. Molofsky, AB. Liang, H-E. Ricardo-Gonzales, RR. Jouihan, HA. Bando, JK. *et al.* (2011). ‘Eosinophils Sustain Adipose Alternatively Activated Macrophages Associated with Glucose Homeostasis’, *Science Magazine*, pp. 243–7.

