

## DAFTAR PUSTAKA

- Alghamdi S., S. Al-Faifi, H. Migdadi, M. Khan, E. El-Harty dan M. Ammar. 2012. Molecular diversity assessment using sequence related amplified polymorphism (SRAP) markers in *Vicia faba* L. International Journal of Molecular Sciences, 13: 16457-16471.
- Allendorf, F.W dan G.H. Luikart. 2007. *Conservation and The Genetics of Population*. Blackwell Publishing. UK.
- Al-Rawashdeh, IM. 2011. Genetic Variability in a Medicinal Plant *Artemisia judaica* using Random Amplified Polymorphic DNA (RAPD) Markers. *Inter. J. Agri. Ecol.* 13:279-282.
- Anwar, A. 2014. *Andalas : Pohon Asli Sumatera yang Terlupakan*. Andalas Universitas Press.
- Anwar, A., Yusniawati, Sahadi, D. I., Afdillah. 2012. Study of Reproduction Pattern as A Starting Step of *Morus macroura* Miq. Prosiding Seminar Nasional Sumber Daya Genetik dan Pemuliaan Tanaman Bogor, BB Biogen (Pusat/Puslit.Puslitbang/Balai Besar) 6-7 hal : p. 640-447.
- Austin, Christopher P., M.D. 2020. *National Human Genome Research Institute*. About Genomics : Talking Glossary of Genetic Term : Open Reading Frame. <https://www.genome.gov/genetics-glossary/Open-Reading-Frame>
- Budak HRC, Shearman I, Parmaksiz RE, Gaussoin TP, Riosdan D (2004) Molecular characterization of Buffalograss germplasm using sequence-related amplified polymorphism markers. *Theor Appl Genet* 108:328–334
- Cai, X., Z. Feng, X. Zhang, W. Xu, B. Hou, dan X. Ding. 2011. Genetic diversity and population structure of an endangered orchid (*Dendrobium*

- loddigesii* Rolfe) from China revealed by SRAP markers. *Scientia Horticulturae*, 129: 877-881.
- Castonguay Y., J. Clouter, A. Bertrand, R. Michaud, dan S. Laberge. 2010. SRAP polymorphisms associated with superior freezing tolerance in alfalfa (*Medicago sativa* spp. *sativa*). *Theoretical and Applied Genetics*, 120: 1611-1619
- Chen, S., H. Meng, Z. Chenga, Y. Li, Y. Shaanxi, dan C. Hai. 2010. Identification of two SRAP markers linked to green skin color in cucumber. *Acta Horticulturae*, 859: 351-356.
- Chen, Y., G. Li, dan X.L. Wang. 2010. Genetic diversity of a germplasm collection of *Cucumis melo* L. using SRAP markers. *Hereditas*, 32: 744-751.
- Comlekcioglu, N., O. Simsek, M. Boncuk, dan Y. Aka-Kacar. 2010. Genetic characterization of heat tolerant tomato (*Solanum lycopersicon*) genotypes by SRAP and RAPD markers. *Genetics and Molecular Research*, 9: 2263-2274.
- Culley, T.M., L.E. Wallace, K.M. Gengler-Nowak and D.J. Crawford. 2002. A Comparison of Two Methods of Calculating Gst, A Genetic Measure of Population Differentiation. *American Journal of Botany*. 89(3):460-465.
- Dellaporta SL dan Calderon-Urrea A (1993). Sex determination in flowering plants. *Plant Cell* 5: 1241-1251.
- Devran, Z. dan O. Baysal. 2012. Genetic characterization of *Meloidogyne incognita* isolates from Turkey using sequence-related amplified polymorphism (SRAP). *Biologia*, 67: 535-539.
- Emza, T. R. 2019. Pembuktian Apomiks Pada Tanaman Andalas (*Morus macroura* Miq.) dengan Metode Penyungkupan Bunga Betina. Universitas Andalas. *Skripsi*
- Feng, N., Q. Xue, Q. Guo, R. Zhao, dan M. Guo. 2009. Genetic diversity and population structure of *Celosia argentea* and related species revealed by SRAP. *Biochemical Genetics*, 47: 521-532.

- Ferriol, M., B. Pico, dan F. Nuez. 2003. Genetic diversity of a germplasm collection of *Cucurbita pepo* using SRAP and AFLP markers. *Theoretical and Applied Genetics*, 107: 271-282.
- Ferriol, M., B. Pico, P. Cordova, dan F. Nuez. 2004. Molecular diversity of a germplasm collection of squash (*Cucurbita moschata*) determined by SRAP and AFLP markers. *Crop Science*, 44: 653-664.
- Gao, L., N. Liu, B. Huang, dan X. Hua. 2008. Phylogenetic analysis and genetic mapping of Chinese *Hedychium* using SRAP markers. *Scientia Horticulturae*, 117: 369-377.
- GBIF. 2020. <https://www.gbif.org/species/7262379>. Global Biodiversity Information Facility. (diakses tanggal 1 Maret 2020)
- Grant S, Hunkirchen B dan Saedler H (1994). Developmental differences between male and female flowers in the dioecious plant *Silene latifolia*. *Plant J*. 6: 471-480.
- Guo, D., J. Zhang, C. Liu, G. Zhang, M. Li, dan Q. Zhang. 2012. Genetic variability and relationships between and within grape cultivated varieties and wild species based on SRAP markers. *Tree Genetics & Genomes*, 8: 789-800.
- Guo, X., X. Wang, X. Yu, X. Sun, dan T. Zhou. 2011. Molecular identification and genetic variation of 13 herbaceous peony cultivars using SRAP markers. *Acta Horticulturae* 918: 333-340.
- Hale , A. L. , M. W. Farnham , M. N. Nzaramba , dan C. A. Kimbeng . 2007 . Heterosis for horticultural traits in broccoli. *Theoretical and Applied Genetics* 115 : 351 – 360 .
- Hedrick, P.W. 2005. A Standardized Genetic Differentiation Measure. *Evolution*. 59 (8):1633-1638.
- IUCN. 2020. <https://www.iucnredlist.org/>.The IUCN Red List of Threatened Species. (diakses tanggal 1 maret 2020)

- Jawati, Sri. 2006. Studi Variasi Morfologi Tumbuhan Andalas (*Morus macroura* Miq.) di Sumatra Barat. *Skripsi Sarjana Biologi*. FMIPA-UNAND. Padang.
- Kaewpongumpai, Sombhat; Supattra Poeaim; Ongkarn Vanijajiva. 2016. Sequence-Related Amplified Polymorphism (SRAP) analysis for studying genetic characterization of *Bouea macrophylla*. *Biodiversitas Journal of Biological Diversity* 17: 2085-472.
- Kamus Besar Bahasa Indonesia (KBBI). 2020. <https://kbbi.web.id/andalas> (diakses tanggal 3 April 2020)
- Kolmodin, L.A. and D.E. Birch. 2002. I Polymarase Chan Reaction Biology: PCR Cloning Protocols 2nd Edition, Edited by B.Y. Chen and H.W. Janes. Humana Press, Totowa, New Jersey. 192:9-12.
- Li Y, Fan X, Shi T, Zhang Z (2009) SRAP marker reveals genetic diversity in tartary buckwheat in China. *Front Agric* 3(4):383–387
- Li, G. and Quiros, C. F. 2001. Sequence-related amplified polymorphism (SRAP), a new marker system based on a simple PCR reaction: its application to mapping and gene tagging in *Brassica*. *Theoretical and applied genetics* 103: 455-461.
- Li, G., McVetty, P. B. and Quiros, C. F. 2013. SRAP molecular marker technology in plant science. *Plant breeding from laboratories to fields*. InTech.
- Li, H., C. Ruan, J.T. Eixeira da Silva, dan B. Liu. 2010. Associations of SRAP markers with dried-shrink disease resistance in a germplasm collection of sea buckthorn (*Hippophae L.*). *Genome*, 53: 447-457
- Makmur, Kurnia. 2019. Tingkat Polimorfisme Penanda RAPD dan SRAP Dalam Mendeteksi Keragaman *Ocimum*. Prosiding Seminar Nasional Biodiversitas Indonesia. <http://journal.uin-alauddin.ac.id/index.php/psb>. ISBN: 978-602-72245-4-4
- Maulidah, R., M. Oktavioni, E.N. Gozalia, R. Hidayati, B. Nova, D. Subositi, A.N. Sari, Y. Widayastuti, dan J. Jamsari. 2019. Genetic diversity and

- relationship of *Alpinia galanga* L. (Wild) in Indonesia using SRAP markers for genetic conservation strategy. *Asian Journal of Conservation Biology*, 8(1): 72-78.
- Michelmore R.W., Paran I., and Kesseli R.V. 1991. Identification of Markers Linked to Disease Resistance Genes by Bulked Segregant Analysis : A Rapid Method to Detect Markers in Specific Genomic Regions by Using Segregating Population. *Proc. Natl. Acad. Sci. USA*. 88 : 9828 – 9832.
- Ming R, Wang J, Moore PH and Paterson AH (2007). Sex chromosomes in flowering plants. *Am. J. Bot.* 94: 141-150.
- Miquel, F.A.W. 1862. *Sumatra III Zizne plantenwereld*. Amsterdam. Hal 414.
- Mishra MK, Narayana S, Bhat AM, Nayani S, Kumar S, Kumar A (2011) Genetic molecular analysis of Coffea arabica (Rubiaceae) hybrids using SRAP markers. *Rev Biol Trop* 59(2):607–617
- Mishra, M., N. Suresh, A. Bhat, N. Suryaprakash, S. Kumar, A. Kumar, dan A. Jayarama .2011.Genetic molecular analysis of *Coffea arabica* (Rubiaceae) hybrids using SRAP markers. *Revista de Biología Tropical*, 59: 607-617.
- Noormohammadi, Z., F. Shojaei-Jesvaghani, M. Sheidai, F. Farahani, & O. Alishah. 2011. Inter simple sequence repeats (ISSR) and random amplified polymorphic DNA (RAPD) analyses of genetic diversity in Mehr cotton cultivar and its crossing progenies. *Afri. J. Biotech.* 10(56): 11839-11847.
- Oktavioni, M. R. Maulida, E.N. Gozalia, R. Hidayati, B. Nova, D. Subositi, A. Maruzy, S. Wahyono, dan J. Jamsari. 2019. *Sequence-Related Amplified Polymorphism (SRAP)* Molecular Marker for Identify Genetic Diversity of Indonesian Ginger (*Zingiber officinale* Roscoe). *Bioscience Research*, 16(3): 2897-2904.

- Pogson, G.H., C.T. Taggart, K.A. Mesa and R.G. Boutilier. 2001. Isolation By Distance in the Atlantic OD, *Gadus morhua* at Large and Small Geographic Scales. *Evolution*. 55(1):131-146.
- Robarts, D. W. H and A. D. Wolfe. 2014. Sequence-Related Amplified Polymorphism (SRAP) Markers : A Potential Resource for Studies in Plant Molecular Biology. *BioOne Research Evolved. Applications in Plant Sciences* 2 (7): 1400017
- Subositi, D dan R. Mujahid 2013. Karakterisasi Genetik Tempuyung (*Sonchus arvensis* L.) Berdasarkan Penanda Molekuler Sequence-Related Amplified Polymorphism. *Jurnal Biologi Indonesia* 9(2): 167-174
- Syamsuardi, Jamsari and D. Pohan. 2008. Genetic variation within population and gene flow between populations of *Morus macroura* Miq. var. *macroura* in West Sumatra. The sixth Regional IMT-GT Uninet Conference 2008, Penang
- Syamsuardi, Jamsari, S. Jawati. 2006. Karakterisasi Morfologi dan Molekuler Tanaman Andalas. Laporan Penelitian Hibah Dosen. LPPM Universitas Andalas
- Syamsuardi. 2015. Diversitas Morfologi dan Genetika Pohon Andalas (*Morus macroura* Miq.) Flora Identitas Sumatra Barat, dan Pemanfaatannya Secara Berkelanjutan. *ITTO Projrct PD 710/13 rev.1 (F)* ISBN: 978-602-193187-5
- Tingey, S.V., J.A. Rafalski and M.K. Hanafey. 1994. Genetic Analysis with RAPD Markers. In: Coruzzi, G. and P. Puigdomenech (Eds.). *Plant Molecular Biology*. H 81.
- Uzun , A. , T. Yesiloglu , Y. Aka-Kacar , O. Tuzcu , And O. Gulsen . 2009 .Genetic diversity and relationships within *Citrus* and related genera based on sequence related amplified polymorphism markers (SRAPs). *Scientia Horticulturae* 121 : 306 – 312 .

- Uzun A., T. Yesiloglu, I. Polat, Y. Aka-Kacar, O. Gulsen, B. Yildirim, O. Tuzcu, et al. 2011. Evaluation of genetic diversity in lemons and some of their relatives based on SRAP and SSR markers. *Plant Molecular Biology Reporter*, 29: 693-701.
- Uzun A., T. Yesiloglu, Y. Aka-Kacar, O. Tuzcu, O. Gulsen, G. Kafa, B. Yildirim, dan S. Anil. 2011. Genetic diversity of grapefruit and pummelo accessions based on SRAP markers. *Acta Horticulturae*, 892: 49-56.
- Uzun A., T. Yesiloglu, Y. Aka-Kacar, O. Tuzcu, O. Gulsen, U. Seday, dan I. Canan. 2011. Genetic diversity and relationships of clementine mandarin accessions as assessed using SRAP markers. *Acta Horticulturae* 892: 65-72.
- Wu, Q., Y. Chen, Y. Wang and L. Lin. 2015. Sex differential marker FD for rapid sex identification of *Litsea cubeba*. *Genetics and Molecular Research* (14) 4 : 12820 – 12827
- Yeboah MA, Xuehao C, Feng CR, Liang G, Gu M (2007) A genetic linkage map of cucumber (*Cucumis sativus* L) combining SRAP and ISSR markers. *Afr J Biotechnol* 6(24):2784–2791
- Yeh, F., Yang, R., Boyle, T., Ye, Z. and Mao, J. 1997. *POPGENE, the user-friendly shareware for population genetic analysis*. Edmonton, Alberta, Canada. Molecular Biology and Biotechnology Centre, University of Alberta, Canada
- Zhang W, He H, Guan Y, Hui D, Yuan L, Li Z, Yao D, Pan J, Cai R (2010) Identification and mapping of molecular markers linked to the tuberculate fruit gene in the cucumber (*Cucumis sativus* L.). *Theor Appl Genet* 120:645–654
- Zhou Y, Wang X, Zhang X (2011) Development and application of a SRAP marker for the identification of sex in *Buchloe dactyloides*. *Euphytica* 181:261–266