

DAFTAR PUSTAKA

- Abbaszadeh, F., Kafaei Atrian, M., Masoudi Alavi, N., Bagheri, A., Sadat, Z., & Karimian, Z. (2013). Relationship between quality of life and depression in pregnant women. *Nursing and midwifery studies*, 2(2), 193-197. doi: 10.5812/nms.8518
- Abraham P. Francis, Venkat Pulla, & Goel, K. (2014). *Community Development and Mental Health Promotion*. Bangalore: Niruta Publications.
- Aday, L., & Cornelius, L. (2006). *Deciding who will be in the sample. In designing and Conducting Health Survey A Comprehensive Guide Third Edition*. California: Josey Bass
- Adler, R., Proctor, R., & Towne, N. (2005). Looking out, looking in (11*^ éd.). *Belmont, CA: Thomson Wadsworth*.
- Agapidaki, E., Souliotis, K., Jackson, S. F., Benetou, V., Christogiorgos, S., Dimitrakaki, C., & Tountas, Y. (2014). Pediatricians' and health visitors' views towards detection and management of maternal depression in the context of a weak primary health care system: a qualitative study. *BMC psychiatry*, 14(1), 108.
- Albee, G. W., & Ryan-Finn, K. D. (1993). An overview of primary prevention. *Journal of Counseling & Development*, 72(2), 115-123.
- Andersson, L., Sundström-Poromaa, I., Bixo, M., Wulff, M., Bondestam, K., & Åström, M. (2003). Point prevalence of psychiatric disorders during the second trimester of pregnancy: A population-based study. *American Journal of Obstetrics and Gynecology*, 189(1), 148-154. doi: <https://doi.org/10.1067/mob.2003.336>
- Anindyajati, G., Ismail, R. I., Datri, H., & Elvira, S. D. (2017). Antenatal Depression and Its Determinant Factors in Urban Community Setting. *Advanced Science Letters*, 23(4), 3439-3441.
- Antonovsky, A. (1987). Unraveling the mystery of health. *San Francisco*, 175.
- Arch, J. J. (2013). Pregnancy-specific anxiety: which women are highest and what are the alcohol-related risks? *Comprehensive psychiatry*, 54(3), 217-228.
- Arteaga, S., Caton, L., & Gomez, A. M. (2019). Planned, unplanned and in-between: the meaning and context of pregnancy planning for young people. *Contraception*, 99(1), 16-21.
- Ashley, J. M., Harper, B. D., Arms-Chavez, C. J., & LoBello, S. G. (2016). Estimated prevalence of antenatal depression in the US population. *Archives of women's mental health*, 19(2), 395-400.
- Astria, Y. (2009). Hubungan karakteristik Ibu Hamil Trimester III dengan kecemasan menghadapi persalinan di Poliklinik Kebidanan dan Kandungan Rumah Sakit X Jakarta. *Diunduh dari <http://perpus.fkik.uinjkt.ac.id>*.
- Atif, N., Lovell, K., & Rahman, A. (2015). *Maternal mental health: The missing "m" in the global maternal and child health agenda*. Paper presented at the Seminars in perinatology.
- Atkins, R. (2010). Self-efficacy and the promotion of health for depressed single mothers. *Mental Health in Family Medicine*, 7(3), 155.

- Austin, M.-P. (2010). Classification of mental health disorders in the perinatal period: future directions for DSM-V and ICD-11. *Archives of women's mental health*, 13(1), 41-44.
- Austin, M.-P., Colton, J., Priest, S., Reilly, N., & Hadzi-Pavlovic, D. (2013). The Antenatal Risk Questionnaire (ANRQ): Acceptability and use for psychosocial risk assessment in the maternity setting. *Women and Birth*, 26(1), 17-25. doi: <https://doi.org/10.1016/j.wombi.2011.06.002>
- Austin, M. P., Reilly, N., & Sullivan, E. (2012). The need to evaluate public health reforms: Australian perinatal mental health initiatives. *Aust N Z J Public Health*, 36(3), 208-211. doi: 10.1111/j.1753-6405.2012.00851.x
- Ayu, I. P., Rachmawati, I. N., & Ungsianik, T. (2019). Maternal age as a main factor influencing prenatal distress in Indonesian Primigravida. *Enfermeria clinica*, 29, 310-314.
- Azimi, M., Fahami, F., & Mohamadirizi, S. (2018). The Relationship between Perceived Social Support in the First Pregnancy and Fear of Childbirth. *Iranian journal of nursing and midwifery research*, 23(3), 235-239. doi: 10.4103/ijnmr.IJNMR_170_16
- Bandura, A. (1977). Self-efficacy: toward a unifying theory of behavioral change. *Psychological review*, 84(2), 191.
- Bandura, A. (2004). Health promotion by social cognitive means. *Health education & behavior*, 31(2), 143-164.
- Bauer, A., Parsonage, M., Knapp, M., Iemmi, V., & Adelaja, B. (2014). Costs of perinatal mental health problems.
- Bayrampour, H., Hapsari, A. P., & Pavlovic, J. (2018). Barriers to addressing perinatal mental health issues in midwifery settings. *Midwifery*, 59, 47-58.
- Bayrampour, H., McDonald, S., & Tough, S. (2015). Risk factors of transient and persistent anxiety during pregnancy. *Midwifery*, 31(6), 582-589.
- Beebe, K. R., Lee, K. A., Carrieri-Kohlman, V., & Humphreys, J. (2007). The effects of childbirth self-efficacy and anxiety during pregnancy on prehospitalization labor. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 36(5), 410-418.
- Bennett, N., Blundell, J., Malpass, L., & Lavender, T. (2001). Midwives' views on redefining midwifery 2: public health. *British Journal of Midwifery*, 9(12), 743-746.
- Berentson-Shaw, J., Scott, K. M., & Jose, P. E. (2009). Do self-efficacy beliefs predict the primiparous labour and birth experience? A longitudinal study. *Journal of Reproductive and Infant Psychology*, 27(4), 357-373.
- Bilszta, J., Erickson, J., Buist, A., & Milgrom, J. (2010). Women's experience of postnatal depression-beliefs and attitudes as barriers to care. *Australian Journal of Advanced Nursing*, 27(3), 44.
- Blascovich, J., & Tomaka, J. (1991). Measures of self-esteem. *Measures of personality and social psychological attitudes*, 1, 115-160.
- Branch, R. M. (2009). *Instructional design: The ADDIE approach* (Vol. 722): Springer Science & Business Media.
- Broekman, B., Chan, Y., Chee, C., Keleher, V., Chen, H., Haley, C., . . . Meaney, M. (2012). P-1457-Association between mental health problems during the second trimester of pregnancy and birth length of the newborn. *European Psychiatry*, 27(S1), 1-1.

- Bruckner, T. A., Scheffler, R. M., Shen, G., Yoon, J., Chisholm, D., Morris, J., . . . Saxena, S. (2011). The mental health workforce gap in low-and middle-income countries: a needs-based approach. *Bulletin of the World Health Organization*, 89, 184-194.
- Campbell, V., & Nolan, M. (2019). 'It definitely made a difference': a grounded theory study of yoga for pregnancy and women's self-efficacy for labour. *Midwifery*, 68, 74-83.
- Cantwell, R., Clutton-Brock, T., Cooper, G., Dawson, A., Drife, J., Garrod, D., . . . McClure, J. (2011). Centre for Maternal and Child Enquiries (CMACE). Saving Mothers' Lives reviewing maternal deaths to make motherhood safer: 2006-2008. *The eighth report on confidential enquiries into maternal deaths in the United Kingdom. BJOG*, 118(Suppl 1), 1-203.
- Carlson, M. D., & Morrison, R. S. (2009). Study design, precision, and validity in observational studies. *Journal of palliative medicine*, 12(1), 77-82.
- Chen, G., Gully, S. M., & Eden, D. (2001). Validation of a new general self-efficacy scale. *Organizational research methods*, 4(1), 62-83.
- Cheng, H. L., Wang, C., McDermott, R. C., Kridel, M., & Rislin, J. L. (2018). Self-stigma, mental health literacy, and attitudes toward seeking psychological help. *Journal of Counseling & Development*, 96(1), 64-74.
- Cheng, Y., Luh, W.-M., & Guo, Y.-L. (2003). Reliability and validity of the Chinese version of the Job Content Questionnaire in Taiwanese workers. *International journal of behavioral medicine*, 10(1), 15-30.
- Chidarikire, S. (2012). Spirituality: The neglected dimension of holistic mental health care. *Advances in Mental Health*, 10(3), 298-302.
- Chung, T. K., Lau, T. K., Yip, A. S., Chiu, H. F., & Lee, D. T. (2001). Antepartum depressive symptomatology is associated with adverse obstetric and neonatal outcomes. *Psychosomatic medicine*, 63(5), 830-834.
- Clark, G. (2000). Discussing emotional health in pregnancy: the Edinburgh Postnatal Depression Scale. *British journal of community nursing*, 5(2), 91-98.
- Clarke, K., King, M., & Prost, A. (2013). Psychosocial interventions for perinatal common mental disorders delivered by providers who are not mental health specialists in low-and middle-income countries: a systematic review and meta-analysis. *PLoS Med*, 10(10), e1001541.
- Coates, D., & Foureur, M. (2019). The role and competence of midwives in supporting women with mental health concerns during the perinatal period: A scoping review. *Health & social care in the community*, 27(4), e389-e405.
- Conner, M., & Norman, P. (2005). *Predicting health behaviour*: McGraw-Hill Education (UK).
- Conner, M., & Sparks, P. (2005). Theory of Planned Behaviour and Health Behaviour In: Predicting Health behavior: Research and Practice with Social Cognition Models: Open University Press.
- Coopersmith, S. (1981). *Coopersmith Self-esteem Inventories: SEI*: Consulting Psychologists Press.
- Cox, C. L. (1986). The interaction model of client health behavior: Application to the study of community-based elders. *Advances in Nursing Science*, 9(1), 40-57. doi: 10.1097/00012272-198610000-00007

- Cox, J., Holden, J., & Henshaw, C. (2014). *Perinatal Mental Health: The Edinburgh Postnatal Depression Scale (EPDS) Manual (2nd edn)*: RCPsych publications.
- Cox, J., Holden, J., & Sagovsky, R. (1987). Edinburgh postnatal depression scale (EPDS). *Br J Psychiatry*, 150, 782-786.
- Creswell, J. W., & Clark, V. L. P. (2017). *Designing and conducting mixed methods research*: Sage publications.
- Crosby, R., & Noar, S. M. (2011). What is a planning model? An introduction to PRECEDE-PROCEED. *Journal of public health dentistry*, 71, S7-S15.
- Dennis, C.-L., & Vigod, S. (2019). Expanding midwifery's role to improve perinatal mental healthcare access. *Evidence Based Nursing*, 22(3), 72. doi: 10.1136/ebnurs-2018-103058
- Dennis, C. L., & Chung-Lee, L. (2006). Postpartum depression help-seeking barriers and maternal treatment preferences: A qualitative systematic review. *Birth*, 33(4), 323-331.
- Dick, W., & Carrey, L. (1985). *The Systematic Design Instruction. Second edition*. Illinois: Scott Foreman and Company.
- Dilks, F. M., & Beal, J. A. (1997). Role of self-efficacy in birth choice. *The Journal of perinatal & neonatal nursing*, 11(1), 1-9.
- Dongarwar, D., & Salihu, H. M. (2019). Influence of sexual and reproductive health literacy on single and recurrent adolescent pregnancy in Latin America. *Journal of pediatric and adolescent gynecology*, 32(5), 506-513.
- Earp, J. A., & Ennett, S. T. (1991). Conceptual models for health education research and practice. *Health education research*, 6(2), 163-171.
- Eddy, B. P., & Fife, S. T. (2020). Active husband involvement during pregnancy: A grounded theory. *Family Relations*.
- Ekawati, F. M., Emilia, O., Brennecke, S., Gunn, J., Licqurish, S., & Lau, P. (2020). Opportunities for improving hypertensive disorders of pregnancy (HDP) management in primary care settings: A review of international published guidelines in the context of pregnancy care in Indonesia. *Pregnancy Hypertension*, 19, 195-204.
- Elsenbruch, S., Benson, S., Hahn, S., Tan, S., Mann, K., Pleger, K., . . . Janssen, O. E. (2006). Determinants of emotional distress in women with polycystic ovary syndrome. *Human Reproduction*, 21(4), 1092-1099.
- Estrin, G. L., Ryan, E. G., Trevillion, K., Demilew, J., Bick, D., Pickles, A., & Howard, L. M. (2019). Young pregnant women and risk for mental disorders: findings from an early pregnancy cohort. *BJPsych open*, 5(2).
- Evans, D. R. (1997). Health promotion, wellness programs, quality of life and the marketing of psychology. *Canadian Psychology/Psychologie Canadienne*, 38(1), 1.
- Fairbrother, N., Janssen, P., Antony, M. M., Tucker, E., & Young, A. H. (2016). Perinatal anxiety disorder prevalence and incidence. *Journal of Affective Disorders*, 200, 148-155.
- Field, T., Diego, M., & Hernandez-Reif, M. (2006). Prenatal depression effects on the fetus and newborn: a review. *Infant Behavior and Development*, 29(3), 445-455.
- Fisher, J., Mello, M. C. d., Patel, V., Rahman, A., Tran, T., Holton, S., & Holmes, W. (2012). Prevalence and determinants of common perinatal mental

- disorders in women in low-and lower-middle-income countries: a systematic review. *Bulletin of the World Health Organization*, 90, 139-149.
- Fisher, J., Tran, T., Kriitmaa, K., Rosenthal, D., & Tran, T. (2010). Common perinatal mental disorders in northern Viet Nam: community prevalence and health care use. *Bulletin of the World Health Organization*, 88, 737-745.
- Fiske, S. T. (2012). Warmth and competence: Stereotype content issues for clinicians and researchers. *Canadian Psychology/Psychologie Canadienne*, 53(1), 14.
- Fiske, S. T., Cuddy, A. J., & Glick, P. (2007). Universal dimensions of social cognition: Warmth and competence. *Trends in cognitive sciences*, 11(2), 77-83.
- Foxcroft¹, K. F., Rowlands, I. J., Byrne, N. M., McIntyre, H. D., Callaway, L. K., & Group, B. (2011). Exercise in obese pregnant women: the role of social factors, lifestyle and pregnancy symptoms. *BMC pregnancy and childbirth*, 11(1), 4.
- Franks, W. L., Crozier, K. E., & Penhale, B. L. (2017). Women's mental health during pregnancy: A participatory qualitative study. *Women and Birth*, 30(4), e179-e187.
- Freed, R. D., Chan, P. T., Boger, K. D., & Tompson, M. C. (2012). Enhancing maternal depression recognition in health care settings: a review of strategies to improve detection, reduce barriers, and reach mothers in need. *Families, Systems, & Health*, 30(1), 1.
- Furnham, A., & Cheng, H. (2000). Lay theories of happiness. *Journal of happiness studies*, 1(2), 227-246.
- Gau, M.-L., Chang, C.-Y., Tian, S.-H., & Lin, K.-C. (2011). Effects of birth ball exercise on pain and self-efficacy during childbirth: a randomised controlled trial in Taiwan. *Midwifery*, 27(6), e293-e300.
- Geraghty, S., Doleman, G., & De Leo, A. (2019). Midwives' attitudes towards pregnant women using substances: Informing a care pathway. *Women and Birth*, 32(4), e477-e482.
- Ghebrehiwet, T., & Barrett, T. (2007). Nurses and mental health services in developing countries. *Lancet (London, England)*, 370(9592), 1016-1017.
- Ghony, M., & Almanshur, F. (2012). *Metodologi penelitian kualitatif*. Sleman: Ar-Ruzz Media.
- Gilmore, B., & McAuliffe, E. (2013). Effectiveness of community health workers delivering preventive interventions for maternal and child health in low- and middle-income countries: a systematic review. *BMC public health*, 13(1), 847.
- Goldberg, D. P., & Hillier, V. F. (1979). A scaled version of the General Health Questionnaire. *Psychological Medicine*, 9(1), 139-145.
- Goodman, J. H., & Tyer-Viola, L. (2010). Detection, treatment, and referral of perinatal depression and anxiety by obstetrical providers. *Journal of women's health*, 19(3), 477-490.
- Goutaudier, N., Séjourné, N., Rousset, C., Lami, C., & Chabrol, H. (2012). Negative emotions, childbirth pain, perinatal dissociation and self-efficacy

- as predictors of postpartum posttraumatic stress symptoms. *Journal of Reproductive and Infant Psychology*, 30(4), 352-362.
- Gross, D., & Rocissano, L. (1988). Maternal confidence in toddlerhood: Its measurement for clinical practice and research. *The Nurse Practitioner*, 13(3), 19-31.
- Hajmohamadi, N., Ghalichi, F., Aghdam, F. B., & Matlabi, H. (2018). The "Cooperative-Supportive" Intervention for Improving Mental Health Status among Pregnant Women. *Journal of caring sciences*, 7(2), 101.
- Haque, A. (2005). Mental health concepts and program development in Malaysia. *Journal of Mental Health*, 14(2), 183-195. doi: 10.1080/09638230500059997
- Hastings, R. P., & Symes, M. D. (2002). Early intensive behavioral intervention for children with autism: parental therapeutic self-efficacy. *Research in Developmental Disabilities*, 23(5), 332-341. doi: [https://doi.org/10.1016/S0891-4222\(02\)00137-3](https://doi.org/10.1016/S0891-4222(02)00137-3)
- Henderson, J., Carson, C., & Redshaw, M. (2016). Impact of preterm birth on maternal well-being and women's perceptions of their baby: a population-based survey. *BMJ open*, 6(10), e012676.
- Henshaw, E., Sabourin, B., & Warning, M. (2013). Treatment-seeking behaviors and attitudes survey among women at risk for perinatal depression or anxiety. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 42(2), 168-177.
- Higgins, A., Downes, C., Monahan, M., Gill, A., Lamb, S. A., & Carroll, M. (2018). Barriers to midwives and nurses addressing mental health issues with women during the perinatal period: The Mind Mothers study. *Journal of Clinical Nursing*, 27(9-10), 1872-1883.
- Hightet, N. J., Gemmill, A. W., & Milgrom, J. (2011). Depression in the perinatal period: awareness, attitudes and knowledge in the Australian population. *Australian & New Zealand Journal of Psychiatry*, 45(3), 223-231.
- Hinton, P. R. (2014). *Statistics explained*: Routledge.
- Hodgkinson, S., Godoy, L., Beers, L. S., & Lewin, A. (2017). Improving mental health access for low-income children and families in the primary care setting. *Pediatrics*, 139(1), e20151175.
- Howard, L. M. (2005). Fertility and pregnancy in women with psychotic disorders. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 119(1), 3-10.
- Howard, L. M., Piot, P., & Stein, A. (2014). No health without perinatal mental health. *The Lancet*, 384(9956), 1723-1724. doi: 10.1016/S0140-6736(14)62040-7
- Huang, H.-C., Sung, F.-C., Chen, P.-C., Chang, C. Y.-Y., Muo, C.-H., Shiue, H.-S., . . . Wu, S.-I. (2017). Obstetric outcomes in pregnant women with and without depression: population-based comparison. *Scientific reports*, 7(1), 1-9.
- Huang, L., Sauve, R., Birkett, N., Fergusson, D., & van Walraven, C. (2008). Maternal age and risk of stillbirth: a systematic review. *Cmaj*, 178(2), 165-172.

- Hübner-Liebermann, B., Hausner, H., & Wittmann, M. (2012). Recognizing and treating peripartum depression. *Deutsches Ärzteblatt International*, 109(24), 419.
- Hui Choi, W., Lee, G., Chan, C. H., Cheung, R. Y., Lee, I. L., & Chan, C. L. (2012). The relationships of social support, uncertainty, self-efficacy, and commitment to prenatal psychosocial adaptation. *Journal of Advanced Nursing*, 68(12), 2633-2645.
- Ickovics, J. R., Reed, E., Magriples, U., Westdahl, C., Schindler Rising, S., & Kershaw, T. S. (2011). Effects of group prenatal care on psychosocial risk in pregnancy: results from a randomised controlled trial. *Psychology and Health*, 26(2), 235-250.
- Idaiani, S., Kusumawardani, N., & Isfandari, S. (2018). THE DETERMINANTS OF PERINATAL DEPRESSION (PND) IN TEBET MERDEKA, JAKARTA AND SINDANGBARANG, BOGOR INDONESIA. *ASEAN Journal of Psychiatry*, 19(1).
- Ife, J. (2013). *Community development in an uncertain world*: Cambridge University Press.
- Ip, W. Y., Sin, L. L., & Chan, D. S. (2009). Contraceptive self-efficacy and contraceptive knowledge of Hong Kong Chinese women with unplanned pregnancy. *Journal of Clinical Nursing*, 18(17), 2416-2425.
- Jarrett, P. (2014). Attitudes of student midwives caring for women with perinatal mental health problems. *British Journal of Midwifery*, 22(10), 718-724.
- Jarrett, P. (2015). Student midwives' knowledge of perinatal mental health. *British Journal of Midwifery*, 23(1), 32-39.
- Johnson, A. R., George, M., Goud, B. R., & Sulekha, T. (2018). Screening for mental health disorders among pregnant women availing antenatal care at a government maternity hospital in Bengaluru city. *Indian journal of psychological medicine*, 40(4), 343-348.
- Jomeen, J., & Clark, N. (2014). Perinatal mental health. *Fundamentals of Midwifery: A Textbook for Students*.
- Jomeen, J., & Martin, C. R. (2005). Self-esteem and mental health during early pregnancy. *Clinical Effectiveness in Nursing*, 9(1-2), 92-95.
- Jones, I., Chandra, P. S., Dazzan, P., & Howard, L. M. (2014). Bipolar disorder, affective psychosis, and schizophrenia in pregnancy and the post-partum period. *The Lancet*, 384(9956), 1789-1799.
- Kammann, R., & Flett, R. (1983). Affectometer 2: A scale to measure current level of general happiness. *Australian journal of psychology*, 35(2), 259-265.
- Karasek, R., Brisson, C., Kawakami, N., Houtman, I., Bongers, P., & Amick, B. (1998). The Job Content Questionnaire (JCQ): an instrument for internationally comparative assessments of psychosocial job characteristics. *Journal of occupational health psychology*, 3(4), 322.
- Karkowsky, C. E., & Morris, L. (2016). Pregnant at work: time for prenatal care providers to act. *American Journal of Obstetrics and Gynecology*, 215(3), 306. e301-306. e305.
- Kemenkes, R. (2018). Laporan Nasional Risikesdas 2018. Jakarta: Kemenkes RI, 154-166.

- Khanlari, S., Barnett Am, B., Ogbo, F. A., & Eastwood, J. (2019). Re-examination of perinatal mental health policy frameworks for women signalling distress on the Edinburgh Postnatal Depression Scale (EPDS) completed during their antenatal booking-in consultation: a call for population health intervention. *BMC pregnancy and childbirth*, 19(1), 221-221. doi: 10.1186/s12884-019-2378-4
- Khorsandi, M., Ghofranipour, F., Heydarnia, A., Faghihzade, S., Akbarzade, A., & Vafaei, M. (2008). Survey of perceived self-efficacy in pregnant women. *Journal of Medical Council of Islamic Republic of IRAN*, 26(1), 89-95.
- Koole, S. L., & Pelham, B. W. (2003). On the nature of implicit self-esteem: The case of the name letter effect.
- Lachman, M. E., & Weaver, S. L. (1998). The sense of control as a moderator of social class differences in health and well-being. *Journal of Personality and social Psychology*, 74(3), 763.
- Lail, N., machmud, R., Yusrawati, Edwin, A., Mallongi, A. (2020). Relationship of Self Efficacy With Mental Health in Pregnant Mother in Bogor District, 2019 *Interciencia Journal*, 45(1), 4.
- Lancaster, C. A., Gold, K. J., Flynn, H. A., Yoo, H., Marcus, S. M., & Davis, M. M. (2010). Risk factors for depressive symptoms during pregnancy: a systematic review. *American Journal of Obstetrics and Gynecology*, 202(1), 5-14. doi: <https://doi.org/10.1016/j.ajog.2009.09.007>
- Larsen, R., & Plog, M. (2012). The effectiveness of childbirth classes for increasing self-efficacy in women and support persons. *International Journal of Childbirth*, 2(2), 107-114.
- Laughlin, L. L. (2011). *Maternity leave and employment patterns of first-time mothers: 1961-2008*: US Department of Commerce, Economics and Statistics Administration, US
- Legere, L. E., Wallace, K., Bowen, A., McQueen, K., Montgomery, P., & Evans, M. (2017). Approaches to health-care provider education and professional development in perinatal depression: a systematic review. *BMC pregnancy and childbirth*, 17(1), 239.
- Lemeshow, S., Hosmer, D. W., Klar, J., Lwanga, S. K., & Organization, W. H. (1990). *Adequacy of sample size in health studies*: Chichester: Wiley.
- Lowe, N. K. (1993). Maternal confidence for labor: Development of the childbirth self-efficacy inventory. *Research in nursing & health*, 16(2), 141-149.
- Lumley, J., & Austin, M.-P. (2003). Antenatal screening for postnatal depression: a systematic review.
- Macdonald, G. (1994). Self-esteem and the promotion of mental health. *Promotion of mental health*, 3, 19-20.
- MacDonald, G., & O'Hara, K. (1998). *Ten elements of mental health, its promotion and demotion: implications for practice*: Society of Health Education and Health Promotion Specialists.
- Macintyre, S., Ellaway, A., & Cummins, S. (2002). Place effects on health: how can we conceptualise, operationalise and measure them? *Social science & medicine*, 55(1), 125-139.

- Mann, M. M., Hosman, C. M., Schaalma, H. P., & De Vries, N. K. (2004). Self-esteem in a broad-spectrum approach for mental health promotion. *Health education research*, 19(4), 357-372.
- Manning, M. M., & Wright, T. L. (1983). Self-efficacy expectancies, outcome expectancies, and the persistence of pain control in childbirth. *Journal of Personality and social Psychology*, 45(2), 421.
- Marcelina, L. A., Rachmawati, I. N., & Ungsianik, T. (2019). Dissatisfaction with the husband support increases childbirth fear among Indonesian primigravida. *Enfermeria clínica*, 29, 379-383.
- Marks, L. (2017). Overview of challenges to implementation of good practice in perinatal mental health promotion and management, in universal primary care and community services. *Journal of Public Mental Health*, 16(3), 100-103.
- Marques, J. F., & McCall, C. (2005). The application of interrater reliability as a solidification instrument in a phenomenological study. *The Qualitative Report*, 10(3), 439-462.
- Marsh, H. W. (2014). Academic self-concept: Theory, measurement, and research *Psychological Perspectives on the Self, Volume 4* (pp. 71-110): Psychology Press.
- Matthey, S., & Ross-Hamid, C. (2012). Repeat testing on the Edinburgh Depression Scale and the HADS-A in pregnancy: differentiating between transient and enduring distress. *Journal of Affective Disorders*, 141(2-3), 213-221.
- McCauley, K., Elsom, S., MUIR-COCHRANE, E., & Lyneham, J. (2011). Midwives and assessment of perinatal mental health. *Journal of Psychiatric and Mental Health Nursing*, 18(9), 786-795.
- McManus, S., Gunnell, D., Cooper, C., Bebbington, P. E., Howard, L. M., Brugha, T., . . . Appleby, L. (2019). Prevalence of non-suicidal self-harm and service contact in England, 2000–14: repeated cross-sectional surveys of the general population. *The Lancet Psychiatry*, 6(7), 573-581.
- Mollart, L., Newing, C., & Foureur, M. (2009). Midwives' emotional wellbeing: impact of conducting a structured antenatal psychosocial assessment (SAPSA). *Women and Birth*, 22(3), 82-88.
- Mongan, D., Lynch, J., Hanna, D., Shannon, C., Hamilton, S., Potter, C., . . . Mulholland, C. (2019). Prevalence of self-reported mental disorders in pregnancy and associations with adverse neonatal outcomes: a population-based cross-sectional study. *BMC pregnancy and childbirth*, 19(1), 412. doi: 10.1186/s12884-019-2572-4
- Montano, D. E., & Kasprzyk, D. (2015). Theory of reasoned action, theory of planned behavior, and the integrated behavioral model. In K. Glanz, B. K. Rimer & F. M. Lewis (Eds.), *Health behavior: Theory, research and practice* California: John Wiley and Sons.
- Nency, A. (2018). Pengaruh Peran Bidan, Peran Keluarga, Persepsi Ibu, Konsep Diri Stres Pada Ibu Hamil Primigravida. *Jurnal Ilmiah Kebidanan Indonesia*, 8(2), 10. doi: <https://doi.org/10.33221/jiki.v8i02.153>
- NICE. (2014). Antenatal and postnatal mental health: clinical management and service guidance. London: National Institute for Health and Care Excellence.

- Noonan, M., Jomeen, J., Galvin, R., & Doody, O. (2018). Survey of midwives' perinatal mental health knowledge, confidence, attitudes and learning needs. *Women and Birth*, 31(6), e358-e366.
- Notoatmodjo, S. (2012). Promosi kesehatan dan perilaku kesehatan. *Jakarta: rineka cipta*, 45-62.
- O'hanlon, A., Ratnaike, D., Parham, J., Kosky, R., & Martin, G. (2002). *Building Capacity for Mental Health: A Two and a Half Year Follow-Up of the Auseinet Reorientation of Services Projects*: ERIC.
- O'Hara, M. W., & Wisner, K. L. (2014). Perinatal mental illness: Definition, description and aetiology. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 28(1), 3-12. doi: <https://doi.org/10.1016/j.bpobgyn.2013.09.002>
- O'Mahen, H. A., & Flynn, H. A. (2008). Preferences and perceived barriers to treatment for depression during the perinatal period. *Journal of women's health*, 17(8), 1301-1309.
- Patel, V., Rahman, A., Jacob, K., & Hughes, M. (2004). Effect of maternal mental health on infant growth in low income countries: new evidence from South Asia. *Bmj*, 328(7443), 820-823.
- Pawlby, S., Hay, D. F., Sharp, D., Waters, C. S., & O'Keane, V. (2009). Antenatal depression predicts depression in adolescent offspring: prospective longitudinal community-based study. *Journal of Affective Disorders*, 113(3), 236-243.
- Pearlin, L. I., Menaghan, E. G., Lieberman, M. A., & Mullan, J. T. (1981). The stress process. *Journal of Health and Social behavior*, 337-356.
- Pearson, R. M., Carnegie, R. E., Cree, C., Rollings, C., Rena-Jones, L., Evans, J., . . . Lawlor, D. A. (2018). Prevalence of prenatal depression symptoms among 2 generations of pregnant mothers: the Avon longitudinal study of parents and children. *JAMA network open*, 1(3), e180725-e180725.
- Phillips, L. (2015). Assessing the knowledge of perinatal mental illness among student midwives. *Nurse education in practice*, 15(6), 463-469.
- Pilkington, P., Milne, L., Cairns, K., & Whelan, T. (2016). Enhancing reciprocal partner support to prevent perinatal depression and anxiety: a Delphi consensus study. *BMC psychiatry*, 16, 23-23. doi: 10.1186/s12888-016-0721-0
- Podvornik, N., Velikonja, V. G., & Praper, P. (2015). Depression and Anxiety in Women During Pregnancy in Slovenia/Depresija In Anksioznost Pri Ženskah Med Nosečnostjo V Sloveniji. *Slovenian Journal of Public Health*, 54(1), 45-50.
- Pulla, V. (2012). What are strengths based practices all about. *Papers in strengths based practice*, 1-18.
- Puspasari, J., Rachmawati, I. N., & Budiati, T. (2018). Family support and maternal self-efficacy of adolescent mothers. *Enfermeria clinica*, 28, 227-231.
- Rahimparvar, S. F. V., Hamzehkhani, M., Geranmayeh, M., & Rahimi, R. (2012). Effect of educational software on self-efficacy of pregnant women to cope with labor: a randomized controlled trial. *Archives of gynecology and obstetrics*, 286(1), 63-70.

- Rahman, A., Fisher, J., Bower, P., Luchters, S., Tran, T., Yasamy, M. T., . . . Waheed, W. (2013). Interventions for common perinatal mental disorders in women in low-and middle-income countries: a systematic review and meta-analysis. *Bulletin of the World Health Organization*, 91, 593-601I.
- Randal, C., Pratt, D., & Bucci, S. (2015). Mindfulness and Self-esteem: A Systematic Review. *Mindfulness*, 6(6), 1366-1378. doi: 10.1007/s12671-015-0407-6
- Recto, P., & Champion, J. D. (2018). "We Don't Want to be Judged": Perceptions about Professional Help and Attitudes Towards Help-Seeking among Pregnant and Postpartum Mexican-American Adolescents. *Journal of pediatric nursing*, 42, 111-117.
- Reihana, M. R., & Yanwirasti, D. A. (2016). Simulator model for risk prediction of below the red line at under five in Lampung Province. *Int J Appl or Innov Eng Manag*, 5(2), 1-4.
- Reitzes, D. C., & Mutran, E. J. (2006). Self and Health: Factors That Encourage Self-Esteem and Functional Health. *The Journals of Gerontology: Series B*, 61(1), S44-S51. doi: 10.1093/geronb/61.1.S44
- Rezaee, R., & Framarzi, M. (2014). Predictors of mental health during pregnancy. *Iranian journal of nursing and midwifery research*, 19(7 Suppl1), S45.
- Rinata, E., & Andayani, G. A. (2018). Karakteristik ibu (usia, paritas, pendidikan) dan dukungan keluarga dengan kecemasan ibu hamil trimester III. *Medisains*, 16(1), 14-20.
- Robertson, E., Grace, S., Wallington, T., & Stewart, D. E. (2004). Antenatal risk factors for postpartum depression: a synthesis of recent literature. *General hospital psychiatry*, 26(4), 289-295.
- Robins, R. W., Handin, H. M., & Trzesniewski, K. H. (2001). Measuring global self-esteem: Construct validation of a single-item measure and the Rosenberg Self-Esteem Scale. *Personality and social psychology bulletin*, 27(2), 151-161.
- Rodríguez-Vignoli, J., & Cavenaghi, S. (2014). Adolescent and youth fertility and social inequality in Latin America and the Caribbean: what role has education played? *genus*, 70(1).
- Rook, K. S., & Dooley, D. (1985). Applying social support research: Theoretical problems and future directions. *Journal of Social Issues*, 41(1), 5-28.
- Rose, V. K., & Thompson, L. M. (2012). Space, place and people: a community development approach to mental health promotion in a disadvantaged community. *Community development journal*, 47(4), 604-611.
- Rosenberg, M. (1965). Rosenberg self-esteem scale (RSE). *Acceptance and commitment therapy. Measures package*, 61(52), 18.
- Ross-Davie, M., Elliott, S., Sarkar, A., & Green, L. (2006). A public health role in perinatal mental health: are midwives ready? *British Journal of Midwifery*, 14(6), 330-334.
- Rothena, I., & Oates, M. (2011). Managing perinatal mental health: A survey of practitioners' views. *British Journal of Midwifery*, 19(5), 304-313.
- Rusli, R. A., Meiyuntariningsih, T., & Warni, W. E. (2012). Perbedaan depresi pasca melahirkan pada ibu primipara ditinjau dari usia ibu hamil. *Jurnal Insan Media Psikologi*, 13(1).

- Sadeghi Aval Shahr, H., Moosavi Sahebalzamani, S., Jahdi, F., Neisani Samani, L., & Haghani, H. (2014). Relationship between Perceived Social Support in First Pregnancy with Birth Satisfaction in Primigravid Women Referred to Shahid Akbar Abadi Hospital. *Preventive Care in Nursing & Midwifery Journal*, 4(1), 11.
- Samlani, Z., Lemfadli, Y., Errami, A. A., Oubaha, S., & Krati, K. (2020). The Impact of the COVID-19 Pandemic on Quality of Life and Well-Being in Morocco. *Preprints*.
- Santos, P. C. (2016). Physical activity and self-esteem during pregnancy. *Diss. University of Porto, Porto, Portugal*.
- Saraceno, B., van Ommeren, M., Batniji, R., Cohen, A., Gureje, O., Mahoney, J., . . . Underhill, C. (2007). Barriers to improvement of mental health services in low-income and middle-income countries. *The Lancet*, 370(9593), 1164-1174. doi: [https://doi.org/10.1016/S0140-6736\(07\)61263-X](https://doi.org/10.1016/S0140-6736(07)61263-X)
- Sarafino, E. P. (1998). *Health Psychology, Third Edition*, New York, John Wiley & Sons.
- Schwartz, L., Toohill, J., Creedy, D. K., Baird, K., Gamble, J., & Fenwick, J. (2015). Factors associated with childbirth self-efficacy in Australian childbearing women. *BMC pregnancy and childbirth*, 15(1), 29.
- Setyaningsih, M., Setyowati, S., & Kuntarti, K. (2013). Penurunan Kecemasan Ibu Hamil Risiko Tinggi Dalam Menghadapi Persalinan Melalui Paket "Harmoni". *Jurnal Keperawatan Indonesia*, 16(3), 176-182.
- Sieber, S., Germann, N., Barbir, A., & Ehlert, U. (2006). Emotional well-being and predictors of birth-anxiety, self-efficacy, and psychosocial adaptation in healthy pregnant women. *Acta obstetricia et gynecologica Scandinavica*, 85(10), 1200-1207.
- Sigurdardottir, V. L., Gamble, J., Gudmundsdottir, B., Kristjansdottir, H., Sveinsdottir, H., & Gottfredsdottir, H. (2017). The predictive role of support in the birth experience: A longitudinal cohort study. *Women and Birth*, 30(6), 450-459.
- Simkhada, B., Sharma, G., Pradhan, S., Van Teijlingen, E., Ireland, J., Simkhada, P., & Devkota, B. (2016). Needs assessment of mental health training for Auxiliary Nurse Midwives: a cross-sectional survey. *Journal of Manmohan Memorial Institute of Health Sciences*, 2, 20-26.
- Slade, P., Escott, D., Spiby, H., Henderson, B., & Fraser, R. (2000). Antenatal predictors and use of coping strategies in labour. *Psychology and Health*, 15(4), 555-569.
- Smedley, B. D., & Syme, S. L. (2000). Behavioral and social science contributions to the health of adults in the United States *Promoting health: Intervention strategies from social and behavioral research*: National Academies Press (US).
- Smith, E. R., Seger, C. R., & Mackie, D. M. (2007). Can emotions be truly group level? Evidence regarding four conceptual criteria. *Journal of Personality and social Psychology*, 93(3), 431.
- Soet, J. E., Brack, G. A., & DiIorio, C. (2003). Prevalence and predictors of women's experience of psychological trauma during childbirth. *Birth*, 30(1), 36-46.

- Somerville, S., Dedman, K., Hagan, R., Oxnam, E., Wettinger, M., Byrne, S., . . .
- Page, A. C. (2014). The Perinatal Anxiety Screening Scale: development and preliminary validation. *Archives of women's mental health*, 17(5), 443-454. doi: 10.1007/s00737-014-0425-8
- Spedding, M. F., Stein, D. J., Naledi, T., & Sorsdahl, K. (2018). Pregnant women's mental health literacy and perceptions of perinatal mental disorders in the Western Cape, South Africa. *Mental Health & Prevention*, 11, 16-23.
- Spitzberg, B. H., & Hecht, M. L. (1984). A component model of relational competence. *Human Communication Research*, 10(4), 575-599.
- Stajkovic, A. D. (2006). Development of a core confidence-higher order construct. *Journal of Applied Psychology*, 91(6), 1208.
- Stajkovic, A. D., & Sommer, S. M. (2000). Self-efficacy and causal attributions: Direct and Reciprocal Links. *Journal of Applied Social Psychology*, 30(4), 707-737.
- Stein, A., Pearson, R. M., Goodman, S. H., Rapa, E., Rahman, A., McCallum, M., . . . Pariante, C. M. (2014). Effects of perinatal mental disorders on the fetus and child. *The Lancet*, 384(9956), 1800-1819.
- Stewart-Brown, S. (2002). Measuring the parts most measures do not reach: a necessity for evaluation in mental health promotion. *J Mental Health Promot*, 1, 4-9.
- Straub, D., Boudreau, M.-C., & Gefen, D. (2004). Validation guidelines for IS positivist research. *Communications of the Association for Information systems*, 13(1), 24.
- Sugiyono, P. D. (2010). Metode penelitian pendidikan. *Pendekatan Kuantitatif*.
- Sukhato, K., Wongrathanandha, C., Thakkinstian, A., Dellow, A., Horsuwansak, P., & Anothaisintawee, T. (2015). Efficacy of additional psychosocial intervention in reducing low birth weight and preterm birth in teenage pregnancy: A systematic review and meta-analysis. *Journal of adolescence*, 44, 106-116.
- Sullivan, A., Raynor, M., & Oates, M. (2003). Why mothers die: perinatal mental health. *British Journal of Midwifery*, 11(5), 310-312.
- Sun, Y.-C., Hung, Y.-C., Chang, Y., & Kuo, S.-C. (2010). Effects of a prenatal yoga programme on the discomforts of pregnancy and maternal childbirth self-efficacy in Taiwan. *Midwifery*, 26(6), e31-e36.
- Svensson, J., Barclay, L., & Cooke, M. (2009). Randomised-controlled trial of two antenatal education programmes. *Midwifery*, 25(2), 114-125.
- Swarbrick, M. (2006). A wellness approach. *Psychiatric rehabilitation journal*, 29(4), 311.
- Taherdoost, H. (2016). Validity and reliability of the research instrument; how to test the validation of a questionnaire/survey in a research. *How to Test the Validation of a Questionnaire/Survey in a Research* (August 10, 2016).
- Talge, N. M., Neal, C., Glover, V., Early Stress, T. R., Fetal, P. S. N., Child, N. E. o., & Health, A. M. (2007). Antenatal maternal stress and long-term effects on child neurodevelopment: how and why? *Journal of Child Psychology and Psychiatry*, 48(3-4), 245-261.

- Thapa, S. B., Mainali, A., Schwank, S. E., & Acharya, G. (2020). Maternal mental health in the time of the COVID-19 pandemic. *99*(7), 817-818. doi: 10.1111/aogs.13894
- Thome, S. (1998). Ethical and representational issues in qualitative secondary analysis. *Qualitative health research*, 8(4), 547-555.
- Thornton, D., Guendelman, S., & Hosang, N. (2010). Obstetric complications in women with diagnosed mental illness: the relative success of California's county mental health system. *Health services research*, 45(1), 246-264.
- Toohill, J., Fenwick, J., Gamble, J., Creedy, D. K., Buist, A., Turkstra, E., & Ryding, E. L. (2014). A randomized controlled trial of a psycho-education intervention by midwives in reducing childbirth fear in pregnant women. *Birth*, 41(4), 384-394.
- Tran, N. T., Portela, A., de Bernis, L., & Beek, K. (2014). Developing capacities of community health workers in sexual and reproductive, maternal, newborn, child, and adolescent health: a mapping and review of training resources. *PloS one*, 9(4), e94948.
- Trihono. (2016). *Evidence Summit on Reducing Maternal and Neonatal Mortality in Indonesia 2016-2017*. Jakarta: Akademi Ilmu Pengetahuan Indonesia.
- Tudor, K. (1996). *Mental health promotion: Paradigms and practice*: psychology press.
- Vigod, S., Kurdyak, P., Dennis, C., Gruneir, A., Newman, A., Seeman, M., . . . Ray, J. (2014). Maternal and newborn outcomes among women with schizophrenia: a retrospective population-based cohort study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(5), 566-574.
- Watson, J., Elliott, S., Rugg, A., & Brough, D. (1984). Psychiatric disorder in pregnancy and the first postnatal year. *The British Journal of Psychiatry*, 144(5), 453-462.
- WHO. (2001). *The World Health Report 2001: Mental health: new understanding, new hope*: World Health Organization.
- Wibowo, A. (2014). *Metodologi penelitian praktis bidang kesehatan*. Jakarta: PT. RajaGrafindo Persada.
- Williams, D. M. (2010). Outcome expectancy and self-efficacy: Theoretical implications of an unresolved contradiction. *Personality and Social Psychology Review*, 14(4), 417-425.
- Wilson, J. (2014). *Essentials of business research: A guide to doing your research project*: Sage.
- Wisner, K. L., Sit, D. K., Hanusa, B. H., Moses-Kolko, E. L., Bogen, D. L., Hunker, D. F., . . . Singer, L. T. (2009). Major depression and antidepressant treatment: impact on pregnancy and neonatal outcomes. *American Journal of psychiatry*, 166(5), 557-566.
- World Health Organization. (2005). *Promoting mental health: concepts, emerging evidence, practice: a report of the World Health Organization, Department of Mental Health and Substance Abuse in collaboration with the Victorian Health Promotion Foundation and the University of Melbourne*: World Health Organization.
- World Health Organization. (2020). Maternal Mental Health. 2020, from https://www.who.int/mental_health/maternal-child/maternal_mental_health/en/

- Xiang, M., Zhang, Z., & Liang, H. (2020). Sedentary behavior relates to mental distress of pregnant women differently across trimesters: An observational study in China. *Journal of Affective Disorders*, 260, 187-193.
- Zimmerman, B. J. (2000). Self-efficacy: An essential motive to learn. *Contemporary educational psychology*, 25(1), 82-91.
- Zubrick, S. R., Williams, A., Silburn, S., & Vimpani, G. (2000). Indicators of social and family functioning.
- Zuckerman, B., Amaro, H., Bauchner, H., & Cabral, H. (1989). Depressive symptoms during pregnancy: relationship to poor health behaviors. *American Journal of Obstetrics and Gynecology*, 160(5), 1107-1111.

