

BIBLIOGRAPHY

- [1] T. Wahyudi and D. Sugiyana, “Pembuatan Serat Nano Menggunakan Metode Electrospinning,” *Arena Tekst.*, vol. 26, no. 1, 2011, doi: 10.31266/at.v26i1.1439.
- [2] D. R. Salem, “Electrospinning of nanofibers and the charge injection method,” *Nanofibers Nanotechnol. Text.*, no. December 2007, pp. 3–21, 2007, doi: 10.1533/9781845693732.1.3.
- [3] M. Kurečič and M. Sfiligoj Smole, “Electrospinning: Nanofibre Production Method,” *Tekstilec*, vol. 56, no. 1, pp. 4–12, 2013, doi: 10.14502/tekstilec2013.56.4-12.
- [4] E. S. M. Wika Putri Adriani¹, Idha Ardianingtiyas², Nurul Husna Wulansari³, Dian Nur'aini Safitri⁴, Ike Primalia AP⁵, “Test Utilization of Leaf Binahong (Anredera Cardifolia (Tenore) Steenis) Gingival Wound Healing Process Wistar rats (Rattus Norvegicus) Through Observation Density of The Collagen Fibers and The Thickness of Epithelium Wika,” vol. 1, no. 2, pp. 10–16, 2012.
- [5] V. B. Gupta and V. K. Kothari, *Manufactured Fibre Technology*, 1st ed. Springer Netherlands, 1997.
- [6] J. Liedner, *Plastic Waste, Recovery of Economic Value*. New York: Marcel Dekker Inc., 1981.
- [7] S. A. Ravandi, C. Gandhimathi, M. Valizadeh, and S. Ramakrishna, “Application of Electrospun Natural Biopolymer Nanofibers,” *Curr. Nanosci.*, vol. 9, no. 4, pp. 423–433, 2013, doi: 10.2174/1573413711309040002.
- [8] D. H. Reneker and I. Chun, “Nanometre diameter fibres of polymer, produced by electrospinning,” vol. 7, pp. 216–223, 1996.
- [9] A. Mohan, “Formation and Characterization of Electrospun Nonwoven webs,” *Text. Manag. Technol.*, 2002.
- [10] N. Z. A. Al-Hazeem, “Nanofibers and Electrospinning Method,” *Intech*, vol. i, no. tourism, p. 13, 2012, doi: 10.1016/j.colsurfa.2011.12.014.
- [11] D. A. Ma, H.; Zeng, J.; Realff, M. L.; Kumar, S.; Schiraldi, “Composites Science and Technology,” p. 63, 2003.
- [12] I et al., “Classification of Electrospinning Methods,” *Intech*, vol. i, no. tourism, p. 13, 2012, doi: 10.1016/j.colsurfa.2011.12.014.
- [13] C. C. et Al., “Controlling Surface Morphology of Electrospun Polystyrene Fibers: Effect of Humidity and Molecular Weight in the Electrospinning Process,” *Macromolecules*, no. 37(2), pp. 573–578, 2004.

- [14] C.-H. E. Nezarati RM, Eifert MB, “Effects of humidity and solution viscosity on electrospun fiber morphology,” *Tissue Eng. Part C Methods*, vol. 19(10), pp. 810–819, 2013.
- [15] M. R., T. K., J. J., and S. Jin, “Electrospun Nanofibers in Tissue Engineering,” *Nanofibers - Prod. Prop. Funct. Appl.*, no. June 2014, 2011, doi: 10.5772/24095.
- [16] J. S. Park, “Electrospinning and its applications,” *Adv. Nat. Sci. Nanosci. Nanotechnol.*, vol. 1, no. 4, 2010, doi: 10.1088/2043-6262/1/4/043002.
- [17] Bruce, “Kajian Teori Binahong,” *J. Chem. Inf. Model.*, vol. 53, no. 9, pp. 1689–1699, 2013, doi: 10.1017/CBO9781107415324.004.
- [18] T. M. Anwar and T. U. Soleha, “Benefit of Binahong’s Leaf (*Anredera cordifolia*) as a treatment of *Acne vulgaris*,” *Majority*, vol. 5, no. 4, pp. 179–183, 2016, [Online]. Available: https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=6&cad=rja&uact=8&ved=2ahUKEwiQmfyg6djmAhVKAXIKHUC_AkIQFjAFegQIBRAJ&url=https%3A%2F%2Fjuke.kedokteran.unila.ac.id%2Findex.php%2Fmajority%2Farticle%2Fdownload%2F906%2F814&usg=AOvVaw1AXhKBAJ2BgMyG.
- [19] N. Tjahjani and Y. Yusniawati, “Gambaran Senyawa Bioaktif dalam Sediaan Celup Binahong (*Anredera Cordifolia* (Ten) Steenis),” *Cendekia J. Pharm.*, vol. 1, pp. 59–66, 2017, doi: 10.31596/cjp.v1i1.8.
- [20] W. Selawa *et al.*, “KANDUNGAN FLAVONOID DAN KAPASITAS ANTIOKSIDAN TOTAL EKSTRAK ETANOL DAUN BINAHONG [*Anredera cordifolia*(Ten.)*Steenis.*],” *Pharmacon*, vol. 2, no. 1, pp. 18–23, 2013.
- [21] P. Y. A. br G, M. Basyuni, and I. Lesmana, “Phytochemical Screening of Secondary Metabolite in Binahong Leaves (*Anredera cordifolia* (Ten.) Steenis) to Test In Vitro Inhibition Growth of *Aeromonas hydrophila*,” no. 11, pp. 1–2, 2004.
- [22] A. R. Murdianto, E. Fachriyah, and D. Kusrini, “Isolation, Identification And Testing Antibacterial Activity of Compounds Type triterpenoid Binahong Leaf Extract (*Anredera cordifolia* (Ten.) Steen) against *Staphylococcus aureus* and *Escherichia coli*,” *Japanese J. Psychosom. Med.*, vol. 25, p. 110, 1985.
- [23] S. Ariani, “KHASIAT DAUN BINAHONG (*Anredera cordifolia* (Ten.) Steenis) TERHADAP PEMBENTUKAN JARINGAN GRANULASI DAN REEPITELIASI PENYEMBUHAN LUKA TERBUKA KULIT KELINCI,” *J. e-Biomedik*, vol. 1, no. 2, pp. 914–919, 2014, doi: 10.35790/ebm.1.2.2013.3250.