

DAFTAR PUSTAKA

- Abbas, M. N., & Abbas, F. S. (2013). Utilization of Iraqi rice husk in the removal of heavy metals from wastewater. *Research Journal of Environmental and Earth Sciences*, 5(7), 370-380.
- Abdel-Ghani, N. T., El-Chaghaby, G. A., & Helal, F. S. (2015). Simultaneous removal of aluminum, iron, copper, zinc, and lead from aqueous solution using raw and chemically treated African beech wood sawdust. *Desalination and Water Treatment*, 51(16-18), 3558-3575.
- Achmad, R. (2004). *Kimia Lingkungan*. Jakarta: ANDI Yogyakarta.
- Adamson, A.W. (1990). *Physical Chemistry of Surface, Fifth edition*. New York: John Wiley dan sons, Inc.
- Ageena, N. A. (2010). The Use of Local Sawdust as an Adsorbent for the Removal of Copper Ion from Wastewater Using Fixed Bed Adsorption. *Engineering and Technology Journal*, 28(2), 224-235.
- Ahmed, S. A. (2011). Batch and fixed-bed column techniques for removal of Cu (II) and Fe (III) using carbohydrate natural polymer modified complexing agents. *Carbohydrate Polymers*, 83(4), 1470-1478.
- Alberty, R. (1992). *Kimia Fisika jilid 1 Edisi Kelima*. Erlangga. Jakarta.
- Arfan, Y. (2006). *Pembuatan Karbon Aktif Berbahan Dasar Batubara dengan Perlakuan Aktivasi Terkontrol Serta Uji Kinerjanya*. Tugas Akhir Sarjana. Jurusan Teknik Kimia Universitas Indonesia.
- Arief, M. (2016). *Pengolahan Limbah Industri: Dasar-Dasar Pengetahuan di Tempat Kerja*. Yogyakarta: Penerbit Andi.
- Asip, F., Mardhiah, R., & Husna, H. (2008). Uji Efektifitas Cangkang Telur Dalam Mengadsorpsi Ion Fe Dengan Proses Batch. *Jurnal Teknik Kimia*, 15(2).
- Astuti, W., & Kurniawan, B. (2015). Adsorpsi Pb²⁺ dalam Limbah Cair Artifisial Menggunakan Sistem Adsorpsi Kolom dengan Bahan isian Abu Layang

Batubara Serbuk dan Granular. *Jurnal Bahan Alam Terbarukan*, 4(1), 27-33.

Atkins, P.W. (1999). *Kimia Fisika Jilid II*. Oxford University.

Auta, M., & Hameed, B. H. (2012). Modified mesoporous clay adsorbent for adsorption isotherm and kinetics of methylene blue. *Chemical Engineering Journal*, 198, 219-227.

Balintova, M., & Petrilakova, A. (2011). Study of pH influence on selective precipitation of heavy metals from acid mine drainage. *Chemical Engineering Transactions*, 25, 1-6.

Bhattacharyya, A. K. (2006). *Phased array antennas: Floquet analysis, synthesis, BFNs and active array systems* (Vol. 179). John Wiley & Sons.

Budiyono, S. S. (2013). *Teknik Pengolahan Air*. Graha Ilmu :Yogyakarta.

Çakır, E., Tosunoğlu, V., Boncukçuoğlu, R., Korkmaz, M., & Fil, B. A. (2017). Kinetic and fixed bed studies for copper removal from solutions by walnut tree sawdust (*Juglans regia linnaeus*).

Darmono. (1995). *Logam dalam sistem biologi makhluk hidup*. Jakarta: Universitas Indonesia.

Dehghani, M. H., Kamalian, S., Shayeghi, M., Yousefi, M., Heidarinejad, Z., Agarwal, S., & Gupta, V. K. (2019). High-performance removal of diazinon pesticide from water using multi-walled carbon nanotubes. *Microchemical Journal*, 145, 486-491.

Deka, L., & Bhattacharyya, K. G. (2018). Comparative equilibrium studies on the removal of Fe (III) from aqueous phase by low cost adsorbents. *Research Journal of Life Sciences, Bioinformatics, Pharmaceutical and Chemical Sciences*, 4(2), 81.

Demcak, S., Balintova, M., Demcakova, M., Csach, K., Zinicovscaia, I., Yushin, N., & Frontasyeva, M. (2019). Effect of alkaline treatment of wooden sawdust for the removal of heavy metals from aquatic environments. *Desalination and Water Treatment*, 155, 207-215.

- Demcak, S., Balintova, M., Hurakova, M., Frontasyeva, M. V., Zinicovscaia, I., & Yushin, N. (2017). Utilization of poplar wood sawdust for heavy metals removal from model solutions. *Nova Biotechnologica et Chimica*, 16(1), 26-31.
- Djunaidi, M. C. (2020). Pengenalan Metode Adsorpsi Logam Fe (III) Menggunakan Selulosa dan Selulosa Asetat dari Serbuk Gergaji Kayu Kepada Siswa SMA Al-Azhar 14 Semarang. In *Seminar Nasional Pengabdian Kepada Masyarakat UNDIP 2020* (Vol. 1, No. 1).
- Dwi Nugroho, M. (2011). *STUDI PENURUNAN KADAR LOGAM BERAT PADA LIMBAH CAIR DARI INDUSTRI PELAPISAN LOGAM DENGAN PROSES KOAGULASI-FLOKULASI* (Doctoral dissertation, Universitas Diponegoro).
- Eckenfelder. (2000). *Industrial Water Pollution Control*. Singapore: Mc Graw-Hill.
- Effendi, H. (2003). *Telaah Kualitas Air Bagi Pengelolaan Sumber Daya dan Lingkungan Perairan*. Yogyakarta: Kanisius.
- El-Saied, F. A., Abo-Elenan, S. A., & El-shinawy, F. H. (2017). Removal of lead and copper ions from polluted aqueous solutions using nano-sawdust particles. *International Journal of Waste Resources*, (7), 305.
- Fahrudin.(2018). *Pengolahan Limbah Pertambangan Secara Biologis*. Makassar:Celebes Media Perkasa.
- Fakhrudin, F., Nurdiana, J., & Wijayanti, D. W. (2018). ANALISIS PENURUNAN KADAR Cr (chromium), Fe (besi) dan Mn (mangan) pada limbah cair laboratoium teknologi lingkungan fakultas teknik universitas mulawarman samarinda dengan menggunakan metode elektrolisis. In *Prosiding Seminar Nasional Teknologi, Inovasi dan Aplikasi di Lingkungan Tropis* (Vol. 1, No. 1, pp. 10-15).
- Fardiaz, S. (1992). *Polusi Air dan Udara*. Yogyakarta: Kanisius.
- Febriana, D. (2013). *Serbuk Gergaji Kayu Jati*. Dark Wizard Of Scientist

- Ghorbani, M., & Eisazadeh, H. (2012). Fixed bed column study for Zn, Cu, Fe and Mn removal from wastewater using nanometer size polypyrrole coated on rice husk ash. *Synthetic metals*, 162(15-16), 1429-1433.
- Han, R., Zou, W., Yu, W., & Cheng, S. (2007). Biosorption of Methylene Blue from Aqueous Solution by Fallen Phoenix Tree's Leaves. *Journal of Hazardous Materials* 141:156–162.
- Hardyanti, I. S., Nurani, I., Apriliani, E., & Wibowo, E. A. P. (2017). Pemanfaatan Silika (SiO₂) dan Bentonit sebagai Adsorben Logam Berat Fe pada Limbah Batik. *JST (Jurnal Sains Terapan)*, 3(2).
- Hatzikioseyan, A., Mavituna, F., & Tsezos, M. (1999). Modelling of fixed bed biosorption columns in continuous metal ion removal processes. The case of single solute local equilibrium. In *Process Metallurgy* (Vol. 9, pp. 429-448). Elsevier.
- Hutagalung, H. P. (1991). Pencemaran laut oleh logam berat. *Dalam Status Pencemaran Laut di Indonesia dan Teknik Pemantauannya*. P30-LIPI. Jakarta, Hal 45-59.
- Ibrahim, M. B. (2011). Removal of toxic metals from aqueous solution by saw dust. *Bayero Journal of Pure and Applied Sciences*, 4(1), 88-93.
- Igwe, J., & Abia, A. A. (2006). A bioseparation process for removing heavy metals from waste water using biosorbents. *African journal of biotechnology*, 5(11).
- Imamoglu, M. (2013). Adsorption of Cd (II) ions onto activated carbon prepared from hazelnut husks. *Journal of dispersion science and technology*, 34(9), 1183-1187.
- Ismail, M. S., & Waliuddin, A. M. (1996). Effect of rice husk ash on high strength concrete. *Construction and building materials*, 10(7), 521-526.
- Janaki, V., Oh, B. T., Shanthi, K., Lee, K. J., Ramasamy, A. K., & Kamala-Kannan, S. (2012). Polyaniline/chitosan composite: an eco-friendly polymer for enhanced removal of dyes from aqueous solution. *Synthetic Metals*, 162(11-12), 974-980.

- Jellali, S., Diamantopoulos, E., Haddad, K., Anane, M., Durner, W., & Mlayah, A. (2016). Lead removal from aqueous solutions by raw sawdust and magnesium pretreated biochar: experimental investigations and numerical modelling. *Journal of environmental management*, 180, 439-449.
- Kapur, M., & Mondal, M. K. (2013). Mass Transfer and Related Phenomena for Cr (VI) adsorption from Aqueous Solution Onto Mangifera Indica Sawdust. *Chemical Engineering Journal*, 218 (2013) 138-146.
- Kapur, M., & Mondal, M. K. (2016). Design and model parameters estimation for fixed-bed column adsorption of Cu (II) and Ni (II) ions using magnetized saw dust. *Desalination and Water Treatment*, 57(26), 12192-12203.
- Kataria, N., & Garg, V. K. (2018). Green synthesis of Fe₃O₄ nanoparticles loaded sawdust carbon for cadmium (II) removal from water: regeneration and mechanism. *Chemosphere*, 208, 818-828.
- Kovacova, Z., Demcak, S., & Balintova, M. (2019). Removal of copper, zinc and iron from water solutions by spruce sawdust adsorption. *Ekonomia i Środowisko*.
- Kurniasari, L.(2010). *Pemanfaatan Mikroorganisme dan Limbah pertanian Sebagai Bahan Baku Biosorben Logam Berat*. Majalah Ilmiah Fakultas Teknik Universitas Wahid Hasyim Semarang, MOMENTUM, ISSN 0216 7395, Volume 6 Nomor 2, 5-8
- Kurniawan, F., Hanifah, T. A., & Bali, S. (2015). *Analisis Logam (Fe, Pb), Nitrat (No₃-), dan Sulfida (S₂-) pada Limbah Tambang Batubara PT. Tri Bakti Sarimas di Desa Pangkalan Kuansing* (Doctoral dissertation, Riau University).
- Laut, B. M. A. (1988). *Keputusan Kantor Menteri Negara Kependudukan dan Lingkungan Hidup No. Kep 02/MENKLH/I/1988. Tentang Pedoman Penetapan Baku Mutu Lingkungan: 57 hal.*
- Laws, E. A. (2017). *Aquatic pollution: an introductory text*. John Wiley & Sons.
- Li, C. (2008). *Batch and Bench-Scaled Fixed-Bed Column Evaluations of Heavy*

Metal Removals from Aqueous Solutions and Synthetic Landfill Leachate using Low-Cost Natural Adsorbents. Tesis. Kanada: Queen University.

Lim, J. H., Kang, H. M., Kim, L. H., & Ko, S. O. (2008). Removal of heavy metals by sawdust adsorption: equilibrium and kinetic studies. *Environmental Engineering Research*, 13(2), 79-84.

Liu, D., & Sun, D. (2012). Modeling adsorption of Cu (II) using polyaniline-coated sawdust in a fixed-bed column. *Environmental Engineering Science*, 29(6), 461-465.

Mansoor, S. J., & Abbasitabar, F. (2020). Adsorption Behavior of Fe (II) and Fe (III) Ions on Polyaniline Coated Sawdust: Batch and Fixed-Bed Studies. *Acta Chimica Slovenica*, 67(1), 36-46.

Martell, A. E. & R.D. Hancock. (1996). *Metal Complexes in Aqueous Solution*. Plenum Press. New York.

Mihelcic, J. R. (1999). *Fundamentals of environmental engineering*.

Mohadi, R., Nurlisa, H., Adi, S., & Aides, L. (2013). Kajian Interaksi ion Co^{2+} dengan selulosa dari serbuk gergaji kayu. *Cakra Kimia Indonesia*, 1(2), 8-15.

Moore, J.W. (1991). *Inorganic Contaminant of Surface Water* Springer Verlag, New York.

Muammar., Rais, M., Patang. (2019). Pengaruh Limbah Industri terhadap Tingkat Pencemaran Timbal di Perairan Sungai Tallo. *Jurnal Pendidikan Teknologi Pertanian*, 5, 230-250.

Muhammad, A. A., & Ismail, Y. (2010). Study of banana peel (*Musa sapientum*) as a cationic biosorbent. *American-Eurasian Journal of Agricultural and Environmental Science*, 8(1), 7-17.

Nordberg, Å., Jarvis, Å., Stenberg, B., Mathisen, B., & Svensson, B. H. (2007). Anaerobic digestion of alfalfa silage with recirculation of process liquid. *Bioresource Technology*, 98(1), 104-111.

Notohadiprawiro, T. (2010). *Tanah dan Lingkungan*. Direktorat Jendral Departemen Pendidikan dan Kebudayaan, Jakarta.

- O'Connell, D. W., Birkinshaw, C., & O'Dwyer, T. F. (2008). Heavy metal adsorbents prepared from the modification of cellulose: A review. *Bioresource technology*, 99(15), 6709-6724.
- Oscik, J. (1982). *Adsorption*. John Willey & Sons. Inc. New York.
- Paramesti, N.N. (2014). Efektivitas Ekstrak Biji Pepaya (*CaricapapayaL.*) Sebagai Anti Bakteri Terhadap Bakteri Escherichiacoli, Skripsi, 1
- Pari, G. (2002). *Teknologi Alternatif Pemanfaatan Limbah Industri Pengolahan Kayu*. Institut Pertanian Bogor.
- Peraturan Menteri Lingkungan Hidup Republik Indonesia No 5 tahun 2014. *Tentang Baku Mutu Air Limbah*
- Peraturan Pemerintah Republik Indonesia Nomor 82 Tahun 2001 tentang Pengelolaan Kualitas Air dan Pengendalian Pencemar Air.
- Porter, J F dan Kay, G M. (2003). *Fixed Bed Studies for the Sorption of Metal Ions onto Peat*. Skripsi. Sarjana. Department of Chemical Engineering, Hong Kong University of Science and Technology.
- Prahas, D., Kartika, Y., Indraswati, N., & Ismadji, S. J. C. E. J. (2008). Activated carbon from jackfruit peel waste by H₃PO₄ chemical activation: Pore structure and surface chemistry characterization. *Chemical Engineering Journal*, 140(1-3), 32-42.
- Prahas, D., Yoga Kartika, A. T., Indraswati, N., & Ismadji, S. (2007). Activated carbon from jackfruit peel waste by H₃PO₄ chemical activation: physical and surface chemistry characterization. In *National Conference: Design and Application of Technology*.
- Prasetyo. (2000). *Teknologi Alternatif Pemanfaatan Limbah Industri Pengolahan Kayu*. IPB. Bogor
- Pusat Penelitian dan Pengembangan Hasil Hutan (P3HH), "Petunjuk Praktis Sifat-sifat Dasar Jenis Kayu Indonesia," *Indonesia Sawmill and Woodworking Association* (2008).
- Ramadhan. B. (2010) : *Biosorpsi Logam Berat Cr(VI) dengan Menggunakan*

Biomassa Saccharomyces Cerevisiae, Skripsi, Program Studi Teknik Lingkungan, Fakultas Teknik Sipil dan Lingkungan ITB.

- Reynolds, T. D., dan Richards, P. A. C. (1996). *Unit operations and processes in environmental engineering (No. 628.162 R333u Ej. 1)*. PWS Publishing Company.
- Rohmah, N. & Anto T. S. (2008). Pengaruh pH dan Konsentrasi Zat Warna Pada Penguraian Zat Warna Pada Penguraian Zat Warna Remazol Navy Blue Scarlet Dengan Teknologi AOP. *Prosiding seminar nasional teknoin*. Bidang teknik kimia dan tekstil. ISBN: 978-979-3980-15-7.
- Ruthven, D. M., (1984). *Principle of adsorption and Adsorption Process*. John Wiley dan Sons: New York, 124-141
- Saputra, B. W. (2008). *Desain Sistem Adsorpsi Pengujian Alat Pendingin*. Tugas Akhir Sarjana. Jurusan Teknik Elektro Universitas Indonesia, Jakarta.
- Shukla, A., Zhang, Y. H., Dubey, P., Margrave, J. L., & Shukla, S. S. (2002). The role of sawdust in the removal of unwanted materials from water. *Journal of hazardous materials*, 95(1-2), 137-152.
- Singh, B., Müller, J., & Surplice, N. A. (1974). Adsorption of oxygen and carbon monoxide by evaporated films of titanium and erbium: Electrical resistance and surface area measurements. *Thin Solid Films*, 21(2), 255-265.
- Somerville, R. (2007). *Low-Cost Adsorption Materials for Removal Of Metals From Contaminated Water*. TRITA-LWR Master Thesis. KTH Architecture and the Built Environment.
- Sontheimer., Crittenden., dan Summers. (1998). *Activated Carbon for Water Treatment*. DVGW-Forschungsstelle.
- Stumm, W., & Morgan, J. J. (1996). *Aquatic chemistry*. John Wiley & Sons, New York. *Aquatic chemistry. 3rd ed. John Wiley & Sons, New York*.
- Suciastuti, E., & Sutrisno, C. T. (2002). *Teknologi Penyediaan Air Bersih*. Jakarta: PT. Rineka Cipta.
- Sugiyarto, K.H., & Retno D.S. (2010). *Kimia Anorganik Logam*. Yogyakarta: Graha Ilmu.
- Tchobanoglous, G. (2014). *Wastewater Engineering: Treatment and Resource*

Recovery-Vol. 2. McGraw-Hill.

- Trihadi,B.(2003).Pemanfaatan Limbah Padat Berupa Arang Bagasse. UPN Veteran. Jatim, hal. 9 - 11.
- Tsamo, C., Bachirou, I., Samomssa, I., & Fouougoung, T. B. (2019). Removal of hexavalent chromium from aqueous solution using unmodified saw dust: batch and column studies. *Current Journal of Applied Science and Technology*, 1-16.
- Udyani, K. (2013). *Adsorpsi Deterjen Dalam Air Menggunakan Adsorben Karbon Aktif Pada Kolom Fluidisasi*. Tugas Akhir. Sarjana. Jurusan Teknik Kimia, Fakultas Teknologi Industri ITATS.
- Vinodhini, V., & Das, N. (2010). Packed bed column studies on Cr (VI) removal from tannery wastewater by neem sawdust. *Desalination*, 264(1-2), 9-14.
- Wang, L K, Hung, Y-T dan Shammass, N.K. (2005). *Physicochemical Treatment Processes*. New Jersey: Humana Press Inc.
- Widowati, W. (2008). *Efek Toksik Logam Pencegahan dan Penanggulangan Pencemaran*. Yogyakarta: Penerbit Andi.
- Windyasari, N.(2004).Penggunaan Kadar Lignin pada Proses Pembuatan Pulp dari Kayu Lamtorogung dengan Proses Asam Asetat-Ethyl Asetat. UPN Veteran.Jatim, hal. 7.
- Worch, E. (2012). *Adsorption technology in water treatment: fundamentals, processes, and modeling*. Walter de Gruyter.
- Yong, R.N., A.M.O. Mohamed, & S.P. Warkenting. (1992). Principles of Contaminant Transport in Soils. Amsterdam : Development in Geotechnical Engineering Elsevier
- Yuan, J. H., Hu, M. H., Zhou, Z. H., & Wang, L. (2014). Kinetic and thermodynamic behavior of the batch adsorption of phosphate from aqueous solutions onto environmentally friendly barbecue bamboo charcoal. *Desalination and Water Treatment*, 52(37-39), 7248-7257.

Zablouk, M.A. & Kalaf, I.(1998).The Removal of Benzen and Toluene Binary Mixture by Adsorption in a Fixed Bed., Al- Muhandis, 133(1).

Zhang, W., Dong, L., Yan, H., Li, H., Jiang, Z., Kan, X., ... & Cheng, R. (2011). Removal of methylene blue from aqueous solutions by straw based adsorbent in a fixed-bed column. *Chemical engineering journal*, 173(2),

