

DAFTAR PUSTAKA

1. Kintoko, Karimatulhajj H, Elfasyari TY, Ihsan EA, Putra TA. Pengaruh Kondisi Diabetes pada Pemberian Topikal Fraksi Daun Binahong dalam Proses Penyembuhan Luka. *Tradit Med J.* 2017;22(2):103–10.
2. Jan A, Khan H, Ahmad I, Khan M. Internasional Diabetes Federation. *Prof Med J.* 2016;23(6):693–8.
3. Gianino E, Miller C, Gilmore J. Smart Wound Dressings for Diabetic Chronic Wounds. *Bioengineering.* 2018;5(1):51.
4. Boateng J, Matthews KH, Stevens HNE, Eccleston GM. Wound Healing Dressings and Drug Delivery Systems : A Review. *J of Pharm Sci.* 2008;97(8): 2892-2923.
5. Schreml S, Szeimies R, Prantl L, Landthaler M, Babilas P. Wound Healing In The 21st Century. *J Am Dermatology.* 2010;63(5):866–81.
6. Fleck CA, Simman R. Modern Collagen Wound Dressings : Function and Purpose. *J Am Col Certif Wound Spec.* 2010;2(3):50–4.
7. Aderibigbe BA, Buyana B. Alginate in Wound Dressings. *Pharmaceutics.* 2018;10(42):1–9.
8. Dhivya S, Vijaya V, Santhini E. Review Article Wound dressings – A Review. *BioMedicine.* 2015;5(4):24–8.
9. Nofita R, Ben ES, Yanwirasti, Aldi Y. Pembuatan Film Balutan Primer untuk Luka Bakar yang Mengandung Kolagen Kulit Ikan Gabus (*Channa striata*). *J Sains dan Teknol Farm.* 2017;19(1):104–10.
10. Karki S, Kim H, Na SJ, Shin D, Jo K, Lee J. Thin Films As An Emerging Platform For Drug Delivery. *Asian J Pharm Sci.* 2016;11(5):559–74.
11. Febriyenti, Noor MA, Baie S. Formulation of Aerosol Concentrates Containing Haruan (*Channa striatus*) for wound dressing. *Malaysian J*

- Pharm Sci. 2008;6(1):43–58.
12. Rangaraj A, Harding KG, Leaper D. Role of Collagen in Wound Management. *Wounds a Compend Clin Res Pract.* 2015;7(2):54–63.
 13. Lei J, Chen P, Li Y, Wang X, Tang S. Collagen hydrogel dressing for wound healing and angiogenesis in diabetic rat models. *Int J Clin Exp Med.* 2017;10(12):16319–27.
 14. Ilenghoven D, Chan C, Kamal WA. A Review of Wound Dressing Practices. *Clin Dermatology Open Access J.* 2017;2(6):133.
 15. Setyowati H, Wahyuning S. Potensi Nanokolagen Limbah Sisik Ikan Sebagai Cosmeceutical. *J Farm Sains Dan Komunitas.* 2015;12(1):30–40.
 16. Ahmad I, Akhter S, Ahmad MZ, Shamim M, Rizvi MA, Khar RK, et al. Collagen Loaded Nano-Sized Surfactant Based Dispersion for Topical Application: Formulation Development, Characterization and Safety Study. *Pharm Dev Technol.* 2014;19(4):460–7.
 17. Alves AL, Marques ALP, Martins E, Silva TH, Reis RL. Cosmetic Potential of Marine Fish Skin Collagen. *Cosmetics.* 2017;4(4):1–16.
 18. Gelse K, Pöschl E, Aigner T. Collagens - Structure, Function, and Biosynthesis. *Adv Drug Deliv Rev.* 2003;55(12):1531–46.
 19. Silvipriya KS, Krishna Kumar K, Bhat AR, Dinesh Kumar B, John A, Lakshmanan P. Collagen: Animal Sources and Biomedical Application. *J Appl Pharm Sci.* 2015;5(3):123–7.
 20. Farndale RW, Sixma JJ, Barnes MJ, De Groot PG. The Role of Collagen in Thrombosis and Hemostasis. *J Thromb Haemost.* 2004;2(4):561–73.
 21. Rodwell VW, Bender DA, Botham KM, Kennely PJ, Well PA. Biokimia Harper. Jakarta: EGC; 2009. 1116–1118 p.
 22. Koolman J, Roehm K-H. Color Atlas of Biochemistry. Second. New York: Thieme; 2005. 170–181 p.

23. Sandhu S V, Gupta S, Bansal H, Singla K. Collagen in Health and Disease. *J Orofac Res.* 2012;2(March):153–9.
24. Ricard-Blum S. The Collagen Family. *Cold Spring Harb Perspect Biol.* 2011;3(1):1–19.
25. Gomez-Guillen M, Gimenez B, Lopez-Caballero M, Montero M. Functional and Bioactive Properties of Collagen and Gelatin from Alternative Sources: A Review. *Food Hydrocoll.* 2011;25(8):1813–27.
26. Felician FF, Yu RH, Li MZ, Li CJ, Chen HQ, Jiang Y, et al. The Wound Healing Potential of Collagen Peptides Derived from The Jellyfish *Rhopilema esculentum*. *Chinese J Traumatol.* 2019;22(1):12–20.
27. Rosmawati. Potensi Kolagen Ikan Gabus (*Channa striata*) Sebagai Gelatin Alternatif dan Aplikasinya Dalam Pengolahan Sosis Berbasis Meat by-Product Sapi [tesis]. Makassar: Fakultas Pertanian Universitas Hasanuddin; 2018.
28. Listyanto N, Andriyanto S. Ikan Gabus (*Channa striata*) Manfaat Pengembangan dan Alternatif Teknik Budidayanya. *Media Akuakultur.* 2009;4(1):18–25.
29. Li K, Shieh B, Chiu Y, Huang D, Liang S. Growth Diet Composition and Reproductive Biology of the Invasive Freshwater Fish Chevron snakehead *Channa striata* on a Subtropical Island. *Zool Stud.* 2016;55(53):1–11.
30. Mukhlifah N. Domestikasi Ikan Gabus (*Channa striata*). Pros Semin Nas Tah IV Has Penelit Perikan dan Kelaut. 2007;1(5):169–75.
31. Food and Agriculture Organization of the United Nations. Fisheries and Aquaculture Department [Internet]. Laman <http://www.fao.org/fishery/species/3062/en>
32. Asfar M, Hasanuddin U, Mahendradatta M, Hasanuddin U. Potensi Ikan Gabus (*Channa striata*) Sebagai Sumber Makanan Kesehatan (Review). Pros Semin Nas Teknol Ind II. 2015;2(1):150–4.

33. See SF, Hong PK, Ng KL, Wan Aida WM, Babji AS. Physicochemical properties of gelatins extracted from skins of different freshwater fish species. *Int Food Res J.* 2010;17(3):809–16.
34. Velnar T V, Bailey T, Smrkolj V. The Wound Healing Process : an Overview of the Cellular and Molecular Mechanisms. *J Int Med Res.* 2009;37(5):1528–42.
35. Schultz G, Moldawer L, Diegelmann R. Mechanism of Vascular Disease : A Reference Book for Vascular Specialists. Adelaide: University of Adelaide Press; 2011. 329–344 p.
36. Gonzalez AC, Andrade Z, Costa TF, Medrado AR. Wound healing - A Literature Review. *An Bras Dermatol.* 2016;91(5):614–20.
37. Shankar M, Ramesh B, D RK, M NB. Wound Healing And It's Importance - A Review. *Der Pharmacol Sin.* 2014;1(1):24–30.
38. Zychowska M, Rojewska E, Przewlocka B. Mechanisms and Pharmacology of Diabetic Neuropathy – Experimental and Clinical Studies. *Pharmacol Reports.* 2013;65(1):1601–10.
39. Salazar JJ, Ennis WJ, Koh TJ. Diabetes Medications: Impact on Inflammation and Wound Healing. *J Diabetes Complicat.* 2016;30(4):746–52.
40. Roza RL, Afriant R, Edward Z. Faktor Risiko Terjadinya Ulkus Diabetikum pada Pasien Diabetes Mellitus yang Dirawat Jalan dan Inap di RSUP Dr. M. Djamil dan RSI Ibnu Sina Padang. *J Kesehat Andalas.* 2015;4(1):243–8.
41. Okonkwo UA, Dipietro LA. Diabetes and Wound Angiogenesis. *Int J Mol Sci.* 2017;18(1):1–15.
42. Tellechea A, Leal E, Veves A, Carvalho E. Inflammatory and Angiogenic Abnormalities in Diabetic Wound Healing : Role of Neuropeptides and Therapeutic Perspectives. *Open Circ Vasc J.* 2010;3(1):43–55.

43. Ayuk SM, Abrahamse H, Hourelid NN. The Role of Matrix Metalloproteinases in Diabetic Wound Healing in relation to Photobiomodulation. *J Diabetes Res.* 2016;1(1):1–9.
44. Tran TTD, Tran PHL. Controlled release film forming systems in drug delivery: The potential for Efficient Drug Delivery. *Pharmaceutics.* 2019;11(6):1–16.
45. Kathe K, Kathpalia H. Film Forming Systems for Topical and Transdermal Drug Delivery. *Asian J Pharm Sci.* 2017;12(6):487–97.
46. Rowe RC, Sheskey PJ, Quinn ME. *Handbook of Pharmaceutical Excipients.* 6th ed. London: Pharmaceutical Press; 2009.
47. Bornare SS, Aher SS, Saudagar RB. A Review: Film Forming Gel Novel Drug Delivery System. *Int J Curr Pharm Res.* 2018;10(2):25.
48. Felton L, O'Donnell PB, McGinity JW. Mechanical Properties of Polymeric Films Prepared from Aqueous Dispersions. *Drugs Pharm Sci.* 2008;9(176):105.
49. Bourtoom T. Plasticizer Effect on The Properties of Biodegradable Blend from Rice Starch-Chitosan. *Songklanakarin J Sci Technol.* 2008;30(1):149–55.
50. Arya A, Chandra A, Sharma V, Pathak K. Fast Dissolving Oral Films : An Innovative Drug Delivery System and Dosage Form. *Int J ChemTech Res.* 2010;2(1):576–83.
51. Irfan M, Rabel S, Bukhtar Q, Qadir MI, Jabeen F, Khan A. Orally Disintegrating Films: A Modern Expansion in Drug Delivery System. *Saudi Pharm J.* 2016;24(5):537–46.
52. Saravanan J, Elango K, Chellakumari SD, Arulkumar K. Formulaton and Evaluation of Film Forming Gel of Diclofenac Diethylamine. *World J Pharm Pharm Sci.* 2018;7(6):1106–17.

53. Peh K, Khan T, Ch'ng H. Mechanical, Bioadhesive Strength and Biological Evaluations of Chitosan Films for Wound Dressing. *J Pharm Pharm Sci.* 2000;3(3):303–11.
54. Stashak TS, Farstvedt E, Othic A. Update on Wound Dressings: Indications and Best Use. *Clin Tech Equine Pract.* 2004;3(1):148–63.
55. Lei J, Sun L, Li P, Zhu C, Lin Z, Mackey V, et al. The Wound Dressings and Their Applications in Wound Healing and Management. *Heal Sci J.* 2019;13(3):662.
56. Ugur Kaplan AB, Cetin M, Orgul D. Formulation and In Vitro Evaluation of Topical Nanoemulsion and Nanoemulsion-Based Gels Containing Daidzein. *J Drug Deliv Sci Technol.* 2019;52(1):189–203.
57. Voight R. Buku Pengantar Teknologi Farmasi. Yogyakarya: Universitas Gajah Mada Press; 1994.
58. Kalaycıoğlu Z, Kahya N, Adımcılar V, Kaygusuz H, Torlak E, Akın-Evingür G, et al. Antibacterial Nano Cerium Oxide/Chitosan/Cellulose Acetate Composite Films As Potential Wound Dressing. *Eur Polym J.* 2020;133(1):1–7.
59. Febriyenti, Noor AM, Baie SBB. Mechanical Properties and Water Vapour Permeability of Film From Haruan (*Channa Striatus*) and Fusidic Acid Spray for Wound Dressing And Wound Healing. *Pak J Pharm Sci.* 2010;23(2):155–9.
60. The United States Pharmacopeia. USP 30/The National Formulary. Rockville,MD: U.S Pharmacopeial Convention,Inc; 2007. 671 p.
61. Wei S, You Y, Ma Y, Huang W, Liang X, Zhang A, et al. Bi-Layer Supramolecular Polydimethylsiloxane Elastomer Film: Synthesis, Characterization, and Application in Wound Dressing on Normal and Diabetic Rat. *React Funct Polym.* 2019;141(1):21–32.
62. Shah NA, Khan MR. Antidiabetic Effect of *Sida Cordata* in Alloxan

- Induced Diabetic Rats. Biomed Res Int. 2014;2014(1):15.
63. Bora J, Sahariah P, Patar AK, Syiem D, Bhan S. Attenuation of Diabetic Hepatopathy in Alloxan-Induced Diabetic Mice by Methanolic Flower Extract of *Phlogacanthus thyrsiflorus* Nees. J Appl Pharm Sci. 2018;8(7):114–20.
64. Romero-Cerecero O, Zamilpa A, Díaz-García ER, Tortoriello J. Pharmacological Effect of *Ageratina pichinchensis* on Wound Healing in Diabetic Rats and Genotoxicity Evaluation. J Ethnopharmacol. 2014;156(1):222–7.
65. Tan WS, Arulselvan P, Ng S, Norma C, Taib M, Sarian MN. Improvement of Diabetic Wound Healing by Topical Application of Vicienin-2 Hydrocolloid Film on Sprague Dawley Rats. BMC Complement Altern Med. 2019;19(1):20.
66. Shon J, Eun JB, Eo JH, Hwang SJ. Effect of Processing Conditions on Functional Properties of Collagen Powder From Skate (*Raja Kenojei*) Skins. Food Sci Biotechnol. 2011;20(1):99–106.
67. Yang H, Xu S, Shen L, Liu W, Li G. Changes In Aggregation Behavior of Collagen Molecules in Solution With Varying Concentrations of Acetic Acid. Int J Biol Macromol. 2016;92:581–6.
68. Singh P, Benjakul S, Maqsood S, Kishimura H. Isolation and Characterisation of Collagen Extracted from The Skin of Striped Catfish (*Pangasianodon hypophthalmus*). Food Chem. 2011;124(1):97–105.
69. Suptijah P, Indriani D, Wardoyo SE. Isolasi dan Karakterisasi Kolagen dari Kulit Ikan Patin (*Pangasius sp.*). J Sains Nat. 2018;8(1):8.
70. Potaros T, Raksakulthai N, Runglerdkreangkrai J, Worawattanamateekul W. Characteristics of Collagen from Nile Tilapia (*Oreochromis niloticus*) Skin Isolated by Two Different Methods. Kasetsart J - Nat Sci. 2009;43(3):584–93.

71. Mahboob S. Isolation and Characterization of Collagen from Fish Waste Material- Skin, Scales and Fins of *Catla catla* and *Cirrhinus mrigala*. *J Food Sci Technol.* 2014;52(7):4296–305.
72. Singh B, Kumar A. Graft and Crosslinked Polymerization of Polysaccharide Gum to Form Hydrogel Wound Dressings for Drug Delivery Applications. *Carbohydr Res.* 2020;489(1):1–9.
73. Shoulders MD, Raines RT. Collagen Structure and Stability. *Annu Rev Biochem.* 2009;78:929–58.
74. Jongjareonrak A, Benjakul S, Visessanguan W, Nagai T, Tanaka M. Isolation and Characterisation of Acid and Pepsin-Solubilised Collagens from The Skin of Brownstripe Red Snapper (*Lutjanus Vitta*). *Food Chem.* 2005;93(3):475–84.
75. Vinklárková L, Masteiková R, Foltýnová G, Muselík J, Pavloková S, Bernatonienė J, et al. Film Wound Dressing with Local Anesthetic Based On Insoluble Carboxymethylcellulose Matrix. *J Appl Biomed.* 2017;15(4):313–20.
76. Rathod HJ, Mehta DP. A Review on Pharmaceutical Gel. *Acta Sci Int J Pharm Sci.* 2015;1(1):33–47.
77. Kuncari ES. Evaluasi Uji Stabilitas Fisik dan Sineresis Sediaan Gel yang Mengandung Minoksidil, Apigenin dan Perasan Herba Seledri (*Apium graveolens* L.). *Bul Penelit Kesehat.* 2014;42(4):213–22.
78. Kurt A. Rheology of Film-Forming Solutions and Physical Properties of Differently Deacetylated Salep Glucomannan Film. *Food Heal.* 2019;5(3):175–84.
79. Indriaty S. Formulasi Dan Uji Stabilitas Gel Antiaging Dari Kombinasi Ekstrak Etanol Kulit Buah Naga Merah (*Hylocereus polyrhizus*) dan Lendir Bekicot (*Achatina fulica*) dengan Variasi Gelling Agent Carbomer 940 1%, 1,25%, 1,5%Dan 1,75%. *J Pharmacopolium.* 2019;2(2):104–11.

80. Ding C, Zhang M, Li G. Rheological properties of collagen/hydroxypropyl methylcellulose (COL/HPMC) blended solutions. *J Appl Polym Sci.* 2014;131(7):1–10.
81. Li Y, Qiao C, Shi L, Jiang Q, Li T. Viscosity of Collagen Solutions: Influence of Concentration, Temperature, Adsorption, and Role of Intermolecular Interactions. *J Macromol Sci Part B Phys.* 2014;53(5):893–901.
82. Utomo BSB, Suryanti. The Effect of Soaking Time in Acetic Acid Solution to The Physical Characteristics of Gelatin from Nila Fish (*Oreochromis niloticus*) Skin. *AIP Conf Proc.* 2018;2049:1–41.
83. Chen LL, Zhao L, Yuan ML, Su W, Liu H. Effect of Different Factors on The Viscosity of Collagen from *Amiurus nebulosus* Skin. *Adv Mater Res.* 2013;781(1):1723–7.
84. Sae-leaw T, Benjakul S. Fatty Acid Composition, Lipid Oxidation, and Fishy Odour Development in Seabass (*Lates calcarifer*) Skin During Iced Storage. *Eur J Lipid Sci Technol.* 2014;116(7):885–94.
85. Karki S, Kim H, Na SJ, Shin D, Jo K, Lee J. Thin Films As an Emerging Platform for Drug Delivery. *Asian J Pharm Sci.* 2016;11(5):559–74.
86. Julianto GE, Ustadi, Husni A. Karakterisasi Edible Film dari Gelatin Kulit Nila Merah Dengan Penambahan Plasticizer Sorbitol dan Asam Palmitat. *J Perikan (J Fish Sci).* 2011;13(1):27–34.
87. Akkaya NE, Ergun C, Saygun A, Yesilcubuk N, Akel-Sadoglu N, Kavakli IH, et al. New Biocompatible Antibacterial Wound Dressing Candidates; Agar-Locust Bean Gum and Agar-Salep Films. *Int J Biol Macromol.* 2020;155(1):430–8.
88. Hubner P, Donati N, Quines LK de M, Tessaro IC, Marcilio NR. Gelatin-Based Films Containing Clinoptilolite-Ag for Application as Wound Dressing. *Mater Sci Eng C.* 2020;107(1):110215.

89. Wang W, Liu Y, Liu A, Xiao J, Wang K, Zhao Y, et al. Fabrication of Acid-Swollen Collagen Fiber-Based Composite Films: Effect of Nano-Hydroxyapatite on Packaging Related Properties. *Int J Food Prop.* 2017;20(5):968–78.
90. Ustunol Z. Amino Acids, Peptides, and Proteins. In: Applied Food Protein Chemistry. 2014. p. 11–21.
91. Thomas D, Nath MS, Mathew N, R R, Philip E, Latha MS. Alginate Film Modified with Aloevera Gel and Cellulose Nanocrystals for Wound Dressing Application: Preparation, Characterization And In Vitro Evaluation. *J Drug Deliv Sci Technol.* 2020;59(1):1018–10194.
92. Lee SM, Park IK, Kim YS, Kim HJ, Moon H, Mueller S, et al. Physical, Morphological, and Wound Healing Properties of A Polyurethane Foam-Film Dressing. *Biomater Res.* 2016;20(1):1–11.
93. Noorzai S. Extraction and Characterization of Collagen From Bovine Hides For Preparation Of Biodegradable Films [thesis]. New Zealand: Engineering Department The University of Waikato; 2020.
94. Asa FNM, Sumarsih S, Zaidan AH, Fahmi MZ, Hikmawati D, Astuti SD. Komposit Kolagen Fibril-Alginat sebagai Kandidat Membran Hidrogel *Skin Substitute*. *J Biosains Pascasarj.* 2016;18(2):112–26.
95. Ghadermazi R, Hamdipour S, Sadeghi K, Ghadermazi R, Khosrowshahi Asl A. Effect of Various Additives on The Properties of The Films and Coatings Derived from Hydroxypropyl Methylcellulose—A Review. *Food Sci Nutr.* 2019;7(11):3363–77.
96. Naseri-Nosar M, Farzamfar S, Sahrapeyma H, Ghorbani S, Bastami F, Vaez A, et al. Cerium Oxide Nanoparticle-Containing Poly (E-Caprolactone)/Gelatin Electrospun Film As A Potential Wound Dressing Material: In Vitro and In Vivo Evaluation. *Mater Sci Eng C.* 2017;81(1):366–72.

97. Aycan D, Selmi B, Kelel E, Yildirim T, Alemdar N. Conductive Polymeric Film Loaded with Ibuprofen As A Wound Dressing Material. *Eur Polym J.* 2019;121(1):10930–8.
98. Ameliana L, Dwiputri HR, Nurahmanto D. Pengaruh Propilen Glikol dalam Patch Dispersi Padat Ketoprofen terhadap Karakteristik Fisika Kimia dan Laju Penetrasinya. *Pustaka Kesehat.* 2018;6(2):230–4.
99. Othman SH, Amirah S, Edwal M, Risyon NP, Basha RK, Talib RA. Water Sorption and Water Permeability Properties of Edible Film Made from Potato Peel Waste. *Food Sci Technol.* 2017;37:63–70.
100. Szkudelski T. The Mechanism of Alloxan and Streptozotocin Action in B Cells of The Rat Pancreas. *Physiol Res.* 2001;50(6):537–46.
101. Purnama H, Ratnawulan S. Review Sistematik: Proses Penyembuhan dan Perawatan Luka. *Farmaka.* 2015;15(2):251–8.
102. Jeschke MG, Sandmann G, Schubert T, Klein D. Effect of Oxidized Regenerated Cellulose/Collagen Matrix on Dermal and Epidermal Healing and Growth Factors In An Acute Wound. *Wound Repair Regen.* 2005;13(3):324–31.