

## DAFTAR PUSTAKA

- Ahmad, F., Emrizal, Sirat, H. M., Jamaludin, F., Mustapha, N. M. adah, Ali, R. M., ... Aboul-Enein, H. Y. (2014). Antimicrobial and anti-inflammatory activities of *Piper porphyrophyllum* (Fam. Piperaceae). *Arabian Journal of Chemistry*, 7(6), 1031–1033.
- Aktar, M. W., Sengupta, D., & Chowdhury, A. (2009). Impact of pesticides use in agriculture: their benefits and hazards. *Interdisciplinary Toxicology*, 2(1), 1–12.
- Akthar, M. S., Birhanu, G., & Demisse, S. (2014). Antimicrobial activity of *Piper nigrum* L. and *Cassia didymobotrya* L. leaf extract on selected food borne pathogens. *Asian Pacific Journal of Tropical Disease*, 4(S2), S911–S919.
- Almeida, R. R. P. de, Souto, R. N. P., Bastos, C. N., Silva, M. H. L. da, & Maia, J. G. S. (2009). Chemical Variation in *Piper aduncum* and Biological Properties of Its Dillapiole-Rich Essential Oil. *Chemistry & Biodiversity*, 6, 1427–1434.
- Aravind, A., Joy, M. L., & Nair, K. P. (2015). Lubricant properties of biodegradable rubber tree seed (*Hevea brasiliensis* Muell. Arg) oil. *Industrial Crops and Products*, 74, 14–19.
- Arif, T., Bhosale, J. D., Kumar, N., Mandal, T. K., Bendre, R. S., & Lavekar, G. S. (2009). Journal of Asian Natural Products Research Natural products – antifungal agents derived from plants. *Journal of Asian Natural Products Research*, 11:7, 621–638.
- Asmarayani, R. (2018). Phylogenetic relationships in Malesian-Pacific Piper (Piperaceae) and their implications for systematics. *TAXON*, 67(4), 693–724.
- Ayoola, G., Coker, H., Adesegun, S., Adepoju-Bello, A., Obaweya, K., Ezennia, E., & Atangbayila, T. (2008). Phytochemical Screening and Antioxidant Activities of Some Selected Medicinal Plants Used for Malaria Therapy in Southwestern Nigeria. *Tropical Journal of Pharmaceutical Research*, 7(3).
- B, M. A., Fabio, V., S, J. G., & Marta, C. (2014). Antibacterial activity of the *Piper aduncum* oil and dillapiole , its main constituent , against multidrug-resistant strains. *Boletín Latinoamericano y Del Caribe de Plantas Medicinales y Aromáticas*, 13 (6), 517–526.
- Bailey, J. A., & Jegor, M. J. (1992). Mycological Society of America Mycological Society of America. *Mycological Society of America*, 102, 388.
- Bajpai, V. K., Shukla, S., & Kang, S. C. (2008). Chemical composition and antifungal activity of essential oil and various extract of *Silene armeria* L. *Bioresource Technology*.
- Belhouchet, Z., Sautour, M., Miyamoto, T., & Lacaille-Dubois, M.-A. (2008). Steroidal Saponins from the Roots of *Smilax aspera* subsp. *mauritanica*. *Chemical & Pharmaceutical Bulletin*, 56(9), 1324–1327.
- Bills, G., Dombrowski, A., Morris, S. A., Hensens, O., Liesch, J. M., Zink, D. L., ... Schwartz, R. E. (2000). Hyalodendrosides A and B, antifungal triterpenoid glycosides from a lignicolous hyphomycete, *Hyalodendron* species. *Journal of Natural Products*, 63(1), 90–94.
- Bitu, P. I. M., Santos, L. V. S. dos, Rodrigues, A. A. C., Braun, H., Monteiro, S., Junior, A. S. de L. F., & Silva, M. R. M. (2016). Alternative control of *Corynespora cassiicola* in papaya seedlings and fruits by *Cinnamomum zeylanicum* essential oil. *African Journal of Agricultural Research*, 11(20), 1862–1871.
- Braga, F. G., Bouzada, M. L. M., Fabri, R. L., de O. Matos, M., Moreira, F. O., Scio, E., & Coimbra, E. S. (2007). Antileishmanial and antifungal activity of plants used in traditional medicine in Brazil. *Journal of Ethnopharmacology*, 111(2), 396–402.
- Bussaman, P., Namsena, P., Rattanasena, P., & Chandrapatya, A. (2012). Effect of crude leaf extracts on *Colletotrichum gloeosporioides* (Penz.) Sacc. *Psyche (New York)*, 2012.
- Bylka, W., Matlawska, I., & Pilewski, N. A. (2004). Natural Flavonoids as Antimicrobial Agents. *The Journal of the American Nutraceutical Association*.

- Cai, L., Ji, K. F., & Hyde, K. D. (2006). Variation between freshwater and terrestrial fungal communities on decaying bamboo culms. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 89(2), 293–301.
- Cai L, Hyde KD, Taylor PWJ, Weir BS, Waller JM, Abang MM, ... Johnston PR. (2009). A polyphasic approach for studying *Colletotrichum*. *Fungal Diversity*, 39, 183–204. Retrieved from <http://www.fungaldiversity.org/fdp/sfdp/FD39-8.pdf>
- Cai, Z., Li, G., Lin, C., Shi, T., Zhai, L., Chen, Y., & Huang, G. (2013). Identifying pathogenicity genes in the rubber tree anthracnose fungus *Colletotrichum gloeosporioides* through random insertional mutagenesis. *Microbiological Research*, 168(6), 340–350.
- Celoto, M. I. B., Papa, M. de F. S., do Sacramento, L. V. S., & Celoto, F. J. (2008). Atividade antifúngica de extratos de plantas a *Colletotrichum gloeosporioides*. *Acta Scientiarum - Agronomy*, 30(1), 1–5.
- Chanprapai, P., & Chavasiri, W. (2017). Antimicrobial activity from *Piper sarmentosum Roxb.* against rice pathogenic bacteria and fungi. *J. of Integrative Agriculture*, 16(11), 2513–2524.
- Chávez-Quintal, P., González-Flores, T., Rodríguez-Buenfil, I., & Gallegos-Tintoré, S. (2011). Antifungal Activity in Ethanolic Extracts of *Carica papaya* L. cv. Maradol Leaves and Seeds. *Indian Journal of Microbiology*.
- Cheng, M. J., Lee, S. J., Chang, Y. Y., Wu, S. H., Tsai, I. L., Jayaprakasam, B., & Chen, I. S. (2003). Chemical and cytotoxic constituents from *Peperomia suii*. *Phytochemistry*, 63(5), 603–608.
- Crous, P. W., Lubbe, C. M., Denman, S., Cannon, P. F., Groenewald, J. Z. E., & Lamprecht, S. C. (2004). Characterization of *Colletotrichum* species associated with diseases of Proteaceae. *Mycologia*, 96(6), 1268–1279.
- D. Nandris, Nicole, M., & Geiger, J. P. (1987). Root Rot Diseases. *Institut Francais de Recherche Scientifique Pour Le Developpement En Cooperation*, (4).
- da Silva, J. K. R., Pinto, L. C., Burbano, R. M. R., Montenegro, R. C., Guimarães, E. F., Andrade, E. H. A., & Maia, J. G. S. (2014). Essential oils of Amazon *Piper* species and their cytotoxic, antifungal, antioxidant and anti-cholinesterase activities. *Industrial Crops and Products*, 58, 55–
- Dabur, R., Chhillar, A. K., Yadav, V., Kamal, P. K., Gupta, J., & Sharma, G. L. (2005). In vitro antifungal activity of 2-(3,4-dimethyl-2,5-dihydro-1H-pyrrol-2-yl)-1-methylethyl pentanoate, a dihydropyrrole derivative. *Journal of Medical Microbiology*, 54(6), 549–552.
- Danelutte, A. P., Lago, J. H. G., Young, M. C. M., & Kato, M. J. (2003). Antifungal flavanones and prenylated hydroquinones from *Piper crassinervium* Kunth. *Phytochemistry*.
- Déon, M., Fumanal, B., Gimenez, S., Bieysse, D., Oliveira, R. R., Shuib, S. S., ... Pujade-Renaud, V. (2014). Diversity of the cassiicolin gene in *corynespora cassiicola* and relation with the pathogenicity in *hevea brasiliensis*. *Fungal Biology*, 118(1), 32–47.
- Déon, M., Scomparin, A., Tixier, A., Mattos, C. R. R., Leroy, T., Seguin, M., ... Pujade-Renaud, V. (2012). First characterization of endophytic *Corynespora cassiicola* isolates with variant cassiicolin genes recovered from rubber trees in Brazil. *Fungal Diversity*, 54, 87–99.
- Dixon, L. J., Schlub, R. L., Pernezny, K., & Datnoff, L. E. (2009). Host Specialization and Phylogenetic Diversity of *Corynespora cassiicola*. *Phytopathology*, 99(9), 1015–1027.
- Do Nascimento, J. C., De Paula, V. F., David, J. M., & David, J. P. (2012). Occurrence, biological activities and <sup>13</sup>C NMR data of amides from piper (piperaceae). *Química Nova*.
- Dodson, C. D., Dyer, L. A., Searcy, J., Wright, Z., & Letourneau, D. K. (2000). Cenocladamide, a dihydropyridone alkaloid from *Piper cenocladum*. *Phytochemistry*, 53, 51–54.
- Duraipandiyan, V., & Ignacimuthu, S. (2011). Antifungal activity of traditional medicinal plants from Tamil Nadu, India. *Asian Pacific Journal of Tropical Biomedicine*, 1(SUPPL. 2), S204–S215.
- Engelbrecht, C. J. B., & Harrington, T. C. (2005). Intersterility, morphology and taxonomy of *Ceratocystis fimbriata* on sweet potato, cacao and sycamore. *Mycologia*, 97(1), 57–69.

- España, M. D., Arboleda, J. W., Ribeiro, J. A., Abdelnur, P. V., & Guzman, J. D. (2017). Eucalyptus leaf byproduct inhibits the anthracnose-causing fungus *Colletotrichum gloeosporioides*. *Industrial Crops and Products*, 108(April), 793–797.
- Evueh, A. G., Okhuoya, J. A., Osemwegie, O. O., & Attitalla, I. H. (2011). *Evaluation Phylloplane Fungi as Biocontrol Agent of Corynespora Leaf Disease of Rubber (Hevea brasiliensis Muell . ARG .)*. 2(1), 1–5.
- Fardin, K. M., & Young, M. C. M. (2015). Antifungal potential of *Avicennia schaueriana* Stapf & Leech. (Acanthaceae) against *Cladosporium* and *Colletotrichum* species. *Letters in Applied Microbiology*.
- Feng, Z., Li, Z., Qin, S., & Xing, K. (2019). *Volatile Organic Compounds Produced by Pseudomonas chlororaphis subsp. aureofaciens SPS-41 as Biological Fumigants To Control Ceratocystis fimbriata in Postharvest Sweet Potatoes*. (March).
- Ferreira, R. G., Monteiro, M. C., Kelly, J., Silva, R., & Maia, J. G. S. (2016). Antifungal Action of the Dillapiole-rich Oil of *Piper aduncum* against Dermatomycoses Caused by Filamentous Fungi. *British Journal of Medicine & Medical Research*, 15(12), 1–10.
- Freixa, B., Vila, R., Ferro, E. A., Adzet, T., & Cañigueral, S. (2001). Antifungal principles from *Piper fulvescens*. *Planta Medica*, 67(9), 873–875.
- FUJII, S., NISHIMURA, S., & YONEDA, T. (2006). Altitudinal distribution of Fagaceae in West Sumatra. *Tropics*, 15(2), 153–163.
- Gaia, A. M., Yamaguchi, L. F., Jeffrey, C. S., & Kato, M. J. (2014). Age-dependent changes from allylphenol to prenylated benzoic acid production in *Piper gaudichaudianum* Kunth. *Phytochemistry*.
- Gond, S. K., Verma, V. C., Kumar, A., Kumar, V., & Kharwar, R. N. (2007). Study of endophytic fungal community from different parts of *Aegle marmelos* Correae (Rutaceae) from Varanasi (India). *World Journal of Microbiology and Biotechnology*, 23(10), 1371–1375.
- Griffin, S. G., Markham, J. L., & Leach, D. N. (2000). An agar dilution method for the determination of the minimum inhibitory concentration of essential oils. *Journal of Essential Oil Research*, 12(2), 249–255.
- Guerrini, A., Sacchetti, G., Rossi, D., Paganetto, G., Muzzoli, M., Andreotti, E., ... Bruni, R. (2009). Bioactivities of *Piper aduncum* L. and *Piper obliquum* Ruiz & Pavon (Piperaceae) essential oils from Eastern Ecuador. *Environmental Toxicology and Pharmacology*, 27(1), 39–48.
- Guyot, J., Ntawanga Omanda, E., & Pinard, F. (2005). Some epidemiological investigations on *Colletotrichum* leaf disease on rubber tree. *Crop Protection*, 24(1), 65–77.
- Guyot, J., Omanda, E. N., Ndoutoume, A., Otsaghe, A. A. M., Enjalric, F., & Assoumou, H. G. N. (2001). Effect of controlling *Colletotrichum* leaf fall of rubber tree on epidemic development and rubber production. *Crop Protection*.
- Harrington, T. C., Thorpe, D. J., & Alfenas, A. C. (2011). Harrington, Thorpe, and Alfenas, 2011.pdf. *Population Biology*, 101(5), 555–566.
- Hartemink, A. (2010). The invasive shrub *piper aduncum* in papua new Guinea: A Review. *Journal of Tropical Forest Science*, 22(2), 202–213.
- Heng, T. S., & Joo, G. K. (2017). Rubber. *Encyclopedia of Applied Plant Sciences*, 3, 402–409. <https://doi.org/10.1016/B978-0-12-394807-6.000175-1>
- Heung, S. B., Ho, S. R., Jae, W. Y., Soo, M. A., Jin, Y. L., Jeonga-Lee, ... Ih, S. C. (2008). The inhibitory effect of new hydroxamic acid derivatives on melanogenesis. *Bulletin of the Korean Chemical Society*.
- Holetz, F. B., Pessini, G. L., Sanches, N. R., Cortez, A. G., Nakamura, C. V., Prado, B., & Filho, D. (2002). *Screening Pl Medicinais 2.Pdf*. 97(October), 1027–1031.
- Huang, W. Y., Cai, Y. Z., & Zhang, Y. (2010). Natural phenolic compounds from medicinal herbs and dietary plants: Potential use for cancer prevention. *Nutrition and Cancer*.

- Hübsch, Z., Van Zyl, R. L., Cock, I. E., & Van Vuuren, S. F. (2014). Interactive antimicrobial and toxicity profiles of conventional antimicrobials with Southern African medicinal plants. *South African Journal of Botany*, 93, 185–197.
- Hunupolagama, D. M., Chandrasekharan, N. V., Wijesundera, W. S. S., Kathriarachchi, H. S., Fernando, T. H. P. S., & Wijesundera, R. L. C. (2017). Unveiling Members of Colletotrichum acutatum Species Complex Causing Colletotrichum Leaf Disease of Hevea brasiliensis in Sri Lanka. *Current Microbiology*, 74(6), 747–756.
- Hyde, K. ., Cai, L., Cannon, P. F., Crouch, J. A., Crous, P. W., Damm, U., ..., & Zhang, J. Z. (2009). Colletotrichum – names in current use. *Fungal Diversity - Online Advanced*.
- Jacob, C. K. (2006). Corynespora leaf disease of Hevea brasiliensis : A threat to natural rubber production. *Rubber Research Institute of India*.
- Jayasinghe, C. K., Fernando, T. H. P. S., & Priyanka, U. M. S. (1997). Colletotrichum acutatum is the main cause of Colletotrichum leaf disease of rubber in Sri Lanka. *Mycopathologia*, 137(1), 53–56.
- Jinji, P., Xin, Z., Yangxian, Q., Yixian, X., Huiqiang, Z., & He, Z. (2007). First record of Corynespora leaf fall disease of Hevea rubber tree in China. *Australasian Plant Disease Notes*, 2(1), 35.
- Kaewchai, S., & Soytong, K. (2010). Application of biofungicides against Rigidoporus microporus causing white root disease of rubber trees. *Journal of Agricultural Technology*, 6(2), 349–363.
- Kato, M. J., & Furlan, M. (2007). Chemistry and evolution of the Piperaceae. *Pure and Applied Chemistry*, 79(4), 529–538.
- Koroishi, A. M., Foss, S. R., Cortez, D. A. G., Ueda-Nakamura, T., Nakamura, C. V., & Dias Filho, B. P. (2008). In vitro antifungal activity of extracts and neolignans from Piper regnellii against dermatophytes. *Journal of Ethnopharmacology*, 117(2), 270–277.
- Kumar, N., Misra, P., Dube, A., Bhattacharya, S., Dikshit, M., & Ranade, S. (2010). Piper betle Linn. A maligned pan-asiatic plant with an array of pharmacological activities and prospects for drug discovery. *Current Science*.
- Lago, G., Chen, A., Claudia, M., Young, M., Oliveira, A. De, Kato, M. J., & Guimara, E. F. (2009). Phytochemistry Letters Prenylated benzoic acid derivatives from Piper aduncum L . and. *Phytochemistry Letters*, 2, 96–98.
- Lago, J. H. G., Young, M. C. M., Reigada, J. B., Soares, M. G., Roesler, B. P., & Kato, M. J. (2007). Antifungal derivatives from Piper mollicomum and P. lhotzkyanum (PIPERACEAE). *Química Nova*.
- Lee, S. E., Park, B. S., Kim, M. K., Choi, W. S., Kim, H. T., Cho, K. Y., ... Lee, H. S. (2001). Fungicidal activity of pipernonaline, a piperidine alkaloid derived from long pepper, Piper longum L., against phytopathogenic fungi. *Crop Protection*, 20(6), 523–528. [https://doi.org/10.1016/S0261-2194\(00\)00172-1](https://doi.org/10.1016/S0261-2194(00)00172-1)
- Lee, S., Mel, V., Taylor, J. E., & Crous, P. W. (2004). Diversity of saprobic hyphomycetes on Proteaceae and Restionaceae from South Africa Diversity of saprobic hyphomycetes on Proteaceae and Restionaceae from South Africa Cape , one of nine provinces of South Africa , is situated on the southwestern tip acco. (October).
- Lieberei, R. (2007). South American Leaf Blight of the Rubber Tree (Hevea spp.): New Steps in Plant Domestication using Physiological Features and Molecular Markers. *Annals of Botany*, 100, 1125–1142.
- Limsuwan, S., & Voravuthikunchai, S. P. (2013). Anti-Streptococcus pyogenes activity of selected medicinal plant extracts used in Thai traditional medicine. *Trop. J. of Pharmaceutical Research*.
- Liu, X., Ouyang, C., Wang, Q., Li, Y., Yan, D., Yang, D., ... Guo, M. (2017). Effects of oil extracts of Eupatorium adenophorum on Phytophthora capsici and other plant pathogenic fungi in vitro. *Pesticide Biochemistry and Physiology*, 140(2016), 90–96.
- Liu, Z., Wu, M., Ke, Z., Liu, W., & Li, X. (2017). Functional analysis of a regulator of G-protein signaling CgRGS1 in the rubber tree anthracnose fungus Colletotrichum gloeosporioides.

- López, A., Dong, S. M., & Towers, G. H. N. (2002). Antifungal activity of benzoic acid derivatives from *Piper lanceaefolium*. *Journal of Natural Products*.
- Lopez, D., Ribeiro, S., Label, P., Fumanal, B., Venisse, J. S., Kohler, A., ... Pujade-Renaud, V. (2018). Genome-wide analysis of *Corynespora cassiicola* leaf fall disease putative effectors. *Frontiers in Microbiology*, 9(MAR), 1–21.
- Luize, P. S., Ueda-Nakamura, T., Filho, B. P. D., Cortez, D. A. G., & Nakamura, C. V. (2006). Activity of Neolignans Isolated from *Piper regnellii* (MIQ.) C. DC. var. *pallescens* (C. DC.) YUNCK against *Trypanosoma cruzi*. *Biological & Pharmaceutical Bulletin*, 29(10), 2126–2130.
- Ma, D., Zhu, J., Jiang, J., Zhao, Y., Li, B., Mu, W., & Liu, F. (2018). Evaluation of bioactivity and control efficacy of tetracycline against *Corynespora cassiicola*. In *Pesticide Biochemistry and Physiology* (Vol. 152).
- Manju, M. J., Benagi, V., & Hanumaiah, S. (2014). Antifungal activity of some biological agents against *Corynespora cassiicola* causing *Corynespora* leaf fall disease of rubber (*Hevea brasiliensis* Muell . Arg.). *Indian Journal of Advances in Plant Research (IJAPR)*, 1(6), 30–32.
- Marin, M., Castro, B., Gaitan, A., Preisig, O., Wingfield, B. D., & Wingfield, M. J. (2003). Relationships of *Ceratocystis fimbriata* isolates from colombian coffee-growing regions based on molecular data and pathogenicity. *Journal of Phytopathology*, 151(7–8), 395–405.
- Mgbeahuruike, E. E., Yrjönen, T., Vuorela, H., & Holm, Y. (2017). Bioactive compounds from medicinal plants: Focus on *Piper* species. *South African Journal of Botany*, 112, 54–69.
- Mhm, N., Salmah, I., Syahid, A., & Aa, M. (2011). In-vitro screening of antifungal activity of plants in Malaysia. *Biomedical Research*, 22(1), 28–30.
- Mohammed, C. L., Rimbawanto, A., & Page, D. E. (2014). Management of basidiomycete root- and stem-rot diseases in oil palm, rubber and tropical hardwood plantation crops. *Forest Pathology*, 44(6), 428–446.
- Morandim-giannetti, A. D. A., Pin, A. R., Ama, N., Pietro, S., Oliveira, H. C. De, Mendes-giannini, M. J. S., ... Castelo, D. A. (2010). Composition and antifungal activity against *Candida albicans*, *Candida parapsilosis*, *Candida krusei* and *Cryptococcus neoformans* of essential oils from leaves of *Piper* and *Peperomia* species. *J. of Medicinal Plants Research*, 4(17), 1810–1814.
- Morandim, A. D., Kato, M. J., Cavalheiro, A. J., & Furlan, M. (2009). Intraspecific variability of dihydrochalcone, chromenes and benzoic acid derivatives in leaves of *Piper aduncum* L. (Piperaceae). *African Journal of Biotechnology*, 8(10), 2157–2162.
- Munawaroh, E., Astuti, I. P., & Sumarto. (2011). Studi keanekaragaman dan potensi suku piperaceae di sumatera barat. *Berk. Penel. Hayati*, 5A, 35–40.
- Münch, S., Lingner, U., Floss, D. S., Ludwig, N., Sauer, N., & Deising, H. B. (2008). The hemibiotrophic lifestyle of *Colletotrichum* species. *Journal of Plant Physiology*, 165(1), 41–51.
- Narasimhan, B., & Dhake, A. S. (2006). Antibacterial Principles from *Myristica fragrans* Seeds. *Journal of Medicinal Food*.
- Navickiene, Hosana M Debonsi, Morandim, A. D. A., Alécio, A. C., Regasini, L. O., Bergamo, D. C. B., Telascrea, M., ... Sp, S. P. (2006). Composition and Antifungal Activity of Essential Oils from *Piper aduncum*, *Piper arboreum* and *Piper tuberculatum*. *Quim. Nova*, 29(3), 467–470.
- Navickiene, Hosana Maria D., Alécio, A. C., Kato, M. J., Bolzani, V. D. S., Young, M. C. M., Cavalheiro, A. J., & Furlan, M. (2000). Antifungal amides from *Piper hispidum* and *Piper tuberculatum*. *Phytochemistry*.
- Nordin, M. A. F., Wan Harun, W. H. A., Razak, F. A., & Musa, M. Y. (2014). Growth inhibitory response and ultrastructural modification of oral-associated candidal reference strains (ATCC) by *Piper betle* L. extract. *International Journal of Oral Science*, 6(1), 15–21.
- Ogbebior, N. O., Adekunle, A. T., Eghafona, N. O., & Ikponmwosa, A. (2015). In vitro and in vivo synthetic fungicides control of Rigidoporus microporus on Para rubber in Nigeria. *J. Crop Prot*,

4(4), 477–485.

- Ogbebior, N, & Adekunle, A. T. (2005). Inhibition of conidial germination and mycelial growth of *Corynespora cassiicola* ( Berk and Curt ) of rubber ( *Hevea brasiliensis* muell . Arg .) using extracts of some plants. *African Journal of Biotechnology* Vol., 4(9), 996–1000.
- Ogbebior, NO, Adekunle, A., & Enobakhare, D. (2010). Inhibition of *Colletotrichum gloeosporioides* (Penz) Sac. causal organism of rubber (*Hevea brasiliensis* Muell. Arg.) leaf spot using plant extracts. *African Journal of Biotechnology*.
- Ogbemudia, & Thompson. (2014). Variation in Plants Secondary Metabolites and Potential Ecological Roles – A Review. *Int. Journal of Modern Biology and Medicine*, 5(3), 111–130.
- Okigbo, R. N., & Mmekwa, E. C. (2006). An appraisal of phytomedicine in Africa. *KMITL Science and Technology Journal*, 6(2), 83–94.
- Orwa C, A Mutua, Kindt R , Jamnadass R, S. A. (2009). *Hevea brasiliensis*. *Agroforestry Database* 4.0, 0, 1–5.
- Pacheco, F. V., de Paula Avelar, R., Alvarenga, I. C. A., Bertolucci, S. K. V., de Alvarenga, A. A., & Pinto, J. E. B. P. (2016). Essential oil of monkey-pepper (*Piper aduncum* L.) cultivated under different light environments. *Industrial Crops and Products*, 85, 251–257.
- Parmar, V. S., Jain, S. C., Bisht, K. S., Jain, R., Taneja, P., Jha, A., ... Boll, P. M. (1997). Phytochemistry of the genus *Piper*. *Phytochemistry*.
- Pauli, A., & Kubeczka, K.-H. (2010). Antimicrobial Properties of Volatile Phenylpropanes. *Natural Product Communications*, 5(9).
- Phoulivong, S., Cai, L., Chen, H., McKenzie, E. H. C., Abdelsalam, K., Chukeatirote, E., & Hyde, K. D. (2010). *Colletotrichum gloeosporioides* is not a common pathogen on tropical fruits. *Fungal Diversity*, 44, 33–43.
- Pineda M, R., Vizcaíno P, S., García P, C. M., Gil G, J. H., & Durango R, D. L. (2012). Chemical composition and antifungal activity of *Piper auritum* Kunth and *Piper holtonii* C. DC. against phytopathogenic fungi. *Chilean Journal of Agricultural Research*.
- Promputtha, I., Lumyong, S., Dhanasekaran, V., McKenzie, E. H. C., Hyde, K. D., & Jeewon, R. (2007). A phylogenetic evaluation of whether endophytes become saprotrophs at host senescence. *Microbial Ecology*, 53(4), 579–590.
- Putra, R. C., & Widyasari, T. (2018). Pemanfaatan Gambut Rawa Pening Sebagai Pupuk Organik. *Indonesian J. Nat. Rubb. Res.*, 36(1), 1–12.
- Radwan, M. M., Tabanca, N., Wedge, D. E., Tarawneh, A. H., & Cutler, S. J. (2014). Antifungal compounds from turmeric and nutmeg with activity against plant pathogens. *Fitoterapia*, 99(1), 341–346.
- Ramos, M., Ramos, D. F., Remsberg, C. M., Jody, K., Davies, N. M., & Yáñez, J. A. (2008). Identification of Polyphenols and Anti-Oxidant Capacity of *Piper*. *The Open Bioactive Compounds Journal*, 1, 18–21.
- Rizaldi, Mairawita, Novarino, W., Nurainas, Nurdin, J., Idris, & Si. (2018). *An Introduction to The Biological Education and Research Forest of Andalas University*.
- Rodrigues, E. R., Nogueira, N. G. P., Zocolo, G. J., Leite, F. S., Januario, A. H., Fusco-Almeida, A. M., ... Pietro, R. C. L. R. (2012). Pothomorphe umbellata: Antifungal activity against strains of *Trichophyton rubrum*. *Journal de Mycologie Medicale*, 22(3), 265–269.
- Rozwalka, L. C., Lima, M. L. R. Z. D. C., Mio, L. L. M. de, & Nakashima, T. (2008). Extratos, decoctos e óleos essenciais de plantas medicinais e aromáticas na inibição de *Glomerella cingulata* e *Colletotrichum gloeosporioides* de frutos de goiaba. *Ciência Rural*, 38(2), 301–307.
- Ruiz, C., Haddad, M., Alban, J., Bourdy, G., Reategui, R., Castillo, D., ... Rojas, R. (2011). Activity-guided isolation of antileishmanial compounds from *Piper hispidum*. *Phytochemistry Letters*, 4(3), 363–366.

- Saha, T., Kumar, A., Ravindran, M., Jacob, C. K., Roy, B., & Nazeer, M. A. (2002). Identification of *Colletotrichum acutatum* from rubber using random amplified polymorphic DNAs and ribosomal DNA polymorphisms. *Mycological Research*.
- Salleh, W. M. N. H. W., Ahmad, F., Sirat, H. M., & Yen, K. H. (2012). Original article : CHEMICAL COMPOSITIONS AND ANTIBACTERIAL ACTIVITY OF. *EXCLI Journal*, 11, 399–406.
- Salleh, W. M. N. H. W., Hashim, N. A., Ahmad, F., & Yen, K. H. (2014). Anticholinesterase and antityrosinase activities of ten *Piper* species from Malaysia. *Advanced Pharmaceutical Bulletin*, 4(Suppl 2), 527–531.
- Santos, M. L., Magalhães, C. F., Barcellos, M., Santos, D. D. A., Brasileiro, B. G., Carvalho, L. M. De, ... Valadares, G. (2013). Antifungal activity of extracts from *Piper aduncum* leaves prepared by different solvents and extraction techniques against dermatophytes *Trichophyton rubrum* and *Trichophyton interdigitale*. *Brazilian Journal of Microbiology*, 1278, 1275–1278.
- Schoch, C. L., Crous, P. W., Groenewald, J. Z., Boehm, E. W. A., Burgess, T. I., de Gruyter, J., ... Spatafora, J. W. (2009). A class-wide phylogenetic assessment of Dothideomycetes. *Studies in Mycology*, 64, 1–15.
- Scott, I. M., Jensen, H. R., Philogene, B. J. R., & Arnason, J. T. (2008). A review of *Piper* spp. (Piperaceae) phytochemistry, insecticidal activity and mode of action. *Phytochemistry Reviews*.
- Silva, J. ., Souza, P. E., & Monteiro, F. P. (2014). Antifungal activity using medicinal plant extracts against pathogens of coffee tree. *Rev. Bras. Pl. Med., Campinas*, 16, 539–544.
- Supawan Bunrathep, Jonrunruangchok, S., & Ruangrungsi, N. (2016). ESSENTIAL OIL CONSTITUENTS AND BIOLOGICAL ACTIVITIES OF PIPER RIBESOIDES LEAVES ENDEMIC TO THAILAND. *Bulletin of Health, Science and Technology BHST*, 14(2), 77–85.
- Suwanphakdee, C., Simpson, D. A., Hodkinson, T. R., & Chantanathai, P. (2018). Typification of *Piper* species (Piperaceae) in Southeast Asia, especially Thailand. *Kew Bulletin*, 73(3).
- Tabopda, T. K., Ngoupayo, J., Liu, J., Mitaine-Offer, A. C., Tanoli, S. A. K., Khan, S. N., ... Luu, B. (2008). Bioactive aristolactams from *Piper umbellatum*. *Phytochemistry*, 69(8), 1726–1731.
- Tang, G. H., Chen, D. M., Qiu, B. Y., Sheng, L., Wang, Y. H., Hu, G. W., ... Li, J. (2011). Cytotoxic amide alkaloids from *piper boehmeriaefolium*. *Journal of Natural Products*.
- Than, P. P., Jeewon, R., Hyde, K. D., Pongsupasmit, S., Mongkolporn, O., & Taylor, P. W. J. (2008). Characterization and pathogenicity of *Colletotrichum* species associated with anthracnose on chilli (*Capsicum* spp.) in Thailand. *Plant Pathology*, 57(3), 562–572.
- Thao, N. P., Luyen, B. T. T., Widowati, W., Fauziah, N., Maesaroh, M., Herlina, T., ... Kim, Y. H. (2016). Anti-inflammatory flavonoid C-glycosides from *Piper aduncum* leaves. *Planta Medica*, 82(17), 1475–1481.
- Tran, D. M., Clement-Demange, A., Deon, M., Garcia, D., Guen, V. Le, Clement-Vidal, A., ... Pujade-Renaud, V. (2016). Genetic Determinism of Sensitivity to *Corynespora cassiicola* Exudates in Rubber Tree ( *Hevea brasiliensis* ). *PLoS ONE* 11(10):, 11(10), 1–25.
- Trindade, F. T. T., Stabeli, R. G., Facundo, V. A., Cardoso, C. T., da Silva, M. A., Gil, L. H. S., ... e Silva, A. de A. (2012). Evaluation of larvicidal activity of the methanolic extracts of *Piper alatabaccum* branches and *P. tuberculatum* leaves and compounds isolated against *Anopheles darlingi*. *Brazilian Journal of Pharmacognosy*.
- Usia, T., Watabe, T., Kadota, S., & Tezuka, Y. (2005). Potent CYP3A4 inhibitory constituents of *Piper cubeba*. *Journal of Natural Products*, 68(1), 64–68.
- Vadlapudi, V., & Kaladhar, D. S. V. G. K. (2012). Phytochemical evaluation and molecular characterization of some important medicinal plants. *Asian Pacific Journal of Tropical Disease*.
- Valdetaro, D. C. O. F., Oliveira, L. S. S., Guimarães, L. M. S., Harrington, T. C., Ferreira, M. A., Freitas, R. G., & Alfenas, A. C. (2015). Genetic variation, morphology and pathogenicity of *Ceratocystis fimbriata* on *Hevea brasiliensis* in Brazil. *Trop. Plant Pathology*, 40(3), 184–192.
- van Lierop, P., Lindquist, E., Sathyapala, S., & Franceschini, G. (2015). Global forest area disturbance

- from fire, insect pests, diseases and severe weather events. *Forest Ecology and Management*, 352, 78–88.
- Van Wyk, M., Wingfield, B. D., Marin, M., & Wingfield, M. J. (2010). New Ceratocystis species infecting coffee, cacao, citrus and native trees in Colombia. *Fungal Diversity*, 40, 103–117.
- Vasques, R., Debonsi, H. M., Kato, M. J., Claudia, M., Young, M., Bolzani, S., & Me, C. I. (2002). Antifungal amides from *Piper arboreum* and *Piper tuberculatum*. *Phytochemistry*, 59, 521–527.
- Vendrametto, M. C., Santos, A. O. dos, Nakamura, C. V., Filho, B. P. D., Cortez, D. A. G., & Ueda-Nakamura, T. (2010). Evaluation of antileishmanial activity of eupomatenoid-5, a compound isolated from leaves of *Piper regnellii* var. *pallescens*. *Parasitol. International*, 59(2), 154–158.
- Vila, R., Tomi, F., Mundina, M., Santana, A. I., Solís, P. N., Arce, J. B. L., ... Cañigueral, S. (2005). Unusual composition of the essential oils from the leaves of *Piper aduncum*. *Flavour and Fragrance Journal*, 20, 67–69.
- Voravuthikunchai, S. P., & Mitchell, H. (2008). Inhibitory and Killing Activities of Medicinal Plants against Multiple Antibiotic-resistant *Helicobacter pylori*. *JOURNAL OF HEALTH SCIENCE*.
- Wang, W., An, B., Feng, L., He, C., & Luo, H. (2018). A Colletotrichum gloeosporioides Cerato-platinin protein, CgCP1, contributes to the conidiation and plays roles in the interaction with rubber tree. *Can. J. Microbiol.*, 1–33.
- Wang, Y.-H., Morris-Natschke, S. L., Yang, J., Niu, H.-M., Long, C.-L., & Lee, K.-H. (2014). Anticancer Principles from Medicinal *Piper* (胡椒 *Hú Jiāo*) Plants. *Journal of Traditional and Complementary Medicine*, 4(1), 8–16.
- Wanke, S., Jaramillo, M. A., Borsch, T., Samain, M. S., Quandt, D., & Neinhuis, C. (2007). Evolution of Piperales-matK gene and trnK intron sequence data reveal lineage specific resolution contrast. *Molecular Phylogenetics and Evolution*, 42(2), 477–497.
- Wiart, C., Hannah, N. A., Yassim, M., Hamimah, H., & Sulaiman, M. (2004). Antimicrobial activity of tiger's betel (*Piper porphyrophyllum* N.E. Br., Piperaceae). *Phytotherapy Research*, 18(9), 783–784.
- Wiart, C., Mogana, S., Khalifah, S., Mahan, M., Ismail, S., Buckle, M., ... Sulaiman, M. (2004). Antimicrobial screening of plants used for traditional medicine in the state of Perak, Peninsular Malaysia. *Fitoterapia*, 75(1), 68–73.
- Xing, K., Jie, T., Fang, Y., Zhang, J., Zhang, Y., Qiang, X., & Yan, X. (2018). Antifungal and eliciting properties of chitosan against *Ceratocystis fimbriata* in sweet potato. *Food Chemistry*, 268(March), 188–195.
- Xing, K., Li, T. J., Liu, Y. F., Zhang, J., Zhang, Y., Shen, X. Q., ... Qin, S. (2018). Antifungal and eliciting properties of chitosan against *Ceratocystis fimbriata* in sweet potato. *Food Chemistry*, 268(March), 188–195.
- Xing, K., Xing, Y., Liu, Y., Zhang, Y., Shen, X., Li, X., ... Qin, S. (2018). Fungicidal effect of chitosan via inducing membrane disturbance against *Ceratocystis fimbriata*. *Carbohydrate Polymers*, 192(March), 95–103.
- Xu, W.-H., & Li, X.-C. (2011a). Antifungal Compounds from *Piper* Species. *Current Bioactive Compounds*, 7(4), 262–267.
- Xu, W.-H., & Li, X.-C. (2011b). Antifungal Compounds from *Piper* Species. *Curr Bioact Compd*, 7(4), 1–13.
- Zarins, I., Daugavietis, M., & Halimona, J. (2009). Biological activity of plant extracts and their application as ecologically harmless biopesticide. *Scientific Works of the Lithuanian Institute of Horticulture and Lithuanian University of Agriculture*, 28(3), 269–280.