

Daftar pustaka

1. Kelly MS, Sandora TJ. Community-acquired pneumonia. In: Kliegman R, St Geme III JW (eds) *Nelson textbook of pediatrics*. Philadelphia: Elsevier Inc, 2020, pp. 8956–84.
2. WHO (homepage on the internet). 2021 (cited 2021 Jan 9). Available from http://www.who.int/health-topics/pneumonia#tab=tab_1.
3. Kementerian Kesehatan Republik Indonesia. Riset kesehatan dasar 2013. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan Republik Indonesia; 2013.
4. Badan Pusat Statistik, Badan Kependudukan dan Keluarga Berencana Nasional, Departemen Kesehatan. Survei demografi dan kesehatan Indonesia. Jakarta. 2007.
5. Harris M, Clark J, Coote N, Fletcher P, Harnden A, McKean M, et al. British Thoracic Society guidelines for the management of community acquired pneumonia in children: Update 2011. *Thorax*.; 66. Epub ahead of print 2011. DOI: 10.1136/thoraxjnl-2011-200598.
6. Fan RR, Howard LM, Griffin MR, Edwards KM, Zhu Y, Williams J V, et al. Nasopharyngeal Pneumococcal Density and Evolution of Acute Respiratory Illnesses in Young Children, Peru, 2009–2011. *Emerg Infect Dis*. 2016; 22: 2009–2011.
7. WHO. Pneumococcal conjugate vaccine for childhood immunization - WHO position paper. *Wkly Epidemiol Rec*. 2007; 12: 93–103.
8. World Health Organization. *Revised WHO Classification and Treatment of Childhood Pneumonia at Health Facilities: Evidence Summaries*, https://apps.who.int/iris/bitstream/handle/10665/137319/9789241507813_eng.pdf;jsessionid=2089DD8EDCA2FD8BFBF8678DB27578FA?sequence=1 (2014).
9. Tramper-Stranders GA. Childhood community-acquired pneumonia: A review of etiology- and antimicrobial treatment studies. *Paediatr Respir Rev*. 2018; 26: 41–48.
10. World Health Organization. Pneumonia. WHO.
11. Abdulkarim AA, Ibraheem RM, Adegboye AO, Johnson WBR, Adeboye MAN. Childhood pneumonia at the University of Ilorin Teaching Hospital, Ilorin Nigeria. *Niger J Paediatr*. 2013; 40: 284–289–89.
12. Rudan I, O'Brien KL, Nair H, Liu L, Theodoratou E, Qazi S, et al. Epidemiology and etiology of childhood pneumonia in 2010: Estimates of incidence, severe morbidity, mortality, underlying risk factors and causative pathogens for 192 countries. *J Glob Health*.; 3. Epub ahead of print 2013. DOI: 10.7189/jogh.03.010401.
13. Kartasmita CB. Pneumonia pembunuh balita. *Bul jendela Epidemiol*. 2010; 3: 22–26.
14. Rudan I, Boschi-Pinto C, Biloglav Z, Mulholland K, Campbell H. Epidemiology and etiology of childhood pneumonia. *Bull World Health Organ*. 2008; 86: 408–416.
15. Haq IJ, Battersby AC, Eastham K, McKean M. Community acquired pneumonia in children. *BMJ*. 2017; 356: 1–10.

16. Cevey-Macherel M, Galetto-Lacour A, Gervaix A, Siegrist CA, Bille J, Bescher-Ninet B, et al. Etiology of community-acquired pneumonia in hospitalized children based on WHO clinical guidelines. *Eur J Pediatr.* 2009; 168: 1429–1436.
17. Cilla G, Onate E, Perez-Yarza EG, Montes M, Vicente D, Perez-Trallero E. Viruses in community-acquired pneumonia in children aged less than 3 years old: high rate of viral coinfection. *J Med Virol.* 2008; 80: 1843–49.
18. Hamano-Hasegawa K, Morozumi M, Nakayama E, Chiba N, Murayama SY, Takayanagi R, et al. Comprehensive detection of causative pathogens using real-time PCR to diagnose pediatric community-acquired pneumonia. *J Infect Chemother.* 2008; 14: 424–432.
19. Munywoki PK, Hamid F, Mutunga M, Welch S, Cane P, Nokes DJ. Improved detection of respiratory viruses in pediatric outpatients with acute respiratory illness by real-time PCR using nasopharyngeal flocced swabs. *J Clin Microbiol.* 2011; 49: 3365–3367.
20. Ostapchuk M, Roberts DM, Haddy R. Community-acquired pneumonia in infants and children. *Am Fam Physician.* 2004; 70: 899–908.
21. Leung AKC, Wong AHC, Hon KL. Community-Acquired Pneumonia in Children. 2018; 136–144.
22. Murdoch DR, O'Brien KL, Driscoll AJ, Karron RA, Bhat N. Laboratory methods for determining pneumonia etiology in children. *Clin Infect Dis.*; 54. Epub ahead of print 2012. DOI: 10.1093/cid/cir1073.
23. Alcoba G, Keitel K, Maspoli V, Lacroix L, Manzano S, Gehri M, et al. A three-step diagnosis of pediatric pneumonia at the emergency department using clinical predictors, C-reactive protein, and pneumococcal PCR. *Eur J Pediatr.* 2017; 176: 815–824.
24. Kiekara O, Korppi M, Tanska S, Soimakallio S. Radiological diagnosis of pneumonia in children. *Ann Med.* 1996; 28: 69–72.
25. Cho MC, Kim H, An D, Lee M, Noh SA, Kim MN, et al. Comparison of sputum and nasopharyngeal swab specimens for molecular diagnosis of mycoplasma pneumoniae, chlamydomydia pneumoniae, and legionella pneumophila. *Ann Lab Med.* 2012; 32: 133–138.
26. Andronikou S, Lambert E, Halton J, Hilder L, Crumley I, Lyttle MD, et al. Guidelines for the use of chest radiographs in community-acquired pneumonia in children and adolescents. *Pediatr Radiol.* 2017; 47: 1405–1411.
27. Bradley JS, Byington CL, Shah SS, Alverson B, Carter ER, Harrison C, et al. The management of community-acquired pneumonia in infants and children older than 3 months of age: Clinical practice guidelines by the pediatric infectious diseases society and the infectious diseases society of America. *Clin Infect Dis.* 2011; 53: 25–76.
28. Hammitt LL, Murdoch DR, Scott JAG, Driscoll A, Karron RA, Levine OS, et al. Specimen collection for the diagnosis of pediatric pneumonia. *Clin Infect Dis.*; 54. Epub ahead of print 2012. DOI: 10.1093/cid/cir1068.
29. Gillis HD, Lang ALS, Elsherif M, Martin I, Hatchette TF, McNeil SA, et al. Assessing the diagnostic accuracy of PCR-based detection of *Streptococcus pneumoniae* from nasopharyngeal swabs collected for viral studies in Canadian adults hospitalised with community-acquired

- pneumonia: A Serious Outcomes Surveillance (SOS) Network of . *BMJ Open*. 2017; 7: 1–8.
30. Kukla R, Bolehovska R, Radocha J, Pliskova L, Zak P, Vrbacky F, et al. Improved laboratory diagnostics of *Streptococcus pneumoniae* in respiratory tract samples through qPCR. *New Microbiol*. 2020; 1: 1–18.
 31. Kementerian Kesehatan Republik Indonesia. Pedoman pengendalian infeksi saluran pernafasan akut. Jakarta: Direktorat Jenderal Pengendalian Penyakit dan Pengendalian Lingkungan, Kementerian Kesehatan Republik Indonesia; 2012.
 32. Haider BA, Saeed MA, Bhutta ZA. Short-course versus long-course antibiotic therapy for nonsevere community-acquired pneumonia in children aged 2 months to 59 months. *Cochrane Database Syst Rev*. 2011; 1–22.
 33. Par'i H. Konsep penilaian status gizi. In: Harjatmo T, Par'i H, Wiyono S (eds) *Penilaian status gizi*. Jakarta: Badan pengembangan dan pemberdayaan sumber daya manusia kesehatan. Kementerian Kesehatan Republik Indonesia, 2017, pp. 1–16.
 34. WHO. The World Health Organization's infant feeding recommendation, http://www.who.int/nutrition/topics/infantfeeding_recommendation/en/ (2021, accessed 13 April 2021).
 35. Sudrajad S, Nurcahyo V, Kandhi P, Primadewi N, Pratiwi D, Hastami Y. Keterampilan pemeriksaan THT. In: *Buku pedoman keterampilan klinis*. Surakarta: Fakultas kedokteran Universitas Sebelas Maret, 2018, pp. 32–3.
 36. Bowen SJM, Thomson AH. British Thoracic Society Paediatric Pneumonia Audit: A review of 3 years of data. *Thorax*. 2013; 68: 682–683.
 37. Weigl JAI, Bader HM, Everding A, Schmitt HJ. Population-based burden of pneumonia before school entry in Schleswig-Holstein, Germany. *Eur J Pediatr*. 2003; 162: 309–316.
 38. Fadlyana E, Dunne EM, Rusmil K, Tarigan R, Sudigdoadi S, Murad C, et al. Risk factors associated with nasopharyngeal carriage and density of *Streptococcus pneumoniae*, *Haemophilus influenzae*, *Moraxella catarrhalis*, and *Staphylococcus aureus* in young children living in Indonesia. *Pneumonia*. 2018; 10: 1–14.
 39. Maysaa Saeed Mohammed Alshareef Supervisors Jehad Elhissi Ihab M Almasri BH. Breast Feeding Practice and Protection Against Pneumonia During Infancy: A Case Control Study, <http://www.alazhar.edu.ps/arabic/He/files/20102841.pdf> (2020).
 40. Tirdia PR, Vajpayee S, Singh J, Gupta RK. Accuracy of lung ultrasonography in diagnosis of community acquired pneumonia in hospitalized children as compared to chest x-ray. *Int J Contemp Pediatr*. 2016; 3: 1026–31.
 41. Ho MC, Ker CR, Hsu JH. Usefulness of lung ultrasound in the diagnosis of community-acquired pneumonia in children. *Pediatr Neonatol*. 2015; 56: 40–45.
 42. Mohamed AEM, Kamel OF, Ghazy MS. Accuracy of lung ultrasonography in diagnosis of community acquired pneumonia as compared to chest x-ray in pediatric age group. *Egypt J Hosp Med*. 2018; 72: 4977–83.
 43. Hoshina T, Nanishi E, Kanno S, Nishio H, Kusuhara K, Hara T. The utility

- of biomarkers in differentiating bacterial from non-bacterial lower respiratory tract infection in hospitalized children: Difference of the diagnostic performance between acute pneumonia and bronchitis. *J Infect Chemother.* 2014; 20: 616–620.
44. Driscoll AJ, Knoll MD, Hammitt LL, Baggett HC, Brooks WA, Feikin DR, et al. The effect of antibiotic exposure and specimen volume on the detection of bacterial pathogens in children with pneumonia. *Clin Infect Dis.* 2017; 64: S368–S377.
 45. Dunne EM, Murad C, Sudigdoadi S, Fadlyana E, Tarigan R, Indriyani SAK, et al. Carriage of streptococcus pneumoniae, haemophilus influenzae, moraxella catarrhalis, and staphylococcus aureus in Indonesian children: A cross-sectional study. *PLoS One.* 2018; 13: 1–12.
 46. Hadinegoro SR, Prayitno A, Khoeri MM, Djelantik IGG, Dewi NE, Indriyani SAK, et al. Nasopharyngeal carriage of Streptococcus pneumoniae in healthy children under five years old in central lombok regency, Indonesia. *Southeast Asian J Trop Med Public Health.* 2016; 47: 485–493.
 47. Le O, Waroux P De, Flasche S, Prieto-merino D, Edmunds WJ. Age-Dependent Prevalence of Nasopharyngeal Carriage of Streptococcus pneumoniae before Conjugate Vaccine Introduction : A Prediction Model Based on a. 9. Epub ahead of print 2014. DOI: 10.1371/journal.pone.0086136.
 48. Ponka A, Nurmi T, Salminen E, Nykyri E. Infections and other illnesses of children in day-care centers in Helsinki I: incidences and effects of home and day-care center variables. *Springer.* 1991; 19: 230–6.
 49. Abaye G, Fekadu H, Haji K, Alemu D, Anjulo AA, Yadate DT. Prevalence and risk factors of pneumococcal nasopharyngeal carriage in healthy children attending kindergarten, in district of Arsi Zone, South East, Ethiopia. *BMC Res Notes.* 2019; 12: 1–6.
 50. Piralam B, Prospero C, Thamthitiwat S, Bunthi C, Sawatwong P, Sangwichian O, et al. Pneumococcal colonization prevalence and density among Thai children with severe pneumonia and community controls. *PLoS One.* 2020; 15: 1–17.
 51. García-Rodríguez JÁ, Fresnadillo Martínez MJ. Dynamics of nasopharyngeal colonization by potential respiratory pathogens. *J Antimicrob Chemother.* 2002; 50: 59–73.
 52. Yu YY, Xie XH, Ren L, Deng Y, Gao Y, Zhang Y, et al. Epidemiological characteristics of nasopharyngeal Streptococcus pneumoniae strains among children with pneumonia in Chongqing, China. *Sci Rep.* 2019; 9: 1–10.