

DAFTAR PUSTAKA

1. Bikbov B, Purcell CA, Levey AS, Smith M, Abdoli A, Abebe M, et al. Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for The Global Burden of Disease Study 2017. *Lancet*. 2020;395:709–33.
2. Gulati. Chronic kidney disease in children [Internet]. Medscape (online). 2020. Available from: <http://emedicine.medscape.com/article/984358-overview#a6>
3. Collins AJ, Foley RN, Gilbertson DT, Chen SC. United States Renal Data System public health surveillance of chronic kidney disease and end-stage renal disease. *Kidney Int Suppl*. 2015;5(1):2–7.
4. Warady BA, Chadha V. Chronic kidney disease in children: the global perspective. *Pediatr Nephrol*. 2007;22(12):1999–2009.
5. Ardissino G, Daccò V, Testa S, Bonaudo R, Claris-Appiani A, Taioli E, et al. Epidemiology of chronic renal failure in children: data from the ItalKid project. *Pediatrics*. 2003;111(4):382-7.
6. A Catharine Ross, Christine L Taylor, Ann L Yaktine. Dietary reference intakes for calcium and vitamin D. Washington DC: The National Academies Press; 2011.
7. Bose S, Breysse PN, McCormack MC, Hansel NN, Rusher RR, Matsui E, et al. Outdoor exposure and vitamin D levels in urban children with asthma. *Nutr J*. 2013;12(1):1-7.
8. Baylink D. Calcium and bone homeostasis and changes with aging, in principles of geriatric medicine and gerontology. USA: McGraw-Hill; 2003. p. 973-86.
9. Ritu G, Gupta A. Vitamin D deficiency in India: Prevalence, causalities and interventions. *Nutrients*. 2014;6(2):729–75.
10. Al-Saleh Y, Al-Daghri NM, Khan N, Alfawaz H, Al-Othman AM, Alokail MS, et al. Vitamin D status in Saudi school children based on knowledge. *BMC Pediatr*. 2015;15(1):1.
11. Poh B, Rojroongwasinkul N, Khanh L, Sandjaja S, Deurenberg P, Parikh P. Effect of demographic variables on 25(OH)D level and on the risk of vitamin D insufficiency in SEANUTS countries. *Eur J Nutr Food Saf*. 2015;5(5):465–6.
12. Wesseling-Perry K, Salusky IB. Chronic kidney disease: mineral and bone disorder in children. *Semin Nephrol*. 2013;33(2):169–79.
13. Bellasi A, Galassi A, Cozzolino M, Di Iorio B. The evolving world of chronic kidney disease mineral bone disorder. *Eur Med J*. 2013;1:20–31.
14. Moe SM, Drüeke T, Lameire N, Eknoyan G. Chronic kidney disease-mineral-bone disorder: A New Paradigm. *Adv Chronic Kidney Dis*. 2007;14(1):3–12.
15. Kumar J, McDermott K, Abraham A, Friedman L, Johnson V, Kaskel F, et al. Prevalence and correlates of 25-hydroxyvitamin D deficiency in the Chronic Kidney Disease in Children (CKiD) cohort. *Pediatr Nephrol*. 2016;31(1):121–9.
16. Hogg RJ, Furth S, Lemley K V., Portman R, Schwartz GJ, Coresh J, et al. National Kidney Foundation’s Kidney Disease Outcomes Quality Initiative clinical practice guidelines for chronic kidney disease in children and adolescents: Evaluation, classification, and stratification. *Pediatrics*. 2003;111:1416–21.

17. Pabuti A, Sekarwana N, Trihono PP. Kelainan Kardiovaskular pada Anak dengan Berbagai Stadium Penyakit Ginjal Kronik. *Sari Pediatr.* 2017;18(3):220.
18. Soesanti F, Pulungan A, Tridjaja B, Batubara JR. Vitamin D profile in healthy children aged 7-12 years old in Indonesia. *Int J Pediatr Endocrinol.* 2013; Supl.1:167.
19. Yap H, Liu ID, Resontoc LPR NK. Chronic kidney disease. In : Yap H, Liu HD, Ng K, editor. *Pediatric Nephrology.* 3rd ed. Singapore: Children kidney center; 2018. p. 409-34.
20. Becherucci F, Roperto RM, Materassi M, Romagnani P. Chronic kidney disease in children. *Clin Kidney J.* 2016;9(4):583–91.
21. *Sistem Informasi Manajemen Rumah Sakit Dr. M. Djamil.* Padang; 2015.
22. Bagga A, Sinha A, Gulati A. *Protocols in pediatric nephrology.* edisi ke-1. New Delhi: CBS Publisher and Distributors; 2013. p. 186-98.
23. Rees L, Mak RH. Nutrition and growth in children with chronic kidney disease. *Nat Rev Nephrol.* 2011;7(11):615–23.
24. Brancaccio D, Cozzolino M. CKD-MBD: An endless story. *J Nephrol.* 2011;24(suppl. 18):42–8.
25. Levin A, Bakris GL, Molitch M, Smulders M, Tian J, Williams LA, et al. Prevalence of abnormal serum vitamin D, PTH, calcium, and phosphorus in patients with chronic kidney disease: Results of the study to evaluate early kidney disease. *Kidney Int.* 2007;71(1):31–8.
26. Kiss I, Kiss Z, Ambrus C, Szabó A, Szegedi J, Balla J, et al. Age-dependent parathormone levels and different CKD-MBD treatment practices of dialysis patients in Hungary - Results from a nationwide clinical audit. *BMC Nephrol.* 2013;14(1):1–8.
27. Wesseling-perry K, Salusky IB. Redefining the pathogenesis of CKD-MBD : the critical role of FGF-23. *Bol Pediatr.* 2010;50:11–6.
28. Eddington H. *Improving the outcomes of patients with chronic kidney disease - mineral bone disorder (thesis).* Manchester : Faculty of medical and human sciences, The University of Manchester; 2012.
29. Gutiérrez OM. Fibroblast growth factor 23 and disordered vitamin D metabolism in chronic kidney disease: Updating the “trade-off” hypothesis. *Clin J Am Soc Nephrol.* 2010;5(9):1710–6.
30. Stubbs J, Liu S, Quarles LD. Role of fibroblast growth factor 23 in phosphate homeostasis and pathogenesis of disordered mineral metabolism in chronic kidney disease. *Semin Dial.* 2007;20(4):302–8.
31. Chauhan V, Kelepouris E, Chauhan N, Vaid M. Current concepts and management strategies in chronic kidney disease-mineral and bone disorder. *South Med J.* 2012;105(9):479–85.
32. Christakos S, Ajibade D V., Dhawan P, Fechner AJ, Mady LJ. Vitamin D: Metabolism. *Endocrinol Metab Clin North Am.* 2010;39(2):243–53.
33. Gulati S, Mittal S, Sharma RK, Gupta A. Etiology and outcome of chronic renal failure in Indian children. *Pediatr Nephrol.* 1999;13(7):594–6.
34. Nigwekar SU, Tamez H, Thadhani RI. Vitamin D and chronic kidney disease–mineral bone disease (CKD–MBD). *Bonekey Rep.* 2014;3:5–10.
35. Goldsmith DJA, Massy ZA, Brandenburg V. The uses and abuses of vitamin D compounds in chronic kidney disease-mineral bone disease (CKD-MBD). *Semin Nephrol.* 2014;34(6):660–8.

36. Menon S, Valentini RP, Hidalgo G, Peschansky L, Mattoo TK. Vitamin D insufficiency and hyperparathyroidism in children with chronic kidney disease. *Pediatr Nephrol.* 2008;23(10):1831–6.
37. Belostotsky V, Mughal MZ, Berry JL, Webb NJA. Vitamin D deficiency in children with renal disease. *Arch Dis Child.* 2008;93(11):959–62.
38. Hari P, Gupta N, Hari S, Gulati A, Mahajan P, Bagga A. Vitamin D insufficiency and effect of cholecalciferol in children with chronic kidney disease. *Pediatr Nephrol.* 2010;25(12):2483–8.
39. Dahlan MS. Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan. Vol. 26. Jakarta: Salemba Medika; 2013;3:76-8.
40. Bonnéric S, Karadkhele G, Couchoud C, Patzer RE, Greenbaum LA, Hogan J. Sex and glomerular filtration rate trajectories in children. *Clin J Am Soc Nephrol.* 2020;15(3):320–9.
41. Ramayani OR, Ritarwan K, Eyanoer PC, Siregar R, Ramayati R. Renal survival analysis of CAKUT and outcomes in chronic kidney disease. *Curr Pediatr Res.* 2017;21(4):691–5.
42. Sekarwana N, Pabuti A. Penyakit ginjal kronik. In: Rachmadi D, Sekarwana N, Garna H, Hilmanto D, editors. *Buku ajar nefrologi anak.* 3rd ed. Jakarta: Badan Penerbit IDAI; 2017. p. 609–23.
43. Gupta A, Mantan M, Sethi M. Nutritional assessment in children with chronic kidney disease. *Saudi J Kidney Dis Transpl.* 2016;27(4):733–9.
44. Silverstein DM. Growth and nutrition in pediatric chronic kidney disease. *Front Pediatr.* 2018;6:1–10.
45. Atkinson MA, Martz K, Warady BA, Neu AM. Risk for anemia in pediatric chronic kidney disease patients: A report of NAPRTCS. *Pediatr Nephrol.* 2010;25(9):1699–706.
46. Adamczuk D, Roszkowska-Blaim M. Long-term outcomes in children with chronic kidney disease stage 5 over the last 40 years. *Arch Med Sci.* 2017;13(3):635–44.
47. Duranton F, Rodriguez-Ortiz ME, Duny Y, Rodriguez M, Daurès JP, Argilés A. Vitamin D treatment and mortality in chronic kidney disease: A systematic review and meta-analysis. *Am J Nephrol.* 2013;37(3):239–48.
48. Selbuz S, Kırsaçlıoğlu CT, Kuloğlu Z, Yılmaz M, Penezoğlu N, Sayıcı U, et al. Diagnostic workup and micronutrient deficiencies in children with failure to thrive without underlying diseases. *Nutr Clin Pract.* 2019;34(4):581–8.
49. Soesanti F. Osteoporosis dan osteodistrofi pada anak. *Sari Pediatr.* 2019;21(2):138.
50. González EA, Sachdeva A, Oliver DA, Martin KJ. Vitamin D insufficiency and deficiency in chronic kidney disease: A single center observational study. *Am J Nephrol.* 2004;24(5):503–10.
51. Bhan I, Powe CE, Berg AH, Ankers E, Wenger JB, Karumanchi SA, et al. Bioavailable vitamin D is more tightly linked to mineral metabolism than total vitamin D in incident hemodialysis patients. *Kidney Int.* 2012;82(1):84–9.
52. Matsui I, Hamano T, Tomida K, Inoue K, Takabatake Y, Nagasawa Y, et al. Active vitamin D and its analogue, 22-oxacalcitriol, ameliorate puromycin aminonucleoside-induced nephrosis in rats. *Nephrol Dial Transplant.* 2009;24(8):2354–61.

53. Liu LJ, Lv JC, Shi SF, Chen YQ, Zhang H, Wang HY. Oral calcitriol for reduction of proteinuria in patients with IgA nephropathy: A randomized controlled trial. *Am J Kidney Dis.* 2012;59(1):67–74.
54. Santoro D, Caccamo D, Lucisano S, Buemi M, Sebekova K, Teta D, et al. Interplay of Vitamin D, erythropoiesis, and the renin-angiotensin system. *Biomed Res Int.* 2015;2015.
55. Altemose KE, Kumar J, Portale AA, Warady BA, Furth SL, Fadrowski JJ, et al. Vitamin D insufficiency, hemoglobin, and anemia in children with chronic kidney disease. *Pediatr Nephrol.* 2018;33(11):2131–6.
56. Ishimura E, Nishizawa Y, Inaba M, Matsumoto N, Emoto M, Kawagishi T, et al. Serum levels of 1,25-dihydroxyvitamin D, 24,25-dihydroxyvitamin D, and 25-hydroxyvitamin D in nondialyzed patients with chronic renal failure. *Kidney Int.* 1999;55(3):1019–27.
57. Giannakopoulos A, Efthymiadou A, Chrysis D. A Case of vitamin-D-dependent rickets type 1A with normal 1,25-dihydroxyvitamin D caused by two novel mutations of the CYP27B1 gene. *Horm Res Paediatr.* 2017;87(1):58–63.
58. Higgins V, Truong D, White-Al Habeeb NMA, Fung AWS, Hoffman B, Adeli K. Pediatric reference intervals for 1,25-dihydroxyvitamin D using the DiaSorin LIAISON XL assay in the healthy CALIPER cohort. *Clin Chem Lab Med.* 2018;56(6):964–72.
59. Melamed ML, Chonchol M, Gutiérrez OM, Kalantar-zadeh K, Kendrick J, Norris K, et al. The role of vitamin D in CKD stages 3 to 4: report of a scientific workshop sponsored by the National Kidney Foundation. *Am J Kidney Dis.* 2018;72(6):834–45.
60. Prié D, Friedlander G. Reciprocal control of 1,25-dihydroxyvitamin D and FGF23 formation involving the FGF23/Klotho system. *Clin J Am Soc Nephrol.* 2010;5(9):1717–22.

