

DAFTAR PUSTAKA

1. Kementerian Kesehatan Republik Indonesia. Profil Kesehatan Indonesia 2015. Jakarta: Kemenkes RI; 2016.
2. Johnston RB. Arsenic and the 2030 Agenda for sustainable development. *Arsen Res Glob Sustain - Proc 6th Int Congr Arsen Environ AS* 2016. 2016:12-14. doi:10.1201/b20466-7
3. Say L, Chou D, Gemmill A, et al. Global causes of maternal death : a WHO systematic analysis. *Lancet Glob Heal*. 2006:323-333. doi:10.1016/S2214-109X(14)70227-X
4. Angsar MD. Hipertensi dalam Kehamilan. In: Ilmu Kebidanan Sarwono Prawirohardjo. Jakarta: Bina Pustaka Sarwono Prawirohardjo; 2013.
5. Poon LC, Shennan A, Hyett JA, et al. The International Federation of Gynecology and Obstetrics (FIGO) initiative on pre-eclampsia : A pragmatic guide for trimester screening and prevention. *Int J Gynecol Obstet*. 2019;145(June):1-33. doi:10.1002/ijgo.12802
6. Brown MA, Magee LA, Kenny LC, et al. The hypertensive disorders of pregnancy: ISSHP classification, diagnosis & management recommendations for international practice. *Pregnancy Hypertens*. 2018;13(xxxx):291-310. doi:10.1016/j.preghy.2018.05.004
7. WHO. The World Health Report 2005: Make every mother and child count The World Health Report 2005. World Heal Rep. 2005.
8. Profil Kesehatan Indonesia 2012. Kementerian Kesehatan Republik Indonesia; 2012.
9. Karumanchi ASA, Lim K, August P. Preeclampsia : Pathogenesis. *UpToDate*. 2020:1-41.
10. Norwitz ER. Preeclampsia : Management and prognosis Preeclampsia : Management and prognosis. *UpToDate*. 2020;(table 2):1-12.
11. Perkumpulan Obstetri dan Ginekologi Indonesia Himpunan Kedokteran Feto Maternal. *Diagnosis dan Tata Laksana Pre-Eklampsia*. 2016.
12. Boutin A, Gasse C, Demers S, Giguère Y, Tétu A, Bujold E. Maternal Characteristics for the Prediction of Preeclampsia in Nulliparous Women : The Great Obstetrical Syndromes (GOS) Study. *J Obstet Gynaecol Canada*. 2017:1-7. doi:10.1016/j.jogc.2017.07.025
13. Poon LC, Nicolaides KH. First-trimester maternal factors and biomarker screening for preeclampsia. *Prenat Diagn*. 2014. doi:10.1002/pd.4397
14. O’Gorman N, Kypros Nicolaides H, Poon LC. The use of ultrasound and other markers for early detection of preeclampsia. *Womens Heal*. 2016.
15. Cunningham FG, Leveno KJ, Bloom SL, Spong CY, Dashe JS. Williams

- Obstetrics. 24th ed. New York: McGraw-Hill Education/Medical; 2014.
16. Thilaganathan B, Kalafat E. Cardiovascular System in Preeclampsia and Beyond. *Hypertension*. 2019;522-531. doi:10.1161/HYPERTENSIONAHA.118.11191
 17. Rang S, Wolf H, Montfrans GAV, Karemaker JM. Serial assessment of cardiovascular control shows early signs of developing pre-eclampsia. *J Hypertens*. 2004;22(2):369-376. doi:10.1097/00004872-200402000-00022
 18. Cnossen JS, Vollebregt KC, De Vrieze N, et al. Accuracy of mean arterial pressure and blood pressure measurements in predicting pre-eclampsia: Systematic review and meta-analysis. *Bmj*. 2008;336(7653):1117-1120. doi:10.1136/bmj.39540.522049.BE
 19. Gasse C, Boutin A, Coté M, Chaillet N, Bujold E, Demers S. First-trimester mean arterial blood pressure and the risk of preeclampsia: The Great Obstetrical Syndromes (GOS) study. *Pregnancy Hypertens*. 2018;12(July):178-182. doi:10.1016/j.preghy.2017.11.005
 20. Kurniati E, Rusnawati. Hubungan Mean Arterial Pressure (MAP) Dengan Preeklamsia Pada Ibu Hamil di Puskesmas Bontobangun Kabupaten Bulukumba. 2020;(2):138-145.
 21. Rekam Medik. Bagian Obsgyn RSIA Permata Bunda Solok periode 2018.
 22. Perhimpunan Dokter Kardiovaskular Indonesia. Pedoman Tatalaksana Hipertensi Pada Penyakit Kardiovaskular.; 2015.
 23. Sulistyowati S. Early and Late Onset Preeclampsia : What did really Matter ? 2017;5(4):7-9. doi:10.19080/JGWH.2017.05.555670
 24. Dinas Kesehatan Provinsi Sumatera Barat. Profil Kesehatan Sumatera Barat. 2018.
 25. Rekam Medik. Bagian Obsgyn RS. Dr. M. Djamil Padang Periode 2011, 2012, Dan 2013.
 26. Shiozaki A, Saito S. Risk Factors for Preeclampsia. 2018.
 27. Poon LC, Kametas NA, Chelemen T, Leal A, Nicolaides KH. Maternal risk factors for hypertensive disorders in pregnancy: A multivariate approach. *J Hum Hypertens*. *J Hum Hypertens*. 2010.
 28. Duckitt K, Harrington D. Risk factors for pre-eclampsia at antenatal booking: systematic review of controlled studies. *BMJ*. 2005.
 29. Robillard PY, Hulsey TC, Alexander GR, Keenan A, de Caunes F, Papiernik E. Paternity patterns and risk of preeclampsia in the last pregnancy in multiparae. *J Reprod Immunol*. 1993.
 30. Bartsch E, Medcalf KE, Park AL, Ray JG, High Risk of Pre-eclampsia Identification Group. Clinical risk factors for pre-eclampsia determined in early pregnancy: systematic review and meta-analysis of large cohort

studies. *BMJ*. 2016.

31. Hernández-Díaz S, Toh S, Cnattingius S. Risk of pre-eclampsia in first and subsequent pregnancies: prospective cohort study. *BMJ*. 2009.
32. Mignini LE, Carroli G, Betran AP, et al. Interpregnancy interval and perinatal outcomes across Latin America from 1990 to 2009: A large multi-country study. *BJOG*. 2016.
33. Saito S, Sakai M, Sasaki Y, Nakashima A, Shiozaki A. Inadequate tolerance induction may induce pre-eclampsia. *J Reprod Immunol*. 2007.
34. Klebanoff MA. The interval between pregnancies and the outcome of subsequent births. *N Engl J Med*. 1999.
35. Barton JR, Sibai BM. Prediction and prevention of recurrent preeclampsia. *Obs Gynecol*. 2008.
36. Kaufmann P, Black S, Huppertz B. Endovascular trophoblast invasion: implications for the pathogenesis of intrauterine growth retardation and preeclampsia. *Biol Reprod*. 2003.
37. Zhou Y, Damsky CH, Fisher SJ. Preeclampsia is associated with failure of human cytotrophoblasts to mimic a vascular adhesion phenotype. One cause of defective endovascular invasion in this syndrome?. *J Clin Invest*. 1997.
38. Valker JJ. Preeclampsia. *Lancet*. 2000.
39. Reslan OM, Khalil RA. Molecular and Vascular Targets in the Pathogenesis and Management of the Hypertension Associated with Preeclampsia. *Cardiovasc Hematol Agents Med Chem*. 2011;8(4):204-226.
40. Yie Shang-mian, Liang-hong Li, Yue-mei Li, Librach C. HLA-G Protein Concentration in Maternal, Serum and Placental Tissue are Decreased in Preeclampsia. *Am J Obs Gynecol*. 2004.
41. Skjaerven R, Vatten LJ, Wilcox AJ, et al. Recurrence of pre-eclampsia across generations: exploring fetal and maternal genetic components in a population based cohort. *BMJ*. 2005.
42. Zera CA, Seely EW, Wilkins-Haug LE, et al. The association of body mass index with serum angiogenic markers in normal and abnormal pregnancies. *Am J Obs Gynecol*. 2014.
43. Germain SJ, Sacks GP, Sooranna SR, et al. Systemic inflammatory priming in normal pregnancy and preeclampsia: the role of circulating syncytiotrophoblast microparticles. *J Immunol*. 2007.
44. Redman Kaplan's Clinical Hypertension, ed. Norman M. Kaplan, 8th ed, 2002.
45. Conde-Agudelo A, Villar J, Lindheimer M. Maternal infection and risk of preeclampsia: systematic review and metaanalysis. *Am J Obs Gynecol*.

2008.

46. ACOG. Clinical Management Guidelines for Obstetrician – Gynecologists. *Obstet Gynecol.* 2019;133(76):168-186.
47. Cotton DB, Hallak M, Janusz C, et al. Central anticonvulsant effects of magnesium sulfate on N-methyl-D-aspartate-induced seizures. *Am J Obs Gynecol.* 1993;168:974.
48. Tan MY, Syngelaki A, Poon LC, et al. Screening for pre-eclampsia by maternal factors and biomarkers at 11-13 weeks' gestation. *Ultrasound Obs Gynecol.* 2018;52:186–195.
49. National Collaborating Centre for women's and Children's Health (UK). *Hypertension in Pregnancy: The Management of Hypertensive Disorders During Pregnancy.* London: RCOG Press; 2010.
50. Poon LC, Kametas NA, Valencia C, Chelemen T, Nicolaides KH. Hypertensive disorders in pregnancy: Screening by systolic diastolic and mean arterial pressure at 11-13 weeks. *Hypertens Pregnancy.* 2011;30:93–107.
51. Udenze IC, Arikawe AP, Makwe CC, Olowoselu OF. A Prospective Cohort Study on the Clinical Utility of Second Trimester Mean Arterial Blood Pressure in the Prediction of Late-onset Preeclampsia Among Nigerian Women. *Niger J Clin Pract.* 2017:741-745.
52. Velauthar L, PlanaMN, KalidindiM, et al. First-trimester uterine artery Doppler and adverse pregnancy outcome: A meta-analysis involving 55,974 women. *Ultrasound Obstet Gynecol.* 2014;43:500–507.
53. August P, Jeyabalan A. Preeclampsia : Prevention. *UpToDate.* 2020:1-27.
54. Dekker GA, Sibai BM. Low-dose aspirin in the prevention of preeclampsia and fetal growth retardation: rationale, mechanisms, and clinical trials. *Am J Obs Gynecol.* 1993;168:214.
55. Cotanzo LS. *Physiology.* 6th ed. Philadelphia: Elsevier
56. Hall JE, Guyton AC. *Guyton and Hall Textbook of Medical Physiology.* 11th ed. Philadelphia: Saunders Elsevier; 2011.
57. Sherwood L. *Introduction to Human Physiology.* 8th ed. Brooks/Cole Cengage Learning; 2013.
58. DeMers D, Wachs D. *Physiology, Mean Arterial Pressure.* [Updated 2020 Apr 27]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2020 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK538226/>.
59. Klabunde RE. *Cardiovascular Physiology Concepts.* 2nd ed. Philadelphia: Lippincott Williams & Wilkins/Wolters Kluwer; 2012.
60. Braunthal S, Brateanu A. *Hypertension in pregnancy : Pathophysiology and*

- treatment. *SAGE Open Med.* 2019. doi:10.1177/2050312119843700
61. Easterling T, Benedetti T, Schmucker B, Millard S. Maternal hemodynamics in normal and preeclamptic pregnancies: a longitudinal study. *Obs Gynecol.* 1990.
 62. Foo FL, Mahendru AA, Masini G, Fraser A, Cacciatore S, MacIntyre DA, McEniery CM, Wilkinson IB, Bennett PR, Lees CC. Association between prepregnancy cardiovascular function and subsequent preeclampsia or fetal growth restriction. *Hypertension.* 2018;72:44.
 63. Tay J, Mrcog B, Bm LF, et al. Early and late preeclampsia are characterized by high cardiac output, but in the presence of fetal growth restriction, cardiac output is low: insights from a prospective study. *Am J Obstet Gynecol.* 2018;1-12. doi:10.1016/j.ajog.2018.02.007
 64. Lemeshow S, Jr DWH, Klar J, Lwanga SK. Adequacy of Sample Size in Health Studies. WHO; 1997.
 65. Atterbury JL, Groome LJ, Baker SL. Elevated midtrimester mean arterial blood pressure in women with severe preeclampsia. *Appl Nurs Res.* 1996;9(4):161-166. doi:10.1016/S0897-1897(96)80015-2
 66. Arwan B, Sriyanti R. Relationship between Gravida Status , Age , BMI (Body Mass Index) and Preeclampsia. *Andalas Obstet Gynecol J.* 2020;4(1):13-21.
 67. Jeyabalan A. Epidemiology of preeclampsia: Impact of obesity. *Nutr Rev.* 2013;71(SUPPL1):1-14. doi:10.1111/nure.12055
 68. Profil Penduduk Indonesia Hasil SUPAS 2015. BADAN PUSAT STATISTIK
 69. Sulistyawati A. Asuhan Kebidanan Pada Masa Kehamilan. Jakarta: Salemba Medika; 2011.
 70. Karabulut A, Ozkan S, Bozkurt AI, Karahan T, Kayan S. Perinatal outcomes and risk factors in adolescent and advanced age pregnancies: Comparison with normal reproductive age women. *J Obstet Gynaecol (Lahore).* 2013;33(4):346-350. doi:10.3109/01443615.2013.767786
 71. Tampubolon DPR. Hubungan Skrining Preeklampsia (MAP, ROT, IMT) terhadap Kejadian Preeklampsia. UNAIR. 2019.
 72. Pandiangan JM, Kusnanto H. Determinan preeklampsia pada ibu hamil di Bantul. *Ber Kedokt Masy.* 2017;33(9):423-426.
 73. Opitasari C, Andayasari L. Parity, education level and risk for (pre-) eclampsia in selected hospitals in Jakarta. *Heal Sci J Indones.* 2014;5(1):35-39. doi:10.22435/hsji.v5i1Jun.3529.35-39
 74. Gallo D, Poon LC, Fernandez M, Wright D, Nicolaides KH. Prediction of preeclampsia by mean arterial pressure at 11-13 and 20-24 weeks' gestation. *Fetal Diagn Ther.* 2014;36(1):28-37. doi:10.1159/000360287

75. Bartsch E, Medcalf KE, Park AL, et al. Clinical risk factors for pre-eclampsia determined in early pregnancy: Systematic review and meta-analysis of large cohort studies. *BMJ*. 2016;353. doi:10.1136/bmj.i1753
76. Sanghavi M, Rutherford JD. Cardiovascular physiology of pregnancy. *Circulation*. 2014;130(12):1003-1008. doi:10.1161/CIRCULATIONAHA.114.009029
77. Utari GN. Hubungan Penambahan Berat Badan Ibu Hamil Dengan Tekanan Darah Pada Usia Kehamilan Aterm Di Puskesmas Air Tawar Tahun 2018. UNAND. 2019

