


DAFTAR PUSTAKA

1. Kementerian Perindustrian Republik Indonesia. Industri Smelter Nikel Senilai USD 1 Miliar Beroperasi di Konawe. <https://kemenperin.go.id/artikel/20345/Industri-Smelter-Nikel-Senilai-USD-1-Miliar-Beroperasi-di-Konawe>. Diakses pada September 2019.
2. Rahman Z, Singh VP. The relative impact of toxic heavy metals (THMs) (arsenic (As), cadmium (Cd), chromium (Cr)(VI), mercury (Hg), and lead (Pb)) on the total environment: an overview. Environ Monit Assess. 2019;191:419
3. UNEP (2010). Final review of scientific information on cadmium. http://www.unep.org/chemicalsandwaste/Portals/9/Lead_Cadmium/docs/Interim_reviews/UNEP_GC26_INF_11_Add_2_Final_UNEP_Cadmium_review_and_appendix_Dec_2010.pdf. Diakses pada September 2019.
4. Zhang H, Reynolds M. Cadmium Exposure in Living Organisms: A Short Review. Sci Total Environ. 2019;678:761–7.
5. Caciari T, Sancini A, Fioravanti M, Capozzella A, Casale T, Montuori L, et al. Cadmium and hypertension in exposed workers: A meta-analysis. Int J Occup Med Environ Health. 2013; 26(3):440-56.
6. Dharmadewi M, Wiadnyana. Analisis Kandungan Logam Berat Timbal (Pb) dan Cadmium (Cd) pada Kerang Hijau (Perna Viridis L.) yang Beredar di Pasar Badung. Jurnal Emasains: Jurnal Edukasi Matematika dan Sains. 2019;3(2):161-9.
7. Komari N, Irawati U, Novita E. Kandungan Cadmium dan Seng pada Ikan Baung (Hemibagrus Nemurus) di Perairan Trisakti Banjarmasin Kalimantan Selatan. Jurnal Sains dan Terapan Kimia. 2013;7(1):42-9.
8. Ambarwati NF, Sinaga EM, Rajagukguk T. Analisa Perbandingan Kadar Logam Cadmium pada Perokok Aktif dan Perokok Pasif di Desa Ujung Bandar Kecamatan Barus Jahe Kabupaten Karo. Jurnal Kimia Saintek dan Pendidikan. 2020;4(2):5-10.
9. Harmawan T, Lestari D. Pemeriksaan Logam Berat Cadmium (Cd) dan Plumbum (Pb) pada Lipstik yang Beredar di Pasar Brayan Medan Timur Secara Spektrofotometri Serapan Atom (SSA). Quimica: Jurnal Kimia Sains dan Terapan. 2020;2(2):18-22.
10. Agency for Toxic Substances and Disease Registry – ATSDR (2012). Toxicological Profile for Cadmium. <http://www.atsdr.cdc.gov/toxprofiles/TP.asp?id=48&tid=15>. Diakses pada September 2019.
11. Sabolić I, Breljak D, Skarica M, Herak-Kramberger CM. Role of metallothionein in cadmium traffic and toxicity in kidneys and other mammalian organs. Biometals. 2010;23:897–926.

- 
12. Mezynska M, Brzóska MM. Environmental exposure to cadmium-a risk for health of the general population in industrialized countries and preventive strategies. *Environ Sci Pollut Res Int.* 2018;25(4):3211-32.
 13. Tellez-Plaza M, Jones MR, Dominguez-Lucas A, Guallar E, Navas-Acien A. Cadmium exposure and clinical cardiovascular disease: a systematic review. *Curr Atheroscler Rep.* 2013;15(10):356.
 14. Messner B, Bernhard D. Cadmium and cardiovascular diseases: cell biology, pathophysiology, and epidemiological relevance. *Biometals.* 2010;23(5):811-22.
 15. WHO (2017). Cardiovascular diseases (CVDs). [https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)](https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds)). Diakses pada April 2020.
 16. Eum KD, Lee MS, Paek D. Cadmium in blood and hypertension. *Sci Total Environ.* 2008;407(1):147-53
 17. Liu X, Xiang Z, Shi X, Schenck H, et al. The risk factors of high blood pressure among young adults in the Tujia-Nationality settlement in China. *Biomed Res Int.* 2017;1-6.
 18. WHO (2019). Hypertension. <https://www.who.int/news-room/fact-sheets/detail/hypertension>. Diakses pada April 2020.
 19. Riskesdas (2018). Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2018. http://labdata.litbang.kemkes.go.id/images/download_laporan_RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf. Diakses pada April 2020.
 20. Gray L, Lee IM, Sesso HD, Batty GD. Blood pressure in early adulthood, hypertension in middle age, and future cardiovascular disease mortality: HAHS (Harvard Alumni Health Study). *J Am Coll Cardiol.* 2011;58(23):2396-403.
 21. World Health Organization (2013). A Global Brief on Hypertension: Silent killer, global public health crisis. https://apps.who.int/iris/bitstream/handle/10665/79059/WHO_DCO_WHD_2013.2_eng.pdf;jsessionid=02CE4D1114D377432C9B8F161BF2B613?sequence=1. Diakses pada Juli 2020.
 22. Zhang Y, Moran AE. Trends in the Prevalence, Awareness, Treatment, and Control of Hypertension Among Young Adults in the United States, 1999 to 2014. *Hypertension.* 2017;70(4):736-42.
 23. Bawazier LA, Buntaran S, Sianipar W, Kekalih A. Blood Pressure Profile of Young Adults at the Faculty of Medicine Universitas Indonesia. *Acta Med Indones - Indones J Intern.* 2019; 51(1).
 24. Ondimu DO, Kikuvi GM, Otieno WN. Risk factors for hypertension among young adults (18-35) years attending in Tenwek Mission Hospital, Bomet County, Kenya in 2018. *Pan Afr Med J.* 2019;33:210.
 25. Ferguson TS, Younger-Coleman NOM, Tulloch-Reid MK, et al. Factors associated with elevated blood pressure or hypertension of Afro-Caribbean youth: a cross-sectional study. *Peer J.* 2018;6:e4385.

26. Brummett BH, Babyak MA, Siegler IC, et al. Systolic blood pressure, socioeconomic status, and biobehavioral risk factors in a nationally representative US young adult sample. *Hypertension*. 2011;58(2):161-6.
27. Ahmed MA. Effect of angiotensin II type 1 receptor blocker on renal function, arterial blood pressure and parathyroid hormone related protein over expression in cadmium induced nephrotoxicity in adult male rats. *Int J Physiol Pathophysiol Pharmacol*. 2013;5(2):109-19.
28. Angeli JK, Cruz Pereira CA, de Oliveira Faria T, Stefanon I, Padilha AS, Vassallo DV. Cadmium exposure induces vascular injury due to endothelial oxidative stress: the role of local angiotensin II and COX-2. *Free Radic Biol Med*. 2013;65:838-48.
29. Khan SA, Choudhary R, Singh A, Bodakhe SH. Hypertension potentiates cataractogenesis in rat eye through modulation of oxidative stress and electrolyte homeostasis. *J Curr Ophthalmol*. 2016;28(3):123-30.
30. Kukongviriyapan U, Pannangpatch P, Kukongviriyapan V, Donpunha W, Sompamit K, Surawattanawan P. Curcumin protects against cadmium-induced vascular dysfunction, hypertension and tissue cadmium accumulation in mice. *Nutrients*. 2014;6(3):1194-208.
31. Sangartit W, Kukongviriyapan U, Donpunha W, et al. Tetrahydrocurcumin protects against cadmium-induced hypertension, raised arterial stiffness and vascular remodeling in mice. *PLoS. One*. 2014;9(12):e114908.
32. Santamaria-Juarez C, Atonal-Flores F, Diaz A, et al. Aortic dysfunction by chronic cadmium exposure is linked to multiple metabolic risk factors that converge in anion superoxide production. *Arch Physiol Biochem*. 2020;1-9.
33. Choudhary R, Bodakhe SH. Olmesartan, an angiotensin II receptor blocker inhibits the progression of cataract formation in cadmium chloride induced hypertensive albino rats. *Life Sciences*. 2016.
34. Yoopan N, Watcharasit P, Wongsawatkul O, Piyachaturawat P, Satayavivad J. Attenuation of eNOS expression in cadmium-induced hypertensive rats. *Toxicol Lett*. 2008;176(2):157-61.
35. Martins Jr ADC, Carneiro MFH, Grotto D, Adeyemi JA, Barbosa Jr F. Arsenic, cadmium, and mercury-induced hypertension: mechanisms and epidemiological findings. *J Toxicol Environ Health*. 2018.
36. Wang Q, Wei S. Cadmium affects blood pressure and negatively interacts with obesity: Findings from NHANES 1999-2014. *Sci Total Environ*. 2018;643:270-6.
37. Garner RE, Levallois P. Associations between cadmium levels in blood and urine, blood pressure and hypertension among Canadian adults. *Environ Res*. 2017;155:64-72.

38. Lee BK, Ahn J, Kim NS, Lee CB, Park J, Kim Y. Association of Blood Pressure with Exposure to Lead and Cadmium: Analysis of Data from the 2008–2013 Korean National Health and Nutrition Examination Survey. *Biol Trace Elem Res.* 2016;174(1):40–51.
39. Gallagher CM, Meliker JR. Blood and urine cadmium, blood pressure, and hypertension: a systematic review and meta-analysis. *Environ Health Perspect.* 2010;118(12):1676–84.
40. Ahn J, Kim NS, Lee BK, Park J, Kim Y. Association of Blood Pressure with Blood Lead and Cadmium Levels in Korean Adolescents: Analysis of Data from the 2010–2016 Korean National Health and Nutrition Examination Survey. *J Korean Med Sci.* 2018;33(44):e278.
41. An HC, Sung JH, Lee J, Sim CS, Kim SH, Kim Y. The association between cadmium and lead exposure and blood pressure among workers of a smelting industry: a cross-sectional study. *Ann Occup Environ Med.* 2017;29:47.
42. Chen X, Zhu G, Lei L, Jin T. The association between blood pressure and blood cadmium in a Chinese population living in cadmium polluted area. *Environ Toxicol Pharmacol.* 2013;36(2):595–9.
43. Klotz K, Weistenhöfer W, Drexler H. Determination of cadmium in biological samples. *Met Ions Life Sci.* 2013;11:85–98.
44. USGS (2008). Mineral Commodity Summaries, Cadmium. pp. 42–43. <https://s3-us-west-2.amazonaws.com/prd-wret/assets/palladium/production/mineral-pubs/mcs/mcs2008.pdf>. Diakses pada April 2020.
45. Pure Earth (2015). The new top six toxic threats: a priority list for remediation, World's worst pollution problems report. <https://www.worstoppolluted.org/docs/WWP15.pdf>. Diakses pada April 2020.
46. ATSDR (2019). The ATSDR 2019 Substance Priority List. <https://www.atsdr.cdc.gov/spl/index.html>. Diakses pada April 2020.
47. USGS (2016). Mineral commodity summaries 2016. [https://mineralsmakelife.org/assets/images/content/resources/Mineral Commodity Summaries 2016.pdf](https://mineralsmakelife.org/assets/images/content/resources/Mineral%20Commodity%20Summaries%202016.pdf). Diakses pada April 2020.
48. Chaumont A, De Winter F, Dumont X, Haufroid V, Bernard A. The threshold level of urinary cadmium associated with increased urinary excretion of retinolbinding protein and beta 2-microglobulin: a re-assessment in a large cohort of nickel-cadmium battery workers. *Occup Environ Med.* 2011;68:257–264.
49. Tellez-Plaza M, Navas-Acien A, Caldwell KL, Menke A, Muntner P, Guallar E. Reduction in cadmium exposure in the United States population, 1988–2008: the contribution of declining smoking rates. *Environ. Health Perspect.* 2012;120:204–9.
50. Jarup L, Akesson A. Current status of cadmium as an environmental health problem. *Toxicol Appl Pharmacol.* 2009;238:201–8.

51. Juresa D, Blanusa M. Mercury, arsenic, lead and cadmium in fish and shellfish from the Adriatic Sea. *Food Addit Contam*. 2003;20:241–6.
52. Mok JS, Kwon JY, Son KT, Choi WS, Shim KB, Lee TS, Kim JH. Distribution of heavy metals in muscles and internal organs of Korean cephalopods and crustaceans: risk assessment for human health. *J Food Prot*. 2014;77:2168–75.
53. Groh KJ, Carvalho RN, Chipman JK, Denslow ND, Halder M, Murphy CA, Roelofs D, Rolaki A, Schirmer K, Watanabe KH. Development and application of the adverse outcome pathway framework for understanding and predicting chronic toxicity: II. A focus on growth impairment in fish. *Chemosphere*. 2015;120:778–92.
54. Duzgoren-Aydin NS, Wong CSC, Aydin A, Song Z, You M, Li XD. Heavy metal contamination and distribution in the urban environment of Guangzhou, SE China. *Environ Geochem Health*. 2006;28:375–91.
55. Dziubanek, G, Piekut A, Rusin M, Baranowska R, Hajok I. Contamination of food crops grown on soils with elevated heavy metals content. *Ecotoxicol Environ Saf*. 2015;118: 183–9.
56. Wang Q, Zhang J, Zhao B, Xin X, Zhang C, Zhang H. The influence of long-term fertilization on cadmium (Cd) accumulation in soil and its uptake by crops. *Environ Sci Pollut Res Int*. 2014;21:10377–85.
57. Food and Agriculture Organization/World Health Organization (FAO/ WHO) (2010) Joint FAO/WHO Expert Committee on Food Additives. Seventy-third meeting, Geneva, 8–17 June 2010. Summary and Conclusions. <http://www.who.int/foodsafety/publications/chem/summary73.pdf>. Diakses pada April 2020.
58. Satarug S, Swaddiwudhipong W, Ruangyuttikarn W, Nishijo M, Ruiz P. Modeling cadmium exposures in low- and high-exposure areas in Thailand. *Environ Health Perspect*. 2013;121:531–6.
59. Sand S, Becker W. Assessment of dietary cadmium exposure in Sweden and population health concern including scenario analysis. *Food Chem Toxicol*. 2012;50:536–44.
60. Kim SH, Kim Y, Kim NS, Lee BK. Gender difference in blood cadmium concentration in the general population: can it be explained by iron deficiency?. *J Trace Elem Med Biol*. 2014;28(3):322-7.
61. Dai S, Yin Z, Yuan G, Lu H, Jia R, Xu J, Song X, Li L, Shu Y, Liang X, He C, Lv C, Zhang W. Quantification of metallothionein on the liver and kidney of rats by subchronic lead and cadmium in combination. *Environ Toxicol Pharmacol*. 2013;36:1207–16.
62. Akerstrom M, Barregard L, Lundh T, Sallsten G. The relationship between cadmium in kidney and cadmium in urine and blood in an environmentally exposed population. *Toxicol Appl Pharmacol*. 2013;268(3):286-93.

63. Choi YH, Hu H, Mukherjee B, Miller J, Park SK. Environmental cadmium and lead exposures and hearing loss in U.S. adults: the National Health and Nutrition Examination Survey, 1999 to 2004. *Environ Health Perspect*. 2012;120:1544–50.
64. HPA (2010). Cadmium: toxicological overview, Health Protection Agency, United Kingdom, p. 15. https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/337542/hpa_cadmium_toxicological_overview_v3.Pdf. Diakses pada April 2020.
65. WHO (World Health Organization) 2010. Exposure to Cadmium a Major Public Health Concern. Geneva: World Health Organization. <http://www.who.int/ipcs/features/cadmium.pdf>. Diakses pada April 2020.
66. Wang D, Sun H, Wu Y, Zhou Z, Ding Z, Chen X, Xu Y. Tubular and glomerular kidney effects in the Chinese general population with low environmental cadmium exposure. *Chemosphere*. 2016;147:3–8.
67. Wallin M, Sallsten G, Lundh T, Barregard L. Low-level cadmium exposure and effects on kidney function. *Occup Environ Med*. 2014;71: 848.
68. Hyder O, Chung M, Cosgrove D, Herman JM, Li Z, Firoozmand A, Gurakar A, Koteish A, Pawlik TM. Cadmium exposure and liver disease among US adults. *J Gastrointest Surg*. 2013;17:1265–73.
69. Brzóska MM, Rogalska J. Protective effect of zinc supplementation against cadmium-induced oxidative stress and the RANK/RANKL/OPG system imbalance in the bone tissue of rats. *Toxicol Appl Pharmacol*. 2013;272:208–20.
70. International Agency for Research on Cancer (IARC) 2012. Cadmium and cadmium compounds. In: IARC monographs on the evaluation of 472 carcinogenic risks to humans. Arsenic, metals, fibres, and dusts. <http://monographs.iarc.fr/ENG/Monographs/vol100C/mono100C.pdf>. Diakses pada April 2020.
71. Nawrot TS, Martens DS, Hara A, Plusquin M, Vangronsveld J, Roels HA, Staessen JA. Association of total cancer and lung cancer with environmental exposure to cadmium: the meta-analytical evidence. *Cancer Cause Control*. 2015;26:1281–8.
72. Nagata C, Nagao Y, Nakamura K, Wada K, Tamai Y, Tsuji M, Yamamoto S, Kashiki Y. Cadmium exposure and the risk of breast cancer in Japanese women. *Breast Cancer Res Treat*. 2013;138:235–9.
73. Julin B, Wolk A, Johansson JE, Andersson SO, Andrén O, Åkesson A. Dietary cadmium exposure and prostate cancer incidence: a population-based prospective cohort study. *Br J Cancer*. 2012;107:895–900.
74. Chen C, Xun P, Nishijo M, Sekikawa A, He K. Cadmium exposure and risk of pancreatic cancer: a meta-analysis of prospective cohort studies and case-control studies among individuals without occupational exposure history. *Environ Sci Pollut Res*. 2015;22:17465–74.

75. Feki-Tounsi M, Hamza-Chaffai A. Cadmium as a possible cause of bladder cancer: a review of accumulated evidence. *Environ Sci Pollut Res*. 2014;18:10561–73.
76. Peng L, Wang X, Huo X, Xu X, Lin K, Zhang J, Huang Y, Wu K. Blood cadmium burden and the risk of nasopharyngeal carcinoma: a case-control study in Chinese Chaoshan population. *Environ Sci Pollut Res*. 2015;22:12323–31.
77. Wu EW, Schaumberg DA, Park SK. Environmental cadmium and lead exposures and age-related macular degeneration in U.S. adults: the National Health and Nutrition Examination Survey 2005 to 2008. *Environ Res*. 2014;133:178–84.
78. Akerstrom M, Lundh T, Barregard L, Sallsten G. Sampling of urinary cadmium: differences between 24-h urine and overnight spot urine sampling, and impact of adjustment for dilution. *Int Arch Occup Environ Health*. 2012; 85(2):189–96.
79. Satarug S, Vesey DA, Gobe GC. Kidney Cadmium Toxicity, Diabetes and High Blood Pressure: The Perfect Storm. *Tohoku J Exp Med*. 2017;241(1):65–87.
80. Magder S. The meaning of blood pressure. *Crit Care*. 2018;22(1):257.
81. Patel S, Rauf A, Khan H, Abu-Izneid T. Reninangiotensin-aldosterone (RAAS): The ubiquitous system for homeostasis and pathologies. *Biomed Pharmacother*. 2017;94:317–25.
82. Papathanasiou G, Zerva E, Zacharis I, et al. Association of high blood pressure with body mass index, smoking and physical activity in healthy young adults. *Open Cardiovasc Med J*. 2015;9:5–17.
83. Agongo G, Nonterah EA, Amenga-Etego L, et al. Blood Pressure Indices and Associated Risk Factors in a Rural West African Adult Population: Insights from an AWI-Gen Substudy in Ghana. *Int J Hypertens*. 2020;2020:4549031.
84. Liang R, Zhang B, Zhao X, Ruan Y, Lian H, Fan Z. Effect of exposure to PM_{2.5} on blood pressure: a systematic review and meta-analysis. *J Hypertens*. 2014;32(11):2130–41.
85. Cohen JB. Hypertension in Obesity and the Impact of Weight Loss. *Curr Cardiol Rep*. 2017;19(10):98.
86. Westerterp KR. Changes in physical activity over the lifespan: impact on body composition and sarcopenic obesity. *Obes Rev*. 2018;19.
87. Song JJ, Ma Z, Wang J, Chen LX, Zhong JC. Gender Differences in Hypertension. *J Cardiovasc Transl Res*. 2020;13(1):47–54.
88. Li G, Wang H, Wang K, et al. The association between smoking and blood pressure in men: a cross-sectional study. *BMC Public Health*. 2017;17(1):797.
89. Sesso HD, Cook NR, Buring JE, Manson JE, Gaziano JM. Alcohol consumption and the risk of hypertension in women and men. *Hypertension*. 2008;51(4):1080–7.

90. Giorgini P, Di Giosia P, Grassi D, Rubenfire M, Brook RD, Ferri C. Air Pollution Exposure and Blood Pressure: An Updated Review of the Literature. *Curr Pharm Des.* 2016;22(1):28-51.
91. Ilmiawati C, Reza M, Yanni M, Rusjdi DA. Blood Cd levels and carotid intima-media thickness in young adults living in Padang, Indonesia. *BMC Res Notes.* 2020;13(1):202.
92. Soper DS. A-priori sample size calculator for multiple regression (software). <http://www.danielsoper.com/statcalc>. Diakses pada Juli 2020.
93. Elfil M, Negida A. Sampling methods in Clinical Research; an Educational Review. *Emerg (Tehran).* 2017;5(1):e52.
94. World Health Organization Regional Office for Europe (2007).Health risks of heavy metals from long range trans-boundary air pollution. Copenhagen. <https://www.euro.who.int/document/E91044.pdf>. Diakses pada Januari 2020.
95. Guyton AC, Hall JE. Distensibilitas Vaskular serta Fungsi Sistem Vena dan Arteri. In: Ilyas EIB, Widjajakusumah MD, Tanzil A, editor. Buku Ajar Fisiologi Kedokteran. 12th ed. Singapura: Elsevier Pte Ltd. p. 184-85,187.
96. Knoflach M, Kiechl S, Penz D, Zangerle A, Schmidauer C, Rossmann A, et al. Cardiovascular risk factors and atherosclerosis in young women: atherosclerosis Risk Factors in Female Youngsters (ARFY Study). *Stroke.* 2009;40:1063–9.
97. Hastono SP. Analisis Multivariat. Departemen Biostatistik FKM UI; 2006.
98. Artaya, I Putu. REGRESI LINIER BERGANDA metode DUMMY. https://www.researchgate.net/publication/330171105_REGRESI_LINIER_BER_GANDA_metode_DUMMY. Diakses pada Februari 2020.
99. Tellez-Plaza M, Navas-Acien A, Crainiceanu CM, Guallar E. Cadmium exposure and hypertension in the 1999-2004 National Health and Nutrition Examination Survey (NHANES). *Environ Health Perspect.* 2008;116(1):51-6.
100. Almutairi KM. Smoking among Saudi students: a review of risk factors and early intentions of smoking. *J Community Health.* 2014;39(5):901-7.
101. Yuan X, Wang J, Shang Y, Sun B. Health risk assessment of cadmium via dietary intake by adults in China. *J Sci Food Agric.* 2014;94:373–80
102. Nourmoradi H, Foroghi M, Farhadkhani M, Vahid Dastjerdi M. Assessment of lead and cadmium levels in frequently used cosmetic products in Iran. *J Environ Public Health.* 2013;962727.
103. Ilmiawati C, Yoshida T, Itoh T, et al. Biomonitoring of mercury, cadmium, and lead exposure in Japanese children: a cross-sectional study. *Environ Health Prev Med.* 2015;20(1):18-27.

104. Lee BK, Kim SH, Kim NS, Ham JO, Kim Y. Iron deficiency increases blood cadmium levels in adolescents surveyed in KNHANES 2010-2011. *Biol Trace Elem Res.* 2014;159(1-3):52-58.
105. Gallagher CM, Chen JJ, Kovach JS. The relationship between body iron stores and blood and urine cadmium concentrations in US never-smoking, non-pregnant women aged 20-49 years. *Environ Res.* 2011;111(5):702-7.
106. Chen X, Wang Z, Zhu G, Liang Y, Jin T. Benchmark dose estimation of cadmium reference level for hypertension in a Chinese population. *Environ Toxicol Pharmacol.* 2015;39(1):208-12.
107. Pratama BF, Christianto E, Bebasari E. Korelasi Indeks Massa Tubuh dengan Tekanan Darah pada mahasiswa Fakultas Kedokteran Universitas Riau Angkatan 2012 dan 2013. *JOM FK.* 2015;2(2):1-10.
108. Guimarães IC, de Almeida AM, Santos AS, Barbosa DB, Guimarães AC. Blood pressure: effect of body mass index and of waist circumference on adolescents. *Arq Bras Cardiol.* 2008;90(6):393-9.
109. Nuraeni E. Hubungan Usia dan Jenis Kelamin Berisiko dengan Kejadian Hipertensi di klinik X Kota Tangerang. JKFT:Universitas Muhamadiyah Tangerang. 2019;4(1):1-6.
110. Tirtasari S, Kodim N. Prevalensi dan karakteristik Hipertensi pada Usia Dewasa Muda di Indonesia. *Tarumanegara Med.J.* 2019;1(2):395-402.
111. Vlachopoulos C, O'Rourke M. Diastolic pressure, systolic pressure, or pulse pressure?. *Current Science Inc.* 2000;2:271-9.
112. Thuy AB, Blizzard L, Schmidt MD, Luc PH, Granger RH, Dwyer T. The association between smoking and hypertension in a population-based sample of Vietnamese men. *J Hypertens.* 2010;28(2):245-50.
113. Al-Wahaibi A, Zeka A. Health impacts from living near a major industrial park in Oman. *BMC Public Health.* 2015;15:524.