

## DAFTAR PUSTAKA

1. WHO (2018). Diabetes : Key facts. World Health Organization. [https://www.who.int/news-room/fact-sheets/detail/diabetes-](https://www.who.int/news-room/fact-sheets/detail/diabetes) Diakses 20 April 2020.
2. International Diabetes Federation. IDF diabetes atlas : Ninth Edition. 2019. IDF; 2019.
3. Khairani. Infodatin Hari Diabetes Sedunia Tahun 2018. Kementerian Kesehatan RI Pusat Data Dan Informasi. 2019.
4. Kementerian Kesehatan Badan Penelitian Dan Pengembangan Kesehatan. Riskesdas 2018 : Hasil Utama Riskesdas 2018. Kementerian Kesehatan Badan Penelitian Dan Pengembangan Kesehatan; 2018.
5. Papatheodorou, K., Banach, M., Bekiari, E., Rizzo, M., & Edmonds, M. Complications Of Diabetes. 2017. *Journal Of Diabetes Research*. 2018;2018:4
6. Kumar, V, Abbas, A, Aster, J. Robbins Basic Pathology 10th. Elsevier Health Sciences.2017.
7. Brownlee.M. The pathobiology of diabetic complication : a unifying mechanism. *Diabetes*. 2005;54:1615.
8. Zhang P, Lu J, Jing Y, Tang S, Zhu D, Bi Y. Global epidemiology of diabetic foot ulceration: a systematic review and meta-analysis. *Annals of Medicine*. 2016;49(2):106-16.
9. Gezawa ID, Ugwu ET, Ezeani I, Aceleye C, Okpe I, Enamino M. Anemia in patients with diabetetic foot ulcer and its impact on disease outcome among nigerians : result from the MEDFUN study. *Plos one*. 2019;14(12):1-11.
10. Waspadji S. Kaki diabetes. Buku ajar ilmu penyakit dalam. Penerbit FK UI. 2006
11. Robbins JM, Strauss G, Aron D, Long J, Kuba J, Kaplan Y. Mortality rates and diabetic foot ulcers : is it time to communicate mortality risk to patients with diabetic foot ulceration?. *J Am Podiatr Med Assoc*. 2008;98(6): 489-93
12. Syed MH, Salata K, Hussain MA, Zamzam A, Mestral CD, Wheatcroft M, et al. The economic burden of inpatient diabetic foot ulcers in Toronto, Canada. *Vascular*. 2020;28(5):520-29.
13. Sari Y, Purnawan I, Taufik A, Sumeru A. Quality of Life and Associated Factors in Indonesian Diabetic Patients with Foot Ulcers. *Nurse Media Journal of Nursing*. 2018 Jun;8(1):13-24.

14. Al Sadrah SA. Impaired quality of life and diabetic foot disease in Saudi patients with type 2 diabetes: A cross-sectional analysis. *SAGE Open Med.* 2019;7:2050312119832092.
15. Roza RL, Afriant R, Edward Z. Faktor risiko terjadinya ulkus diabetikum pada pasien diabetes melitus yang dirawat jalan dan inap di RSUP Dr. M. Djamil dan RSI Ibnu Sina Padang. *Jurnal Kesehatan Andalas.* 2015; 4(1): 244.
16. Al-Salman, M. (2015). Anemia in patients with diabetes melitus: Prevalence and progression. *General Med.* 2015;3(1):162.
17. Wright, J. A., Oddy, M. J., Richards, T . Presence and characterisation of anaemia in diabetic foot ulceration. *Anemia.* 2014;2014:1-7.
18. Christopher, MM. Hematologic complications on diabetes melitus. *Vet Clin North Am Small Anim Pract.* 1995; 25(3): 625-37.
19. Moradi S, Kerman SRJ, Rohani F, Salari F. Association between diabetes complications and leukocyte counts in iranian patients. *J Inflamm Res.* 2012;5:7-11.
20. Kakouros N, Rade JJ, Kourliouros A, Resar JR. Platelet function in patients with diabetes melitus: from a theoretical to a practical perspective. *Int J Endocrinol.* 2011; 2011: 1.
21. Shareef AM, Ahmedani MY, Waris N. Strong association of anemia in people with diabetic foot ulcers (DFUs): study from a specialist foot care center. *Pak J Med Sci.* 2019;35(5):1216-20.
22. Tandian NS. Perbedaan profil hematologi diabetes melitus dengan ulkus dan tanpa ulkus diabetikum di RSUP H. Adam Malik Medan (skripsi). Medan : *Universitas Sumatera Utara*; 2017.
23. Li XH, Guan LY, Lin HY, Wang SH, Cao YQ, Jiang XY, *et al.* Fibrinogen : a marker in predicting diabetic foot ulcer severity. *Journal of Diabetes Research.* 2016;2016:1-5.
24. Santoso S, Rachmawati B, Retnoningrum D. Perbedaan jumlah leukosit, neutrofil, dan limfosit absolut pada penderita DM tipe 2 terkontrol dan tidak terkontrol. *Jurnal Kedokteran Diponegoro.* 2018;7(2);854-62.
25. DeFronzo, R. A. From the triumvirate to the “ominous octet”: a new paradigm for the treatment of type 2 diabetes melitus. *Clinical Diabetology.* 2009;58(3): 773-87.
26. Soelistijo SA, Novida H, Rudijanto A, Soewondo P, Suastika K, Manaf A. Konsesus pengelolaan dan pencegahan diabetes melitus tipe 2 di indonesia. PB PERKENI: 2015.

27. Butler, A. E., Campbell-Thompson, M., Gurlo, T., Dawson, D. W., Atkinson, M., & Butler, P. C. Reponse to Comments on: Butler et al. Marked Expansion of Exocrine and Endocrine Pancreas With Incretin Therapy in Humans With Increased Exocrine Pancreas Dysplasia and the Potential for Glucagon-Producing Neuroendocrine Tumors. *Diabetes*. 2013;62: 2595–604.
28. American Diabetes Association. Classification and diagnosis of diabetes : standards of medical care in diabetes 2020. *Diabetes Care*. Jan 2020;43 (Supplement 1) S14-S31.
29. Harding JL, Pavkov ME, Magliano DJ, Shaw JE, Gregg EW. Global trends in diabetes complications: a review of current evidence. *Diabetologia*. 2019;62:3-16.
30. Dorland, WAN. *Kamus Kedokteran Dorland*. Edisi 31. Jakarta : EGC;2010.
31. Jeffcoate WJ, Harding KG. Diabetic foot ulcers. *The Lancet (UK)*. 2003;361: 1545-51.
32. Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati. *Buku ajar penyakit dalam*. Interna publishing;2017.
33. International working group on diabetic foot. IWGDF guideline on classification of diabetic foot ulcers. In: *The 2019 IWGDF on the prevention and management of diabetic foot disease*. IWGDF;2019.
34. IDF (2020). *The diabetic foot*. International Diabetes Federation. <https://idf.org/our-activities/care-prevention/diabetic-foot.html>- Diakses 12 Desember 2020.
35. Sitompul Y, Budiman, Soedardi S, Abdullah M. Profil pasien kaki diabetes yang menjalani reamputasi di rumah sakit cipto mangunkusumo tahun 2008-2012. *Jurnal Penyakit Dalam Indonesia*. 2015; 2(1): 9-14.
36. Fink RI, Kolterman OG, Griffin J, Olefsky JM. Mechanisms of insulin resistance in aging. *J Clin Invest*. 1983;71(6):1523-35.
37. Yazdanpanah L, Shahbazian H, Nazari I, Arti HR, Ahmadi F, Mohammadianinejad SE, *et al*. Incidence and Risk Factors of Diabetic Foot Ulcer: A Population-Based Diabetic Foot Cohort (ADFC Study)—Two-Year Follow-Up Study. *International Journal of Endocrinology*. 2018;2018:1-9.
38. Al-Rubeaan K, Al Derwish M, Ouizi S, Youssef AM, Subhani SN, Ibrahim HM, Alamri BN. Diabetic foot complications and their risk factors from a large retrospective cohort study. *PLoS One*. 2015 May 6;10(5):e0124446.

39. Bowering CK. Diabetic foot ulcers : pathophysiology, assessment, and therapy. *Can Fam Physician*. 2001;47:1007-16.
40. Alavi A, Sibbald G, Mayer D, Goodman L, Botros M, Armstrong DG. Diabetic foot ulcers : part I pathophysiology and prevention. *Journal of American Academy of Dermatology*. 2014;70:1.e1-1.e18.
41. Libby P, Ridker PM, Maseri A. Inflammation and atherosclerosis. *Circulation*. 2002; 105:1135-1143.
42. Bakta IM. Hematologi klinik ringkas. Jakarta: EGC; 2016.
43. Blumenreich MS. The white blood cell and differential count. Dalam: Clinical methods: the history, physical and laboratory examinations. 3rd edition. Boston : Butterworths;1990.
44. Gowanlock Z, Sriram S, Martin A, Xenocostas A, Lazo-Langner A. Erythropoietin Levels in Elderly Patients with Anemia of Unknown Etiology. *PLOS One*. 2016;11(6): e0157279.
45. Klei TRL, Meinderts SM, Berg TKV, Bruggen RV. From the cradle to the grave: the role of macrophages in erythropoiesis and erythrophagocytosis. *Front Immunol*. 2007;8:73.
46. Vries MAD, Alipour A, Klop B, Geijn GJM, Janssen HW, Njo TL, *et al*. Glucose-dependent leukocyte activation in patients with type 2 diabetes melitus, familial combined hyperlipidemia and healthy controls. *Metabolism*. 2015; 64(2): 213-7.
47. Musa IR, Ahmed MON, Sabir EI, Alsheneber IF, Ibrahim EME, Mohamed GB, *et al*. Factors associated with amputation among patients with diabetic foot ulcers in a saudi population. *BMC Res Notes*. 2018;11(1):260.
48. Nagareddy PR, Murphy AJ, Stirzaker RA, Hu Y, Yu S, Miller RG, *et al*. Hyperglycemia promotes myelopoiesis and impairs the resolution of atherosclerosis. *Cell Metabolism*. 2013;17(5):695-708.
49. Sherwood L. Fisiologi manusia : dari sel ke sistem / Lauralee Sherwood ; alih bahasa, Lydia I. Mandra, Huriawati Hartanto; editor edisi bahasa indonesia, Miranti Iskandar..*et al*]. Ed.9. Jakarta: EGC; 2018.
50. Yngen M. Platelet hyperactivity in diabetes mellitus. *European Cardiology*. 2005;1(1):1-6.
51. Lee RH, Bergmeier W. Sugar makes neutrophils RAGE: linking diabetes-associated hyperglycemia to thrombocytosis and platelet reactivity. *J Clin Invest*. 2017;127(6):2040-2043.



52. Chen X, Fang L, Lin H, Shen P, Zhang T, Li H, et al. The relationship between type 2 diabetes and platelet indicators. *Iran J Public Health*. 2017;46(9):1211-1216.
53. Atosona A, Larbie C. Prevalence and determinants of diabetic foot ulcers and lower extremity amputations in three selected tertiary hospitals in Ghana. *J Diabetes Res*. 2019; 2019:7132861.
54. Guo S, DiPietro LA. Factors affecting wound healing. *J Dent Res*. 2010; 89(3): 219-229.
55. Greenblatt RB, Oettinger M, Bohler CS. Estrogen-androgen levels in aging men and women: therapeutic considerations. *J Am Geriatr Soc*. 1976; 24(4): 173-8.
56. Hardman MJ, Gillian SA. Estrogen, not intrinsic aging, is the major regulator of delayed human wound healing in the elderly. *Genome Biol*. 2008; 9(5): R80.
57. Mariam TG, Alemayehu A, Tesfaye E, Mequannt W, Temesgen K, Yetwale F, et al. Prevalence of diabetic foot ulcer and associated factors among adult diabetic patients who attend the diabetic follow-up clinic at the university of Gondar referral hospital, north west Ethiopia, 2016: institutional-based cross-sectional study. *J Diabetes Res*. 2017; 2017: 2879249.
58. Tayek CJ, Cherukuri L, Haal S, Tayek JA. Importance of fasting blood glucose goals in the management of type 2 diabetes Mellitus: a review of the literature and critical appraisal. *J Diabetes Metab Disord Control*. 2018; 5(4): 113-7.
59. WHO (2018). Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity. <https://www.who.int/vmnis/indicators/haemoglobin.pdf> –Diakses 23 Maret 2021.
60. Rushton DH, Dover R, Sainsbury AW, Norris MJ, Gilkes JJH, Ramsay ID. Why should women have lower reference limits for haemoglobin and ferritin concentrations than men?. *BMJ*. 2001;322(7298):1355-1357.
61. Valberg LS, Sorbie J, Ludwig J, Pelletier O. Serum ferritin and the iron status of Canadians. *Can Med Assoc J*. 1976;114(5):417-421.
62. Mayers AM, Saunders CG, Chalmers DG. The haemoglobin level of fit elderly people. *The Lancet*. 1968;292(7562):261-263
63. Chuan F, Zhang M, Yao Y, Tian W, He Xiaoqun, Zhou B. Anemia in patients with diabetic foot ulcer: prevalence, clinical characteristics, and outcome. *Int J Low Extrem Wounds*. 2016; 15(3): 220-6.

64. Hoepers AT, Menezes MM, Frode TS. Systematic review of anaemia and inflammatory markers in chronic obstructive pulmonary disease. *Clin Exp Pharmacol Physiol*. 2015;42: 231-9.
65. Setiawan H, Mukhlis, Wahyudi DA, Damayanti R. Kualitas hidup ditinjau dari tingkat kecemasan pasien penderita ulkus diabetikum. *Majalah Kesehatan Indonesia*. 2020; 1(2): 33-8.
66. Yau YH, Potenza MN. Stress and eating behaviors. *Minerva Endocrinol*. 2013; 38(3): 255-67.
67. Weatherspoon D (2018). WBC (white blood cell) count. Healthline. <https://www.healthline.com/health/wbc-count> - Diakses Maret 2021
68. Sari YO, Almasdy D, Fatihah A. Evaluasi penggunaan antibiotik pada pasien ulkus diabetikum di instalasi rawat inap (IRNA) penyakit dalam rsup dr. m. djamil padang. *Jurnal sains farmasi dan klinis*. 2018; 5(2): 102-11.
69. Nurhayati F. Perbedaan jumlah leukosit dan jumlah trombosit pada pasien diabetes Melitus tipe 2 dengan dan tanpa ulkus diabetik di RSPAD gatot soebroto tahun 2017 (skripsi). Jakarta : Universitas Pembangunan Nasional Veteran Jakarta; 2018.
70. Pettersson US, Christoffersson G, Massena S, Ahl D, Jansson L, Henriksnas J, et al. Increased recruitment but impaired function of leukocytes during inflammation in mouse models of type 1 and type 2 diabetes. *PloS ONE*. 2011; 6(7): e22480.
71. Vazarova B, Weyer C, Lindsay RS, Pratley RE, Bogardus C, Tataranni PA. High white blood cell count is associated with a worsening of insulin sensitivity and predicts the development of type 2 diabetes. *Diabetes*. 2002; 51(2): 455-61.
72. Mohamed-Ali V, Goodrick S, Rawesh A, Katz DR, Miles JM, Yudkin JS, Klein S, Coppel SW: Subcutaneous adipose tissue releases interleukin-6, but not tumor necrosis factor-alpha, in vivo. *J Clin Endocrinol Metab* 82:4196–200, 1997
73. Michail M, Jude E, Liaskos C, Karamagiolis S, Makrilakis K, Dimitriylis D, et al. The performance of serum inflammatory markers for the diagnosis and follow-up of patients with osteomyelitis. *Int J Low Wounds*. 2013; 12(2): 94-9.
74. Casqueiro J, Casqueiro J, Alves C. Infections in patients with diabetes melitus: A review of pathogenesis. *Indian J Endocrinol Metab*. 2012;16 Suppl 1(Suppl1):S27-S36.
75. Balduini CL, Noris P. Platelet count and aging. *Haematologica*. 2014; 99(6): 953-5.

76. Puspita ND, Langi YA, Rotty LWA. Hubungan kadar trombosit dan kejadian kaki diabetik pada penderita diabetes melitus tipe 2. *Jurnal e-clinic*. 2015; 3(1): 363-7.
77. Gatot D, Lindarto D, Andri IM. Incidence of deep vein thrombosis in patients with diabetic foot ulcers. *Bali Med J*. 2019; 8(2): 551-4.
78. Schneider DJ. Factors contributing to increased platelet reactivity in people with diabetes. *Diabetes Care*. 2009; 32(4): 525-7.
79. Carr ME. Diabetes Melitus: a hypercoagulable state. *J Diabetes Complications*. 2001; 15(1): 44-54.
80. Grant PJ. Is hypercoagulability an issue in arterial thrombosis? Yes. *Journal of thrombosis and haemostasis*. 2004; 2(5): 690-1.

