

GAMBARAN TINGKAT DEPRESI PASIEN GAGAL JANTUNG
DI RSUP DR. M. DJAMIL PADANG



Pembimbing
dr. Rita Hamdani, Sp. JP
Dr. dr. Defrin, Sp. OG (K)

FAKULTAS KEDOKTERAN
UNIVERSITAS ANDALAS
PADANG
2021

DESCRIPTION OF THE LEVEL OF DEPRESSION IN HEART FAILURE PATIENS AT CENTRAL PUBLIC HOSPITAL DR. M. DJAMIL PADANG

by

Yufaz Aidi Mahesa

ABSTRACT

Heart failure is an anomaly in the structure or function of the heart that causes the heart fail to supply blood. The purpose of this study was to describe the level of depression in heart failure patients at Central Public Hospital Dr. M. Djamil Padang.

This study used a quantitative descriptive design. Sampling was done by consecutive sampling technique. The population in this study were heart failure patients who were treated at the Cardiac Polyclinic, Dr. M. Djamil Padang with total of 106 people. Data were obtained from interviews and medical records of heart failure patients in 2021. Data were analyzed univariately using SPSS version 21.

The results of this study showed 89% of patients had a normal level of depression and 11% of patients with mild depression, mild depression mostly occurred in the elderly (60%), women (60%), low and moderate levels of education (40%), patients not working (60%), married status (60%), NYHA class II (60%), high rehospitalization rate (60%), patients with duration of diagnosis ≥ 1 year (100%), and patients who didn't have comorbid diseases. (60%)

The conclusion of this study is that most heart failure patients experience normal levels of depression, the highest level of mild depression is found in the elderly, women, low and moderate levels of education, patients who do not work, marital status, class NYHA II, high rehospitalization rates, duration of diagnosis ≥ 1 year, and patients who do not have comorbid disease.

Key words: Depression, Heart failure.

**GAMBARAN TINGKAT DEPRESI PASIEN GAGAL JANTUNG DI RSUP
DR. M. DJAMIL PADANG**

Oleh

Yufaz Aidi Mahesa

ABSTRAK

Gagal jantung merupakan sebuah anomali struktur atau fungsi jantung yang menyebabkan jantung gagal untuk menyuplai pasokan darah agar mencukupi kebutuhan metabolisme jaringan. Tujuan penelitian ini adalah untuk mengetahui gambaran tingkat depresi pasien gagal jantung di RSUP Dr. M. Djamil Padang.

Penelitian ini menggunakan desain deskriptif kuantitatif. Pengambilan sampel dilakukan dengan teknik *consecutive sampling*. Populasi pada penelitian ini adalah pasien gagal jantung yang berobat di Poliklinik Jantung RSUP Dr. M. Djamil Padang dengan jumlah 106 orang. Data diperoleh dari wawancara dan rekam medis pasien gagal jantung pada tahun 2021. Data dianalisis secara univariat menggunakan SPSS versi 21.

Hasil penelitian ini menunjukkan 89% pasien tidak mengalami depresi (normal) dan 11% pasien dengan depresi ringan, depresi ringan paling banyak terjadi pada manula (60%), perempuan (60%), tingkat pendidikan rendah dan sedang (40%), pasien tidak bekerja (60%), status kawin (60%), klasifikasi NYHA kelas II (60%), tingkat rehospitalisasi tinggi (60%), pasien dengan lama diagnosis ≥ 1 tahun (100%), dan pasien yang tidak memiliki penyakit komorbid (60%)

Kesimpulan pada penelitian ini adalah pasien gagal jantung paling banyak tidak mengalami depresi (normal), tingkat depresi ringan terbanyak ditemukan pada manula, perempuan, tingkat pendidikan rendah dan sedang, pasien yang tidak bekerja, status kawin, kelas NYHA II, tingkat rehospitalisasi tinggi, lama diagnosis ≥ 1 tahun, dan pasien yang tidak memiliki penyakit komorbid.

Kata kunci: Depresi, Gagal jantung.