

DAFTAR PUSTAKA

- Afeefah, N., Sulaiman, O., Hashim, R., Haafiz, M., & Kassim, M. (2016). Characterization of Different Parts of Oil Palm Fronds (*Elaeis Guineensis*) and Its Properties . *International Journal on Advanced Science Engineering Information Technology*, 6(1), 74–76. <https://doi.org/10.18517/ijaseit.6.1.643>
- Agustina, L., & Halim, A. (2016). Karakteristik Serat Tandan Kosong Kelapa Sawit (TKKS) Dengan Perlakuan Perebusan Dan Pengukusan. *ZIRAA'AH*, 41(1), 97–102. Retrieved from file:///C:/Users/user/Downloads/324-646-2-RV.pdf
- Agustina, L. U. A. H. (2016). Characteristics of fiber bunches of empty oil palm (EFB) with boiling and steaming treatment. *Ziraa'Ah*, 41, 97–102.
- Ahmed, E., Das, A., Hannan, M., & Shams, M. (2016). Particleboard from coir pith. *Bangladesh Journal of Scientific and Industrial Research*, 51(3), 239–245. <https://doi.org/10.3329/bjsir.v51i3.29436>
- Al-Oqla, F. M., & Sapuan, S. M. (2014). Natural fiber reinforced polymer composites in industrial applications: Feasibility of date palm fibers for sustainable automotive industry. *Journal of Cleaner Production*, 66, 347–354. <https://doi.org/10.1016/j.jclepro.2013.10.050>
- Anggrainie O., S. D. & N. (2008). *Quality of Composite Board Made from Coconut Fiber and Waste Plastic with Bamboo Matting Layers: Varios of NaOH Immersion Treatments and Density Level*. (kualitas papan komposit dari sabut kelapa dan limbah plastik.), 408–416. <https://doi.org/10.1017/CBO9781107415324.004>
- Aurum, F. S., & Guntoro, S. (2014). *Analisis Senyawa Tanin, Total Fenol, dan Asam Fitat pada Produk Olahan Tepung Sorgun (Sorghum bicolor L.)*. (June 2013). <https://doi.org/10.13140/2.1.3054.5929>
- Badan Standar Nasional. (2006). Standar Nasional Indonesia (SNI) tentang spesifikasi Papan Partikel. *Buku, SNI 03-210*, 15.
- Baskaran, M., Hashim, R., Said, N., Raffi, S. M., Kunasundari, B., Sudesh, K., ... Sato, M. (2012). Properties of binderless particleboard from oil palm trunk with addition of polyhydroxyalkanoates. *Composites Part B: Engineering*, 43(3), 1109–1116. <https://doi.org/10.1016/j.compositesb.2011.10.008>
- Baskaran, M., Hashim, R., Sudesh, K., Sulaiman, O., Hiziroglu, S., Arai, T., & Kosugi, A. (2013). Influence of steam treatment on the properties of particleboard made from oil palm trunk with addition of polyhydroxyalkanoates. *Industrial Crops and Products*, 51, 334–341. <https://doi.org/10.1016/j.indcrop.2013.09.023>
- Baskaran, M., Hashim, R., Sulaiman, O., Hiziroglu, S., Sato, M., & Sugimoto, T. (2015). Optimization of press temperature and time for binderless particleboard manufactured from oil palm trunk biomass at different thickness levels. *Materials Today Communications*, 3, 87–95. <https://doi.org/10.1016/>

j.mtcomm.2015.04.005

- Biswas, S., Shahinur, S., Hasan, M., & Ahsan, Q. (2015). Physical , Mechanical and Thermal Properties of Jute and Bamboo Fiber Reinforced Unidirectional Epoxy Composites. *Procedia Engineering*, 105(Icte 2014), 933–939. <https://doi.org/10.1016/j.proeng.2015.05.118>
- Boon, J. G., Hashim, R., Sulaiman, O., Sugimoto, T., Sato, M., Salim, N., ... Sitti Fatimah, M. R. (2017). Importance of lignin on the properties of binderless particleboard made from oil palm trunk. *ARPJ Journal of Engineering and Applied Sciences*, 12(1), 33–40. <https://doi.org/10.1016/j.matdes.2011.01.053>
- Chandrabakty, S. (2011). Pengaruh Panjang Serat Tertanam Terhadap Kekuatan Geser Interfacial Komposit Serat Batang Melinjo-Matriks Resin Epoxy. *Jurnal Mekanikal, Volume 2(1)*, 1 – 9.
- Chang, S. H. (2014). An overview of empty fruit bunch from oil palm as feedstock for bio-oil production. *Biomass and Bioenergy*, 62, 174–181. <https://doi.org/10.1016/j.biombioe.2014.01.002>
- Christina, E., & Florentina. (2017). Ekstraksi Tanin dari Kulit Kayu Pinus dengan Bantuan Microwave: Pengaruh Daya Microwave, Jenis Pelarut dan Waktu Ekstraksi. *JURNAL INTEGRASI PROSES*, 6(4), 155–161. Retrieved from <http://jurnal.untirta.ac.id/index.php/jip> Submitted
- Direktorat jenderal Perkebunan. (2020). Statistik Perkebunan Indonesia 2018-2020. In A. M. Widya Khonik Zuraina, S.Si. Eko Pudjianto, S.Kom Asep Udin, S.Kom. Neny Kurniawati, S.Si. Erni Magdalena, SP. Susilo Novianto Damarjati (Ed.), *Ministry of Agriculture, Indonesia*. Retrieved from <https://drive.google.com/file/d/1FVxpBNihnuB3ayAALBi-FtsBShIUxMTD/view>
- Fauziah., Wahyuni., L. (2014). Analisis Sifat Fisik dan Mekanik Papan Partikel Berbahan Dasar Sekam Padi. *Positron*, IV(2), 60–63.
- Ghofrani, M., Ashori, A., & Mehrabi, R. (2017). Mechanical and acoustical properties of particleboards made with date palm branches and vermiculite. *Polymer Testing*, 60, 153–159. <https://doi.org/10.1016/j.polymertesting.2017.03.028>
- Hashim, R., Sulaiman, O., Sugimoto, T., Sato, M., Salim, H., Said, N., ... Baskaran, M. (2011). Influence of press temperature on the properties of binderless particleboard made from oil palm trunk. *Materials and Design*, 32(1), 2520–2525. <https://doi.org/10.1016/j.matdes.2011.01.053>
- Indra Mawardi. (2009). Mutu Papan Partikel dari Kayu Kelapa Sawit (KKS) Berbasis Perekat Polystyrene. *Jurnal Teknik Mesin*, 11(2), 91–96. <https://doi.org/10.9744/jtm.11.2.pp.91-96>
- Ishola, M. M., Isroi, & Taherzadeh, M. J. (2014). Effect of fungal and phosphoric acid pretreatment on ethanol production from oil palm empty fruit bunches (OPEFB). *Bioresour Technol*, 165(C), 9–12. <https://doi.org/10.1016/j.biortech.2014.02.053>
- Japanese Agricultural Standard. (2007). Japanese Agricultural Standard for Glued

laminated timber. *Japanese Agricultural Standard*, (1152), 1–45.

- Junaidi. (2018). Pengaruh Suhu dan Waktu Kempa Terhadap Sifat Fisik dan Mekanik Papan Komposit dari Serat Tkks Berperekat Gambir Berlapis Anyaman Bambu Influence of Temperature and Pressing Time on The Physical and Mechanical Characteristics of Woven Bamboo Veneer Composi. *POLI REKAYASA*, 13(April), 54–63.
- Kartika, I. A., Evon, P., Cerny, M., Suparno, O., Hermawan, D., Ariono, D., & Rigal, L. (2016). Simultaneous solvent extraction and transesterification of jatropa oil for biodiesel production , and potential application of the obtained cakes for binderless particleboard. *Fuel*, xxx(xxx), xxx. <https://doi.org/10.1016/j.fuel.2016.05.038>
- Kasim, A., & Fuadi, A. (2007a). Influence of Temperature and Pressing Time on Particleboard Processing from Palm Oil Trunk (*Elaeis guineensis* Jacq.) and Gambir (*Uncaria gambir* Roxb.) Adhesive on Particleboard Properties. *Wood Science and Technology*, 17–21.
- Kasim, A., & Fuadi, A. (2007b). Influence of Temperature and Pressing Time on Particleboard Processing from Palm Oil Trunk (*Elaeis guineensis* Jacq.) and Gambir (*Uncaria gambir* Roxb.) Adhesive on Particleboard PropertiesI. *Wood Science and Technology*, 17–21.
- Kasim, F., & Kasim, A. (2013). Hydrolysis of Oil Palm Empty Fruit Bunch Fibers to Produce Sugar Hydrolyzate as Raw Material for Bioethanol Production. *International Journal on Advanced Science*, ..., 3(3), 24–27.
- Komariah, R. N., Miyamoto, T., Tanaka, S., Prasetyo, K. W., Syamani, F. A., Subyakto, ... Umemura, K. (2019). High-performance binderless particleboard from the inner part of oil palm trunk by addition of ammonium dihydrogen phosphate. *Industrial Crops and Products*, 141(August), 111761. <https://doi.org/10.1016/j.indcrop.2019.111761>
- Kurokochi, Y., & Sato, M. (2015). Effect of surface structure, wax and silica on the properties of binderless board made from rice straw. *Industrial Crops and Products*, Vol. 77, pp. 949–953. <https://doi.org/10.1016/j.indcrop.2015.10.007>
- Lamaming, J., Hashim, R., Sulaiman, O., Sugimoto, T., Sato, M., & Hiziroglu, S. (2014). Measurement of some properties of binderless particleboards made from young and old oil palm trunks. *Journal of the International Measurement Confederation*, Vol. 47, pp. 813–819. <https://doi.org/10.1016/j.measurement.2013.10.007>
- Lee, H. shik, Lee, H., Ha, J. M., Kim, J., & Suh, D. J. (2015). Production of aromatic compounds from oil palm empty fruit bunches by hydro- and solvothermolysis. *Industrial Crops and Products*, 76, 104–111. <https://doi.org/10.1016/j.indcrop.2015.05.083>
- Mutiari, S., Kasim, A., Emriadi, E., & Asben, A. (2019). Studi awal tanin dari kulit kayu *Acacia auriculiformis* A. Cunn. ex Benth. dari hutan tanaman industri untuk bahan penyamak kulit. *Majalah Kulit, Karet, Dan Plastik*, 34(2), 41. <https://doi.org/10.20543/mkvp.v34i2.3967>

- Nadhari Wan, Hashim Rokiah, Hiziroglu Salim, Sulaiman Othman, Boon Jia, Salleh Kushairi, Awaluddin Mohd, Sato Masatoshi, S. T. (2014). Measurement of some properties of binderless composites manufactured from oil palm trunks and Acacia mangium. *Measurement Journal*, 50, 250–254. <https://doi.org/10.1016/j.measurement.2014.01.002>
- Nadiah Jumhuri, Rokiah Hashim ↑, Othman Sulaiman, W. N. A. W. N. (2014). Effect of treated particles on the properties of particleboard made from oil palm trunk. *Materials and Design*, 64, 769–774. <https://doi.org/10.1016/j.matdes.2014.08.053>
- Navis, M., Yumigeta, S., Kojima, Y., & Suzuki, S. (2014). Utilization of High-density Raw Materials for Panel Production and Its Performance. *Procedia Environmental Sciences*, 20, 315–320. <https://doi.org/10.1016/j.proenv.2014.03.039>
- Ninduangdee, P., Kuprianov, V. I., Cha, E. Y., Kaewrath, R., Youngyuen, P., & Athhawethworawuth, W. (2015). Thermogravimetric Studies of Oil Palm Empty Fruit Bunch and Palm Kernel Shell: TG/DTG Analysis and Modeling. In *Energy Procedia* (Vol. 79). <https://doi.org/10.1016/j.egypro.2015.11.518>
- Pasaribu G. (2006). Differences in Physical-Mechanical and Anatomical Properties Of Pine (*Pinus merkusii*) Originated from Tapanuli and Aceh Strains. *Analisis Kebijakan Kehutanan*, 2(2), 1–13.
- Prasetyo, K. W., Octaviana, L., Astari, L., & Syamani, F. A. (2018). Physical-Mechanical Properties and Bonding Mechanism of Corn Stalks Particleboard with Citric Acid Adhesive. *Ilmu Teknol. Kayu Tropis*, 16(2), 131–140.
- Privas, E., & Navard, P. (2013). Preparation, processing and properties of lignosulfonate-flax composite boards. *Carbohydrate Polymers*, Vol. 93, pp. 300–306. <https://doi.org/10.1016/j.carbpol.2012.04.060>
- Rahman, R., Indrayani, Y., & Setyawati, D. (2013). Penambahan Tanin Pada Perekat Urea Formaldehida Untuk Menurunkan Emisi Formaldehida Papan Partikel. *Jurnal Hutan Lestari*, 1(3), 343–347. Retrieved from <http://jurnal.untan.ac.id/index.php/jmfkh/article/view/3612>
- Richard, B. and N. (2011). Shigley's mechanical engineering design. In R. and J. K. G. Budynas (Ed.), *McGraw-Hill* (9th ed.). Retrieved from <https://www.academia.edu/37209423/shigley-machine-design-9th-edition.pdf>
- Rokiah, H., Norhafizah, S., Othman, S., Tomoko, S., Salim, H., Masatoshi, S., & Ryohei, T. (2010). Effect of particle geometry on the properties of binderless particleboard manufactured from oil palm trunk. *Materials and Design*, 31(9), 4251–4257. <https://doi.org/10.1016/j.matdes.2010.04.012>
- Ruhendi, S., & Sucipto, T. (2013). Pengembangan Perekat Likuid dan Papan Partikel dari Limbah Tandan Kosong Sawit (Development of Wood Liquid and Particleboard from Oil Palm Empty Fruit Bunches). *Jurnal Ilmu Pertanian Indonesia (JIPI)*, 18(2), 115–124.
- Saad, A., & Kasim, A. (2018). Effect Of Fiber Length Of The Oil Palm Empty Fruit

Bunch On Manufacture Particle Board With Urea Formaldehyde Adhesive Toward The Characteristics. *International Journal of Scientific & Technology Research*, 7(11), 108–114. Retrieved from <http://www.ijstr.org/research-paper-publishing.php?month=nov2018>

- Saad, A., & Kasim, A. (2019). Pengaruh Waktu Tekan dan Ukuran Partikel Kulit Tusam (Jungh. et. de Vr.) Terhadap Kualitas Papan Partikel Tandan Kosong Kelapa SawitT (Effects of Pressing Time and Particle Size of Pine Bark (Jungh . et . de Vr .) on the Quality of Oil Palm Empty Fruit. *Penelitian Hasil Hutan*, 37(3), 171–184. <https://doi.org/10.20886/jphh.2019.37.3.171-184>
- Saadaoui, N., Rouilly, A., Fares, K., Rigal, L., Jayavani, S., Deka, H., ... Nayak, S. K. (2013). Characterization of date palm lignocellulosic by-products and self-bonded composite materials obtained thereof. *Materials and Design*, 50, 302–308. <https://doi.org/10.1016/j.matdes.2013.03.011>
- Saari, N., Hashim, R., Sulaiman, O., Hiziroglu, S., & Sato, M. (2014). Composites : Part B Properties of steam treated binderless particleboard made from oil palm trunks. *Composites Part B*, 56, 344–349. <https://doi.org/10.1016/j.compositesb.2013.08.062>
- Saari, N., Hashim, R., Sulaiman, O., & Sato, M. (2015). *The Influenced of Compression on Properties of Binderless Compressed Veneer Made from Oil Palm Trunk*. 5(5), 280–283. <https://doi.org/10.18517/ijaseit.5.5.580>
- Sahari, J., Sapuan, S. M., Zainudin, E. S., & Maleque, M. A. (2013). Mechanical and thermal properties of environmentally friendly composites derived from sugar palm tree. *Materials and Design*, Vol. 49, pp. 285–289. <https://doi.org/10.1016/j.matdes.2013.01.048>
- Santosa, P. (2018). *METODE GAUS-JORDAN DANATURAN CRAMER* (Pertama, M; A. Tanjung, Ed.). Padang: Penerbit Erka CV. Rumahkayu Pustaka Utama Anggota.
- Sato M, S. T. A. W. H. R. H. S. S. O. B. J. S. K. A. M. (2014). Measurement of some properties of binderless composites from oil palm trunks and Acacia mangium. *Measurement: Journal of the International Measurement Confederation*, 50, 250–254.
- Septiari, I. A. P. W., Karyasa, I. W., & Kartowarsono, N. (2014). Pembuatan Papan Partikel Dari Limbah Plastik Polypropylene (Pp) Dan Tangkai Bambu. *E-Journal Kimia Visvitalis*, 2(1), 117–126.
- Sri Wahyono, F. L. S. dan F. S. (2008). TINJAUAN TERHADAP PERKEMBANGAN PENELITIAN PENGOLAHAN LIMBAH PADAT PABRIK KELAPA SAWIT. *Teknik Lingkungan, khusus*, 64–74.
- Subiyanto, B., Subyakto, Sudijono, Gopar, M., & Munawar, S. S. (2004). Pemanfaatan Limbah Tandan Kosong dari Industri Pengolahan Kelapa Sawit untuk Papan Partikel dengan Perekat Penol Formaldehida Utilization of Empty Fruit Bunch Waste from Oil Palm Industry for Particleboard Using Phenol Formaldehyde Adhesive. (*Research and Development Unit for Biomaterials – LIPI*), (Trisyulianti).

- Subyakto, Suryanegara, L., Gopar, M., & Prasetyo, W. (2005a). Pemanfaatan Kulit Kayu Akasia (*Acacia mangium Willd*) untuk Papan Partikel dengan Kadar Fenol Formaldehida Rendah Utilization of *Acacia (Acacia mangium Willd)* Bark for Particleboard with Low Phenol Formaldehyde Content. *3*(2), 20–23.
- Subyakto, Suryanegara, L., Gopar, M., & Prasetyo, W. K. (2005b). Utilization of *Acacia (Acacia mangium Willd)* bark for particleboard with low phenol formaldehyde content. *Jurnal Ilmu & Teknologi Kayu Tropis*, *3*(2), 20–23.
- Sucipto, T., Iswanto, A., & Azhar, I. (2010). Characteristic of Particleboard Made of Waste of OilPalm Trunk by Three type of resins. *Ilmu Dan Teknologi Hasil Hutan*, pp. 72–76.
- Suryanegara, L., Gopar, M., & Prasetyo, W. (2005). Pemanfaatan Kulit Kayu Akasia (*Acacia mangium Willd*) untuk Papan Partikel dengan Kadar Fenol Formaldehida Rendah Utilization of *Acacia (Acacia mangium Willd)* Bark for Particleboard with Low Phenol Formaldehyde Content. *3*(2), 20–23.
- Suseno, N., & Adiarso, T. (2014). Ekstraksi Tanin Dari Kulit Kayu Pinus Sebagai Bahan Perekat Briket.
- Widyorini, R., & Nugraha, P. A. (2015). Sifat Fisis dan Mekanis Papan Partikel Sengon dengan Perekat Asam Sitrat-Sukrosa (Physical and Mechanical Properties of Sengon Particleboard Using Citric Acid-Sucrose Adhesive). *Ilmu Teknologi Kayu Tropis*, *13*(2), 175–184.
- Widyorini, R., Prayitno, T. A., Yudha, A. P., Setiawan, B. A., & Wicaksono, B. H. (2014). Pengaruh Konsentrasi Asam Sitrat dan Suhu Pengempaan terhadap Kualitas Papan Partikel Pelepah Nipah. *Jurnal Ilmu Kehutanan*, *6*(1), 61–70.
- Wu, T., Wang, X., & Kito, K. (2015). Effects of pressures on the mechanical properties of corn straw bio-board. *Engineering in Agriculture, Environment and Food*, *8*(3), 123–129. <https://doi.org/10.1016/j.eaef.2015.07.003>
- Yang, F., Fei, B., Wu, Z., Peng, L., & Yu, Y. (2014). Selected properties of corrugated particleboards made from bamboo waste (*Phyllostachys edulis*) laminated with medium-density fiberboard panels. *BioResources*, *9*(1), 1085–1096. <https://doi.org/10.15376/biores.9.1.1085-1096>