

DAFTAR PUSTAKA

1. KemenKes (2018). Buletin Stunting. Kementerian Kesehatan Republik Indonesia.
2. WHO. 2010. Nutrition Landscape Information System (NLIS) : Country Profile Indicators Interpretation Guide. World Health Organization.
http://www.who.int/nutrition/nlis_interpretationguide_isbn9789241599955/en/.
- Diakses Juni 2020
3. United Nations Children's Fund (UNICEF). The State of the World's Children: Children Food and Nutrition. Newyork: 2019
4. DepKes (2018). Riset Kesehatan Dasar (RisKesDas). Departemen Kesehatan Republik Indonesia.
<http://www.depkes.go.id/resources/download/info-terkini/hasil-risikesdas-2018.pdf> - Diakses Juni 2020
5. DinKes (2017) . Pantauan Status Gizi (PSG) Tahun 2017. Dinas Kesehatan Provinsi Sumatera Barat.
http://dinkes.sumbarprov.go.id/images/2018/07/file/LAKIP_DINKES_SUMBAR_TAHuN_2017.pdf- Diakses Juni 2020
6. Tim Nasional Percepatan Penanggulangan Kemiskinan (TNP2K). 100 Kabupaten / Kota Prioritas untuk Intervensi Anak Kerdil. Jakarta Pusat : 2017
7. Dinas Kesehatan Kota Padang. Prevalensi Stunting Kota Padang. Padang:2019.
8. WHO (2013). Stunting in Nutshell. World Health Organization.
https://www.who.int/nutrition/healthygrowthproj_stunted_videos/en/ - Diakses Juni 2020.
9. Danaei G, Andrews KG, Sudfeld CR , Fink G , McCoy DC, Peet E, et al. Risk Factors for Childhood Stunting in 137 Developing Countries : A Comparative Risk Assessment Analitysis at Global, Regional, and Country Levels. PLoS Med. 2016 Nov 1;13(11): 8-9.
10. Imelda, Rahman.N, Nur.R. Faktor Resiko Kejadian Stunting pada Anak Umur 2-5 Tahun di Puskesmas Biromaru. Jurnal Gizi dan Kesehatan. 2018 Juli 2;1 : 40-2.

11. Pratiwi R, Swarinasiti D, Hardaningsih G. Dominasi Asupan Protein Nabati sebagai Faktor Risiko Stunting Anak Usia 2-4 Tahun. *Jurnal Kedokteran Diponegoro*. 2018 Mei 7;2
12. Terati, H. Yuniarti, Susanto E. Effects of diet and Breastfeeding Duration on the Stunting Status of Children Under 5 Years of age at Maternal and Child Health Centers of the Palembang Regional Office of Health. *Pakistan Journal Of Nutrition*. 2018 Januari 17(2):51-56
13. Lestari ED, Hasanah F, Nugroho NA. Correlation between non-exclusive breastfeeding and low birth weight to stunting in children. *Pediatrica Indonesia*. 2018 Mei 58;2 : 125-6.
14. Departemen Kesehatan Republik Indonesia. *Sistem Kesehatan Nasional*. Jakarta : 2010.
15. Sulistyoningsih H. *Gizi Kesehatan Ibu dan Anak*. Yogyakarta : Graha Ilmu; 2011 : 235-237.
16. United Nations Children's Fund (UNICEF). *Nutritional Status, Dietary Practices and Pattern of Physical Activity Among School Children Aged 6-12 Years*. New York : The Institute : 2016.
17. Almatier S. *Prinsip Dasar Ilmu Gizi* : PT Gramedia Pustaka Utama; 2012.
18. Lutviana E, Budiono I. Prevalensi dan Determinan Kejadian Gizi Buruk pada Balita. *Jurnal Kesehatan Masyarakat*. 2010 Januari 5;2 :140-2.
19. Diniyyah SR, Nindya TS. Energy, Protein and Fat Intake with Underweight of Toddlers Age 24-59 Months in Suci Village, Gresik. *SA Lisence*. 2017 Desember 1;4 : 345-7.
20. Kementrian Kesehatan Republik Indonesia. *Situasi Balita Pendek (Stunting) di Indonesia*. Jakarta : Institusi. 2018.
21. Akram R, Sultana M, Ali N, Sheikh N, Sarker AR. Prevalence and determinants of stunting among preschool children and its urban-rural disparities in Bangladesh. *Food Nutr Bull*. SAGE Publications Sage CA: Los Angeles, CA; 2018;39(4):521-35.
22. Kramer, M. S. & Kakuma, R. 2012. *Optimal Duration of Exclusive Breastfeeding (review)*. The Cochrane Library. Agustus 2012.

23. Siregar A. Pemberian ASI Eksklusif dan Faktor-Faktor yang Mempengaruhinya. USU Digital Library. 2014 Januari : 3.
24. Kementerian Kesehatan RI. Buku Saku Pemantauan Status Gizi Tahun 2017. Jakarta : Institusi; 2018.
25. Khasanah DP, Hadi H. Waktu Pemberian Makanan Pendamping ASI (MP-ASI) Berhubungan dengan Kejadian Stunting Anak Usia 6-23 Bulan di Kecamatan Sedayu. *Jurnal Gizi dan Dietetik Indonesia*. 2016 Agustus 4(2) : 105-111
26. Machi, L. A., & McEvoy, B. T. 2011. *The literature review: Six steps to success*. Thousand Oaks, CA: Corwin.
27. Onwuegbuzie, A. J., Collins, K. M. T., Leech, N. L., Dellinger, A. B., & Jiao, Q. G. 2010. A meta-framework for conducting mixed research syntheses for stress and coping researchers and beyond.
28. Boote, D. N., & Beile, P. 2014. Scholars before researchers: On the centrality of the dissertation literature review in research preparation. *Educational Researcher*, 34(6), 3-15.
29. Hart, C. 2012. *Doing a literature review: Releasing the social science research imagination*. London, UK: Sage.
30. Tewkbury, R., and E.E Mustain 2012. Cracking open the black box of manuscript review process : a look inside justice quarterly. *Journal of criminal justice*.
31. Aryani.A.A, Besral, and Kusumawati.E.,2019. The Midwife's Role to Prevent Stunting in Selected Health Centers in Banyumas District
32. Oxman AD, Cook DJ, Guyatt GH. Users' guides to the medical literature, VI. How to use an overview. *JAMA*;272:1367-71.
33. Day RA. *How to write and publish a scientific paper*. 5th ed. Phoenix, AZ: The Oryx Press. p. 163-167.
34. Timmins, F., & McCabe, C.. How to conduct an effective literature review. *Nurs Stand*, 20 (11): 41-7.
35. Carnwell, R., & Daly, W. Strategies for the Construction of a Critical Review of the Literature. *Nurse Educ Pract* 1: 57-63

36. Sally. (2013). A Synthesis Matrix as a Tool for Analyzing and Synthesizing Prior Research. Retrived from
37. Schwandt, T. A.. Sage dictionary of qualitative inquiry (3rd ed.). Thousand Oaks, CA: Sage.
38. Spradley, J. P.. The ethnographic interviewer. Cambridge, MA: International Thomson
39. Uwiringiyimana V, Ocke MC, Amer S, Veldkamp A. Predictors of Stunting with Particular Focus on Complementary Feeding Practices : A Cross-Sectional Study in the Northern Province of Rwanda. Elsevier.2018 Nov ;60:11-18.
40. Nshimyiryo A, Gauthier BH, Mutaganzwa C, Kirk CM, Beck K, et al. Risk Factors for stunting among children under five years : a cross-sectional population-based study in Rwanda using the 2015 demographic and health survey. BMC Public Health.2019 Nov;19:175.
41. Girma A, Woldie H, Mekonnen FA, Gonete KA, Sisay M. Undernutrition and associated factors among urban children aged 24-59 months in Northwest Ethiopia : a community based cross sectional study. BMC Pediatric. 2019;19:214.
42. Marinda PA, Genschick S, Wandabwa CK, Lubinda RK, Thilsted SH. Dietary diversity deerminants and contribution of fish to maternal and under five nutritional status in Zambia. PLOS One.2018 Sep 24;13(9)
43. Osei J, Baumgartner J, Rothman M, Matsungo TM, Covic N, Faber M, Smuts CM. Iodine status and associations with feeding practices and psychomotor milestone development in six month ol South Africa infants. Wiley Maternal and Child Nutrition.2016 Nov 8:13.
44. Alshammaru E, Suneetha E, Adnan M, Khan S, Alazzeh A. Growth Profile and Its Association with Nutrient Intake and Dietary Patterns among Children and Adolescents in Hail Region of Saudi Arabia. BioMed Research Intr.2017.
45. Harding KL, Aguayo VM, Webb P. Birthweight and Feeding Practices are Associated with Child Growth Outcomes in South Asia. Maternal and Child Nutrition.2018;14.

46. Pries AM, Rehman AM, Filteau S, Sharma N, Upadhyay A, Ferguson EI. Unhealthy Snack Food and Beverage Consumption is Associated with Lower Dietary Adequacy and Length for Age Z-scores among 12-23 Month Olds in Kathmandu Valley Nepal. *Journal of Nutrition*. 2019 Jul 16.
47. Ismawati R, Soeyoonoa DR, Romadhoni IF, Dwijayanti I. Nutrition intake and causative factor of stunting among Children aged under 5 years in Lamongan City. *Enferm Clin*. 2020;30(S4):70-74.
48. Perkins JM, Jayatisa R, Subramanian SV. Dietary Diversity and Anthropometric Status and Failure among Infants and Young Children in Sri Lanka. *Nutrition*. 2018 Mar 232.
49. Dranesia A, Wanda D, Hayati H. Pressure to eat is the most determinat factor of stunting in children under 5 years of age in Kerinci region, Indonesia. *Enfermia Clinica*. 2019.
50. Abate BB, Kassie AM, Kassaw MK, Zemariam AB, Alamaw AW. Prevalence of stunting and its associated factors among children of 6-59 months in Arba Minch Health and Demographic Surveillance Site (HDSS), Southern Ethiopia: A community-based cross-sectional study. *Journal of Pediatric Nursing*. 2020 Jan 26.
51. Sumilat MY, Malonda NSH, Punuh MI. Hubungan antara Status Imunisasi dan Pemberian ASI Eksklusif dengan Status Gizi Balita Usia 24-59 Bulan di Desa Tateli Tiga Kecamatan Mandolang Kabupaten Minahasa. *Jurnal KesMas*. 2019 Okt;8:6.
52. Handayani S, Kapota WN, Oktaviano E. Hubungan Status ASI Eksklusif dengan Kejadian Stunting pada Balita usai 24-36 bulan di desa Watugaja Kabupaten Gunung Kidul. *Jurnal Medika Respati*. 2019 Now;14:4.
53. Asemahagn AM. Determinants of exclusive breastfeeding practices among mother in azezo district, northwest Ethiopia. *International Breastfeeding Journal*. 2016;11:12.
54. Sari EM, Jufrie M, Nurani N, Sitaresmi MN. Asupan protein, kalsium dan fosfor pada anak stunting dan tidak stunting usia 24-59 bulan. *Jurna Gizi Klinik Indonesia*. 2016 Apr;12:4.

55. Megantari SH, Abbas HH, Ikhtiar M. Karakteristik determinan kejadian stunting pada anak balita usia 24-59 bulan di kawasan kumuh Kecamatan Bontoala Kota Makassar. *Window of Public Health Journal*.2020 Okt.;01:3
56. Nuraeni R, Suharno. Gambaran faktor-faktor yang berhubungan dengan kejadian stunting balita usia 24-59 bulan. *Jurnal Ilmiah Indonesia*.2020 Okt;5:10.
57. Abera L, Dejene T, Laelago T. Magnitude od stunting and its determinants in children aged 6-59 months among rural residents of Damot Gale distric; Southern Ethiopia. *BMC Res Note*.2018;11:557.
58. Abeway S, Gebremichael B, Murugan R, Assefa M, Adinew YM. Stunting adn its determinants among children aged 6-59 months in Northern Ethiopia : A cross sectional study. *Journal if Nutrition and Metabolism*.2018
59. Nepali S, Simkhada P, Davies I. Trends and Inadequalties in Stunting in Nepal: a Secondary Data Analysis of Four Nepal Demographic Health Surveys from 2001-2016. *iBMC Nutrition*.2019.;5:19.
60. WHO. Nutrition landscape Information System: Country Profile Indicator, Interpretation Guide. Geneva:WHO;2012
61. Kang Y, Aguayo VM, Campbell R, et al. Nutritional Status and Risk Factors for Stunting in Preschool Children in Bhutan. *Maternal and Child Nutrition*.2018 Jun 21;14
62. Girma A, Woldie H, Mekonnen FA, Gonete KA, Sisay M. Undernutrition and Associated Factors among Urban Children Aged 24-59 Months in Northwest Ethiopia: A Community Cross Sectional Study. *BMC Pediatrics*.2019;19:24.
63. Agho KE, Mukabutera C, Mukazi M, et al. Moderate and Severe Household Food Insecurity Predicts Stunting and Severe Stunting among Rwanda Children Aged 6-59 Months Residing in Gicumbi District. *Maternal and Child Nutrition*.2018 Nov 29;15.
64. Muvunyi, S. Marriage : How much should dowry cost?.2017
65. Blessing J A, Kingsley E, Andre M : Stunting and severe stunting among children under 5 years in nigeria : A multilevel analysis. *BMC Pediatric*, 2017; 17: 15

66. Subedi YP, Simkhada P, Pyakuryal B. Is Economic Transition One of the Proximate Determinants of Nutrition Transition in Nepal?. *Open Journal of Political Science*.2016 Des;6(02):168.
67. Li Z, Kim R, Vollmer S, Subramanian SV. Factors Associated with Child Stunting, Wasting, and Underweight in 35 Low and Middle Income Countries. *JAMA Network Open*.2020;3(4).
68. Beal T, Le DT, Trinh TH, Burra DD, Huynh T, Duong TT, et al. Child Stunting is Associated with Child, Maternal, and Environmental Factors in Vietnam. *Maternal and Child Nutrition*.2019.
69. Moges B, Feleke A, Mesert S, Doyore F. : Magnitude of Stunting and Associated factor among 6-59 months old children in Hossana town, southern Ethiopia. *Journal of Clinic and research Bioeth*. 2015;6:207
70. Victoria GG, Adair L, Fall C, Hallal PC. Maternal and child undernutrition : consequences for adult health and human capital. *Lancet : Maternal and child nutrition*. 2008. 371(9609) :340-357
71. Zakaria R, Suma J. Determinants of Stunting in Children Aged 24-59 Months in Gorontalo, Indonesia. *Journal of Maternal and Child Health*.2020;05:03:287-296.
72. Melaku YA, Gill TK, Taylor AW, Adams R, Shi Z, Worku A. Association of Childhood, Maternal, and Household Dietary Patterns with Childhood Stunting in Ethiopia: Proposing an Alternative and Plausible Dietary Analysis Method to Dietary Diversity Scores. *Nutrition Journal*.2018;17:14.
73. Solomon Dagmawit, Zewdie Aderaw, and Teketo Kassaw : Minimum Dietary Diversity and Associated Factors among Children Aged 6-23 Months in Addis Ababa, Ethiopia. *International Journal Equity Health*. 2017; 16:181
74. Umeta M, West CE, Verhoef H, Haidar J, Hautvast JGAJ. Factor associated with stunting in infants aged 5-11 months in the Dodota-Sire District, rural Ethiopia. *Journal of nutrition*. 2003; 133: 1064-9
75. Mank I, Vandormael A, Traore I, Ouedraogo WA, Auerbom R, Danquah I. Dietary Habbits Associated with Growth Development of Children Aged <5 Years in the Nouna Health and Demographic Surveillance System, Burkina Faso. *Nutritional Journal*.2020;19:81.

76. Frozanfar, et al . Acute malnutrition among under-five children in Faryab, Afghanistan: prevalence and causes. Nagoya Journal of Medical Science. 2016;78(1):41
77. Sudargo. Hubungan sosial ekonomi pola asuh pola makan dengan stunting pada siswa sekolah dasar di Lut Tawar Kabupaten Aceh Tengah. Jurnal Gizi dan dietik.2016.1(3):121-130
78. Umeta M, West CE, Verhoef H, Haidar J, Hautvast JGAJ. Factor associated with stunting in infants aged 5-11 months in the Dodota-Sire District, rural Ethiopia. Journal of nutrition. 2003; 133: 1064-9
79. Yackobovitch-gavan M, Philip M, Gat-Yablonski G. How milk and its proteins affect growth, bone health, and weight. Horm Research Pediatric. 2017
80. Brown K, Dewey K, Allen L. Complementary Feeding of Young Children in developing Countries : a review of current scientific knowledge. Geneva: WHO, 1998.
81. Penders J, Thijs C, Vink C, Stelma FF, Snijders B, Kummeling L et al. Factors influencing the composition of the intestinal microbiota in early infancy. Pediatrics. 2006;118:511-21
82. Karina. ASI sebagai pilihan untuk perbaiki perkembangan motorik Bayi. 2015;4(7).
83. Maulidia A. Keberagaman makanan anak usia 24-59 bulan ditinjau dair skor IDDS di Desa Srihardon, Kecamatan Pundong, Kabupaten Bantul.2020;(49)
84. Halim K. Association of Dietary dn Other Factors with Prevalence of Stunting among Children Aged 6-35 Months. Indonesian Journal of Public Health Nutrition.2020
85. Solomon D, Aderaw Z, and Tegegne KT.Minimun Dietary Diversity and Associated Factors among Children Aged 6-23 Months in Addis Ababa, Ethiopia. International Journal for Equity in Health.2017
86. Infant and Todler Forum. Planning Meals For Toddler. United Kingdom: Infant and Todler Forum
87. The Caroline Walker Trust.Eating Well for 1-4 Years old.United Kingdom:The Caroline Walker Trust.

88. Lonnerdal B. Human Milk Protein :Key Components for the biological activity of human milk. Adv Exp Med Bio

