

## DAFTAR PUSTAKA

- Anderson, A. J. and E.A. Dawes.1990. Occurrence, metabolism, metabolic role, and industrial uses of bacterial polyhydroxyalkanoates. *Microbiol. Rev.* 54: 450-472.
- Anandito, R.B.K. and A. Bukhori . 2012. Pengaruh gliserol terhadap karakteristik edible film berbahan dasar tepung Jali (*Coix lacryma-Jobi* L.). *Jurnal Teknologi Hasil Pertanian.* 5(1): 17-23.
- Anwar B. 2009. *Kimia Polimer.* Jakarta: Universitas Terbuka Press.
- Arham, R., M.T. Mulyati, M. Metusalack and S. Salengke. 2016. Physical and mechanical properties of agar based edible film with glycerol plasticizer. *Int. Food Res. J.* 24(4): 1669-1675.
- Bayarı, S. and F. Severcan 2005. FTIR study of biodegradable biopolymers: P (3HB), P (3HB-co-4HB) and p (3HB-co-3HV). *J. Molec. Structr.* 744: 529–534.
- Bierley, A.W., R.J. Heat and M.J. Scott. 1988. *Plastic Materials Properties and Applications.* New York: Chapman and Hall Publishing.
- Billmayer, F.W. 1971. *Text Book of Polymer Science,* New York: John Wiley and Sons.
- BiologiQ, Inc.. 2019. *Technical Data Sheet, Product Bioblend XD 22620,* BiologiQ Inc. Reserved, USA.
- Boutoom, T. 2008. Plasticizer effect on properties of biodegradable blend films from rice starch-chitosan, *Songklanakarın J. Sci. Technol.* 30(1): 149-155.
- Cabral, D.S. and A.J.F. Carvalho. 2019. Miscibility of poly (hydroxybutyrate)/poly(vinyl alcohol) melt blends plasticized with Glycerol. *J. Renew. Materials.* 7(4): 325–333.
- Coulember, O., P. Degée, J.L. Hedrick and P. Dubois. 2006. From controlled ring-opening polymerization to biodegradable aliphatic polyester: Especially poly( $\beta$ -malic acid) derivatives. *Progress in Polymer Science.* 31(8): 723-747.
- Djamaan, A., M.N. Azizan and M.I.A. Majid. 2003. Biodegradation of microbial polyesters P(3HB) and P(3HB-co-3HV) under the tropical climate environmen, *J Polym. Degrad. Stab.* 80: 513–518.
- Djamaan, A., M. Suardi, R. Mayerni, S. Arief, B. Dewi, N.R. Putri, S. Merwanta, Y. Rasyadi, R.S. Lalfari, I.S. Sati and E.S. Ben. 2018. Formulation of slow release NPK Double-Coated granules using bioblend polymer by spray, *Iraqi J. Agric. Sci.* 49(6):1032-1040.

Djamaan, A., R. Monica, P.D. Asiska, M. Suardi, E.S. Ben and Z. Erizal .2015. The use of biopolymer of poly(3-hydroxybutyrate) as matrix of urea slow release fertilizer. *J. Chem. Pharm. Res.* 7(7): 558-563.

Djamaan, A. 2011. Konsep produksi biopolimer P(3HB) dan P(3HB-ko-3HV) secara fermentasi. Padang: Andalas University Press.

Djamaan, A. 2004. Penghasilan dan pencirian P(3HB) dan P(3HB-ko-3HV) dari berbagai sumber karbon oleh *Erwinia* sp USMI-20. [Disertasi]. Penang: Universiti Sains Malaysia.

Doi, Y. 1990. Microbial polyesters, New York: VCH Publisher Inc.

Douglas, P., G. Andrews, D. Jones and G. Walker. 2010. Analysis of in vitro drug dissolution from PCL melt extrusion. *Chem. Engg. Journal.* 164(2-3): 359-370.

Donhove, I.G. and O.R. Fenna. 1993. Water vapour and oxygen permeability of wax film. *J. Am. Oil. Sci.* 70(9): 867-873.

Elfina, S., N. Jamarun, S. Arief and A. Djamaan. 2017. Ekstrak pati bengkung (*Pachyrrizus erosus*) sebagai bahan alternatif pembuatan bioplastik ramah lingkungan. *Prosiding Seminar Nasional Teknologi Industri Hijau-2.* 1(1): 347-350.

Elfina, S. 2018. Bioplastik dari pati bengkung (*Pachyrrizus erosus*) dengan penambahan precipitate calcium carbonat dan hidroksipatit filler. [Disertasi]. Padang. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Andalas.

Fathanah, U., M. Lubis dan M. Siddiqil. 2017. Pengaruh penambahan kitosan dan gliserol terhadap sifat mekanik, morfologi dan waktu degradasi bioplastik berbasis pati kulit ubi kayu (*Manihot utilissima*). *Prosiding Seminar Nasional Politeknik Negeri Lhokseumawe, Aceh.*

Federle, T. W., M.A. Barlaz, C.A. Pettigrew, K.M. Kerr, J.J. Kemper, B.A. Nuck and L.A. Schechtman. 2002. Anaerobic biodegradation of aliphatic polyesters: poly(3-hydroxybutyrate-co-3-hydroxyoctanoate) and poly( $\epsilon$ -caprolactone). *Biomacromol.* 3(4): 813-822.

Garcia. M.A., A. Pinotti, M.N Martino and N.E. Zaritzky. 2009. Characterization of starch and coposite edible film and coatings. In Embuscado, M.E and K.C. Hubber (Eds.), *Edible Films and Coating for Food Application*, New York, Springer.

Galus, S. and A. Leonar. 2013. Development and characterization of composite edible films based on sodium alginate and pectin. *J. Food Engg. Presever.* 115: 459-465.

Grenby, T.H., K.J. Parker and M.G. Linoley. 1994. *Developments in Sweeteners 2*. London: Applied Science Publishing.

Gupper, A., and S.G. Kazarian. 2005. Study of solvent diffusion and solvent induced crystallization in syndiotactic polystyrene using FTIR spectroscopy and imaging. *Macromol.* 38(6): 2327–2332.

Hachemi, R., N. Belhaneche-Bensemra and V. Massardier. 2014. Elaboration and characterization of bioblends based on PVC/PLA. *J. Appl. Polym. Sci.* 131(7): 131-137.

Huang, H., Y. Hu, J. Zhang, H. Sato, H. Zhang, I. Noda and Y. Ozaki. 2005. Miscibility and hydrogen-bonding interactions in biodegradable polymer blends of poly (3-hydroxybutyrate) and a partially hydrolyzed poly (vinyl alcohol). *J. Physic. Chem. B.* 109(41): 19175–19183.

Hatakayama T. and F.X. Quinn. 1999. *Thermal Analysis*, Chichester: John Willey & Sons, 46-50.

Hassan, M.A., E. K. Bakhiet, S. G. Ali and H. R. Hussien. 2016. Production and characterization of polyhydroxybutyrate (PHB) produced by *Bacillus* sp. isolated from Egypt. *J. App. Pharm. Sci.*, 6: 46-51.

Haq, M., R. Burgueño, A.K. Mohanty and M. Misra. 2008. Hybrid bio-based composites from blends of unsaturated polyester and soybean oil reinforced with nanoclay and natural fibers. *Composites Science and Technology.* 68(15-16): 3344–3351.

Iguchi M. 1997. *Practice of Polymer X-ray Diffraction*. Bandung: Bandung Institute Technology Press.

Kemala, T., M.S. Fahmi dan S.S. Achmadi. 2010. Pembuatan dan pencirian polipaduan polistiren-pati. *Jurnal Sains Materi Indonesia.* 12(1): 30-35.

Katili, S., B. T. Harsunu and S. Irawan. 2013. Effect of plasticizer concentration of glycerol and chitosan compositions in the solvenon the physical properties of chitosan edible film. *J. Teknol.* 6(1): 29-38.

Kweon, D., N. Kawasaki, A. Nakayama and S. Aiba. 2004. Preparation and characterization of starch/polycaprolactone blend. *J. Appl. Polym. Sci.* 92(3): 1716–1723.

Kokoszka, S., F. Debeaufort, A. Hambleton, A. Lenart and A. Voilley. 2010. Protein and glycerol contents affect physico-chemicals properties of soy protein isolate-based edible films, *Innovative Food Sci. Emerging Technol.* 11: 503-510.

Kramer, H. dan J. Scharnagl. 1994. *Pengetahuan Bahan Untuk Industri*. Jakarta: Penebar Swadaya.

León-Bermúdez, A.Y. and R. Salazar. 2008. Synthesis and characterization of the polystyrene-asphaltene graft copolymer by FTIR spectroscopy. *Tecnología Futuro*, 3(4): 157–167.

Lee, S.Y. 1996. Plastic bacteria? progress and prospects for polyhydroxyalkanoate production in bacteria. *Trends Biotechnol.* 14: 431-438.

Luengo, J.M., B. Garcia, A. Sandoval, G. Naharro and E. R. Olivera .2003., Bioplastic from microorganisms, *Curr. Opinion Microbiol.* 6: 251-260.

Leuner, C. and Dressman, J. 2000. Improving drug solubility for oral delivery using solid dispersions, *Eur. J. Pharm. Biopharm.* 50: 47-60.

McHugh, T. H., J. F. Aujard and J. M. Krochta. 1994. Plasticized whey protein edible films: water vapour permeability properties. *J. Food Sci.* 59(2): 416-419.

McKeen, L. W. 2013. Introduction to Use of Plastics in Food Packaging, *Plastic Films in Food Packaging*. New York: Elsevier Inc. All rights reserved, 1-15.

Mali, S., M., V. E. Grossmann M. A. Garcia, M. N. Martino and N. E. Zaritzky. 2005. Mechanical and thermal properties of yam starch films, *Food Hydrocolloids.* 19: 157-164.

Madison. 2001. Introduction to Fourier Transform Infrared Spectrometry. New York: Thermo Nicolet Corporation.

Majid, M.I A., A. Djamaan , L. L. Few, A. Agustien, M. S. Toh, M. R. Samian, N. Najimudin and M. N. Azizan. 1999. Production of poly(3-hydroxybutyrate) and its copolymer poly(3-hydroxybutyrate-co-3-hydroxyvalerate) by *Erwinia* sp. USMI-20. *Int. J. Biol. Macromol.* 25: 95-104.

Martínez-Abad, A., G. Sánchez, V. Fuster, J.M. Lagaron and M.J. Ocio. 2013. Antibacterial performance of solvent cast polycaprolactone (PCL) films containing essential oils. *Food Control*, 34(1): 214–220.

Mohamed, A., S.H. Gordon and G. Biresaw. 2007. Polycaprolactone/polystyrene bioblends characterized by thermogravimetry, modulated differential scanning calorimetry and infrared photoacoustic spectroscopy. *Polym. Degrad. Stab.* 92(7): 1177–1185.

Moorkoth, D. and K. M. Nampoothiri. 2016. Production and characterization of poly(3-hydroxybutyrate-co-3hydroxyvalerate) (PHBV) by a novel halotolerant mangrove isolate. *Bioresource Technol.* 201: 253-260.

Moonda, D., S. Saechow, S.N.R. Thammasittirong and A. Thammasittirong. 2017. Screening and optimization of polyhydroxyalkanoate production from *Bacillus* spp. *Burapha Sci. J.* 22: 288-298.



Murni, S. W., H. Pawignyo, D. Widayawati dan N. Sari (2013). Pembuatan edible film dari tepung jagung (*Zea mays* L.) dan kitosan, Prosiding Seminar Nasional Teknik Kimia Kejuangan, Pengembangan Teknologi Kimia untuk Pengolahan Sumber Daya Alam Indonesia, Yogyakarta.

Mumtaz, M. W., A. Adnan, F. Anwar, H. Mukhtar, M. A. Raza, F. Ahmad and U. Rashid. 2012. Response surface methodology: an emphatic tool for optimized biodiesel production using rice brand and sunflower oils. *Energies*, 5(9): 3307–3328.

Nadarajah, K. 2005. Development and characterization of antimicrobial edible film from Crawfish chitosan. [Dessertation] . Department of Food Science, Sri Lanka: University of Paradeniya.

Padilla T.L.G. and V.J.U. Zurita. 2015. Assessment of wax coatings in postharvest preservation of the pea (*Pisum sativum* L.) var. Santa Isabel. *Agron. Colomb.* 33(1):84–91.

Padermshoke, A., Y. Katsumoto, H. Sato, S. Ekgasit, I. Noda and Y. Ozaki. 2004. Surface melting and crystallization behavior of polyhydroxyalkanoates studied by attenuated total reflection infrared spectroscopy. *Polym.* 45(19): 6547–6554.

Pradnya, I.G.A.A.M. and I.W. Arnata. 2015. Pengaruh campuran bahan komposit dan konsentrasi gliserol terhadap karakteristik bioplastik dari pati kulit singkong dan kitosan. *Jurnal Rekayasa dan Manajemen Agroindustri.* 3(3):41-50.

Pena, C., T. A. Castillo, M. Garcia, M. Millan and D. Segura. 2014. Biotechnological strategies to improve production of microbial poly-(3-hydroxybutyrate): A review of recent research work. *Microb. Biotechnol.*, 7: 278-293.

Purnavita, S., D.Y. Subandriyo dan A. Anggra. 2020. Penambahan gliserol terhadap karakteristik bioplastik dari komposit pati aren dan glukomanan. *Metana.* 16(1):19-25.

Pareta, R. and M. J. Edirisinghe. 2006. A novel method for the preparation of starch films and coatings. *Carbohydrate Polym.* 63: 425-431.

Pearce, R., J. Jesudason, W. Orts, R. H. Marchessault and S. Bloembergen. 1992. Blends of bacterial and synthetic poly( $\beta$ -hydroxybutyrate): effect of tacticity on melting behaviour. *Polym.* 33(21): 4647–4649

Rohaeti, E dan Senam. 2008. Efek minyak nabati pada biodegradasi poliuretan hasil sintesis dari polietilenglikol 400 dan metilen-4,4-difenildiisosiyanat. Laporan Penelitian, Jakarta: Dikti Depdiknas,

Rohaeti, E. 2009. Karakterisasi biodegradasi polimer, Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA, Yogyakarta: Fakultas MIPA. Universitas Negeri Yogyakarta.

Rebocho, A. T., J.R. Pereira, L.A. Neves, V.D. Alves, C. Sevrin, C. Grandfils, F. Freitas, F and M.A.M. Reis. 2020. Preparation and characterization of films based on a natural P (3HB)/mcl-PHA blend obtained through the co-culture of *Cupriavidus necator* and *Pseudomonas citronellolis* in apple pulp waste. *Bioengineering*. 7(2): 34.

Santoso, B.A.S., Narta dan Widowati. 2011. Studi karakteristik pati ubi jalar. Prosiding Seminar Teknologi Pangan, Balai Penelitian Bioteknologi Tanaman Pangan, Denpasar, Bali.

Sawada, H. 1994. Field testing of biodegradable plastics. In. *Biodegradable Plastic and Polymer* (Eds. Doi, Y. and K. Fukuda). Elsevier Science BV. Amsterdam. 298-312.

Sindhu, R., B. Ammu, P. Binod, S.K. Deepthi, K.B. Ramachandran, C.R. Soccol, and A. Pandey. 2011. Production and characterization of poly-3-hydroxybutyrate from crude glycerol by *Bacillus sphaericus* NII 0838 and improving its thermal properties by blending with other polymers. *Brazilian Arc. Biol. Technol.* 54(4): 783–794.

Sravanthi, R. 2009. Preparation and characterization of poly ( $\epsilon$ -caprolactone) PCL scaffolds for tissue engineering applications.[Tesis]. Rourkela: National Institute of Technology Rourkela.

Stevens, M. P. 2007. *Polymer Chemistry* (Penerjemah: Iis Sopyan), Jakarta: PT. Pradnya Paramita.

Shamala, T. R., A. Chandrashekar, S. V. Vijayendra and L. Khama. 2003. Identification of polyhydroxyalkanoate (PHA)-producing *Bacillus* spp. using the polymerase chain reaction (PCR). *J. Appl. Microbiol.* 94: 369-374.

Sharma, P. and B. K. Bajaj. 2015. Production and characterization of poly-3-hydroxybutyrate from *Bacillus cereus* PS10, *Int. J. Biol. Macromol.* 81: 241-248.

Suharti N., Salman, S. Muslim, D. Dwisari, Febriyenti, Idris and A. Djamaan. 2018. Coating of urea granules for slow release fertilizer using bioblend polystyrene / polycaprolactone. *Res. J. Pharmaceutic., Biol. Chem. Sci.* 7(1): 1691- 1699.

Suardi M, Salman, F. Lili, N. Suharti, E. Zaini, Febriyenti, A. Yufri and A. Djamaan. 2015. Use of bioblend polystyrene/starch for coating urea granules as slow release fertilizer. *J. Chem. Pharmaceutic. Res.* 7 (11): 478-484.

Sitompul, A. dan E. Zubaidah. 2017. Pengaruh jenis dan konsentrasi plasticizer terhadap sifat fisik edible film Kolang Kaling (*Arenga pinnata*). Jurnal Pangan dan Agroindustri. 5(1):13-25.

Saitoh, A., D. Amutharani, Y. Yamamoto, Y. Tsujita, H. Yoshimizu and S. Okamoto. 2003. Structure and properties of the mesophase of syndiotactic polystyrene IV. Release of guest molecules from  $\delta$  form of syndiotactic polystyrene by time resolved FT-IR and WAXD measurement. Polym. J. 35(11): 868-871.

Scott, G. (1994). Environmental biodegradation of hydrocarbon polymers: initiation and control, in: Biodegradable Plastics and Polymer (Eds. Doi, Y. and K. Fukuda). Elsevier Science BV. Amsterdam, 79-105.

Swift, G. (1994). Expectation for biodegradation testing methods, in: Biodegradable Plastics and Polymers (Eds. Doi, Y. and K. Fukuda), Elsevier Science. B.V, Amsterdam, 228-249.

Siotto, M., M. Tosin, F.D. Innocenti and M. Mezzanote. 2011. Mineralization of monomeric component of biodegradable plastics in preconditioned and enriched Sandy Loam soil under laboratory condition, Water Air Soil. Pollut. 221: 245-254.

Somashekarappa, H., Y. Prakash, K. Hemalatha, T. Demappa and R. Somashekar. 2013. Preparation and characterization of HPMC/PVP blend films plasticized with sorbitol. Indian J. Materials Sci., 1-7.

Thammasiitirong A, S. Saechowi and S. Thammasiitirong. 2017. Efficient polyhydroxybutyrate production from *Bacillus thuringiensis* using sugarcane juice substrate. Turkish J. Biol. 41:992-1002.

Tian, G., Q. Wu, S.Q. Sun, I. Noda and G.Q. Chen. 2002. Studies on pre-melting and crystallization process of biosynthesized poly (3-hydroxybutyrate) using two-dimensional fourier-transform infrared spectroscopy. Chem. J. Chinese Univ. 23(8): 1627–1631.

Tongdeesoontorn W., L. J. Mauer, S. Wongruong, P. Sriburi and P. Rachtanapun. 2011. Effect of carboxymethyl cellulose concentration on physical properties of biodegradable cassava starch-based films, Chem. Cen. J. 5(6); 1-8.

Troy, D. B., J. P. Remington and P. Beringer. 2006. Remington: The Science and Practice of Pharmacy. Philadelphia : Lippincott Williams & Wilkins.

Tryznowska, Z.Z. and T. Cichy. 2018. Glycerol derivatives as a modern plasticizers for starch films, Original Scientific Paper, The University of Novi Sad, Serbia, 27-32.

Valappil, S. P., A.R. Boccaccini, C. Bucke and I. Roy. 2007. Polyhydroxyalkanoates in Gram-positive bacteria: insights from the genera *Bacillus* and *Streptomyces*. *Antonie van Leeuwenhoek*, 91: 1-17.

Van der Schueren, L., De Schoenmaker, B., Ö. I Kalaoglu and K. De Clerck. 2011. An alternative solvent system for the steady state electrospinning of polycaprolactone. *Eur. Polym. J.* 47(6): 1256–1263.

Walfathiyah, A., A.P. Kusuma dan F.N. Cahya. 2018. Optimization of Plasticizer Glycerol in Edible Film Based Water Hyacinth (*Eichornia crassipes*) Starch. 1–10

Vert, M. 2009. Degradable and bioresorbable polymers in surgery and in pharmacology: beliefs and facts. *J. Materials Sci. : Materials in Medicine*, 20(2): 437–446

Vanugopal, V. 2011. *Marine polysarides: Food Application*. Boca Raton: CRC Press.

Woodruff, M.A. and D.W. Hutmacher. 2010. The return of a forgotten polymer—polycaprolactone in the 21st century. *Progress in Polymer Science*, 35(10): 1217–1256.

Wiset, L., N. Poomsa-ad and P. Jomlapeeratikul. 2014. Effect of drying temperatures and glycerol concentration on properties of edible film from konjac flour, *J. Med. Bioeng.* 3(3): 171-174.

Wu, Q., H. Huang, G. Hu, J. Chen, K. P. Ho and G. Q. Chen. 2001. Production of polyhydroxybutyrate by *Bacillus* sp. JMa5 cultivated in molasses media. *Antonie van Leeuwenhoek*. 80: 111-118.

Xu, J., B.H. Guo, R. Yang, Q. Wu, G.Q. Chen and Z.M. Zhang. 2002. In situ FTIR study on melting and crystallization of polyhydroxyalkanoates. *Polym.*, 43(25): 6893–6899.

Yan, J., H. Tian, Y. Zhang and A. Xiang. 2015. Effect of urea and formamide plasticizers on starch/PVA bioblend sheets, *J. App. Polym. Sci.*, 42311, 1-8.

Zheng, Y., E. K. Yanful, A. S. Bassi. 2005. A review of plastic waste biodegradation, *Critical Review in Biotechnology*, 25: 243-250.

