

DAFTAR PUSTAKA

1. Jusuf M, Ginting E. The prospects and challenges of sweet potato as bioethanol source in Indonesia. *Energy Procedia*. 2014;47:173–9.
2. Jutakradsada P, Ladadok C, Kamwilaisak K. Acid hydrolysis sorghum straw for Bioethanol fermentation of *Saccharomyces cerevisiae* TISTR 5596. *Adv Mater Res*. 2014;931–932:188–93.
3. Wahyuono RA, Hakim MN, Santoso SA. Feasibility Study on the Production of Bioethanol from Tapioca Solid Waste to Meet the National Demand of Biofuel. *Energy Procedia*. 2015;65:324–30.
4. Germec M, Turhan I, Yatmaz E, Tetik N, Mustafa K. Fermentation of acid-pretreated tea processing waste for ethanol production using *Saccharomyces cerevisiae*. *Sci Bull Ser F Biotechnol*. 2016;20(October).
5. Heyko, Eduardo; Hasid ZP. Strategi Pemanfaatan Energi Terbarukan Dalam Rangka Kemandirian Energi Daerah Provinsi Kalimantan Timur. 2016;12(1):1–28.
6. Hayuningtyas SRIK, Sk H, Sla S. Production of bioethanol from rice straw (*Oryza sativa*) through hydrolysis of acid and fermentation with *Saccharomyces cerevisiae*. 2014;11(1):1–4.
7. Suprianto T, Mujiarto S, Kasim M. Gasohol Fuel (Premium-Bioethanol) from Oil Palm Empty Bunches Using Lignocellulotic Material Pretreatment and Fermentation. *Inteka J*. 2016;16(2):166–73.
8. Choonut A, Saejong M, Sangkharak K. The production of ethanol and hydrogen from pineapple peel by *Saccharomyces cerevisiae* and *Enterobacter aerogenes*. *Energy Procedia*. 2014;52:242–9.
9. Loebis EH, Meutia YR, Junaidi L, Alamsyah R. Proses Delignifikasi Limbah Pasar untuk Produksi Bioetanol Delignification Process of Market-place Waste for Bioethanol Production. *War IHP/Journal Agro-based Ind*. 2015;32(2):68–74.
10. Khandaker MM, Qiamuddin KB, Majrashi A, Dalorima T, Sajili MH, Sharif Hossain ABM. Bio-ethanol production from fruit and vegetable waste by using *saccharomyces cerevisiae*. *Biosci Res*. 2018;15(3):1703–11.
11. Tesfaw A, Assefa F. Current Trends in Bioethanol Production by *Saccharomyces cerevisiae*: Substrate, Inhibitor Reduction, Growth Variables, Coculture, and Immobilization . *Int Sch Res Not*. 2014;2014:1–11.

12. Edward. J, Riardi. P. Time Effect and Ph Fermentation of Bioethanol Production From *Eucheuma Cottonii* Using Microba Association. *Majalah Biam*. 2015. 11(2): 63-75.
13. Rodrigues ALP, Cruz G, Souza MEP, Gomes WC. Application of cassava harvest residues (*Manihot esculenta* Crantz) in biochemical and thermochemical conversion process for bioenergy purposes : A literature review. 2018;17(3):37–50.
14. Fessenden & Fessenden. *Kimia Organik*. 1994. Jakarta: Erlangga.
15. Chaudhary, L., P. Pradhan., N. Soni., P. Singh., dan A. Tiwari. Algae as A Feedback For Bioethanol Production: New Entrance In Biofuel World. *Int. Journal Chemistry Technology Res*. 2014; 6, 1381-1389.
16. Hakim, Khikmah. Pengaruh Penambahan Ammonium Sulfat Terhadap Produksi Etanol Pada Fermentasi Umbi Singkong (*Manihot Utilisima Pohl*) dengan Inokulum *Saccharomyces cerevisiae*. Skripsi. 2007. Universitas Muhammadiyah Surakarta.
17. Panawala L, Between D. Difference Between Aerobic and Anaerobic Respiration NXTGEN Nanofiber - Finest in Fiber Leading the Nanofiber Market Main Difference – Aerobic vs Anaerobic Respiration. 2017;(April):1–12.
18. Ciani M, Comitini F, Mannazzu I. Ecological Processes: Fermentation. *Encycl Ecol*. 2008;6:1548–57.
19. Sarris D, Papanikolaou S. Biotechnological production of ethanol: Biochemistry, processes and technologies. *Eng Life Sci*. 2016;16(4):307–29.
20. Mohsenzadeh A, Zamani A, Taherzadeh MJ. Bioethylene Production from Ethanol: A Review and Techno-economical Evaluation. *ChemBioEng Rev*. 2017;4(2):75–91.
21. Gustavo H, Salazar M. Yeast : Description and Structure Chapter 2 Yeast : Description and Structure. 2016;(February):3–13.
22. Ganjar, Indrawati dkk. *Mikologi Dasar dan Terapan*. 2006. Jakarta: Yayasan. Obor Indonesia.
23. Brooks, G. F., J. S. Butel dan S. A. Morse. *Medical Microbiology*. 2005. New York: Mc Graw Hill.
24. Zhu BJ, Zayed MZ, Zhu HX, Zhao J, Li SP. Functional polysaccharides of carob fruit: A review. *Chinese Med (United Kingdom)*. 2019;14(1):1–10.
25. Chaturvedula VSP, Prakash I. The aroma, taste, color and bioactive constituents of tea. *J Med Plants Res*. 2011;5(11):2110–24.

26. Chaturvedula VSP, Prakash I. The aroma, taste, color and bioactive constituents of tea. *J Med Plants Res.* 2011;5(11):2110–24.
27. Jonoobi M, Shafie M, Shirmohammadli Y, Ashori A, Zarea-Hosseiniabadi H, Mekonnen T. A review on date palm tree: Properties, characterization and its potential applications. *J Renew Mater.* 2019;7(11):1055–75.
28. Petersen AM, Aneke MC, Görgens JF. Techno-economic comparison of ethanol and electricity coproduction schemes from sugarcane residues at existing sugar mills in Southern Africa. 2014;7:105.
29. Kim M, Day DF. Composition of sugar cane, energy cane, and sweet sorghum suitable for ethanol production at Louisiana sugar mills. *J Ind Microbiol Biotechnol.* 2011;38(7):803–7.
30. Rodrigues ALP, Cruz G, Souza MEP, Gomes WC. Application of cassava harvest residues (*Manihot esculenta* Crantz) in biochemical and thermochemical conversion process for bioenergy purposes : A literature review. 2018;17(3):37–50.
31. Prasertwasu, S., Khumsupan, D., Komolwanich, T., Chaisuwan, T., Luengnaruemitchai, A., & Wongkasemjit, S. Efficient process for ethanol production from Thai Mission grass (*Pennisetum polystachion*). *Bioresource Technology.* 2014; 163, 152–159.
32. Lin, Yan, and S. Tanaka. Ethanol fermentation from biomass resources: current state and prospects. *Appl. Microbiol. Biotechnol.* 2006; 69: 627-642.
33. Ercan, Y., Irfan, T., & Mustafa, K. Optimization of ethanol production from carob pod extract using immobilized *Saccharomyces cerevisiae* cells in a stirred tank bioreactor. *Bioresource Technology.* 2013; 135, 365–371.
34. Turhan, I., Bialka, K. L., Demirci, A., & Karhan, M. Ethanol production from carob extract by using *Saccharomyces cerevisiae*. *Bioresource Technology.* 2010; 101(14), 5290–5296.
35. Germec, Mustafa, Turhan, I., Karhan, M., & Demirci, A. Ethanol production via repeated-batch fermentation from carob pod extract by using *Saccharomyces cerevisiae* in biofilm reactor. *Fuel.* 2015; 161(October 2017), 304–311.
36. Germec, Mustaf, Turhan, I., Yatmaz, E., Tetik, N., & Mustafa, K. Fermentation of acid-pretreated tea processing waste for ethanol production using *Saccharomyces cerevisiae*. *Scientific Bulletin. Series F. Biotechnologie.* 2016;20(October).
37. Putra, M. D., Abasaheed, A. E., Zeinelabdeen, M. A., Gaily, M. H., & Sulieman, A. K. Selective fermentation of pitted dates by *S. cerevisiae* for the production of concentrated fructose syrups and ethanol. *Journal of Physics: Conference Series.* 2014; 495(1).

38. Jutakanoke, R., Leepipatpiboon, N., Tolieng, V., Kitpreechavanich, V., Srinorakutara, T., & Akaracharanya, A. Sugarcane leaves: Pretreatment and ethanol fermentation by *Saccharomyces cerevisiae*. *Biomass and Bioenergy*. 2012; 39, 283–289.
39. Akaracharanya, A., Kesornsit, J., Leepipatpiboon, N., Srinorakutara, T., Kitpreechavanich, V., & Tolieng, V. Evaluation of the waste from cassava starch production as a substrate for ethanol fermentation by *Saccharomyces cerevisiae*. *Annals of Microbiology*. 2011; 61(3), 431–436.
40. Jutakradsada, P., Ladadok, C., & Kamwilaisak, K. Acid hydrolysis sorghum straw for Bioethanol fermentation of *Saccharomyces cerevisiae* TISTR 5596. *Advanced Materials Research*. 2014; 931–932, 188–193.
41. Duanrung, B. The ability of various yeast strains to ferment alcohol from waste rambutan (*Nephelium lappaceum* Linn) fruit. *Interdisciplinary Research Review*. 2020; 15(1), 58–61.
42. Wahyuono, R. A., Hakim, M. N., & Santoso, S. A. Feasibility Study on the Production of Bioethanol from Tapioca Solid Waste to Meet the National Demand of Biofuel. *Energy Procedia*. 2015; 65, 324–330.
43. Choonut, A., Saejong, M., & Sangkharak, K. The production of ethanol and hydrogen from pineapple peel by *Saccharomyces cerevisiae* and *Enterobacter aerogenes*. *Energy Procedia*. 2014; 52, 242–249.
44. Tesfaw, A., & Assefa, F. Current Trends in Bioethanol Production by *Saccharomyces cerevisiae*: Substrate, Inhibitor Reduction, Growth Variables, Coculture, and Immobilization . *International Scholarly Research Notices*. 2014; 1–11.
45. Suprianto, T., Mujiarto, S., & Kasim, M. Gasohol Fuel (Premium-Bioetanol) From Oil Palm Oil With Pretreatment Lignocellulosic Material And Fermentation. *Inteka Journal*. 2016; 16(2), 166–173.
46. Scott, F., Quintero, J., Morales, M., Conejeros, R., Cardona, C., & Aroca, G. Process design and sustainability in the production of bioethanol from lignocellulosic materials. *Electronic Journal of Biotechnology*. 2013; 16(3).
47. Loebis, E. H., Meutia, Y. R., Junaidi, L., & Alamsyah, R. Delignification Process of Market-place Waste for Bioethanol Production. *Warta IHP/Journal of Agro-Based Industry*. 2015; 32(2), 68–74.
48. Yu, Z., Jameel, H., Chang, H.M., and Park, S.K. The effect of delignification of forest biomass on enzymatic hydrolysis. *Bioresource Technology* 102. 2011; 9083–9089.
49. Chen W. H., Ye S.C., Sheen, H.K. Hydrolysis characteristics of sugarcane bagasse pretreated by dilute acid solution in a microwave irradiation environment. *Applied Energy* 93. 2012; 237–244.

50. Karagoz P, Ozkan M. Ethanol production from wheat straw by *Saccharomyces cerevisiae* and *Scheffersomyces stipitis* co-culture in batch and continuous system. *BioresoTechnol.* 2014; 158: 286–293.
51. Widyanti, E. M., & Moehadi, I. The Process of Making Ethanol From Sugar Using Immobilized *Saccharomyces cerevisiae*. *Metana.* 2018 12(02), 31–38.
52. Chauhan, M. Bioethanol Production Using *Saccharomyces cerevisiae* with Different Perspectives : Substrates, Growth Variables , Inhibitor Reduction and Immobilization. *Ferment Technol.* 2016; 5(2), 2–5.
53. De Bari I, Cuna D, Di Matteo V, Liuzzi F. Bioethanol production from steam-pretreated corn stover through an isomerase mediated process. *N Biotechnol.* 2014; 31: 185-195.
54. Parawira W, Tekere L. Biotechnological strategies to overcome inhibitors in lignocellulose hydrolysates for ethanol production: review. *Crit Rev Biotechnol.* 2011; 31: 20-31.
55. Ludwig D, Amann M, Hirth T, Rupp S, Zibek S. Development and optimization of single and combined detoxification processes to improve the fermentability of lignocellulose hydrolyzates. *Bioresour Technol.* 2013; 133: 455-461.
56. Alriksson B, Cavka A, Jönsson LJ. Improving the fermentability of enzymatic hydrolysates of lignocellulose through chemical in-situ detoxification with reducing agents. *Bioresour Technol.* 2011; 102: 1254-1263.
57. Taherzadeh MJ, Karimi J. Fermentation inhibitors in ethanol processes and different strategies to reduce their effects. *Biofuels.* 2011; 287–311.
58. Zhu J, Yong Q, Xu Y, Yu S. Detoxification of corn stover prehydrolyzate by trialkylamine extraction to improve the ethanol production with *Pichia stipitis* CBS 5776. *Bioresour Technol.* 2011; 102: 1663-1668.
59. Grzenia DL, Dong RW, Jasuja H, Kipper MJ, Qian X. Conditioning biomass hydrolysates by membrane extraction. *J Memb Sci.* 2012; 416: 75–84.
60. Ajibola, F. O., Edema, M. O., & Oyewole, O. B. Enzymatic Production of Ethanol from Cassava Starch Using Two Strains of *Saccharomyces cerevisiae*. *Nigerian Food Journal.* 2012; 30(2), 114–121.