

REFERENSI

- [1] F. Alaloul, K. Williams, J. Myers, K. D. Jones, and M. C. Logsdon, “Impact of a Script-based Communication Intervention on Patient Satisfaction with Pain Management,” *Pain Manag. Nurs.*, vol. 16, no. 3, pp. 321–327, 2015.
- [2] S. E. E. Mills, K. P. Nicolson, and B. H. Smith, “Chronic pain: a review of its epidemiology and associated factors in population-based studies,” *Br. J. Anaesth.*, vol. 123, no. 2, pp. e273–e283, 2019.
- [3] A. Pathak, S. Sharma, and M. P. Jensen, “The utility and validity of pain intensity rating scales for use in developing countries,” *Pain Reports*, vol. 3, no. 5, pp. 1–8, 2018.
- [4] M. Lee *et al.*, “Pain Intensity Estimation from Mobile Video Using 2D and 3D Facial Keypoints,” 2020.
- [5] K. Herr, P. J. Coyne, E. Ely, C. Gélinas, and R. C. B. Manworren, “Pain Assessment in the Patient Unable to Self-Report: Clinical Practice Recommendations in Support of the ASPMN 2019 Position Statement,” *Pain Manag. Nurs.*, vol. 20, no. 5, pp. 404–417, 2019.
- [6] J. Kappesser, “The facial expression of pain in humans considered from a social perspective,” *Philos. Trans. R. Soc. B Biol. Sci.*, vol. 374, no. 1785, 2019.
- [7] S. D. Deb, C. Choudhury, M. Sharma, F. A. Talukdar, and R. H. Laskar, “Frontal facial expression recognition using parallel CNN model,” *26th Natl. Conf. Commun. NCC 2020*, 2020.
- [8] Y. Wang, Y. Li, Y. Song, and X. Rong, “Facial expression recognition based on auxiliary models,” *Algorithms*, vol. 12, no. 11, pp. 1–15, 2019.
- [9] S. Lautenbacher, A. L. Walz, and M. Kunz, “Using observational facial descriptors to infer pain in persons with and without dementia,” *BMC Geriatr.*, vol. 18, no. 1, pp. 1–10, 2018.
- [10] D. Liu, D. Cheng, T. T. Houle, L. Chen, W. Zhang, and H. Deng, “Machine learning methods for automatic pain assessment using facial expression information: Protocol for a systematic review and meta-analysis,” *Med. (United States)*, vol. 97, no. 49, pp. 0–5, 2018.
- [11] C. Florea, L. Florea, R. Butnaru, A. Bandrabur, and C. Vertan, “Pain intensity estimation by a self-taught selection of histograms of topographical features,” *Image Vis. Comput.*, vol. 56, pp. 13–27, 2016.
- [12] J. Wang and H. Sun, “Pain intensity estimation using deep spatiotemporal and handcrafted features,” *IEICE Trans. Inf. Syst.*, vol. E101D, no. 6, pp. 1572–1580, 2018.
- [13] T. R. Dawes *et al.*, “Objectively measuring pain using facial expression: is the technology finally ready?,” *Pain Manag.*, vol. 8, no. 2, pp. 105–113, 2018.
- [14] W. A. Shier and S. Yanushkevich, “Pain recognition and intensity classification using facial expressions,” *Proc. Int. Jt. Conf. Neural Networks*, vol. 2016-Octob, pp. 3578–3583, 2016.

- [15] S. D. Roy, M. K. Bhowmik, P. Saha, and A. K. Ghosh, “An Approach for Automatic Pain Detection through Facial Expression An Approach for Automatic Pain Detection through Facial Expression,” *Procedia - Procedia Comput. Sci.*, vol. 84, no. May, pp. 99–106, 2016.
- [16] R. H. Bouajram, C. M. Sebat, D. Love, E. L. Louie, M. D. Wilson, and J. J. Duby, “Comparison of Self-Reported and Behavioral Pain Assessment Tools in Critically Ill Patients,” *J. Intensive Care Med.*, 2018.
- [17] K. C. Wang *et al.*, “Facial expression differences indicate pain improvement at the emergency department,” *Signa Vitae*, vol. 17, no. 2, pp. 111–118, 2021.
- [18] F. Meawad, S.-Y. Yang, and F. L. Loy, “Automatic detection of pain from spontaneous facial expressions,” in *Proceedings of the 19th ACM International Conference on Multimodal Interaction - ICMI 2017*, 2017, no. December, pp. 397–401.
- [19] “UnderstandingFacialExpressionsOfPainInPatientsWith0001.PDF.” .
- [20] R. E. Jack and P. G. Schyns, “The Human Face as a Dynamic Tool for Social Communication,” *Curr. Biol.*, vol. 25, no. 14, pp. R621–R634, 2015.
- [21] R. Fitzgerald, J. Carqueville, and P. T. Yang, “An approach to structural facial rejuvenation with fillers in women,” *Int. J. Women’s Dermatology*, vol. 5, no. 1, pp. 52–67, 2019.
- [22] P. W. Hashim, J. K. Nia, M. Taliercio, and G. Goldenberg, “Ideals of facial beauty,” *Cutis*, vol. 100, no. 4, pp. 222–224, 2017.
- [23] C. M. Sadacharan, “Facial Proportions of Indian Americans and Its Clinical Applications,” *MOJ Anat. Physiol.*, vol. 1, no. 4, 2015.
- [24] D. Y. Liliana, T. Basaruddin, M. R. Widjanto, and I. I. D. Oriza, “High-level fuzzy linguistic features of facial components in human emotion recognition,” *J. Inf. Commun. Technol.*, vol. 19, no. 1, pp. 103–129, 2020.
- [25] Y. Tang, X. M. Zhang, and H. Wang, “Geometric-Convolutional Feature Fusion Based on Learning Propagation for Facial Expression Recognition,” *IEEE Access*, vol. 6, no. c, pp. 42532–42540, 2018.
- [26] E. Zangeneh and A. Moradi, “Facial expression recognition by using differential geometric features,” *Imaging Sci. J.*, vol. 66, no. 8, pp. 463–470, 2018.
- [27] X. Peng, D. Huang, and H. Zhang, “Pain intensity recognition via multi-scale deep network,” *IET Image Process.*, vol. 14, no. 8, pp. 1645–1652, 2020.
- [28] A. K. Sharma, U. Kumar, S. K. Gupta, U. Sharma, and S. Lakshmiagrwal, “A survey on feature extraction technique for facial expression recognition system,” *2018 4th Int. Conf. Comput. Commun. ICCCA 2018*, pp. 1–6, 2018.
- [29] N. Rathee, D. Ganatra, and A. Rathee, “Facial Action Unit Intensity Detection by Extracting Complimentary Information using Distance Metric Learning,” *IETE J. Res.*, vol. 66, no. 2, pp. 214–223, 2020.
- [30] D. Tapp *et al.*, “Observational Pain Assessment Instruments for Use With Nonverbal Patients at the End-of-life: A Systematic Review,” *J. Palliat. Care*, vol. 34, no. 4, pp. 255–266, 2019.

- [31] D. R. Seaman and C. Cleveland, "Spinal Pain Syndromes," *J. Manipulative Physiol. Ther.*, vol. 22, no. 7, pp. 458–72, 1999.
- [32] H. Tantra, "Nyeri Akut," *J. Chem. Inf. Model.*, vol. 53, no. 9, pp. 1689–1699, 2018.
- [33] G. N. Germossa, R. Hellesø, and I. S. Sjetne, "Hospitalized patients' pain experience before and after the introduction of a nurse-based pain management programme: A separate sample pre and post study," *BMC Nurs.*, vol. 18, no. 1, pp. 1–9, 2019.
- [34] C. Brudvik, S. D. Moutte, V. Baste, and T. Morken, "A comparison of pain assessment by physicians, parents and children in an outpatient setting," *Emerg. Med. J.*, vol. 34, no. 3, pp. 138–144, 2017.
- [35] A. Widya Murni, "Terapi Depresi pada Nyeri Kronis," in *The 4th scientific meeting on psychosomatic medicine 2016*, 2016, pp. 161–170.
- [36] A. M. Boonstra *et al.*, "Cut-offpoints for mild, moderate, and severe pain on the numeric rating scale for pain in patients with chronic musculoskeletal pain: Variability and influence of sex and catastrophizing," *Front. Psychol.*, vol. 7, no. SEP, pp. 1–9, 2016.
- [37] M. Kunz *et al.*, "Problems of video-based pain detection in patients with dementia: A road map to an interdisciplinary solution," *BMC Geriatr.*, vol. 17, no. 1, pp. 1–8, 2017.
- [38] J. Gregory, "Use of pain scales and observational pain assessment tools in hospital settings," 2019.
- [39] S. Shamsi and S. Khan, "Journal of Physiotherapy Use of Pain Assessment Tools in Physiotherapy," pp. 3–4, 2019.
- [40] D. Huang, Z. Xia, J. Mwesigye, and X. Feng, "Pain-attentive network: a deep spatio-temporal attention model for pain estimation," *Multimed. Tools Appl.*, vol. 79, no. 37–38, pp. 28329–28354, 2020.
- [41] M. Elsayed, K. S. Sim, and S. C. Tan, "A Novel Approach to Objectively Quantify the Subjective Perception of Pain Through Electroencephalogram Signal Analysis," *IEEE Access*, vol. 8, pp. 199920–199930, 2020.
- [42] J. Chen, Z. Chi, and H. Fu, "A new framework with multiple tasks for detecting and locating pain events in video," *Comput. Vis. Image Underst.*, vol. 155, pp. 113–123, 2017.
- [43] D. Godavarthi, A. S. D. Mishra, and J. R, "Analysing Emotions on Lecture Videos using CNN AND HOG (Workshop Paper)," pp. 435–440, 2020.
- [44] P. Lucey, J. F. Cohn, K. M. Prkachin, P. E. Solomon, and I. Matthews, "Painful data: The UNBC-McMaster shoulder pain expression archive database," *2011 IEEE Int. Conf. Autom. Face Gesture Recognit. Work. FG 2011*, pp. 57–64, 2011.
- [45] T. Li, W. Hou, F. Lyu, Y. Lei, and C. Xiao, "Face detection based-on depth information using HOG-LBP," *Proc. - 2016 6th Int. Conf. Instrum. Meas. Comput. Commun. Control. IMCCC 2016*, pp. 779–784, 2016.
- [46] O. M. Al-Omair and S. Huang, "A comparative study of algorithms and methods for facial expression recognition," *SysCon 2019 - 13th Annu. IEEE Int. Syst. Conf. Proc.*, pp. 1–6, 2019.

- [47] A. I. Gaidar and P. Y. Yakimov, "Real-time fatigue features detection," *J. Phys. Conf. Ser.*, vol. 1368, no. 5, 2019.
- [48] M. J. M. Zedan and M. A. Al-jbaar, "Face Recognition Security System Based on Convolutional Neural Networks Face Recognition Security System Based on Convolutional Neural Networks," no. June, 2020.
- [49] J. Jeon *et al.*, "A real-time facial expression recognizer using deep neural network," *ACM IMCOM 2016 Proc. 10th Int. Conf. Ubiquitous Inf. Manag. Commun.*, 2016.
- [50] J. Cheney, B. Klein, A. K. Jain, and B. F. Klare, "Unconstrained face detection: State of the art baseline and challenges," *Proc. 2015 Int. Conf. Biometrics, ICB 2015*, pp. 229–236, 2015.
- [51] S. Mohanty, S. V. Hegde, S. Prasad, and J. Manikandan, "Design of real-time drowsiness detection system using dlib," *2019 5th IEEE Int. WIE Conf. Electr. Comput. Eng. WIECON-ECE 2019 - Proc.*, pp. 1–4, 2019.
- [52] H. Yuan, M. Li, J. Hou, and J. Xiao, "A single image based head pose estimation method with spherical parameterization," *arXiv*, 2019.
- [53] C. C. Chinese, "The Concept of Head Pose estimation," pp. 1–8, 2020.
- [54] K. Khan, M. Attique, I. Syed, G. Sarwar, M. A. Irfan, and R. U. Khan, "A unified framework for head pose, age and gender classification through end-to-end face segmentation," *Entropy*, vol. 21, no. 7, pp. 1–21, 2019.
- [55] K. Khan, M. Mauro, P. Migliorati, and R. Leonardi, "Head pose estimation through multi-class face segmentation," *Proc. - IEEE Int. Conf. Multimed. Expo*, no. July, pp. 175–180, 2017.
- [56] N. Rathee and D. Ganotra, "An efficient approach for facial action unit intensity detection using distance metric learning based on cosine similarity," *Signal, Image Video Process.*, vol. 12, no. 6, pp. 1141–1148, 2018.
- [57] M. I. Rusydi, R. Hadelina, O. W. Samuel, A. W. Setiawan, and C. MacHbub, "Facial Features Extraction Based on Distance and Area of Points for Expression Recognition," *2019 4th Asia-Pacific Conf. Intell. Robot Syst. ACIRS 2019*, pp. 211–215, 2019.
- [58] J. Zhang, Y. Liu, and Y. Wu, "Exponential regression for censored data with outliers," *J. Stat. Comput. Simul.*, vol. 86, no. 3, pp. 431–442, 2016.
- [59] V. Deneshkumar, K. Senthamaraikannan, and M. Manikandan, "Identification of Outliers in Medical Diagnostic System Using Data Mining Techniques," *Int. J. Stat. Appl.*, vol. 4, no. 6, pp. 241–248, 2014.
- [60] P. H. Stefanuto *et al.*, "GC × GC-TOFMS and supervised multivariate approaches to study human cadaveric decomposition olfactory signatures," *Anal. Bioanal. Chem.*, vol. 407, no. 16, pp. 4767–4778, 2015.
- [61] S. M. Ashraf, A. Gupta, D. K. Choudhary, and S. Chakrabarti, "Voltage stability monitoring of power systems using reduced network and artificial neural network," *Int. J. Electr. Power Energy Syst.*, vol. 87, pp. 43–51, 2017.
- [62] E. C. Erkuş and V. Purutçuoğlu, "Outlier detection and quasi-periodicity optimization algorithm: Frequency domain based outlier detection (FOD)," *Eur. J. Oper. Res.*, vol. 291, no. 2, pp. 560–574, 2021.

- [63] P. V. Anusha, C. Anuradha, P. S. R. Chandra Murty, and C. S. Kiran, “Detecting outliers in high dimensional data sets using Z-score methodology,” *Int. J. Innov. Technol. Explor. Eng.*, vol. 9, no. 1, pp. 48–53, 2019.
- [64] D. Borkin, A. Némethová, G. Michal'čonok, and K. Maiorov, “Impact of Data Normalization on Classification Model Accuracy,” *Res. Pap. Fac. Mater. Sci. Technol. Slovak Univ. Technol.*, vol. 27, no. 45, pp. 79–84, 2019.
- [65] J. Walach, P. Filzmoser, and K. Hron, *Data Normalization and Scaling: Consequences for the Analysis in Omics Sciences*, 1st ed., vol. 82. Elsevier B.V., 2018.
- [66] V. N. G. Raju, K. P. Lakshmi, V. M. Jain, A. Kalidindi, and V. Padma, “Study the Influence of Normalization/Transformation process on the Accuracy of Supervised Classification,” *Proc. 3rd Int. Conf. Smart Syst. Inven. Technol. ICSSIT 2020*, no. Icssit, pp. 729–735, 2020.
- [67] M. A. Umar and C. Zhanfang, “Effects of Feature Selection and Normalization on Network Intrusion Detection,” pp. 1–25, 2020.
- [68] T. R. Patel, “Impact Analysis of Farm Technology Training Centre on Knowledge of Cucurbitaceous Growers,” *Indian J. Pure Appl. Biosci.*, vol. 7, no. 6, pp. 279–283, 2019.
- [69] X. H. Cao, I. Stojkovic, and Z. Obradovic, “A robust data scaling algorithm to improve classification accuracies in biomedical data,” *BMC Bioinformatics*, vol. 17, no. 1, pp. 1–10, 2016.
- [70] J. Jo, “Effectiveness of Normalization Pre-Processing of Big Data to the Machine Learning Performance,” vol. 14, no. 3, pp. 547–552, 2019.
- [71] C. A. Dantas, R. O. De Nunes, A. M. P. Canuto, and J. C. Xavier-Junior, “Investigating the impact of similarity metrics in an unsupervised-based feature selection method,” *Proc. - 2017 Brazilian Conf. Intell. Syst. BRACIS 2017*, vol. 2018-Janua, pp. 55–60, 2017.
- [72] N. J. Gogtay and U. M. Thatte, “Principles of correlation analysis,” *J. Assoc. Physicians India*, vol. 65, no. MARCH, pp. 78–81, 2017.
- [73] H. Akoglu, “User’s guide to correlation coefficients,” *Turkish J. Emerg. Med.*, vol. 18, no. 3, pp. 91–93, 2018.
- [74] Sugiyono, *Statistik Untuk Penelitian*. Alfabeta Bandung, 2007.
- [75] J. Xu, H. Mu, Y. Wang, and F. Huang, “Feature Genes Selection Using Supervised Locally Linear Embedding and Correlation Coefficient for Microarray Classification,” *Comput. Math. Methods Med.*, vol. 2018, 2018.
- [76] P. Y. CHEN and P. M. POPOVICH, *Correlation: Parametric and Nonparametric Measures*. 2002.
- [77] M. M. Mukaka, “81576-194640-1-Pb,” *Malawi Med. J.*, vol. 24, no. September, pp. 69–71, 2012.
- [78] S. Allua and C. B. Thompson, “Hypothesis Testing,” *Air Med. J.*, vol. 28, no. 3, pp. 108-110,153, 2009.
- [79] S. Mourougan and D. K. Sethuraman, “Hypothesis Development and Testing,”

- IOSR J. Bus. Manag.*, vol. 19, no. 05, pp. 34–40, 2017.
- [80] P. U. Gio and elly rosmaini, “Belajar Olah Data dengan SPSS, MINITAB, R, MICROSOFT EXCEL, EVIEWS, LISREL, AMOS, dan SMARTPLS,” 2018.
- [81] R. S. J. d. Baker, *Data Mining - Chapter 10 Data Classification*. 2010.
- [82] N. Shahid, T. Rappon, and W. Berta, “Applications of artificial neural networks in health care organizational decision-making: A scoping review,” *PLoS One*, vol. 14, no. 2, pp. 1–22, 2019.
- [83] A. G. Pertiwi, A. P. Wibawa, and U. Pujiyanto, “Partus referral classification using backpropagation neural network,” *J. Phys. Conf. Ser.*, vol. 1193, no. 1, 2019.
- [84] R. Peterson, A. Baldwin, and A. Schmidt, “Comparative Analysis of Backpropagation Algorithm against the Ant Colony Optimization Technique,” *Int. J. Comput. Sci.*, no. May, 2019.
- [85] M. A. Rahman and R. C. Muniyandi, “An Enhancement in Cancer Classification Accuracy Using a Two-Step Feature Selection Method Based on Artificial Neural Networks with 15 Neurons,” *Symmetry (Basel)*, vol. 12, no. 2, p. 271, 2020.
- [86] S. M. K. Chaitanya and P. Rajesh Kumar, “Classification of kidney images using cuckoo search algorithm and artificial neural network,” *Int. J. Eng. Adv. Technol.*, vol. 8, no. 3, pp. 370–374, 2019.
- [87] Y. Chen, C. Hsiao, W. Zheng, R. Lee, and R. Lin, “Artificial neural networks-based classification of emotions using wristband heart rate monitor data.”
- [88] V. Raghupathi and W. Raghupathi, “Preventive Healthcare: A Neural Network Analysis of Behavioral Habits and Chronic Diseases,” *Healthcare*, vol. 5, no. 1, p. 8, 2017.
- [89] J. H. M. Informat, V. Raghupathi, and W. Raghupathi, “Health & Medical Informatics,” vol. 6, no. 6, 2015.
- [90] R. Arasy and Basari, “Detection of hypertensive retinopathy using principal component analysis (PCA) and backpropagation neural network methods,” *AIP Conf. Proc.*, vol. 2092, no. April, 2019.
- [91] A. R. Saputro, H. Murfi, and S. Nurrohmah, “Analysis of deep neural networks for automobile insurance claim prediction,” *Commun. Comput. Inf. Sci.*, vol. 1071, pp. 114–123, 2019.
- [92] Y. Liu, W. Jing, and L. Xu, “Using MapReduce and Cascading Model,” vol. 2016, 2016.
- [93] S. Benzahioul, A. Metatla, A. Kerboua, D. Lefebvre, and R. Bendib, “Use of Support Vector Machines for Classification of Defects in the Induction Motor,” *Acta Univ. Sapientiae, Electr. Mech. Eng.*, vol. 11, no. 1, pp. 1–21, 2020.
- [94] perClass, “perClass: Support Vector Classifier,” vol. 1, 2014.
- [95] R. Wang, W. Li, R. Li, and L. Zhang, “Automatic blur type classification via ensemble SVM,” *Signal Process. Image Commun.*, vol. 71, pp. 24–35, 2019.
- [96] P. Sachin and R. Y. Kumar, “Detection and Classification of Blood Cancer from Microscopic Cell Images Using SVM KNN and NN Classifier,” *Int. J. Adv. Res.*, vol. 3, no. 6, pp. 315–324, 2017.

- [97] H. Mohsen and A.-B. M. Salem, “Intelligent Methodology for Brain Tumors Classification in Magnetic Resonance Images,” *Int. J. Comput.*, vol. 11, no. March 2018, 2017.
- [98] D. Retnowati, E. Ernawati, and K. Anggriani, “Penerapan Support Vector Machine Untuk Pendekripsi dan Klasifikasi Motif Pada Citra Batik Besurek Motif Gabungan Berdasarkan Fitur Histogram Of Oriented Gradient,” *Pseudocode*, vol. 5, no. 2, pp. 75–84, 2018.
- [99] X. Deng, Q. Liu, Y. Deng, and S. Mahadevan, “An improved method to construct basic probability assignment based on the confusion matrix for classification problem,” *Inf. Sci. (Ny.)*, vol. 340–341, pp. 250–261, 2016.
- [100] Y. Sun, A. K. C. Wong, and M. S. Kamel, “Classification of imbalanced data: A review,” *Int. J. Pattern Recognit. Artif. Intell.*, vol. 23, no. 4, pp. 687–719, 2009.
- [101] M. Ibrahim, M. Torki, and N. El-Makky, “Imbalanced Toxic Comments Classification Using Data Augmentation and Deep Learning,” *Proc. - 17th IEEE Int. Conf. Mach. Learn. Appl. ICMLA 2018*, pp. 875–878, 2019.
- [102] S. Ruuska, W. Hämäläinen, S. Kajava, M. Mughal, P. Matilainen, and J. Mononen, “Evaluation of the confusion matrix method in the validation of an automated system for measuring feeding behaviour of cattle,” *Behav. Processes*, vol. 148, pp. 56–62, 2018.

