

DAFTAR PUSTAKA

- Ageel, S., & Elmeer, K. (2011). Effects of Casein Hydrolysates and Glutamine on Callus and Somatic Embryogenesis of Date Palm (*Phoenix dactylifera* L.). *New York Sci Jour*, 4(7), 121–125.
- Ajjjah, N., & Hartati, S. R. (2016). Pengaruh Sitokinin, Jenis Eksplan, dan Genotipe Terhadap Embriogenesis Somatik Kakao. *J. TIDP*, 3 (2), 71–82.
- Anggraeni, T. D. A., Sulistyowati, E., & Purwati, R. D. (2012). Pengaruh Komposisi Media dan Sumber Eksplan Terhadap Induksi Kalus, Perkecambahan, dan Pertumbuhan Tunas Embrio Somatik Jarak Pagar. *Buletin Tanaman Tembakau, Serat & Minyak Industri*, 4(2), 76. <https://doi.org/10.21082/bultas.v4n2.2012.76-84>
- Ardiansyah, R., Supriyanto, Wulandari, A. S., Subandy, B., & Fitriani, Y. (2014). Teknik Sterilisasi Eksplan dan Induksi Tunas Dalam Mikropropagasi Tembesu (*Fagraea fragrans* ROXB). *Jurnal Silvikultur Tropika*, 05(3), 167–173.
- Arditti, J., Nyman, L. P., Evans, D. A., Sharp, W. A., Ammirato, P. V., & Yanell, Y. (1984). Handbook of Plant Cell Culture. Volume 1. Techniques for Propagation and Breeding. *Bulletin of the Torrey Botanical Club*, 111(2), 235. <https://doi.org/10.2307/2996029>
- Azizah, F. (2019). *Pengaruh 2,4-Dichlorophenoxyacetid acid Berbagai Konsentrasi Terhadap Induksi Embrio Somatik Arenga pinnata (Wurmb) Merr. Secara In Vitro*. Universitas Andalas Padang.
- Babaei, N., Ashikin, N., Abdullah, P., Saleh, G., & Abdullah, T. L. (2013). Control of Contamination and Explant Browning in *Curculigo latifolia* In Vitro Cultures. *Journal of Medicinal Plants Research*, 7(8), 448–454. <https://doi.org/10.5897/JMPR12.859>
- Badan Pusat Statistik (BPS). 2020. *Impor Kedelai Menurut Negara Asal Utama 2010-2019*. <https://www.bps.go.id/statictable/2019/02/14/2015/imporkedelai-menurut-negara-asal-utama-2010-2019.html>
- Balitbangtan. (2016). *VUB Kedelai Berdaya Hasil Tinggi: Devon 1*. <http://www.litbang.pertanian.go.id/info-teknologi/2606/>
- Balitkabi. (2015). *Devon 1: Calon Varietas Kedelai mengandung Isoflavon Tinggi*. <http://balitkabi.litbang.pertanian.go.id/infotek/devon-1-calon-varietas-kedelai-mengandung-isoflavon-tinggi/>
- Balitkabi. (2018a). *Inilah Derap 1*. <http://balitkabi.litbang.pertanian.go.id/berita/inilah-derap-1/>
- Balitkabi. (2018b). *Langkah Derap 1 di Nganjuk*. <http://balitkabi.litbang.pertanian.go.id/berita/langkah-derap-1-di-nganjuk/>
- Bhojwani, S. S., & Dantu, P. K. (2013). Plant tissue culture: An introductory text. In *Plant Tissue Culture: An Introductory Text*. <https://doi.org/10.1007/978-81-322-1026-9>
- Cahyadi, W. (2012). *Kedelai Khasiat dan Teknologi* (Cetakan Ke). Bumi Aksara.
- Cooke, T. J., Racusen, R. H., & Cohen, J. D. (1993). The role of auxin in plant embryogenesis. *Plant Cell*, 5(11), 1494–1495. <https://doi.org/10.2307/3869733>
- Daniel, M. A., David, R. H. A., Caesar, S. A., Ramakrishnan, M., Duraipandiyam, V., Ignacimuthu, S., & Al-Dhabi, N. A. (2018). Effect of L-glutamine and

- casein hydrolysate in the development of somatic embryos from cotyledonary leaf explants in okra (*Abelmoschus esculentus* L. monech). *South African Journal of Botany*, 114, 223–231. <https://doi.org/10.1016/j.sajb.2017.11.014>
- Desriatin, N. L. (2011). *Pengaruh Kombinasi Zat Pengatur Tumbuh IAA dan Kinetin Terhadap Morfogenesis pada Kultur In Vitro Tanaman Tembakau (Nicotiana tabacum L.) var. Prancak-95*. Institut Teknologi Sepuluh November.
- Dudits, D., Györgyey, J., Bögre, L., & Bakó, L. (1995). *Molecular Biology of Somatic Embryogenesis*. 267–308. https://doi.org/10.1007/978-94-011-0485-2_8
- Evans, D. E., Coleman, J., & Kearns, A. (2003). *Plant Cell Culture*. Bios Scientific.
- Fehér, A., Pasternak, T. P., & Dudits, D. (2003). Transition of somatic plant cells to an embryogenic state. *Plant Cell, Tissue and Organ Culture*, 74(3), 201–228. <https://doi.org/10.1023/A:1024033216561>
- Finer, J. J. (1995). Direct Somatic Embryogenesis. *Plant Cell, Tissue and Organ Culture*, 91–102. https://doi.org/10.1007/978-3-642-79048-5_8
- Gaj, M. D. (2004). *Factors Influencing Somatic Embryogenesis Induction and Plant Regeneration with Particular Reference to Arabidopsis thaliana (L.)* Heynh Factors influencing somatic embryogenesis induction and plant regeneration with particular reference to Arabidopsis t. May 2004. <https://doi.org/10.1023/B>
- García-González, R., Quiroz, K., Carrasco, B., & Caligari, P. (2010). Plant Tissue Culture: current status, opportunities and challenges. *Ciencia e Investigacion Agraria*, 37(3), 5–30. <https://doi.org/10.4067/S0718-16202010000300001>
- George, E. F., Hall, M. A., & Klerk, G. J. De. (2008). Plant propagation by tissue culture 3rd edition. In *Plant Propagation by Tissue Culture 3rd Edition* (Vol. 1, Issue June). <https://doi.org/10.1007/978-1-4020-5005-3>
- Gill, N. K., Gill, R., & Gosál, S. S. (2004). Factors enhancing somatic embryogenesis and plant regeneration in sugarcane (*Saccharum officinarum* L.). *Indian Journal of Biotechnology*, 3(1), 119–123.
- Gray, D. J., Compton, M. E., R.C., H., & D.J., C. (1995). Somatic embryogenesis and the technology of synthetic seed. *Springer-Verlag*, 126–151.
- Gustian. (2002). *Transformasi Genetik dengan Bantuan Agrobacterium tumefaciens dan Regenerasi Tanaman Transgenic Tahan PSTV pada Kedelai*. Sekolah Pascasarjana Institut Pertanian Bogor.
- Handayani, T. (2008). *Potensi Embriogenesis Beberapa Genotipe Kedelai Toleran dan Peka Naungan*. Institut Pertanian Bogor.
- Hiwatashi, Y., & Fukuda, H. (2000). Tissue-specific localization of mRNA for carrot homeobox genes, CHBs, in carrot somatic embryos. *Plant and Cell Physiology*, 41(5), 639–643. <https://doi.org/10.1093/pcp/41.5.639>
- Hofmann, N., Nelson, R. L., & Korban, S. S. (2004). Influence of media components and pH on somatic embryo induction in three genotypes of soybean. *Plant Cell, Tissue and Organ Culture*, 77(2), 157–163. <https://doi.org/10.1023/B:TICU.0000016819.74630.59>
- Hussein, S., Ibrahim, R., & Kiong, A. (2006). Somatic embryogenesis: An Alternative Method for In Vitro Micropropagation. *IRANIAN JOURNAL of*

BIOTECHNOLOGY, 4(3), 156–161.

- Ibrahim, M. S. D. (2015). Faktor Penentu Keberhasilan Perbanyakan Kopi (*Coffea spp.*) Melalui Embriogenesis Somatik. *Sirinov*, 3(3), 127–136.
- Ikeuchi, M., Sugimoto, K., & Iwase, A. (2013). Plant callus: Mechanisms of Induction and Repression. *Plant Cell*, 25(9), 3159–3173. <https://doi.org/10.1105/tpc.113.116053>
- Inayah, T. (2015). Pengaruh Konsentrasi Sukrosa pada Induksi Embrio Somatik Dua Kultivar Kacang Tanah (*Arachis hypogaea L.*) secara In Vitro. *Agribusiness Journal*, 9(1), 61–70. <https://doi.org/10.15408/aj.v9i1.5086>
- Jiménez, V. M. (2001). Regulation of in vitro somatic embryogenesis with emphasis on the role of endogenous hormones. *Revista Brasileira de Fisiologia Vegetal*, 13(2), 196–223. <https://doi.org/10.1590/S0103-31312001000200008>
- Karuppusamy, S. (2009). A review on trends in production of secondary metabolites from higher plants by in vitro tissue, organ and cell cultures. In *Journal of Medicinal Plants Research* (Vol. 3, Issue 13).
- Kementerian Pertanian. (2016). Deskripsi Varietas Unggul Kedelai 1918-2016. *Deskripsi Varietas Unggul Aneka Kacang Dan Umbi*, 86.
- Khumaida, N., & Handayani, T. (2010). Induksi dan Proliferasi Kalus Embriogenik pada Beberapa Genotipe Kedelai. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 38(1), 19–24. <https://doi.org/10.24831/jai.v38i1.1681>
- Kiong, A. L., Wan, L. S., Hussein, S., & Ibrahim, R. (2008). Induction of Somatic Embryos from Different Explants of *Citrus sinensis*. *Journal of Plant Science*, 3(1), 18–32.
- Kita, Y., Nishizawa, K., Takahashi, M., Kitayama, M., & Ishimoto, M. (2007). Genetic improvement of the somatic embryogenesis and regeneration in soybean and transformation of the improved breeding lines. *Plant Cell Reports*, 26(4), 439–447. <https://doi.org/10.1007/s00299-006-0245-z>
- Kosmiatin, M., Purwito, A., Wattimena, G. A., & Mariska, I. (2014). Induksi Embriogenesis Somatik dari Jaringan Endosperma Jeruk Siam (*Citrus nobilis Lour.*) cv Simadu. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 42(1), 44–51. <https://doi.org/10.24831/jai.v42i1.8149>
- Lestari, E. G. (2011). Peranan Zat Pengatur Tumbuh dalam Perbanyakan Tanaman melalui Kultur Jaringan. *Jurnal AgroBiogen*, 7(1), 63. <https://doi.org/10.21082/jbio.v7n1.2011.p63-68>
- Leupin, R. E., Leupin, M., Ehret, C., Erisman, K. H., & Witholt, B. (2000a). Compact callus induction and plant regeneration of a non-flowering vetiver from Java. *Plant Cell, Tissue and Organ Culture*, 62(2), 115–123. <https://doi.org/10.1023/A:1026589500827>
- Leupin, R. E., Leupin, M., Ehret, C., Erisman, K. H., & Witholt, B. (2000b). Somatic Embryogenesis from Leaf Callus Derived from Mature Tissue of the Cycad *Ceratozamia hildae* (Gymnospermae). *Journal Plant Cell, Tissue and Organ Culture*, 40, 25–31.
- Lizawati. (2012). Proliferasi Kalus Dan Embriogenesis Somatik Jarak Pagar (*Jatropha Curcas L.*) Dengan Berbagai Kombinasi Zpt Dan Asam Amino. 1(4), 256–265. <https://online-journal.unja.ac.id/index.php/bioplante/article/view/1726>

- Loganathan, M., Maruthasalam, S., Shiu, L. Y., Lien, W. C., Hsu, W. H., Lee, P. F., Yu, C. W., & Lin, C. H. (2010). Regeneration of soybean (*Glycine max* L. Merrill) through direct somatic embryogenesis from the immature embryonic shoot tip. *In Vitro Cellular and Developmental Biology - Plant*, *46*(3), 265–273. <https://doi.org/10.1007/s11627-009-9263-1>
- Lutviana, A. (2012). *Pengaruh Zat Pengatur Tumbuh dan NaCl Terhadap Pertumbuhan Kalus Kotiledon Tanaman Bunga Matahari (Helianthus annuus L.)*. Universitas Airlangga.
- Mahadi, I., Syafi'i, W., & Sari, Y. (2016). Induksi Kalus Jeruk Kasturi (*Citrus microcarpa*) Menggunakan Hormon 2,4-D dan BAP dengan Metode in vitro. *Jurnal Ilmu Pertanian Indonesia*, *21*(2), 84–89. <https://doi.org/10.18343/jipi.21.2.84>
- Meurer, C. A., Dinkins, R. D., Redmond, C. T., McAllister, K. P., Tucker, D. T., Walker, D. R., Parrott, W. A., Trick, H. N., Essig, J. S., Frantz, H. M., Finer, J. J., & Collins, G. B. (2001). Embryogenic response of multiple soybean [*Glycine max* (L.) Merr.] cultivars across three locations. *In Vitro Cellular and Developmental Biology - Plant*, *37*(1), 62–67. <https://doi.org/10.1007/s11627-001-0012-3>
- Michalczuk, L., Cooke, T. J., & Cohen, J. D. (1992). Auxin Levels at Different Stages of Carrot Somatic Embryogenesis. *Phytochemistry*, *31*(4), 1097–1103. [https://doi.org/10.1016/0031-9422\(92\)80241-6](https://doi.org/10.1016/0031-9422(92)80241-6)
- Mustafa, G., & Khan, M. S. (2012). Reproducible in vitro regeneration system for purifying sugarcane clones. *African Journal of Biotechnology*, *11*(42), 9961–9969. <https://doi.org/10.5897/ajb11.2985>
- Oktavia, F., Siswanto, Budiani, A., & Sudarsono. (2003). Embriogenesis somatik langsung dan regenerasi planlet kopi arabika (*Coffea arabica*) dari berbagai eksplan. *Menara Perkebunan*, *71*(2), 44–55.
- Palama, T. L., Menard, P., Fock, I., Choi, Y. H., Bourdon, E., Govinden-Soulange, J., Bahut, M., Payet, B., Verpoorte, R., & Kodja, H. (2010). Shoot differentiation from protocorm callus cultures of *Vanilla planifolia* (Orchidaceae): Proteomic and metabolic responses at early stage. *BMC Plant Biology*, *10*. <https://doi.org/10.1186/1471-2229-10-82>
- Pardal, S. J., Utami, T. I. R., & Herman, M. (2000). *Organogenesis dan Embriogenesis Somatik Kedelai secara In Vitro*. 28–36.
- Pérez-Jiménez, M., Cantero-Navarro, E., Acosta, M., & Cos-Terrer, J. (2013). Relationships between endogenous hormonal content and direct somatic embryogenesis in *Prunus persica* L. Batsch cotyledons. *Plant Growth Regulation*, *71*(3), 219–224. <https://doi.org/10.1007/s10725-013-9822-7>
- Pérez-Jiménez, M., Cantero-Navarro, E., Pérez-Alfocea, F., Le-Disquet, I., Guivarc'h, A., & Cos-Terrer, J. (2014). Relationship between endogenous hormonal content and somatic organogenesis in callus of peach (*Prunus persica* L. Batsch) cultivars and *Prunus persica*×*Prunus dulcis* rootstocks. *Journal of Plant Physiology*, *171*(8), 619–624. <https://doi.org/10.1016/j.jplph.2014.01.006>
- Pierik, R. L. M. (1987). *In vitro Culture of Higher Plants*. Martinus Nijhoff Publishers.
- Pinheiro, M. V. M., Martins, F. B., Cruz, A. C. F. da, Carvalho, A. C. P. P. de, Ventrella, M. C., & Otoni, W. C. (2013). Maturation of *Anthurium*

- andraeanum cv. Eidibel Somatic Embryos from Nodal Segments. *In Vitro Cell Dev. Biol. Plant*, 49, 304–312.
- Pitojo, S. (2003). *Benih Kedelai*. Kanisius.
- Purnamaningsih. (2002). Regenerasi tanaman melalui embriogenesis somatik dan beberapa gen yang mengendalikannya. *Buletin AgroBio*, 5(2), 51–58.
- Rahayu, B., Solichatun, & Anggarwulan, E. (2003). Pengaruh Asam 2,4-Diklorofenoksiasetat (2,4-D) terhadap Pembentukan dan Pertumbuhan Kalus serta Kandungan Flavonoid Kultur Kalus *Acalypha indica* L. *Biofarmasi UNS Surakarta*, 1(1), 1–6. <https://doi.org/10.13057/biofar/f010101>
- Rahmawati, R. (2018). *Pengaruh Fosfor dan Nitrogen pada Bobot serta Mutu Benih Tanaman Kedelai [Glycine max (L.) Merr]*. 121.
- Rasud, Y., & Bustaman, B. (2020). Induksi Kalus secara In Vitro dari Daun Cengkeh (*Syzigium aromaticum* L.) dalam Media dengan Berbagai Konsentrasi Auksin. *Jurnal Ilmu Pertanian Indonesia*, 25(1), 67–72. <https://doi.org/10.18343/jipi.25.1.67>
- Raza, G., Singh, M. B., & Bhalla, P. L. (2020). Somatic embryogenesis and plant regeneration from commercial soybean cultivars. *Plants*, 9(1). <https://doi.org/10.3390/plants9010038>
- Riniarsi, D. (2018). Outlook Kedelai Komoditas Pertanian Subsektor Tanaman Pangan. In *Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian*.
- Riyadi, A. (2009). *Studi Embriogenesis Somatik Tiga Genotipe Kedelai Toleran dan satu Genotipe Peka Naungan secara In Vitro*. Sekolah Pascasarjana Institut Pertanian Bogor.
- Saepudin, A., Khumaida, N., Sopandji, D., Sintho Wahyuning Ardie, dan, Studi Pemuliaan dan Bioteknologi Tanaman, P., Pascasarjana, S., Pertanian Bogor, I., Agroteknologi, J., & Pertanian, F. (2016). Induksi dan Proliferasi Embriogenesis Somatik In Vitro pada Lima Genotipe Kedelai Induction and Proliferation of In Vitro Somatic Embryogenesis on Five Soybean Genotypes. *J. Agron. Indonesia*, 44(3), 261–270.
- Salisbury, F. B., & Ross, C. W. (1995). *Perkembangan Tumbuhan dan Fisiologi Jilid III*. ITB Press.
- Santarem, E. R., Pelissier, B., & Finer, J. J. (1997). Effect of explant orientation, pH, solidifying agent and wounding on initiation of soybean somatic embryos. *In Vitro Cellular and Developmental Biology - Plant*, 33(1), 13–19. <https://doi.org/10.1007/s11627-997-0034-6>
- Santoso, & Nursandi. (2003). *Kultur Jaringan Tanaman*. Universitas Muhammadiyah Malang.
- Saputra, I., Dwiyani, R., & Yuswanti, H. (2016). Mikropropagasi Tanaman Stroberi (*Fragaria* Sp.) Melalui Induksi Organogenesis. *E-Jurnal Agroekoteknologi Tropika (Journal of Tropical Agroecotechnology)*, 5(4), 332–343.
- Sari, Y. P., Kusumawati, E., Saleh, C., Kustiawan, W., & Sukartingsih, S. (2018). Effect of sucrose and plant growth regulators on callogenesis and preliminary secondary metabolic of different explant *Myrmecodia tuberosa*. *Nusantara Bioscience*, 10(3), 183–192. <https://doi.org/10.13057/nusbiosci/n100309>
- Shoemaker, R. C., Amberger, L. A., Palmer, R. G., Oglesby, L., & Ranch, J. P. (1991). *Effect Of 2,4-Dichlorophenoxyacetic Acid Concentration On Somatic*

Embryogenesis And Heritable Variation in Soybean [Glycine max (L) Merr.]. April, 84–88.

- Siahaan, R. M., Damanik, R. I. M., & Bangun, M. K. (2017). Induksi Kalus Embriogenik Beberapa Varietas Kedelai (*Glycine Max (L.) Merrill*) Pada Berbagai Konsentrasi 2,4-D Toleran Terhadap Kondisi Hipoksia Secara In Vitro. *Jurnal Agroekoteknologi FP USU, 5 No. 4*(112), 860–869.
- Srilestari, R., Taryono, & Trisnowati, S. (2004). Penggunaan Auksin dan Sukrosa untuk Induksi Embrio Somatik Kacang Tanah. *Agrosains, 17* (2).
- Sugiyarto, L., & Kuswadi, P. C. (2014). Pengaruh 2,4-Diklorofenoksiasetat (2,4-D) dan Benzyl Aminopurin (BAP) Terhadap Pertumbuhan Kalus Daun Binahong (*Anredera cordifolia L.*) serta Analisis Kandungan Flavonoid Total. *Biologi, Jurdik Uny, Fmipa, 1–6*.
- Tabiyeh, D. T., Bernard, F., & Shacker, H. (2006). Investigation of glutathione, salicylic acid and GA3 effects on browning in *Pistacia vera* shoot tips culture. *Acta Horticulturae, 726*, 201–203. <https://doi.org/10.17660/actahortic.2006.726.31>
- Taiz, L., & Zeiger, E. (2003). *Plant Physiology* (Third Edit). Sinauer Associate Inc. Publisher Sunderland.
- Umehara, M., Ikeda, M., & Kamada, H. (2007). Endogenous Factors that Regulate Plant Embryogenesis. Recent Advances. *Gene, 1*(1), 1–6. [http://www.globalsciencebooks.info/JournalsSup/images/Sample/JJPS_1\(1\)1-6.pdf](http://www.globalsciencebooks.info/JournalsSup/images/Sample/JJPS_1(1)1-6.pdf)
- Utami, E. S. W., Taryono, T., & Semiarti, E. (2007). The influence of α -Naphthaleneacetic Acid (NAA) on somatic embryogenesis moon orchid *Phalaenopsis amabilis (L.) Bl.* *Biodiversitas Journal of Biological Diversity, 8*(4), 295–299. <https://doi.org/10.13057/biodiv/d080410>
- Vesco, L. L. D., & Guerra, M. P. (2001). *The effectiveness of nitrogen sources in Feijoa somatic embryogenesis.*
- Vijaya Laxmi, G., & Giri, C. C. (2003). Plant regeneration via organogenesis from shoot base-derived callus of *Arachis stenosperma* and *A. villosa*. *Current Science Association, 85*(11), 1624–1629.
- Wattimena, G. A., Gunawan, L. W., Mattjik, N. A., Syamsudin, E., Wiendi, N. M. A., & Ernawati., A. (1992). *Bioteknologi Tanaman*. Pusat antar Universitas (PAU) IPB Bogor.
- Wijawati, N., Habibah, N. A., Musafa, F., Mukhtar, K., Anggraito, Y. U., & Widiatningrum, T. (2019). Pertumbuhan Kalus Rejasa (*Elaeocarpus grandiflorus*) dari Eksplan Tangkai Daun pada Kondisi Gelap. *Life Science, 8*(1), 17–24. <https://doi.org/10.15294/lifesci.v8i1.29986>
- Young, G., Jack, D., Smith, D., & Saier, M. (1999). The amino acid/auxin:proton symport permease family. *Biochimica et Biophysica Acta (BBA) - Biomembranes, 1415*(2), 306–322. [https://doi.org/10.1016/s0005-2736\(98\)00196-5](https://doi.org/10.1016/s0005-2736(98)00196-5)
- Yusnita. (2004). *Kultur Jaringan Cara Memperbanyak Tanaman Secara Efisien*. Agro Media Pustaka.
- Yusnita. (2015). Kultur Jaringan Tanaman Sebagai Teknik Penting Bioteknologi Untuk Menunjang Pembangunan Pertanian. *Penerbit Aura Publishing, 1–86*.
- Zhang, T., Cao, Z. Y., & Wang, X. Y. (2005). Induction of somatic embryogenesis and plant regeneration from cotyledon and hypocotyl

- explants of *Eruca sativa* Mill. *In Vitro Cellular and Developmental Biology - Plant*, 41(5), 655–657. <https://doi.org/10.1079/IVP2005653>
- Zulkarnain. (2009). *Kultur Jaringan Tanaman Solusi Perbanyakan Tanaman Budidaya*. PT Bumi Aksara.
- Zuyasna, & Hafsah, S. (2013). Induksi Embrio Somatik dari Tanaman Kakao Adaptive Aceh Menggunakan Eksplan Bunga serta Zat Pengatur Tumbuh Picloram. *J. Floratek*, April 2012, 1–9.

