

DAFTAR PUSTAKA

1. Larson EL, Morton HE. Alcohols. In: Disinfection, Sterilization, and Preservation. 4th Editio. Philadelphia: Lea and Febiger; 1991. p. 191–203.
2. Upton A, Lang S, Heffernan H, Upton A. Mupirocin and Staphylococcus aureus : A Recent Paradigm Of Emerging Antibiotic Resistance. 2003;(February):613–7.
3. Johani K, Malone M, Jensen SO, Dickson HG, Gosbell IB, Hu H, et al. Evaluation of Short Exposure Times Of Antimicrobial Wound Solutions Against Microbial Biofilms : From In Vitro To In Vivo. 2018;(January):1–9.
4. Osterlund A, Kahlmeter G, Hæggman S. Staphylococcus Aureus Resistant To Fusidic Acid Among Swedish Children : A Follow-Up Study. Scand J Infect Dis. 2006;38(5):332–4.
5. Macias JH, Arreguin V, Munoz JM, Alvarez JA, Mosqueda JL, Macias AE. Chlorhexidine Is A Better Antiseptic Than Povidone Iodine And Sodium Hypochlorite Because Of Its Substantive Effect. Am J Infect Control [Internet]. 2013;41(7):634–7. Available from: <http://dx.doi.org/10.1016/j.ajic.2012.10.002>
6. Sato K, Kusaka Y, Suganuma N, Nagasawa S, Deguchi Y. Occupational Allergy in Medical Doctors. J Occup Health. 2004;46(2):165–70.
7. Lauerma AI. Simultaneous Immediate and Delayed Hypersensitivity to Chlorhexidine Digluconate. Contact Dermatitis. 2001;44(1):52–3.
8. Van Ketel WG, Melzer-van Riemsdijk FA. Conjunctivitis Due to Softlens Solutions. Contact Dermatitis. 1980;6(5):321–4.
9. Goon ATJ, White IR, Rycroft RJG, Mcfadden JP. Allergic Contact Dermatitis From Chlorhexidine. Dermatitis. 2021;15(1):45–7.
10. Silvestri DL, Mcenery-stonelake M. Chlorhexidine : Uses and Adverse Reactions. Dermatitis. 2013;24(3):112–8.
11. Lachapelle J. A Comparison of The Irritant and Allergenic Properties of Antiseptics. Eur J Dermatology. 2017;24(1):3–9.
12. Anderson MJ, Horn ME, Lin Y, Parks PJ. Efficacy Of Concurrent Application Of Chlorhexidine Gluconate And Povidone Iodine Against Six Nosocomial Pathogens. Am J Infect Control. 2010;38(10):826–31.
13. Kampf G. Acquired Resistance To Chlorhexidine – Is It Time To Establish An “Antiseptic Stewardship” Initiative?. J Hosp Infect. 2016; 94(3):213-227

14. Edmiston CE, Okoli O, Graham MB, Sinski S, Seabrook GR. Evidence for Using Chlorhexidine to Reduce the Risk of Surgical Site Infection. *AORN*. 2010;92(5):509–18.
15. Edmiston CE, Bruden B, Rucinski MC, Henen C, Beth M, Lewis BL. Reducing The Risk Of Surgical Site Infections : Does Chlorhexidine Gluconate Provide A Risk Reduction Bene Fit?. *Am J Infect Control*. 2013;41(5):S49–55.
16. Nurkusuma DD. Faktor yang Berpengaruh Terhadap Kejadian Methicillin-Resistant Staphylococcus aureus (MRSA) Pada Kasus Infeksi Luka Pasca Operasi di Ruang Perawatan Bedah Rumah Sakit Dokter Kariadi Semarang. Universitas Diponegoro; 2009.
17. Clebak KT. Skin Infections: *Prim Care Clin Off Pract*. 2018;45(3):433–54.
18. Siddiqui AH, Koirala J. Methicillin Resistant Staphylococcus Aureus (MRSA). 2020;2–7.
19. Harinstein L, Schafer J, Amico FD. Risk factors Associated With The Conversion of Meticillin-Resistant Staphylococcus aureus Colonisation to Healthcare-Associated Infection. *J Hosp Infect*. 2011;79(3):194–7.
20. Wang F, Chen Y, Chen T, Liu C. Risk Factors And Mortality In Patients With Nosocomial Staphylococcus Aureus Bacteremia. *Am J Infect Control*. 2008;36(2):118–22.
21. Köck R, Becker K, Cookson B, Harbarth S, Kluytmans J, Mielke M, et al. Methicillin-resistant Staphylococcus aureus (MRSA): Burden Of Disease And Control Challenges In Europe. *Euro Surveill*. 2010;15(41):1–9.
22. Moran GJ, Krishnadasan A, Gorwitz RJ, Fosheim GE, McDougal LK, Carey RB, et al. Methicillin-Resistant S. aureus Infections among Patients in the Emergency Department. *N Engl J Med*. 2006;355:666–74.
23. Santosaningsih D, Santoso S, Budayanti NS, Kuntaman K, Lestari ES, Farida H, et al. Epidemiology of Staphylococcus aureus Harboring the mecA or Panton-Valentine Leukocidin Genes in Hospitals in Java and Bali, Indonesia. *Am J Trop Med Hyg*. 2014;90(4):728–34.
24. Fukuta Y, Cunningham CA, Harris PL, Wagener MM, Muder RR, Fukuta Y, et al. Identifying the Risk Factors for Hospital-Acquired Methicillin-Resistant Staphylococcus aureus (MRSA) Infection among Patients Colonized with MRSA on Admission. *Infect Control Hosp Epidemiol*. 2014;33(12):1219–25.
25. Iyer A, Kumosani T, Azhar E, Barbour E, Harakeh S. High Incidence Rate of Methicillin-Resistant Staphylococcus aureus (MRSA) Among Healthcare Workers in Saudi Arabia. *J Infect Dev Ctries*. 2013;8(3):372–8.
26. Creamer E, Dorrian S, Dolan A, Sherlock O, Fitzgerald-hughes D, Thomas

- T, et al. When Are The Hands of Healthcare Workers Positive For Methicillin-Resistant Staphylococcus aureus?. *J Hosp Infect.* 2010;75(2):107–11.
27. Critical Appraisal Skills Programme. CASP Checklists. 2019. Tersedia dari: <https://casp-uk.net/casp-tools-checklists/>
 28. EQUATOR Network. Microbiology Investigation Criteria for Reporting Objectively (MICRO): A Framework For The Reporting And Interpretation Of Clinical Microbiology Data. 2020. Tersedia dari: <https://www.equator-network.org/reporting-guidelines/microbiology-investigation-criteria-for-reporting-objectively-micro-a-framework-for-the-reporting-and-interpretation-of-clinical-microbiology-data/>
 29. National Centre for the Replacement Refinement and Reduction of Animals in Research (NC3Rs). ARRIVE Essential 10 Compliance Questionnaire. 2020. Tersedia dari: <https://arriveguidelines.org/resources/questionnaire>
 30. Joanna Briggs Institute. JBI Critical Appraisal Checklist. Tersedia dari: <https://jbi.global/critical-appraisal-tools>
 31. University of Oxford. Oxford Centre for Evidence-Based Medicine : Levels of Evidence (March 2009). Tersedia dari: <https://www.cebm.ox.ac.uk/resources/levels-of-evidence/oxford-centre-for-evidence-based-medicine-levels-of-evidence-march-2009>
 32. Krishna BVS, Gibb AP. Use of Octenidine Dihydrochloride in Methicillin-Resistant Staphylococcus aureus Decolonisation Regimens : A Literature Review. *J Hosp Infect.* 2010;74(3):199–203. Tersedia dari: <http://dx.doi.org/10.1016/j.jhin.2009.08.022>
 33. Kawamura-sato K, Wachino J, Kondo T. Reduction of Disinfectant Bactericidal Activities In Clinically Isolated Acinetobacter Species In The Presence Of Organic Material. *J Antimicrob Chemother.* 2008;61(3):568–76.
 34. National Cancer Institute Thesaurus. Chlorhexidine (Code C364).
 35. National Center for Biotechnology Information. PubChem Annotation Record for chlorhexidine. 2021. Tersedia dari: <https://pubchem.ncbi.nlm.nih.gov/source/hsdb/7196>
 36. Climo MW, Yokoe DS, Warren DK, Perl TM, Bolon M, Herwaldt LA, et al. Effect of Daily Chlorhexidine Bathing on Hospital-Acquired Infection. *N Engl J Med.* 2013;368(6):533–42.
 37. Gidengil CA, Gay C, Huang SS, Platt R, Yokoe D, Lee GM, et al. Infection Control & Hospital Epidemiology Cost-Effectiveness of Strategies to Prevent Methicillin-Resistant Staphylococcus aureus Transmission and Infection in an Intensive Care Unit. *Infect Control Hosp Epidemiol.*

2015;36(1):17–27.

38. Evans HL, Dellit TH, Chan J, Nathens AB, Maier R V., Cuschieri J. Effect of Chlorhexidine Whole-Body Bathing on Hospital-Acquired Infections Among Trauma Patients. *Arch Surg.* 2010;145(3):240–6.
39. Petlin A, Schallom M, Prentice D, Sona C, McMullen K, Landholt C. Chlorhexidine Gluconate Bathing to Reduce Methicillin-Resistant *Staphylococcus aureus* Acquisition. *Am Assoc Crit Nurses.* 2014;34(5):17–24.
40. Lowe CF, Lloyd-Smith E, Sidhu B, Ritchie G, Sharma A, Jang W, et al. Reduction In Hospital-Associated Methicillin-Resistant *Staphylococcus Aureus* And Vancomycin-Resistant *Enterococcus* With Daily Chlorhexidine Gluconate Bathing For Medical Inpatients. *Am J Infect Control* [Internet]. 2016;45(3):255–9.
41. Mana TSC, Donskey C, Carty N, Perry L, Leaper D, Jr CEE. Preliminary Analysis Of The Antimicrobial Activity Of A Postoperative Wound Dressing Containing Chlorhexidine Gluconate Against Methicillin-Resistant *Staphylococcus Aureus* In An In Vivo Porcine Incisional Wound Model. *Am J Infect Control.* 2019;47(9):1048–52.
42. David MZ, Siegel JD, Henderson J, Leos G, Lo K, Iwuora J, et al. Infection Control & Hospital Epidemiology A Randomized, Controlled Trial of Chlorhexidine-Soaked Cloths to Reduce Methicillin-Resistant and Methicillin-Susceptible *Staphylococcus aureus* Carriage Prevalence in an Urban Jail. *Infect Control Hosp Epidemiol.* 2014;35(12):1466–73.
43. Musuuza JS, Sethi AK, Roberts TJ, Safdar N. Implementation of Daily Chlorhexidine Bathing to Reduce Colonization by Multidrug-Resistant Organisms In A Critical Care Unit. *Am J Infect Control.* 2017;45(9):1014–7.
44. Wang C, Cai P, Zhan Q, Mi Z, Huang Z, Chen G. Distribution of antiseptic-resistance genes *qacA/B* in clinical isolates of methicillin-resistant *Staphylococcus aureus* in China. *J Hosp Infect.* 2008;69(4):393–4.
45. Opacic D, Lepsanovic Z, Sbutega-Milosevic G. Distribution Of Disinfectant Resistance Genes *QacA/B* In Clinical Isolates Of Methicillin-Resistant And -Susceptible *Staphylococcus Aureus* In One Belgrade Hospital Oxacillin-Susceptible MRSA, The Emerging MRSA Clone In The UK?. *J Hosp Infect.* 2010;76(3):266–7.
46. Noguchi N, Nakaminami H, Nishijima S, Kurokawa I, So H, Sasatsu M. Antimicrobial Agent of Susceptibilities and Antiseptic Resistance Gene Distribution among Methicillin-Resistant *Staphylococcus aureus* Isolates from Patients with Impetigo and Staphylococcal Scalded Skin Syndrome. *J Clin Microbiol.* 2006;44(6):2119–25.

47. Htun HL, Hon PY, Holden MTG, Ang B, Chow A. Chlorhexidine And Octenidine Use, Carriage Of Qac Genes, And Reduced Antiseptic Susceptibility In Methicillin-Resistant Staphylococcus Aureus Isolates From A Healthcare Network. *Clin Microbiol Infect.* 2019;25(9):1154.e1-1154.e7.
48. Mcgann P, Kwak YI, Summers A, Ascp MT, James F, Waterman PE, et al. Detection of qacA/B in Clinical Isolates of Methicillin-Resistant Staphylococcus aureus from a Regional Healthcare Network in the Eastern United States. *Infect Control Hosp Epidemiol.* 2014;32(11):11169–1119.
49. Shamsudin MN, Alreshidi MA, Hamat RA, Alshrari AS, Atshan SS, Neela V. High prevalence of qacA/B Carriage Among Clinical Isolates Of Methicillin-Resistant Staphylococcus aureus in Malaysia. *J Hosp Infect.* 2012;81(3):206–8.
50. Sidhu MS, Heir E, Leegaard T, Wiger K, Holck A, Oslo N. Frequency of Disinfectant Resistance Genes and Genetic Linkage with Beta-Lactamase Transposon Tn 552 among Clinical Staphylococci. *Antimicrob Agents Chemother.* 2002;46(9):2797–803.
51. Morrissey I, Rinaldo M, Knight D, Curiao T, Coque T, Kalkanci A, et al. Evaluation of Epidemiological Cut-Off Values Indicates that Biocide Resistant Subpopulations Are Uncommon in Natural Isolates of Clinically-Relevant Microorganisms. *PLoS One.* 2014;9(1):e86669.

