

DAFTAR PUSTAKA

- Adesina, S.K, 1982, 'Studies on a nigerian herbal anticonvulsant recipe', *Int J Crude Drug Res*, 20, 93-100
- Aini, N., *et al*, 2007, 'Structure antioxidant activities relationship analisis of isougoneul, eugenol, vanilin and their derivatives'. Laboratory of Organic Chemistry, Chemistry Department, Faculty of Mathematics and Natural Sciences Gadjah Mada University, 7, 61-66
- Aline, W., Leonardo, N.S., Alexandre, S.C., Luiz, D.A, 2014, 'Antioxidant and intestinal anti-inflammatory effects of plant-derived coumarin derivatives', *Phytomedicine*, 21, 240-246
- Alrawaiq, N.S., Azman. A, 2014, 'A review of flavonoid Quercetin: metabolism, bioactivity and antioxidant properties', *Int. J. PharmTech Res*, 6, 933-941
- Alves V.M., *et al*, 2016, 'Chemical toxicity prediction for major classes of industrial chemicals: is it possible to develop universal models covering cosmetics, drugs, and pesticides?', *Food Chem. Toxicol*, 1-9
- Becke, A.D, 1993, 'Density-functional thermochemistry. III. The role of exact exchange', *J. Chem. Phys*, 5648-5652
- Chang W.C., Wu S.C., Xu K.D., Liao B.C., Wu J.F., Cheng A.S., 2015, 'Scopoletin protects against methylglyoxal-induced hyperglycemia and insulin resistance mediated by suppression of advanced glycation endproducts (AGEs) generation and anti-glycation', *Molecules*, 20, 2786-2801
- Chen, Y., Xiao, H., Zheng, J., Liang, G., 2015, 'Structure-thermodynamics-antioxidant activity relationships of selected natural phenolic acids and Derivatives: an experimental and theoretical evaluation', *PLoS One*, 10, 1-20
- Choe, E., David, B.M., 2019, 'Mechanisms of antioxidants in the oxidation of foods', *Comprehensive Reviews in Food Science and Food Safety*, 8, 345-358

- Clementi, E., *et al.*, 2012, 'Theory and applications in computational chemistry', The First Decade of the Second Millennium
- Corey, E.J, 1989, 'The Logic of Chemical Synthesis'. 1st Edition. Cambridge, Chemistry Department Harvard University.
- Daina, A., Michielin, O., Zoete, V., Swiss, 2017, 'ADME: a free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules', *Sci. Rep.*, 7, 1-13
- Deng S., Palu A.K., West B.J., Su C.X., Zhou B.N., Jensen J.C., 2007, 'Lipoxygenase inhibitory constituents of the Fruits of Noni (*Morinda citrifolia*) collected in Tahiti', *J Nat Prod*, 70, 859-862
- Donald G.C, 1961, 'Improved Synthesis of Scopoletin'. *J. Org. Chem*, 26(4), 1215-1217.
- D'Archivio M., *et al.*, 2010, 'Bioavailability of the polyphenols: status and controversies', *Int J Mol Sci*, 11, 1321-1342
- Ertl, P., Rohde, B., Selzer, P., 2000, 'Fast calculation of molecular polar surface area as a sum of fragment-based contributions and its application to the prediction of drug transport properties', *J. Med. Chem.*, 43, 3714-3717
- Finley, J.W., Ah-Ng K., Korry H., Elizabeth H.J., 2011, 'Antioxidants in foods: state of the science important to the food industry. *Journal of Agricultural Food Chemistry*', 59, 6837-6846.
- Francais A.C., Richard J.S., 2007, *Advanced Organic Chemistry: Reaction and Synthesis, Fifth Edition, Springer International*, 739-748.
- Friedman, M., Nobuyuki, K., Hyun, J.K., Suk, H.C., 2017, 'Glycoalkaloid, phenolic, and flavonoid content and antioxidative activities of conventional nonorganic and organic potato peel powders from commercial gold, red, and Russet potatoes', *J. Food Compos. Anal.*, 62, 69-75.
- Guajardo-Flores D., *et al.*, 2013, 'Evaluation of the antioxidant and antiproliferative activities of extracted saponins and flavonols from germinated black beans *Phaseolus vulgaris* L. *Food Chem.*', 141, 1497-1503.

- Hassan B., *et al.*, 2015, 'Virtual screening of molecular properties of chitosan and derivatives in search for druggable molecules. *Int. J. Biol. Macromol*', 74, 392–396.
- Hong Zhou, *et al.*, 2019, 'Acaricidal mechanism of scopoletin against *Tetranychus cinnabarinus*, *Front Physiol*', 10(164), 1-17
- Inggrid, dkk. Ekstraksi Antioksidan dan Senyawa Aktif dari Buah Kiwi (*Actinidia Deliciosa*). *Skripsi*, Universitas Katolik Parahyangan, Bandung, 2014.
- Kar, K.R.S., *et al.*, 2007, 'The influence of electric field on the global and local reactivity descriptors: reactivity and stability of weakly bonded complexes. *J. Phys. Chem. A.*' 111, 375-383.
- Katritzky, A.R., Karelson, M., Lobanov, V., 1996, 'Quantum-chemical descriptors in QSAR/QSPR studies. *J. Am. Chem. Soc.*', 96(3), 1027-1044.
- Lee, C., *et al.*, 1988, 'Development of the Colle-Salvetti correlation-energy formula into a functional of the electron density. *Phys. Rev. B.*', 37, 785-789.
- Li, D., Li, B., Ma, Y., Sun, X., Lin, Y., Meng, X., 2017 'Polyphenols, anthocyanins, and flavonoids contents and the antioxidant capacity of various cultivars of highbush and half-high blueberries, *J. Food Compos. Anal.*', 62, 84-93.
- Lu, Dujuan., Chambers, Peter., Wipf, Peter., Xie, Xiang-Qun., Englert, Danielle., Webwe, Stephen., 2012 'Lipophilicity Screening of Novel Drug-like Compounds and Comparison to cLogP, *J Chromatogr A.*', 1258, 161-167.
- Matos M.J., Mura F., Vazquez R.S., Borges F., Santana L., Uriarte E., Olea A.C., 2015, 'Study of Coumarin-Resveratrol Hybrids as Potent Antioxidant Compounds, *Molecules*', 20, 3290-3308.
- Mendes, R.A, *et al.*, 2018, 'A computational investigation on the antioxidant potential of myricetin 3,4'-di-O- α -L -rhamnopyranoside. *J Mol Model*', 24(133), 1-8.
- Meysam, L., 2014, 'On the antioxidant activity of the *ortho* and *meta* substituted daidzein derivatives in the gas phase and solvent environment. *Journal Mexico Chemistry Society*', 58(1), 36-45.

- Moon P.D., Lee B.H., Jeong H.J., An H.J., Park S.J., Kim R.H., Ko S.G., Um J.Y., Hong S.H., Kim H.M., 2007, 'Use of scopoletin to inhibit the production of inflammatory cytokines through inhibition of the I κ B/NF- κ B signal cascade in the human mast cell line HMC-1. *Eur J Pharmacol*', 555,218-225.
- Nick D. *et al.*, 2018, Selective reduction of nitrobenzene to aniline over electrocatalysts based on nitrogen-doped carbon containing non-noble metals, *Applied Catalyst B: Environmental*', 226, 509-522.
- Nisa, F.K., 2013, 'Uji Aktivitas Senyawa Khirisin sebagai Antioksidan dengan Modifikasi Gugus pada Cincin Aktifnya Menggunakan Metoda AM1 dan Ab Initio. *Skripsi*, Jurusan Kimia FMIPA Universitas Negeri Semarang, Semarang'.
- Pan R., *et al.*, 2010, 'Anti-arthritis effect of scopoletin, a coumarin compound occurring in *Erycibe obtusifolia* Benth stems, is associated with decreased angiogenesis in synovium. *Fundam. Clin. Pharmacol*', 24, 477-490.
- Parr, R., *et al.*, 1989, 'Density-functional theory of atoms and molecules. Oxford University Press, New York'.
- Pascal M., Thierry S., 1996, 'The mechanism of nitration of phenol, *Industrial Chemistry Library*', 8, 368-379.
- Permana, E.H., dkk., 2011, 'Reaksi Dekomposisi Senyawa Eritromisin F dan anhidroeritromisin F Suatu Kajian Menggunakan Metode Semiempiris Austin Model 1 (AM1). *Jurnal*', 1-9.
- Ponnam, D.K., Srinivas, K.V.N., Jonnala, K.K., Kumar, T., Savita, B., Kakaraparthi, P.S., 2014, 'Phytochemical investigation, antioxidant, and antifungal activities of Rhizomes of *Euphorbia fusiformis*, *Phcog J*', 6(4), 78-82.
- Pranowo, H.D., 2009, 'Peran Kimia Komputasi dalam Desain Molekul Obat. Universitas Gajah Mada. Yogyakarta'.
- René E.G., Claudia L.V.R., Edgar M.M., Juan M.A.H., María I.N.V., René M.R. 2017. In silico study of the pharmacologic properties and cytotoxicity

- pathways in cancer cells of various indolylquinone analogues of perezone, *Molecules.*, 22, 1060, 1-23.
- Rodrigo A.M., *et al.*, 2018, 'A computational investigation on the antioxidant potential of myricetin 3,4'-di-O- α -L -rhamnopyranoside. *J Mol Model*', 24(133), 1-8.
- Saravanan C., Nasrin IS., Millind SD., 2018, 'Electron withdrawing Substituent that Control Band Gap and Planar Conformation In Push-Pull Molecules Through Non-Covalent Interaction: Density Functional Theory Study. *Journal of Chemistry.*', 7(2), 20-30.
- Sarkar, A., Middy, T.R., Jana, A.D., 2011, 'A QSAR study of radical scavenging antioxidant activity of a series of flavonoids using DFT based quantum chemical descriptors - the importance of group frontier electron density, *Journal of Molecular Modeling*', 18(6), 2621-2631.
- Shahidi F., *et al.*, 2015, 'Phenolics and polyphenolics in foods, beverages and spices: antioxidant activity and health effects - a review. *J Funct Foods*', 18, 820-897.
- Srivastava, K.K., *et al.*, 2014, 'Theoretical studies on the site reactivity of picric acid. *Int. J. Innov. Appl. Res.*', 2, 19-34.
- Syarifah, N., dkk., 2004, 'Hubungan Kuantitatif Dan Aktivitas Antikanker Senyawa Turunan Estradiol Hasil Perhitungan Metode Semiempiris AM1. Prosiding Seminar Nasional Kimia XV'.
- Tal B., Robeson D.J., 1985, 'The induction, by fungal inoculation of ayapin and scopoletin biosynthesis in *Helianthus annuus*. *Phytochemistry*', 25,77-79.
- Tiwtawat N., Markus B., Henrik B., Kwankamol T., Wichai S., Srunya V. Xia Y., Dai Y., Wang Q., Liang H., 2007, 'Determination of scopoletin in rat plasma by high performance liquid chromatography method with UV detection and its application to a pharmacokinetic study. *J Chromatogr B*', 857, 332-336.
- Vasconcelos J.M.J., Silva A.M.S., Cavalejro J.A.S., 1998, 'Chromosones and flavanones from *Artemisia campestris* subsp. *Maritima*. *Phytochemistry*', 49, 1423-1424.

- Vasquez R.S., Figueroa G.R., Matos M.J., Santana L., Uriarte E., Lapier M., Maya J.D., Azar C.O., 2013, 'Synthesis of coumarin-chalcon hybrids and evaluation of their antioxidant and trypanocidal properties, *Med. Chem. Commun.*', 4, 993-1000.
- Vaulina, E., dkk., 2006, 'Model QSAR Senyawa Fluorokuinolon Baru sebagai Zat *Salmonella thypimurium*. *Jurnal*', 10-18.
- Veber, D.F., 2002, 'Molecular properties that influence the oral bioavailability of drug candidates, *J. Med. Chem.*', 45, 2615-2623.
- Vijisha, K.R., *et al.*, 2018, 'The natural food colorant Peonidin from cranberries as a potential radical scavenger – a DFT based mechanistic analysis. *Food Chem.*', 262, 184-190.
- Vijisha K.R., *et al.*, 2019, 'A computational exploration into the structure, antioxidant capacity, toxicity and drug-like activity of the anthocyanidin "Petunidin". *Heliyon*', 5, 1-9.
- Wang A., Yang, L., Peng, H.S., Hui, Z., 2018, 'A theoretical study on the antioxidant activity of Uralenol and Neouralenol scavenging two radicals, *Struct. Chem.*', 29, 1067-1075.
- Wright J.S., *et al.*, 2001, 'Predicting the activity of phenolic antioxidants: theoretical method, analysis of substituent effects, and application to major families of antioxidants. *J Am Chem Soc*', 123, 1173-1183.
- Young, D.C., 2001, 'Computational chemistry: a practical guide for applying techniques to real-world problems. *John Wiley & Sons, Inc.*'.
- Yunsheng, X., Youguang, Z., Ling, Z., Wenya, W., 2013, 'Theoretical study on the antioxidant properties of 2'-hydroxychalcones: H-atom vs. Electron transfer mechanism, *J Mol Model*', 19, 3851-3862.
- Zhang X.C., *et al.*, 2014, 'Antioxidant and antiglycation activity of selected dietary polyphenols in a cookie model. *J Agric Food Chem*', 62, 1643-1648.
- Zhou, H., Li, H., Shang, Y., Chen, K., 2019, 'Radical scavenging activity of puerarin: a theoretical study, *Antioxidants*', 8(12), 2-9.