

Daftar Pustaka

1. American Academy of Pediatric Subcommittee on Hyperbilirubinemia. Management of hyperbilirubinemia in the newborn infant 35 or more weeks of gestation. *Pediatrics*. 2004;114:297–316.
2. Behrman RE, Hsia DY. Summary of a symposium on phototherapy for hyperbilirubinemia. *J Pediatr*. 1969;75:718–26.
3. Bhutani VK, Lamola AA. Mechanistic aspects of phototherapy for neonatal hyperbilirubinemia. In: Polin RA, Abman SH, Rowitch DH, Benith WE, Fox WW, editors. *Fetal and neonatal physiology*. 5th ed. Elsevier; 2017. p. 942-52.
4. Tatli MM, Minnet C, Kocyigit A, Karadag A. Phototherapy increases DNA damage in lymphocytes of hyperbilirubinemic neonates. *Mutat Res - Genet Toxicol Environ Mutagen*. 2008;654:93–5.
5. Ku MS, Sun HL, Sheu JN, Lee HS, Yang SF, Lue KH. Neonatal jaundice is a risk factor for childhood asthma: A retrospective cohort study. *Pediatr Allergy Immunol*. 2012;23:623-8.
6. Osman Khairy Osman El-Sayed B, Mostafa Kamal Reda S, Yousef Al Sawah A, Atia Mohamed M, Abdel Kareem M, Khairy Osman El-Sayed O. Impacts of phototherapy on immunological status of newborn with hyperbilirubinemia. *Al-Azhar Journal of Ped*. 2019;22:356-71.
7. Kurt A, Aygun AD, Kurt ANC, Godekmerdan A, Akarsu S, Yilmaz E. Use of phototherapy for neonatal hyperbilirubinemia affects cytokine production and lymphocyte subsets. *Neonatology*. 2009;95:262–6.
8. Sanders NL, Mishra A. Role of interleukin-18 in the pathophysiology of allergic diseases. *Cytokine and Growth Factor Rev*. 2016;32:31-9.
9. Gloria-Bottini F, Bottini E. Is there a role of early neonatal events in susceptibility to allergy? *Int J Biomed Sci*. 2010; 6:8–12.
10. Wei CC, Lin CL, Shen TC, Kao CH. Neonatal jaundice and risks of childhood allergic diseases: A population-based cohort study. *Pediatr Res*. 2015; 78:223–30.
11. Can C, Hamilelkan Ş. Effect of Neonatal Phototherapy on Eosinophil Levels in Nonsevere Hyperbilirubinemia. *Am J Perinatol*. 2020; 37:929–32.
12. Abul K. Abbas AHL and SP. *Cellular and molecular immunology*. 9th ed. Cellular and Molecular Immunology. 2018.
13. Lamola AA. A pharmacologic view of phototherapy. *Clinics in Perinatology*. 2016;43:259-76.
14. Gutta S, Shenoy J, Kamath SP, Mithra P, Baliga BS, Sarpangala M, et al. Light Emitting Diode (LED) phototherapy versus conventional phototherapy in neonatal hyperbilirubinemia: A single blinded randomized control trial from Coastal India. *Biomed Res Int*. 2019.
15. Ebbesen F, Vandborg PK, Madsen PH, Trydal T, Jakobsen LH, Vreman HJ. Effect of phototherapy with turquoise vs. blue LED light of equal irradiance in jaundiced neonates. *Pediatr Res*. 2016;79:308–12.
16. Yurdakok M. Phototherapy in the newborn: what's new? *J Pediatr Neonatal Individ Med*. 2015;4:e040255.
17. Ebbesen F, Madsen P, Støvring S, Hundborg H, Agati G. Therapeutic

- effect of turquoise versus blue light with equal irradiance in preterm infants with jaundice. *Acta Paediatr Int J Paediatr*. 2007; 96:837–41.
18. Shaughnessy E, Goyal NK. Kernicterus. In: Kliegman R, Stanton B, St. Geme JW, Schor NF, Behrman RE, Preceded by: Nelson WE (Waldo E, editors). *Nelson textbook of pediatrics*. 21st ed. Philadelphia. 2020.
 19. Subcommittee on Hyperbilirubinemia, American Academy of Pediatrics Clinical Practice Guideline. Management of hyperbilirubinemia in the newborn infant 35 or more weeks of gestation. *Pediatrics*. 2004;114:297-316.
 20. Maisels MJ, Watchko JF, Bhutani VK, Stevenson DK. An approach to the management of hyperbilirubinemia in the preterm infant less than 35 weeks of gestation. *J Perinatol*. 2012;32:660-4.
 21. Bhutani VK, Papile LA, Baley JE, Carlo WA, Cummings JJ, Kumar P, et al. Phototherapy to prevent severe neonatal hyperbilirubinemia in the newborn infant 35 or more weeks of gestation. *Pediatrics*. 2011;128:e1046-52.
 22. Lamola AA, Bhutani VK, Wong RJ, Stevenson DK, McDonagh AF. The effect of hematocrit on the efficacy of phototherapy for neonatal jaundice. *Pediatr Res*. 2013;74:54-60.
 23. Hankø E, Hansen TWR, Almaas R, Lindstad J, Rootwelt T. Bilirubin induces apoptosis and necrosis in human NT2-N neurons. *Pediatr Res*. 2005;57:179–84.
 24. Good W V., Hou C. Visuocortical bilirubin-induced neurological dysfunction. *Seminars in Fetal and Neonatal Medicine*. 2015. p. 37–41.
 25. Olds C, Oghalai JS. Audiologic impairment associated with bilirubin-induced neurologic damage. *Seminars in Fetal and Neonatal Medicine*. 2015. p. 42–6.
 26. Rose J, Vassar R. Movement disorders due to bilirubin toxicity. *Seminars in Fetal and Neonatal Medicine*. 2015. p. 20–5.
 27. Wusthoff CJ, Loe IM. Impact of bilirubin-induced neurologic dysfunction on neurodevelopmental outcomes. *Seminars in Fetal and Neonatal Medicine*. 2015. p. 52–7.
 28. Gomella TL, Eyal FG, Mohammed FB. *Gomella's neonatology: Management, procedures, on-call problems, diseases, and drugs*. 8th ed. United states: McGraw-Hill Education; 2020.
 29. Xiong T, Qu Y, Cambier S, Mu D. The side effects of phototherapy for neonatal jaundice: What do we know? What should we do? *European Journal of Pediatrics*. 2011;170:1247-55.
 30. Faulhaber FRS, Procianoy RS, Silveira RC. Side effects of phototherapy on neonates. *American Journal of Perinatology*. Thieme Medical Publishers, Inc. 2019. p. 252–7.
 31. Tham EH, Loo EXL, Goh A, Teoh OH, Yap F, Tan KH, et al. Phototherapy for neonatal hyperbilirubinemia and childhood eczema, rhinitis and wheeze. *Pediatr Neonatol*. 2019;60:28–34
 32. Bahraini P, Karami M, Sabzehei MK, Eslamian MH. Jaundiced neonates receiving phototherapy and risk of atopic dermatitis in the first 2 years of life: A case-control study. *Int J Pediatr*. 2019;7:10397–403.
 33. Kuzniewicz MW, Niki H, Walsh EM, McCulloch CE, Newman TB.

- Hyperbilirubinemia, phototherapy, and childhood asthma. *Pediatrics*. 2018; 142:e20180662.
34. Beken S, Aydin B, Zenciroğlu A, Dilli D, Özkan E, Dursun A, et al. The effects of phototherapy on eosinophil and eosinophilic cationic protein in newborns with hyperbilirubinemia. *Fetal Pediatr Pathol*. 2014;33:151–6.
 35. Kamer B, Pasowska R, Dółka E, Blomberg A, Rotsztejn H. Prevalence of atopic dermatitis in infants during the first six months of life: Authors' observations. *Postep Dermatologii i Alergol*. 2013;30:277–81.
 36. Kuniyoshi Y, Tsujimoto Y, Banno M, Taito S, Ariie T. Neonatal jaundice, phototherapy and childhood allergic diseases: An updated systematic review and meta-analysis. *Pediatr Allergy Immunol*. 2021;32:690–701.
 37. Klion AD, Ackerman SJ, Bochner BS. Contributions of eosinophils to human health and disease. *Annual Reviews Inc*. 2020;15:179–209.
 38. Sullivan SE, Calhoun DA. Eosinophilia in the neonatal intensive care unit. *Clin Perinatol*. 2000;27:603–22.
 39. Pelaia C, Paoletti G, Puggioni F, Racca F, Pelaia G, Canonica GW, et al. Interleukin-5 in the pathophysiology of severe asthma. *Front Physiol*. 2019;0:1514.
 40. Foster PS, Hogan SP, Ramsay AJ, Matthaei KI, Young IG. Interleukin 5 deficiency abolishes eosinophilia, airways hyperreactivity, and lung damage in a mouse asthma model. *J Exp Med*. 1996;183:195.
 41. Sokollik C, Simon HU. Eosinophilic granulocytes- Physiology and pathophysiology. *Zeitschrift fur Rheumatologie*. 2019;78:306–12.
 42. Wen T, Rothenberg ME. The regulatory function of eosinophils. *Microbiol Spectr*. 2016;4:257–69.
 43. Juul SE, Haynes JW, McPherson RJ. Evaluation of eosinophilia in hospitalized preterm infants. *J Perinatol*. 2005;25:182–8.
 44. Bhat AM, Scanlon JW. The pattern of eosinophilia in premature infants. A prospective study in premature infants using the absolute eosinophil count. *J Pediatr*. 1981;98:612–6.
 45. Gibson EL, Vaucher Y, Corrigan JJ. Eosinophilia in premature infants: Relationship to weight gain. *J Pediatr*. 1979;95:99–101.
 46. Zarkesh M, Dalili S, Fallah M, Heidarzadeh A, Rad A. The effect of neonatal phototherapy on serum level of interleukin-6 and white blood cells' count. *J Clin Neonatol*. 2016;5:189.
 47. Terui T. Eosinophil and atopic dermatitis. *Ski Res*. 2006;5:17–20.
 48. Ueki S, Kihara J, Kato H, Ito W, Takeda M, Kobayashi Y, et al. Soluble vascular cell adhesion molecule-1 induces human eosinophil migration. *Allergy*. 2009;64:718–24.
 49. Aydin B, Beken S, Zenciroğlu A, Dilli D, Okumuş N. Blood eosinophil levels in newborns with severe indirect hyperbilirubinemia treated with phototherapy. *Iran J Pediatr*. 2014;24:267–72.
 50. Sirota L, Straussberg R, Gurary N, Aloni D, Bessler H. Phototherapy for neonatal hyperbilirubinemia affects cytokine production by peripheral blood mononuclear cells. *Eur J Pediatr*. 1999;158:910–3.
 51. Nurani N, Kadi F, Rostini T. Incidence of neonatal hyperbilirubinemia based on their characteristics at Dr. Hasan Sadikin General Hospital Bandung Indonesia. *Althea Med J*. 2017;4:431–4.

52. Rajan N, Kumar Kommu P, Krishnan L, Mani M. Significant hyperbilirubinemia in near-term and term newborns: A case-control study. *J Clin Neonatol*. 2017; 6:220.
53. Asefa GG, Gebrewahid TG, Nuguse H, Gebremichael MW, Birhane M, Zereabruk K, et al. Determinants of neonatal jaundice among neonates admitted to neonatal intensive care unit in public general hospitals of central zone, Tigray, Northern Ethiopia, 2019: A case-control study. *Biomed Res Int*. 2020;4743974.
54. Ravn NH, Halling A-S, Berkowitz AG, Rinnov MR, Silverberg JI, Egeberg A, et al. How does parental history of atopic disease predict the risk of atopic dermatitis in a child? A systematic review and meta-analysis. *J Allergy Clin Immunol*. 2020;145:1182-93.
55. El, Sayed HM El, Tolba AM. Blood eosinophil levels in newborns with severe indirect hyperbilirubinemia treated with phototherapy. *Menoufia Med J*. 2018;31:1428.
56. Sangsari R, Saeedi M, Kadivar M, Khalighi S. Evaluation of changes in the number of eosinophils before and after phototherapy in neonatal hyperbilirubinemia. *Iran J Pediatr*. 2020;30:1-6.
57. Altuntas N, Dogan ÖC, Kislal FM. Effect of phototherapy on neutrophil VCS parameters and white blood cells. *J Coll Physicians Surg Pakistan*. 2019;29:453-5.
58. Crnkovic HT, Bendelja K, Klaric AS, Rajic MT, Drkulec V, Aberle N. Family history and cord blood eosinophil count as predictors for atopic manifestations. *Cent Eur J Public Health*. 2019;27:267-71.
59. Lim RH, Kobzik L, Dahl M. Risk for asthma in offspring of asthmatic mothers versus fathers: A meta-analysis. *PLoS One*. 2010;5:e10134.
60. Hatch DL, Garona JE, Goldman LR, Waller KO. Persistent eosinophilia in an infant with probable intrauterine exposure to l-tryptophan-containing supplements. *Pediatrics*. 1991;88.
61. Reempts PJV, Overmiere BV, Mahieu LM, Vanacker KJ. Clinical experience with ceftriaxone treatment in the neonate. *Chemotherapy*. 1995;41:316-22.
62. Manoura A, Hatzidaki E, Korakaki E, Mitsaki M, Valari V, Giannakopoulou C. Eosinophilia in sick neonates. *Haematologia*. 2002;32:31-7.