

DAFTAR PUSTAKA

1. Wong YL, Saw SM. Epidemiology of pathologic myopia in Asia and worldwide. *Asia-Pacific J Ophthalmol*. 2016;5(6):394–402.
2. Saw S, Gazzard G, Koh D, Farook M. Prevalence rates of refractive errors in Sumatra, Indonesia. *Invest Ophthalmol Vis Sci*. 2002;43(10):3174–80.
3. Hashemi H, Fotouhi A, Yekta A, Pakzad R, Ostadimoghaddam H, Khabazkhoob M. Global and regional estimates of prevalence of refractive errors: systematic review and meta-analysis. *J Curr Ophthalmol*. 2018;30(1):3–22.
4. He X, Zou H, Lu L, Zhao R, Zhao H, Li Q. Axial length / corneal radius ratio : association with refractive state and role on myopia detection combined with visual acuity in Chinese schoolchildren. *PLoS One*. 2015;10(2):1–19.
5. Yokoi T, Jonas JB, Shimada N, Nagaoka N, Moriyama M, Yoshida T, et al. Peripapillary diffuse chorioretinal atrophy in children as a sign of eventual pathologic myopia in adults. *Am Acad Ophthalmol* [Internet]. 2016;123(8):1–5.
6. Nora LD, Hendrotanto P, Sitorus S, Simangunsong L, Sjarif D, Riono P. Environmental and genetic risk factors of myopia in Indonesian children population: the Jakarta urban eye health study. *Invest Ophthalmol Vis Sci*. 2010;51(13):130–5.
7. Wadhwa B, Karambelkar VH. Ocular biometrics: Study of myopia, using A - scan and keratometer. *Int J Contemp Med Res*. 2019;6(3):5–8.
8. Day M, Duffy LA. Myopia and defocus: the current understanding. *Scand J Optom Vis Sci*. 2011;4(1):1–14.
9. Whitmore WG, Curtin BJ. The optics of myopia. In: Duane's Clinical Ophthalmology Foundation. 2009. p. 2284.
10. Sun JT, An M, Yan XB, Li GH, Wang DB. Prevalence and related factors for myopia in school-aged children in Qingdao. *J Ophthalmol*. 2018;2018:8–13.
11. Broodie SE, Gupta PC, Irsch K, Jackson ML, Mauger TF, Strauss L, et al. Optics of the human eye. In: Clinical optics. San Fransisco: American Academy of Ophthalmology; 2019. p. 123–44.
12. Hered R, Archer SM, Braverman RS, Khan AO, Lee KA, Lueder GT, et al. Growth and development of the eye. In: Pediatric Ophthalmology and Strabismus. San Fransisco: American Academy of Ophthalmology; 2019. p. 179–82.
13. Ip JM, Huynh SC, Kifley A, Rose KA, Morgan IG, Varma R, et al. Variation of the contribution from axial length and other ophthalmometric parameters to refraction by age and ethnicity. *Invest Ophthalmol Vis Sci*. 2007;48(10):4846–53.
14. Tideman JW, Polling JR, Voortman T, Jaddoe VWV, Uitterlinden AG,

- Hofman A, et al. Low serum vitamin D is associated with axial length and risk of myopia in young children. *Eur J Epidemiol*. 2016;31(5):491–9.
15. Blanco FG, Sanz Fernandez JC, Munoz Sanz MA. Axial length, corneal radius, and age of myopia onset. *Optom Vis Sci*. 2008;85(2):89–96.
 16. Iyamu E, Iyamu J, Obiakor CI. The role of axial length-corneal radius of curvature ratio in refractive state categorization in a Nigerian population. *ISRN Ophthalmol*. 2011;2011:1–6.
 17. Xiong S, Zhang B, Hong Y, He X, Zhu J, Zou H. The Associations of lens power with age and axial length in healthy Chinese children and adolescents aged 6 to 18 years. *Investig Ophthalmol Vis Sci*. 2017;58:5849–55.
 18. Chen MJ, Liu YT, Tsai CC, Chen YC, Chou CK, Lee SM. Relationship between central corneal thickness, refractive error, corneal curvature, anterior chamber depth and axial length. *J Chinese Med Assoc*. 2009;72(3):133–7.
 19. Tasneem AF, Nayak IV, Shwetha BA. Original article A comparative study in axial length of eye and radius of curvature of cornea between myopes and emmetropes in Indian population. *J Evol Med Dent Sci*. 2015;4(70):12097–111.
 20. Osuobeni EP. Ocular components values and their intercorrelations in Saudi Arabians. *Ophthalmic Physiol Opt*. 1999;19(6):489–97.
 21. Majumder C, Tan YC. Comparison of ocular biometry and corneal curvature among Malaysian emmetropes and myopes. *Indian J Sci Res*. 2015;6(1):1–9.
 22. Grosvenor T, Scott R. Role of the axial length/corneal radius ratio in determining the refractive state of the eye. *Optom Vis Sci*. 1994;71(9):573–9.
 23. Morgan IG, Iribarren R, Fotouhi A, Grzybowski A. Cycloplegic refraction is the gold standard for epidemiological studies. *Acta Ophthalmol*. 2015;93(6):581–5.
 24. Wilson ME, Trivedi RH. Axial length measurement techniques in pediatric eyes with cataract. *Saudi J Ophthalmol*. 2012;26(1):13–7.
 25. Hussain RN, Shahid F, Woodruff G. Axial length in apparently normal pediatric eyes. *Eur J Ophthalmol*. 2013;24(1):120–3.
 26. Zhang X, Qu X, Zhou X. Association between parental myopia and the risk of myopia in a child. *Exp Ther Med*. 2015;9(6):2420–8.
 27. Mutti DO, Mitchell GL, Moeschberger ML, Jones LA, Zadnik K. Parental myopia, near work, school achievement, and children's refractive error. *Invest Ophthalmol Vis Sci*. 2002 Dec;43(12):3633–40.
 28. Foster PJ, Jiang Y. Epidemiology of myopia. *Eye*. 2014;28(2):202–8.
 29. Sayuti K. Hubungan polimorfisme rs9928731 gen MMP2, rs2285063 promotor gen MMP2 dengan kejadian miopia dan panjang aksial mata. Program Studi Doktor Ilmu Biomedik. Fakultas Kedokteran Universitas Andalas; 2020.

30. Hornbeak DM, Young TL. Myopia genetics: A review of current research and emerging trends. *Curr Opin Ophthalmol*. 2009;20(5):356–62.
31. Young TL. The molecular genetics of human myopia: An update. *Optom Vis Sci*. 2013;86(1):1–28.
32. Holden BA, Fricke TR, Wilson DA, Jong M, Naidoo KS, Sankaridurg P, et al. Global prevalence of myopia and high myopia and temporal trends from 2000 through 2050. *American Academy of Ophthalmology*. 2016;123(5):1036–42.
33. Theophanous C, Modjtahedi BS, Batech M, Marlin DS, Luong TQ, Fong DS. Myopia prevalence and risk factors in children. *Clin Ophthalmol*. 2018;12:1581–7.
34. Benjamin WJ. Refractive status of the eye. In: Borish's Clinical Refraction. Missouri: Elsevier Inc; 2006. p. 4–9.
35. Goss DA, Grosvenor TP, Keller JT, Marsh-Tottle W, Norton TT, Zadnik K. Care of the patient with Myopia. *Am Optom Assoc*. 2006;5(4):1–41.
36. McCannel CA, Berrocal AM, Holder GE, Kim SJ, Leonard BC, Rosen RB, et al. Myopia and pathological myopia. In: *Retina and Vitreous*. San Fransisco: American Academy of Ophthalmology; 2019. p. 207–18.
37. Saw SM. How blinding is pathological myopia? *Br J Ophthalmol*. 2006;90(5):525–6.
38. Saw S, Matsumura S, Hoang Q V. Prevention and management of miopia and myopic pathology. *Invest Ophthalmol Vis Sci*. 2019;60:488–99.
39. Al-Rashidi SH, Albahouth AA, Althwini WA, Alsohibani AA, Alnughaymishi AA, Alsaeed AA, et al. Prevalence refractive errors among medical students of Qassim University, Saudi Arabia: Cross-sectional descriptive study. *Open Access Maced J Med Sci*. 2018;6(5):940–3.
40. Matamoros E, Ingrand P, Pelen F, Bentaleb Y, Weber M, Korobelnik JF, et al. Prevalence of myopia in France. *Med (United States)*. 2015;94(45):e1976.
41. Beuerman RW, Saw S, Tan DT, Wong TY. Genetics of myopia. In: *Myopia Animal Models to Clinical Trials*. London: World Scientific; 2010. p. 161–215.
42. Philips AJ, Speedwell L. Contact lens history. In: *Contact Lenses Sixth Edition*. Elsevier; 2019. p. 2–18.
43. Leat SJ, Yadav NK, Irving EL. Development of visual acuity and contrast sensitivity in children. *J Optom*. 2009;2(1):19–26.
44. Atkinson J, Anker S, Bobier W, Braddick O, Durden K, Nardini M, et al. Normal emmetropization in infants with spectacle correction for hyperopia. *Investig Ophthalmol Vis Sci*. 2000;41(12):3726–31.
45. Hered R, Archer SM, Braverman RS, Khan AO, Lee KA, Lueder GT, et al. Decreased vision in infants and pediatric vision rehabilitation. In: *Pediatric Ophthalmology and Strabismus*. San Fransisco: American Academy of Ophthalmology; 2019. p. 185–9.

46. Sankaridurg P, He X, Naduvilath T, Lv M, Ho A, Smith E, et al. Comparison of noncycloplegic and cycloplegic autorefraction in categorizing refractive error data in children. *Acta Ophthalmol.* 2017;95(7):e633–40.
47. Zhu D, Wang Y, Yang X, Yang D, Guo K, Guo Y, et al. Pre- and postcycloplegic refractions in children and adolescents. *PLoS One.* 2016;11(12):1–11.
48. Brar VS, Law SK, Lindsey JL, Mackey DA, Schutlze RL, Silverstein E, et al. Lacrimal Glands and Excretory System Lacrimal. In: *Fundamental and Principles of Ophthalmology Basic and Clinical Science Course Section 2.* San Fransisco: American Academy of Ophthalmology; 2019. p. 39–41.
49. Hered R, Archer SM, Braverman RS, Khan AO, Lee KA, Lueder GT, et al. Pediatric eye examination. In: *Pediatric Ophthalmology and Strabismus.* San Fransisco: American Academy of Ophthalmology; 2019. p. 3–12.
50. Bagheri A, Givrad S, Yazdani S, Mohebbi MR. Optimal dosage of cyclopentolate 1% for complete cycloplegia: A randomized clinical trial. *Eur J Ophthalmol.* 2007;17(3):294–300.
51. Cordero I. Understanding and looking after a retinoscope and trial lens set. *Community Eye Heal J.* 2017;30(98):40–1.
52. Broodie SE, Gupta PC, Irsch K, Jackson ML, Mauger TF, Strauss L, et al. Clinical Refraction. In: *Clinical Optics.* San Fransisco: American Academy of Ophthalmology; 2019. p. 147–60.
53. Copeland JC. Retinoscopy : Its use and development. In: *The Retinoscopy Book.* USA: Slack Incorporated; 2008. p. 1–6.
54. Meng W, Butterworth J, Malecaze F, Calvas P. Axial length of myopia: A review of current research. *Ophthalmologica.* 2011;225(3):127–34.
55. Hou W, Norton TT, Hyman L, Gwiazda J, COMET G. Axial elongation in myopic children and its association with myopia progression in the correction of myopia evaluation trial (COMET). *Eye Contact Lens.* 2018;176(3):139–48.
56. Saka N, Ohno-Matsui K, Shimada N, Sueyoshi S-I, Nagaoka N, Hayashi W, et al. Long-Term Changes in Axial Length in Adult Eyes with Pathologic Myopia. *Am J Ophthalmol.* 2010 Oct;150(4):562-568.e1.
57. Ohsugi H, Ikuno Y, Shoujou T, Oshima K, Ohsugi E, Tabuchi H. Axial length changes in highly myopic eyes and influence of myopic macular complications in Japanese adults. *PLoS One.* 2017;12(7):5–13.
58. Wang D, Ding X, Liu B, Zhang J, He M. Longitudinal changes of axial length and height are associated and concomitant in children. *Investig Ophthalmol Vis Sci.* 2011;52(11):7949–53.
59. Ding X, Chen Y, He M. An update of the Guangzhou twin eye study. *Ann Eye Sci.* 2018;3(12):38–42.
60. Llorente L, Barbero S, Cano D, Dorronsoro C, Marcos S. Myopic versus hyperopic eyes: Axial length, corneal shape and optical aberrations. *J Vis.* 2004;4(4):288–98.

61. Hayden C, Kelley L, Singh D. Ophthalmic ultrasonography: theoretic and practical considerations. *Ultrasound Clin J.* 2008;24(2):179–83.
62. Mashige KP. A review of corneal diameter, curvature and thickness values and influencing factors. *The South Africa Optometrist.* 2013;72(4):185–94.
63. Jonas JB, Bi HS, Wu JF, Xu L, Wang YX, Wei W Bin, et al. Corneal curvature radius in myopia of schoolchildren versus adult myopia. *Cornea.* 2016 Oct;35(10):1333–7.
64. Ramakrishnan R, Naik A. Comparison of manual keratometer with autokeratometer. *Biosci Biotechnol Res Asia.* 2014;11(1):339–41.
65. Broodie SE, Gupta PC, Irsch K, Jackson ML, Mauger TF, Strauss L, et al. Optical Instruments. In: *Clinical Optics.* San Fransisco: American Academy of Ophthalmology; 2019. p. 283–28.
66. Hill WE. Accurate keratometry readings. *Cataract Refract Surg Today.* 2009;7(7):32–4.
67. Mehravaran S, Asgari S, Bigdeli S, Shahnazi A, Hashemi H. Keratometry with five different techniques: A study of device repeatability and inter-device agreement. *Int Ophthalmol.* 2014;34(4):869–75.
68. Ventura L, De Groote JJ, Saia P, Faria e Sousa SJ. Keratometry device for surgical support. *Biomed Eng Online.* 2009;8(37):1–12.
69. Xian Foo VH, Verkicharla PK, Ikram MK, Lin Chua SY, Cai S, Tan CS, et al. Axial length/corneal radius of curvature ratio and myopia in 3-year-old children. *Transl Vis Sci Technol.* 2016;5(1):1–6.
70. Badmus SA, Ajaiyeoba AI, Adegbehingbe BO, Onakpoya OH, Adeoye AO. Axial length/corneal radius of curvature ratio and refractive status in an adult Nigerian population. *Niger J Clin Pract.* 2017;20:1328–34.
71. Li Y, Liu J, Qi P. The increasing prevalence of myopia in junior high school students in the Haidian District of Beijing, China: A 10-year population-based survey. *BMC Ophthalmol.* 2017;17(1):1–9.
72. Czepita M, Czepita D, Safranow K. Role of gender in the prevalence of myopia among polish schoolchildren. *J Ophthalmol.* 2019;2019.
73. Hung HD, Chinh DD, Van Tan P, Duong NV, Anh NQ, Le NH, et al. The prevalence of myopia and factors associated with it among secondary school children in rural Vietnam. *Clin Ophthalmol.* 2020;14:1079–90.
74. Deng L, Gwiazda J, Manny RE, Scheiman M, Weissberg E, Fern KD, et al. Limited change in anisometropia and aniso-axial length over 13 years in myopic children enrolled in the correction of myopia evaluation trial. *Investig Ophthalmol Vis Sci.* 2014;55(4):2097–105.
75. Tideman JW, Polling JR, Vingerling JR, Jaddoe VWV, Williams C, Guggenheim JA, et al. Axial length growth and the risk of developing myopia in European children. *Acta Ophthalmol.* 2018;96(3):301–9.

