

DAFTAR PUSTAKA

- Ajungla, L., P.P. Patil, R.B. Barmukh, T.D. Nikam. 2009. Influence of biotic and abiotic elicitors on accumulation of hyoscyamine and scopolamine in root cultures of *Datura metel* L., *Indian J. Biotechnology* 8: 317-322.
- Ariani, R. Anggraito, dan Rahayu. 2016. Respon Pembentukan Kalus Koro Benguk (*Mucuna pruriens* L.) pada berbagai Konsentrasi 2,4-D dan BAP. *Jurnal MIPA* 39 (1): 20-28.
- Ariati, S.N., Waeniati, Muslimin, dan I Nengah S. 2012. Induksi Kalus Tanaman Kakao (*Theobroma cacao* L.) pada Media MS Dengan Penambahan 2,4-D, BAP Dan Air. *Jurnal Natural Science*, 1(1): 74-84.
- Ashoush, A. Shibli, Tahtamouni, AlQudah dan Abu, I. 2020. Enhancement of Pentacyclic Triterpenoids (Betulinic and Oleanolic acids) production from callus cultures of *Lantana camara* L. *Adv. Hort. Sci.*, 34(3): 255-263.
- Benjamin, E. D., Gali A., Fartisinha A. and Abolade S. 2019. Callus Culture for the Production of Therapeutic Compounds. *American Journal of Plant Biology*, 4(4): 76-84.
- Bhagwath SG, Hjortsø MA. 2000. Statistical analysis of elicitation strategies for thiarubrine A production in hairy root cultures of *Ambrosia artemisiifolia*. *J Biotechnol.*; 80(2): 159–167.
- Bloland, P.B. 2001. *Drug Resistance in Malaria*. World Health Organization.
- Cai Z, Kastell A, Speiser C, Smetanska I. 2013. Enhanced resveratrol production in *Vitis vinifera* cell suspension cultures by heavy metals without loss of cell viability. *Applied Biochemistry and Biotechnology*, 171:330–340.
- Cai Z, Kastell A, Speiser C, Smetanska I. 2013. Enhanced resveratrol production in *Vitis vinifera* cell suspension cultures by heavy metals without loss of cell viability. *Appl Biochem Biotechnol.*, 171(2):330-40.
- Cammarck, N. 2011. Exploiting Malaria Drug Resistance to our Advantage. *AAAS Science.*, 333: 705-706.
- Dalvi, A. A. and S. A. Bhalerao. 2013. Response of plants towards heavy metal toxicity: an overview of avoidance, tolerance and uptake mechanism. *Annals of Plant Sciences*, 2(9): 362–368.

- Dantu, P. Mrinalini P., Rajiv R. 2021. Elucidating biosynthetic pathway of piperine using comparative transcriptome analysis of leaves, root and spike in *Piper longum* L. *Bioriv*, DOI: <https://doi.org/10.1101/2021.01.03.425108>
- Ding, X. , David U. and Timothy. 2012. A framework for assessing the risk of resistance for anti-malarials in development. *Malaria Journal*, 11:292
- Efferth, T. 2019. Biotechnology Applications of Plant Callus Cultures. *Engineering*, 5: 50-59.
- Elaleem, K. Ahmed, M. dan Noor, M. 2015. Effect of Explants and Plant Growth Regulators on Callus Induction in *Ricinus communis* L. *Res. J. Pharmaceutical Sci.* 4(1): 1-6.
- El-Sayed, M. and Rob V. 2007. *Catharanthus* terpenoid indole alkaloids: biosynthesis and regulation. *Springer Science*, 70(1).
- Facchini, P. 2006. The Alkaloids: Chemistry and Biology. *Regulation of Alkaloid Biosynthesis in Plants*, 63: 1-44.
- Farid, M., M. B. Shakoore, A. Ehsan, S. Ali, M. Zubair, and M. S. Hanif. 2013. Morphological, physiological and biochemical responses of different plant species to Cd stress. *International Journal of Chemical and Biochemical Sciences*, 3: 53–60.
- Fouad, A. S., Rehab M. H. 2018. Effect of cobalt nanoparticles and cobalt ions on alkaloids production and expression of CrMPK3 gene in *Catharanthus roseus* suspension cultures *Cellular and Molecular Biology* 64:12
- Fouad, A. dan Rehab, M. 2018. Cellular and Molecular Biology Effect of cobalt nanoparticles and cobalt ions on alkaloids production and expression of CrMPK3 gene in *Catharanthus roseus* suspension cultures. *Cellular and Molecular Biology* 64(12).
- Ghasemi, B. Ramin H., Fatemeh D. 2015. Effects of cobalt nanoparticles on artemisinin production and gene expression in *Artemisia annua*. *Turk J Bot* 39: 769-777.
- Gorgani L., Maedeh M., Ghasem D., dan Maryam N. 2017. Piperine—The Bioactive Compound of Black Pepper: From Isolation to Medicinal Formulations. *Comprehensive Reviews in Food Science and Food Safety*, 16: 124-140.

- Gratão, P. A. Polle, Lea, dan Azevedo. 2015. Making The Life Of Heavy Metal-Stressed Plants a Little Easier. *Funct. Plant Biol.* 32(6): 481.
- Hameed, N., Shabbir A., Ali A., Bajwa R. 2006. *In vitro* Micropropagation of disease free rose (*Rosa indica* L.). *Mycopath* 4: 35-38.
- Hassana, S. Hui-zi, J. Tareq, A. , Abdur, R., Muhammad, I. Hafiz, A. Rasul, S. 2019. Stress-driven discovery in the natural products: A gateway towards new drugs. *Biomedicine & Pharmacotherapy* 109:459-467.
- Hossain, M. A., P. Piyatida, J. A. T. da Silva, and M. Fujita. 2012. Molecular mechanism of heavy metal toxicity and tolerance in plants: central role of glutathione in detoxification of reactive oxygen species and methylglyoxal and in heavy metal chelation. *Journal of Botany*, Article ID 872875, 37 pages.
- Ichihashi dan Hirokazu, T. 2015. Behavior of Leaf Meristems and Their Modification. *Front. Plant Sci.*, DOI: <https://doi.org/10.3389/fpls.2015.01060>
- Ikeuchi, M. Keiko, S. dan Akira, I. 2013. Plant Callus: Mechanisms of Induction and Repression *Plant Cell* 25(9): 3159–3173.
- Ikeuchi, M. , Keiko S., and Akira I. . 2013 . Plant Callus: Mechanisms of Induction and Repression. *The Plant Cell*; 25: 3159–3173.
- ISSG. 2016. Global Invasive Species database (GISD) Invasive Species Specialist Group of the IUCN Species Survival Commission. <http://www.issg.org/database/welcome/> (diakses pada tanggal 08 September 2019).
- Javed, R., Buhara Y., Muhammad Z., Ekrem G. 2017. Elicitation of Secondary Metabolites in Callus Cultures of *Stevia rebaudiana* Bertoni Grown Under ZnO and CuO Nanoparticles Stress. *Sugar Tech*, DOI 10.1007/s12355-017-0539-1 2017
- Junairiah, A Mahmuda, Y Manuhara, Ni'matuzahroh, L Sulistyorini. 2019. Callus Induction and Bioactive Compounds from *Piper betle* L. Var nigra. *IOP Conference Series: Earth and Environmental Science* Sci. 217 012026.
- Junairiah, Nabilah I. Z, Sri W. M, Ni'matuzahroh, Lilis S. 2020. Profil biomassa dan terpenoid ekstrak kalus *Piper betle* L. var. Nigra dengan elicitor cobalt

(II) chloride. *Konferensi Internasional Pertama tentang Sains, Sains Terapan*. Vol (8).

Kato, M. J. and Maysa F. 2007. Chemistry and evolution of the Piperaceae. *Pure Appl. Chem.* 79(4), pp. 529–538.

Lamaoui, M., Abdelghani C., Raja B., Youssef E., Mohamed F., Said W., and Cherkaoui E. 2019. Uprising the antioxidant power of *Argania spinosa* L. callus through abiotic elicitation. *C. R. Biologies*, 342 : 7–17.

Legrand, G., Delporte, M., Khelifi, C., Harant, A., Vuylsteker, C., Mörchen, M., Hance, P., Hilbert, J.L. and Gagneul, D., 2016. Identification and characterization of five BAHD acyltransferases involved in hydroxycinnamoyl ester metabolism in chicory. *Frontiers in Plant Science*, 7: 741.

Lestari, E.G. 2011. Peranan Zat Pengatur Tumbuh dalam Perbanyakkan Tanaman melalui Kultur Jaringan. *Jurnal AgroBiogen* 7(1):63-68.

Ling, W. 2015. The effects of elicitors and precursor on in vitro cultures of *Sauropus androgynus* for sustainable metabolite production and antioxidant capacity improvement. *PhD thesis*. University of Nottingham. Access from the University of Nottingham repository.

Liu, J. 1998. Cobalt: *Physiological effect and Uptake Machanism in Plant*. Northwest Agricultural University, Shaanxi, China.

Lizawati, Neliyati dan R. Desfira. 2012. Induksi Kalus Eksplan Daun Durian (*Durio zibethinus* Murr cv Selat Jambi) pada beberapa kombinasi 2,4-D dan BAP. 2012. ISSN : 2302-6472 1 (1)

Lloyd, J. C. & Oksana V. Z. 2004. Responses of primary and secondary metabolism to sugar accumulation revealed by microarray expression analysis of the *Arabidopsis* mutant, *pho3*. *Journal of Experimental Botany*, Vol. 55, No. 400.

Manara A. 2012. Plant responses to heavy metal toxicity. *Molecular Science*, 12: 27–53.

Mgbeahuruike, E Yrjönen, H. Vuorela, Y.dan Holm. 2017. Bioactive compounds from medicinal plants: Focus on Piper species. *South African Journal of Botany* 112: 54–69.

- Moharrami, F. Bahman, H. Ali, S. dan Manouchehr, F. 2017. Enhanced production of hyoscyamine and scopolamine from genetically transformed root culture of *Hyoscyamus reticulatus* L. elicited by iron oxide nanoparticles In Vitro Cell. Dev.Biol.—Plant 53:104–111
- Monzote, L. Ramon S., Paul C., and William N.S. 2017. Essential Oil from Piper aduncum: Chemical Analysis Antimicrobial Assessment, and Literature Review. *MDPI Journal of Medicines* Vol. 4(49).
- Munawaroh, E dan Yuzammi. 2017. Keanekaragaman Piper (Piperaceae) dan Konservasinya di Taman Nasional Bukit Barisan Selatan, Provinsi Lampung. *Keanekaragaman Piper (Piperaceae) dan Konservasinya* 22(2): 118-128.
- Murashige, T. And F. Skoog. 1962. A Resived Medium for Rapid Growth and Bioassays with Tobacco Tissue Culture. *Physiol Plant* (15): 473-497
- Naeem, M., Tariq A., M. Masroor. 2017. *Catharanthus roseus*: Current Research and Future Prospects. Springer.
- Nagasawa, A. And J.J. Finer. 1998. *Induction of Morphogenetic callus culture from leaf of Garlic*. Hort Sciences.
- Naik, M dan Jameel, M. 2016. Abiotic and Biotic Elicitors–Role in Secondary Metabolites Production through *In Vitro* Culture of Medicinal Plants Poornananda. *Recent Advances and Future Perspectives* <http://dx.doi.org/10.5772/61442>
- Naik, P, & Jameel, M. 2016. Abiotic and Biotic Elicitors–Role in Secondary Metabolites Production through In Vitro Culture of Medicinal Plants. <http://dx.doi.org/10.5772/61442>.
- Namdeo, J. 2017. Plant cell elicitation for production of secondary metabolites: A Review, *Pharmacognosy Rev.* 1: 69–79.
- Nasim SA1, Dhir B. 2010. Heavy metals alter the potency of medicinal plants. *Rev Environ Contam Toxicol*; 203: 139-49.
- Norma, A. 2011. Produksi Solasodin Dalam Kultur Kalus *Solanum khasianum* Clarke dengan Penambahan Ekstrak Khamir. *AGRIPLUS* 21(3) ISSN 0854-0128.
- Pelayo, V.R, S. Fernandez, O. Carmona, J. Molina, and J. Armando. 2016. A Phytochemical nd Ethnopharmacological Review of the Genus Piper: as a Potent Bio-Insecticide. *RRJOB*. Vol 4(2): 45-51.

- Pivatto, M., Luciene R. Baccini, Abhinay S., Myna N., Amanda D., Claudio V. J., Celia R. S. Garcia and Vanderlan S.. 2014. Antimalarial Activity of Piperidine Alkaloids from *Senna spectabilis* and Semisynthetic Derivatives. *J. Braz. Chem. Soc.*, Instituto de Química, Universidade Federal de Uberlândia. Vol. 25, No. 10, 1900-1906.
- Purwianingsih, W. dan Yanti, H. 2006. *Metode Elisitasi Menggunakan Ragi Sacharomyces cerevisiae H. untuk Meningkatkan Kandungan Bioaktif Kuinon Kalus Morinda citrifolia L. (Mengkudu)*. Prodi Biologi, Jurusan Pendidikan Biologi FPMIPA Universitas Pendidikan Indonesia.
- Ramdan,R. Handaji, N. Beyahia, H. dan Ibriz, M. 2014. Influence of Growth Regulators on Callus Induction from Embryos of Five Citrus Root Stocks. *Journal of Applied Biosciences*. 73: 5959– 5965.
- Rasud, Y. dan Bustaman. 2020. Induksi Kalus Secara *In Vitro* Dari Daun Cengkeh (*Syzigium aromaticum L.*) dalam Media dengan Berbagai Konsentrasi Auksin. *Jurnal Ilmu Pertanian Indonesia (JIPI)* 25 (1) : 67-72
- Riskesdas. 2013. *Laporan Riset Kesehatan Dasar*. Jakarta: Kementrian Kesehatan Republik Indonesia.
- Rivai, R., Hendra H. 2015. Induksi kalus *Chrysanthemum indicum* untuk meningkatkan keragaman genetik dari sel somatik. *Pros Sem Nas Masy Biodiv Indon* (8):167-170
- Rohman, A. 2009. *Kromatografi untuk Analisis Obat Edisi Pertama*. Graha Ilmu: Yogyakarta.
- Sanchez, Laura , K. Xavier, M. Jorge, E. Perez, L., Juliet, A. Prieto dan Oscar, J. 2016. Callus induction and secondary metabolites production in *Piper cf. cumanense* Kunth (Piperaceae). *J Biotechnol Biomater* 6(7).
- Sanchez, L , Xavier M , Jorge E, Juliet A dan Oscar J . 2016. Callus induction and secondary metabolites production in *Piper cf. cumanense* Kunth (Piperaceae). *J Biotechnol Biomater* 6(7).
- Sangetha, S., Zuraini Z., Sasidharan S., Suryani S. 2008. Antibacterial, Antifungal and Cytotoxic Activities of *Cassia spectabilis*. *Asian J. Pharm. Clin. Res.*, 1, 17–20.
- Sani, A. Ali, C. Mmuo, Rafat, O. Abdulraheem, Sikirat, S. Abdulkareem, Emmanuel, T. Alemika, Musa, A. dan Mohammed. 2011. High Performance Liquid Chromatography (HPLC) Method Development and Validation Indicating Assay for Ciprofloxacin Hydrochloride Ilyas. *Journal of Applied Pharmaceutical Science* 01(08): 239-243

- Schnabel, A., Cotinguiba, F., Athmer, B., Yang, C., Westermann, B., Schaks, A., Porzel, A., Brandt, W., Schumacher, F. and Vogt, T., 2020. A piperic acid CoA ligase produces a putative precursor of piperine, the pungent principle from black pepper fruits. *The Plant Journal*, 102(3): 569-581.
- Shakya, P., Gregory M., Karthik S., Ludger B. and Gregory F.. 2019. Elicitation as a tool to improve the profiles of high-value secondary metabolites and pharmacological properties of *Hypericum perforatum*. *Journal of Pharmacy and Pharmacology* Vol. 71, pp 70-82.
- Siddique, S., Tessay T., Shagufta K. 2019. Comparative Analysis of Piperine in Wild Plant and Callus of *Piper longum* by HPLC Method. *Pharmaceutical and Biosciences Journal* 7(2), 7-10
- Silalahi, M. 2010. Elisitasi peningkatan produksi Ajmalisin Oleh Kalus *Catharantus roseus* (L.) G. Don.1 *Berita Biologi* 10(3).
- Sitinjak, R. Arbayah, H. dan Rizkita R. 2000. The Effect of *Saccharomyces cerevisiae* Hansen Extract on Gossipol Content of *Gossypium hirsutum* L. Callus Cultures. *Berita Biologi* 5(2).
- Sulichantini, E.D. 2015. Produksi Metabolit Sekunder melalui Kultur Jaringan. *Prosiding Seminar Nasional Kefarmasian Ke-1*, Samarinda.Laboratorium Kultur Jaringan, Fakultas Pertanian, Universitas Mulawarman.
- Thiengsusuk, A., Muhamad, P., Chaijaroenkul, W., Na-Bangchang, K., 2018. Antimalarial activity of piperine. *J. Trop. Med.* 9486905
- Urdová J., Rexová M., Mučaji P., Balažová A. 2015. Elicitation – a tool to improve secondary metabolites production in *Melissa officinalis* L. suspension cultures *Acta Fac. Pharm. Univ. Comen*: 46-50.
- Vanegas, A.M, J.F Suaza, F. Cardona, S. Blair. 2012. Antiplasmodial and cytotoxic activity of ethanol extracts of species of the genus *Piper*. *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromaticas*. 11(2): 154-162.
- Verpoorte, R. and A.W. Alfermann. 2000. *Metabolic Engineering of Plant Secondary Metabolism*. Kluwer Academic Publisher. Boston, London
- Wang JW, Wu JY. 2013. Effective elicitors and process strategies for enhancement of secondary metabolite production in hairy root cultures. *Adv Biochem Eng Biotechnol.*; 134: 55-89.
- Wankhade, D.M. 2014. Investigation on callus formation in *Piper Nigrum* L. *International Journal of Pharmaceutical and Chemical Sciences*. 3 (2): 358-366.

- Warhade, M. and Rupesh S. B. 2018. *Fusarium oxysporum* cell elicitor enhances betalain content in the cell suspension culture of *Celosia cristata*. *Physiol Mol Biol Plants* 24(2): 285–293
- Wetter, L. dan Constabel, F. 1991. *Metode Kultur Jaringan Tanaman*. Bandung: ITB Press.
- WHO. 2001. *World Malaria Report*. World Health Organization
- WHO. 2018. *World Malaria Report*. World Health Organization
- Yelnititis. 2012. Friable callus induction from leaf explant of ramin (*Gonystylus bancanus* (Miq) Kurz.). *Jurnal Pemuliaan Tanaman Hutan* 6(3): 181 – 194.
- Yu, G. , Jianchu M., Pingping J., Jieyue L., Junyu G., Shixuan Q. dan Zhiyong Z. 2019. The Mechanism of Plant Resistance to Heavy Metal. *IOP Conf. Series: Earth and Environmental Science*, 310 (2019) 052004.
- Zulkarnain. 2009. *Dasar-dasar Holtikultura*. Jakarta: Bumi Aksara.

