

## DAFTAR PUSTAKA

- Alpert, P., E. Bone, C. Holzapel. 2000. Invasiveness, Invasibility and The Role of Environmental Stress in The Spread of Non-native Plants. *Perspektive in Plant Ecology, Evolution and Systematics* 3 (1): 52 - 66.
- Arisandi, Y. dan Y. Andriani. 2006. *Khasiat Berbagai Tanaman untuk Pengobatan*. Eska Media. Jakarta.
- Atmosoedarjo, S., J. Kartasubrata, M. Kaomini, W. Saleh, dan W. Murdoko. (2000). *Sutera Alam Indonesia*. Yayasan Sarana Wana Jaya. Jakarta.
- Awasthi, A.K., G.M. Nagaraju, S. Kanginakurdu, K. Thangavelu, dan N. Javaregowda. 2004. Genetic diversity and Relationships in mulberry (genus *Morus*) as revealed by RAPD and ISSR marker assays. *BMC Genet* 5:1. doi:10.1186/1471-2156-5-1
- Bhattacharya, E. 2005. Molecular assessment of genetic diversity in mulberry (*Morus* spp.) using PCR based techniques. Ranade S.A., Plant Molecular Biology (Genomics), *National Botanical Research Institute India* 226001.
- Bossdorf, O., H. Auge, L. Lafuma, W.E Rogers, E. Sieman, dan D. Prati. 2005. Phenotypic and Genetic Differentiation between Native and Introduced Plant Populations. *Oecologia*. 144, pp 1-11.
- Brahma RK, Dixit V, Sangwan AK, Doley R. 2013. Identification and characterization of *Rhipicephalus (Boophilus) microplus* and *Haemaphysalis bispinosa* ticks (Acari: Ixodidae) of North East India by ITS2 and 16SrDNA sequences and morphological analysis. *Exp Appl Acarol*. 9732-9734
- Burgess, K.S., M. Morgan, L. Deverno, dan B.C. Husband. 2005. Asymmetrical introgression between two *Morus* species (*M. alba*, *M. rubra*) that differ in abundance. *Molecular Ecology* 14: 3471-3483.
- Burland, T. G. 2000. DNASTAR's Lasergene Sequence Analysis Software. *Methods Mol Biol* 132: 71-91.
- CBOL Plant Working Group. 2009. A DNA Barcode for Land Plants. *Proceedings of the National Academy of Sciences USA* 106: 12794-12797.
- Chen, S.L. dan J. P. Han. 2009. Identification of medicinal plants using DNA barcoding technique. Institute of Medicinal Plant Development, Chinese Academy of Medical Sciences, No. 151 Malianwa North Road, Haidian District, Beijing 100193, P. R. China.
- Chen, R. F., L. Xu, Yu, M. Liu, X. L. Chen. 2010. Determination of the Origin and Evolution of *Morus* (Moraceae) by analyzing the internal transcribed spacer (ITS) sequences. *IEEE* 978-1-4244-4713-8/10/\$25.00 ©2010.
- Chen, R. 2014. Systematic position and phylogenetic analyzing of *Morus* (Moraceae) based on ITS sequences. College of Biotechnology, Southwestern University, Tian Sheng Qiao 216Hao, Chongqing 400716. China

- Chen,R.F. dan L. Liu. 2016. Anti-Inflammatory and Antinociceptive Properties of Flavonoids from the Fruits of Black Mulberry (*Morus nigra* L.). Anti-Inflammatory and Antinociception of Mulberry Fruits. *PLOS ONE* DOI:10.1371/journal.pone.0153080.
- Dalimartha, S. 2012. *Atlas Tumbuhan Obat Indonesia Jilid I*. Trubus Agriwidya. Jakarta.
- Damayanthi, E., Kusharto. CM., Suprahatini. M., Rohdiana. D. 2007. Diversifikasi Produk Teh Sebagai minuman Kesehatan. <http://repository.ipb.ac.id/handle/123456789/7102>. Akses tanggal 11-09-2020. jam 15.10.
- Daniel,C., dan W. Knoess. 2008. Identification of medicinal plants. Institute for Pharmaceutical Biology, University of Bonn, *Nussallee 6 Bonn Germany* 53115.
- Dey, P. 2009. *Invasive Allien Species and Its Impact On Soil, Water and Environment*. International Day for Biological Diversity. U.P. State Biodiversity Board.
- Doyle, J.J. dan J.L. Doyle. 1987. A rapid DNA isolation procedure from small quantities of fresh leaf tissue. *Phytochemical Bulletin* 19:11-15.
- Ekasari, T. W. D. 2012. Analisis Keanekaragaman Kultivar Pisang Menggunakan Penanda PCR-RFLP Pada Internal Transcribed Spacer (ITS) DNA Ribosom. *Jurnal MIPA* 35 (1) (2012).
- Faatih, M. 2009. Isolasi dan Digesti DNA Kromosom. *Jurnal Penelitian Sains & Teknologi*. Vol. 10, No. 1, 61-67.
- Fang, D. Q. dan M. L. Roose.1997. Identification of closely related *Citrus* cultivars with Inter Simple Sequence Repeats Markers. *Theoretical Genetics*. 95:408-417.
- Firman, W. 2013. <http://tanamanbuatobat.blogspot.co.id/2013/03/seribu-manfaat-murbei-untuk-kesehatan.html>. Diakses 26 Desember 2015.
- Global Invasive Species Database(GISD). [www.iucngisd.org](http://www.iucngisd.org). 02 September 2019 (14.35 WIB).
- Gomes, E.A, M.C. Kasaya, E.G. deBarros, A.C. Borgs dan E.F. Araujo. 2002. Polymorphism in the internal transcribed spacer (ITS) of the ribosomal DNA of 26 isolates of ectomycorrhizal fungi. *Genet Mol Biol*. 25(4), 477-483.
- Guo, G, F. Chen, X. Shi, Y. Tian, M. Yu, X. Han, L. Yuan dan Y. Zhang. 2016. Genetic variation and phylogenetic relationship analysis of *Jatropha curcas* L. inferred from nrDNA ITS sequences. *Biologies* 339 (2016) 337–346
- Gusfield, D. 2001. *Haplotype Inference*. LLC. CRC Press. California.
- Hall, T. A. 1999. BioEdit: A User-Friendly Biological Sequence Alignment Aditoran Analysis Program for Windows 95/98/NT. *Nucleic Acid Symposium Series*. 41:95-98.
- Hidayat, T. dan A.Pancoro. 2005. Studi Filogenetik Molekuler Anacardiaceae Berdasarkan pada Variasi Urutan Daerah Internal Transcribed Spacer (ITS). *Hayati*. 8, 98-101.
- Hidayat, T. dan A.Pancoro. 2008. Kajian Filogenetik Molekular dan Peranannya dalam menyediakan informasi dasar untuk meningkatkan kualitas sumber genetik anggrek.*Jurnal Agro Biogen*.4.

Integrated Taxonomic Information System (ITIS). <https://www.itis.gov/>. 01 October 2019 (16.00 WIB).

*Invasive Species Compendium* (CABI). [www.cabi.org](http://www.cabi.org). 02 September 2019. (20.00 WIB)

Jogesh, T., R. Peery, S. R. Downie, R. B. May. 2015. Patterns of Genetic Diversity in the Globally Invasive Species Wild Parsnip (*Pastinaca sativa*). *Invasive Plant Science and Management* 2015 8:415–429.

Kress, W. J., K. J. Wurdack, E. A. Zimmer, L. A. Weigt, dan D. H. Janzen. 2005. Use of DNA Barcodes to identify Flowering Plants. *Proceedings on the National Academy of Sciences US*. 102:8369-8374.

Kurokochi, H., Y. Saito, M. Chuman, dan Y. Ide. (2013). Low chloroplast diversity despite phylogenetically divergent haplotypes in Japanese populations of *Ailanthus altissima* (Simaroubaceae). *Botany*, 91, 148-154.

Larkin, M.A., G. Blackshields, N. P. Brown, R. Chenna, P. A. McGettigan, H. McWilliam. 2007. Clustal W and Clustal X version 2.0. *Bioinformatics*. 23:2947-2948.

Leary, R. F., F. W. Allendorf, dan K. L. Knudsen. 1985. Development instability and high meristic counts in interspecific hybrid of Salmond fishes. *Evolution*. 39:1318-1326.

Lee, C. E. 2002. Evolutionary genetics of invasive species. *TRENDS in Ecology and Evolution*. 17(8), 386-391.

Leroy, J. F. 1949. Les Muriers sauvages et cultivés. La sericulture sous les tropiques. *Revue Internationale de Botanique appliquée et d'agriculture Tropicale*. 29: 481–496.

Martin, M. D., E. A. Zimmer, M. T. Olsen, A. D. Foote, M. T. P. Gilbert dan G. S. Brush. 2014. Herbarium specimens reveal a historical shift in phylogeographic structure of common ragweed during native range disturbance. *Molecular Ecology*. 23, 1701-1716.

McCullough, M. J., K.V. Clemons, J.H. McCusker, D.A. Stevens. 1998. Intergenic Transcribed Spacer PCR ribotyping for differentiation of *Saccharomyces* species and interspecific hybrids. *J. Clin Microbiol* 36:1035–1038

Miladiyah, I., Purwono, S. dan Mustofa. 2003. Efek ekstrak eter (*Physalis minima* Linn.) setelah pemberian jangka panjang terhadap kadar gula darah tikus diabetes. *Majalah Obat Tradisional* vol 8 no 23. Yogyakarta. <https://prisma.lppm.ugm.ac.id/publication/3298>. Diakses 26 Desember 2020.

Muellner, A. N., R. Samuel, S. A. Johnson, M. Cheek, T. D. Pennington dan M. W. Chase. (2003) Molecular phylogenetics of Meliaceae (Sapindales) Based on nuclear and Plastid DNA sequences. *American Journal of Botany*. 90:471-481.

Muladno. 2002. *Seputar Teknologi Rekayasa Genetika*. Wirausaha Muda. Bogor.

Mullis, K. B. 1990. The unusual origin of the Polymerase Chain Reaction. *Scientific American*. 3:56-65.

National Center for Biotechnology Information (NCBI). [www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov). 01 September 2019 (14.45 WIB).

- Nazar, Y.E. 2018. Deteksi Resistensi *Aedes aegypti* (Diptera: Culicidae) Terhadap Temesfos (Organofosfat) di Tanjung Binguang, Kabupaten Solok, Sumatera Barat. [TESIS]. Pascasarjana Biologi Unand. Padang.
- Nepal, M. P dan D.J. Wichern. 2013. Taxonomic Status Of Red Mulberry (*Morus Rubra*, Moraceae) At Its Northwestern Boundary. *Proceedings of the South Dakota Academy of Science*, Vol. 92 (2013).
- Nepal, M.P. 2008. Systematics and reproductive biology of the genus *Morus* L. (Moraceae). Ph.D. Dissertation. Kansas State University, Manhattan, KS.
- Nepal, M.P. dan C.J. Ferguson. 2012. Phylogenetics of *Morus* (Moraceae) inferred from ITS and *trnL-trnF* sequence data. *Systematic Botany* 37: 442-450.
- Nikaido, S. 2010. Mulberry (Morus:Moraceae) hybridization in eastern North America: morphological and molecular evidence. *Biology & Earth Science, University of Central Missouri, WC Morris Hall, Warrensburg, USA MO 64093*.
- Nugroho, Ponco, A.R. dan Andy. 2012. Estimasi suplai protein mikroba pada ternak kambing dengan tingkat konsumsi berbeda berdasarkan ekskresi turunan purin pada urin. *Jurnal Agrisistem* (8) 1: 36-43.
- Nurhaedah, Suryanto, H., Minarningsih. 2015. Ujicoba hibrid *Morus khunpai* dan *M. indica* sebagai pakan ulat sutera (*Bombyx mori*. Linn) *Jurnal Penelitian Kehutanan Wallacea* 4 (2): 137-145. Balai Penelitian Kehutanan Makassar.
- Nuryani, Y., O. Rostiana dan C. Syukur. 2002. Penetapan Keragaman Genetik Nilam (*Pogostemon* sp.) Hasil Fusi Protoplas dengan Teknik RAPD. *Jurnal Penelitian Tanaman Industri*. 8(2):39-44.
- Nusifera, S. 2007. Metilasi DNA dan Genomic Imprinting (Suatu Tinjauan Tentang Mekanisme Epigenetik). *J. Agron.* 11(1)
- O'Brien, H.E., J.L. Parrent, J. A. Jackson, J. M. Moncalvo dan R. Vilgalys. 2005. Fungal communities' analysis by large-scale sequencing of environmental samples. *Environ Microbiol* 71: 5544-5550.
- Osterbauer, N. K. dan L. Rehms. 2002. Detecting Single Seeds of Small Broomrape (Orobanche Minor) With A Polymaerase Chain Reaction. *Plant Health Progress Sci* 120.
- Ozgen, M., S. Serce, C. Kaya. 2009. Phytochemical and antioxidant properties of anthocyanin-rich *Morus nigra* and *Morus rubra* fruits. *Sci. Hort.* 119, 275-279.
- Pejchar, L. dan H. A. Mooney. 2009. Invasives Species, Ecosystem Service and Human Well-being. *Trends in Ecology and Evolution*, 24 (9): 497-504.
- Rahayu, D.A. dan E. D. Nugroho. 2015. *Biologi molekuler dalam perspektif konservasi*. Plantaxia. Yogyakarta.
- Rozas, J., J. C. Sanchez-DelBarrio, X. Messegeur, R. Rozas. 2004. DnaSP, DNA Polymorphism analysis by the coalescent and other methods. *Bioinformatics*. 19: 1451-1452.

- Saiki, R. K. 1985. Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science* 230:1350- 1354
- Saitou, N dan M. Nei. 1989. The Neighbor Joining Method: A new method for constructing phylogenetic trees. *Molecular Biology and Evolution*. 4: 406-425.
- Sambrook, J. dan D. W. Russell. 2001. *Molecular Cloning a Laboratory Manual*. Ed ke-3. Cold Spring Harbor Laboratory. New York.
- Soltis, D.E. dan P.S. Soltis P. S. 1998. *Choosing an Approach and an Appropriate Gene for Phylogenetic Analysis*. Di dalam: Soltis DE, Soltis Ps, Doyle JJ, editor. *Molecular Systematics of Plants II: DNA Sequencing*. Massachusetts: Kluwer Academic Publishers.
- Srivastava, R., Kapoor, A. Thathola, R.P. Srivastava. 2003. Mulberry (*Morus alba*) leaves as human food: a new dimension of sericulture, *International Journal of Food Science and Nutrition*, 54 (2003), pp. 411–4162.
- Sriyadi, B., W. Astika dan D. Muchtar. 1998. Seleksi tanaman teh muda seri TPS. *Penelitian Teh dan Kina* 3: 88–93.
- Sumantadinata, K. 1980. Comparison of electrophoretic allele frequencies and genetic variability of common carp stocks from Indonesia and Japan. *Aquaculture*. 88:263-271.
- Susanto. 1997. *Budi Daya Tanaman Murbei dan Usaha Persuteraan Alam*. Kanisius. Yogyakarta.
- Syafaruddin dan T. J. Santoso. 2011. Optimasi teknik isolasi dan purifikasi DNA yang efisien dan efektif pada kemiri sunan (*Reutalis trisperma* (Blanco) Airy Shaw). *Jurnal Littri* 17: 11-17.
- Tallei, T.E., R. E. Rembet, J. J. Pelealu, dan B. J. Kolondam. 2016. Sequence Variation and Phylogenetic Analysis of *Sansevieria trifasciata* (Asparagaceae). *Bioscience Research* 13(1): 01-07.
- Tamura, K., G. Stecher, D. Peterson, A. Filipski dan S. Kumar. 2013. MEGA Molecular evolutionary genetics analysis version 6.0. *Molecular Biology and Evolution*. 30: 2725-2729.
- Tanruean., K. dan P. Poolprasert. 2018. Identification of mulberry based on DNA barcode. Biology, Pibulsongkram Rajabhat University, 156 M.5 Plai Chumpol Sub-District, Muang District, Phitsanulok 65000, Thailand.
- Topik, H., T. Yukawa dan M. Ito. 2005. Molecular phylogenetics of subtribe Aeridinae (Orchidaceae): Insights from plastid matK and nuclear ribosomal ITS sequences. *J Plant Res*. 18:271-284.
- Ubaidillah, R dan H. Sutrisno. 2009. *Pengantar Biosistematik: Teori dan Praktek*. LIPI Press. Jakarta.
- Wang, H., M. Qi dan A.J. Culter. 1993. A simple method of preparing plant samples for PCR. *Nucleic Acid. Res* 21: 4153-4154.

- Wesson DM, McLain DK, Oliver JH, Piesman J, Collins FH. 1993. Investigation of the validity of species status of *Ixodes dammini* (Acari: Ixodidae) using rDNA. *Proc Natl Acad Sci USA*. 90: 10221-10225
- White, T. J., T. Bruns, S. Lee dan J. Taylor. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: Innis, M, Gelfand D, Sninsky J, White T (Eds.) 1990. *PCR Protocols: A Guide to Methods and Applications*, Academic Press, San Diego, CA. pp. 315-322.
- Wu, Z. Y., J. Liu, J. Provan, H. Wang, C. J. Chen, D. Z. Li dan R. I. Milne. 2018. Testing Darwin's transoceanic dispersal hypothesis for the inland nettle family (Urticaceae). Germplasm Bank of Wild Species, Kunming Institute of Botany, 132, Lanhei Road, Kunming, Yunnan 650201.
- Wunderlin, R.P. 1997. *Moraceae*. Oxford University Press. New York.
- Xu, Y., C. X. Zeng, Y. Q. Zhang, Y. Ren dan X. J. Ge. 2010. DNA barcoding the Flora of Qinling Mt. in China. Key Laboratory of Plant Resources Conservation and Sustainable Utilization, South China Botanical Garden, The Chinese Academy of Sciences, Xingke Road 723, Guangzhou, Guangdong 510650.
- Yuwono, T. 2006. *Teori dan Aplikasi Polymerase Chain Reaction*. Andi Offset. Yogyakarta. 237 p.
- Zeng, Q., H. Chen, X. Wang dan N. He. 2013. Classification of *Morus* species using internal transcribed spacer. Northwest University, State Key Laboratory of Silkworm Genome Biology, Institute of Sericulture and Systems Biology, 216 Tiansheng Road, Beibei District, Chongqing 400715.
- Zeng, Q., H. Chen, Z. Chao, H. Minjing, L. Tian, Q. Xiwu, X. Zhonghuai, H. Ningjia. 2015. Definition of Eight Mulberry Species in the Genus *Morus* by Internal Transcribed Spacer Based Phylogeny. *Plos One*. DOI:10.1371/journal.pone. 0135411 August 12, 2015. Cina
- Zhou, Z. K. dan M. G. Gilbert. 2003. *Moraceae*. In: Wu ZY, Raven PH, Hong DY, editors. *Flora of China*. Beijing, China & Saint Louis, Missouri: Science Press & Missouri Botanical Garden Press. pp. 22-26.