

DAFTAR PUSTAKA

- Aarthy, S. *et al.* (2019) ‘Exploring the effect of sintering temperature on naturally derived hydroxyapatite for bio-medical applications’, *Journal of Materials Science: Materials in Medicine*. Springer US, 30(2). doi: 10.1007/s10856-019-6219-9.
- Ali, U., Karim, K. J. B. A. and Buang, N. A. (2015) ‘A Review of the Properties and Applications of Poly (Methyl Methacrylate) (PMMA)’, *Polymer Reviews*, 55(4), pp. 678–705. doi: 10.1080/15583724.2015.1031377.
- Amini, A. R., Laurencin, C. T. and Nukavarapu, S. P. (2012) ‘Bone Tissue Engineering: Recent Advances and Challenges’, *Critical Reviews™ in Biomedical Engineering*, 40(5), pp. 363–408. doi: 10.1615/CritRevBiomedEng.v40.i5.10.
- Amiri Roudan, M. *et al.* (2017) ‘Thermal phase stability and properties of hydroxyapatite derived from biowaste eggshells’, *Journal of Ceramic Processing Research*, 18(1), pp. 69–72.
- Ardhiyanto, H. B., Yustisia, Y. and Naini, A. (2016) ““Sintesis dan karakterisasi Hidroksiapatit dari Limbah Dental GypsumTipe 2 sebagai Bahan Baku Bone Graft” Proceedings Book FORKINAS VI FKG UNEJ 14th-15th 2016 285”, in, pp. 285–293.
- ASTM, C. (2008) ‘Standard Test Method for Vickers Indentation Hardness of Advanced Ceramics’ Standard (2008).
- ASTM, C. (2010) ‘Standard Test Method for Monotonic Compressive Strength of Advanced Ceramics at Ambient Temperature.
- Barabashko, M. S. *et al.* (2019) ‘Variation of Vickers microhardness and compression strength of the bioceramics based on hydroxyapatite by adding the multi-walled carbon nanotubes’, *Applied Nanoscience (Switzerland)*. Springer International Publishing, 0(0), p. 0. doi: 10.1007/s13204-019-01019-z.
- Barsoum, W. M. (1997) ‘Fundamentals of Ceramics’. Mc Graw-Hill Companies, New York.
- Bellucci, D. *et al.* (2017) ‘Innovative hydroxyapatite/bioactive glass composites processed by spark plasma sintering for bone tissue repair’, *Journal of the European Ceramic Society*. Elsevier Ltd, 37(4), pp. 1723–1733. doi: 10.1016/j.jeurceramsoc.2016.11.012.
- Billotte (2003) *Ceramic Biomaterials Principles and Applications*. Wrld Scientific.
- Bonadio, T. G. M. *et al.* (2020) ‘Enhanced mechanical properties and osseointegration features of CaNb₂O₆–PNb₉O₂₅–Ca₃(PO₄)₂ triphasic nanostructured bioceramics derived by optimised sinterization of Nb₂O₅

- and natural hydroxyapatite- β -tricalcium phosphate', *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., (December 2019), pp. 0–1. doi: 10.1016/j.ceramint.2020.02.054.
- Cai, X. et al. (2009) 'Preparation and characterization of homogeneous chitosan-polylactic acid/hydroxyapatite nanocomposite for bone tissue engineering and evaluation of its mechanical properties', *Acta Biomaterialia*. Acta Materialia Inc., 5(7), pp. 2693–2703. doi: 10.1016/j.actbio.2009.03.005.
- Catalgol, Z. (2019) 'Sintering effect on borosilicate glass-bovine hydroxyapatite composites', *Journal of the Australian Ceramic Society*. Journal of the Australian Ceramic Society, 55(4), pp. 1075–1079. doi: 10.1007/s41779-019-00320-y.
- Chadha, R. K. et al. (2019) 'Influence of microwave processing and sintering temperature on the structure and properties of Sr/Zr doped hydroxyapatite', *Materials Chemistry and Physics*. Elsevier B.V., 223, pp. 319–324. doi: 10.1016/j.matchemphys.2018.09.086.
- Chadha, R. K. et al. (2020) 'Effect of microwave and conventional processing techniques on mechanical properties of Strontium substituted hydroxyapatite', *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 46(1), pp. 1091–1098. doi: 10.1016/j.ceramint.2019.09.076.
- Charbonnier, B., Laurent, C. and Marchat, D. (2016) 'Porous hydroxyapatite bioceramics produced by impregnation of 3D-printed wax mold: Slurry feature optimization', *Journal of the European Ceramic Society*. Elsevier Ltd, 36(16), pp. 4269–4279. doi: 10.1016/j.jeurceramsoc.2016.06.005.
- Chen, P. Y. et al. (2019) 'Evolution of the microstructural and mechanical properties of hydroxyapatite bioceramics with varying sintering temperature', *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 45(13), pp. 16226–16233. doi: 10.1016/j.ceramint.2019.05.144.
- Chow (2009) *Next generation calcium phosphate-based biomaterials*. USA: Dent Mater. J Nat Institute of Health. USA.
- Chu, M. -Y et al. (1991) 'Effect of Heating Rate on Sintering and Coarsening', *Journal of the American Ceramic Society*, 74(6), pp. 1217–1225. doi: 10.1111/j.1151-2916.1991.tb04090.x.
- Deb, P. et al. (2019) 'Development of bone scaffold using Puntius conchonius fish scale derived hydroxyapatite: Physico-mechanical and bioactivity evaluations', *Ceramics International*, 45(8), pp. 10004–10012. doi: 10.1016/j.ceramint.2019.02.044.
- Descamps, M. et al. (2008) 'Synthesis of macroporous β -tricalcium phosphate with controlled porous architectural', *Ceramics International*, 34(5), pp. 1131–1137. doi: 10.1016/j.ceramint.2007.01.004.
- Dinar, W., Meylani, T. and R, D. I. (-) 'Makropori Untuk Aplikasi Bone Filler'. Du, J. et al. (2018) 'Effect of hydroxyapatite fillers on the mechanical properties

- and osteogenesis capacity of bio-based polyurethane composite scaffolds', *Journal of the Mechanical Behavior of Biomedical Materials*. Elsevier Ltd, 88, pp. 150–159. doi: 10.1016/j.jmbbm.2018.08.028.
- Eilbagi, M. et al. (2016) 'Mechanical and cytotoxicity evaluation of nanostructured hydroxyapatite-bredigite scaffolds for bone regeneration', *Materials Science and Engineering C*. Elsevier B.V., 68, pp. 603–612. doi: 10.1016/j.msec.2016.06.030.
- Fadhilah, N. and Jalil, Z. (2016) 'Sintesis Hidroksiapatit yang Berasal dari Tulang Sapi Aceh Synthesis of Natural Hydroxyapatite from Aceh ' s Bovine Bone', • *Journal of Aceh Physics Society (JAcPS)*, 5(2), pp. 19–21.
- Feng, P. et al. (2014) 'A novel two-step sintering for nano-hydroxyapatite scaffolds for bone tissue engineering', *Scientific Reports*, 4, pp. 1–10. doi: 10.1038/srep05599.
- Ficai, A. et al. (2007) 'Advances in Collagen / Hydroxyapatite Composite Materials'. doi: 10.5772/13707.
- Fierz, F.C., F. Beckmann, M. Huser, S.H. Irsen, B. Leukers, F. Witte, Ö. Degistirici, A. Andronache, M. Thie, and B. M. (2008) "The Morphology of Anisotropic 3D-printed Hydroxyapatite Scaffolds.", *Biomaterials*, 29, no. 28. doi: 3799–806.
- Gain, A. K., Zhang, L. and Liu, W. (2015) 'Microstructure and material properties of porous hydroxyapatite-zirconia nanocomposites using polymethyl methacrylate powders', *Materials and Design*. Elsevier Ltd, 67, pp. 136–144. doi: 10.1016/j.matdes.2014.11.028.
- Galler, K. M. et al. (2011) 'Scaffolds for dental pulp tissue engineering.', *Advances in dental research*, 23(3), pp. 333–339. doi: 10.1177/0022034511405326.
- Gu, Y. W. et al. (2002) 'Spark plasma sintering of hydroxyapatite powders', *Biomaterials*, 23(1), pp. 37–43. doi: 10.1016/S0142-9612(01)00076-X.
- Hamman, J. H. (2010) 'Chitosan based polyelectrolyte complexes as potential carrier materials in drug delivery systems', *Marine Drugs*, 8(4), pp. 1305–1322. doi: 10.3390/md8041305.
- Han, M. et al. (2018) 'Phase migration and transformation of uranium in mineralized immobilization by wasted bio-hydroxyapatite', *Journal of Cleaner Production*. Elsevier Ltd, 197, pp. 886–894. doi: 10.1016/j.jclepro.2018.06.253.
- Hariani, P. L., Said, M. and Salni (2019) 'Effect of sintering on the mechanical properties of hydroxyapatite from fish bone (Pangasius Hypophthalmus)', *IOP Conference Series: Materials Science and Engineering*, 509(1). doi: 10.1088/1757-899X/509/1/012109.
- Heidari, F. et al. (2017) 'Investigation of mechanical properties of natural hydroxyapatite samples prepared by cold isostatic pressing method', *Journal*

- of Alloys and Compounds*. Elsevier B.V, 693, pp. 1150–1156. doi: 10.1016/j.jallcom.2016.10.081.
- Hench, L. L. and June Wilson (1993) *An Introduction to Bioceramics*. Wld Scientific.
- Herliansyah, M. K. et al. (2009) ‘The influence of sintering temperature on the properties of compacted bovine hydroxyapatite’, *Materials Science and Engineering C*. Elsevier B.V., 29(5), pp. 1674–1680. doi: 10.1016/j.msec.2009.01.007.
- Hidouri, M., Dorozhkin, S. V. and Albeladi, N. (2019) ‘Thermal Behavior, Sintering and Mechanical Characterization of Multiple Ion-Substituted Hydroxyapatite Bioceramics’, *Journal of Inorganic and Organometallic Polymers and Materials*. Springer US, 29(1), pp. 87–100. doi: 10.1007/s10904-018-0969-6.
- Ilmi, fathul (2013) *Teori Dasar X-Ray Diffraction (XRD)*. Available at: <http://fathul-ilmi.blogspot.com/2013/09/teori-dasar-x-ray-diffraction-xrd.html>.
- Indra, A. et al. (2020) ‘Enhancing the physical and mechanical properties of pellet-shaped hydroxyapatite by controlling micron- and nano-sized powder ratios’, *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 46(10), pp. 15882–15888. doi: 10.1016/j.ceramint.2020.03.136.
- Itokawa, H. et al. (2007) ‘A 12 month in vivo study on the response of bone to a hydroxyapatite- polymethylmethacrylate cranioplasty composite’, *Biomaterials*, 28(33), pp. 4922–4927. doi: 10.1016/j.biomaterials.2007.08.001.
- Ji, W. et al. (2017) ‘Ultra-fast firing: Effect of heating rate on sintering of 3YSZ, with and without an electric field’, *Journal of the European Ceramic Society*, 37(6), pp. 2547–2551. doi: 10.1016/j.jeurceramsoc.2017.01.033.
- Jo, I.-H., K.-H. Shin, Y.-M. Soon, Y.-H. Koh, J.-H. Lee, and H.-E. K. (2009) “Highly Porous Hydroxyapatite Scaffolds with Elongated Pores using Stretched Polymeric Sponges as Novel Template.”, *Materials Letters*, 63, no. 20. Available at: <http://dx.doi.org/10.1016/j.matlet>.
- Johnell, O. and Kanis, J. A. (2006) ‘An estimate of the worldwide prevalence and disability associated with osteoporotic fractures’, *Osteoporosis International*, 17(12), pp. 1726–1733. doi: 10.1007/s00198-006-0172-4.
- Juliadmi, D. et al. (2017) ‘Hydroxyapatite coating on titanium alloy Ti-6Al-4V with electrophoretic deposition (EPD) for dental root application’, *International Journal on Advanced Science, Engineering and Information Technology*, 7(6), pp. 2152–2158.
- Kamal, A. F. et al. (2013) ‘Biocompatibility of various hydroxyapatite scaffolds evaluated by proliferation of rat’s bone marrow mesenchymal stem cells: An in vitro study’, *Medical Journal of Indonesia*, 22(4), pp. 202–208. doi: 10.13181/mji.v22i4.600.

- Kanasan, N. *et al.* (2017) 'The Effects of Sintering Temperature on Densification and Mechanical Properties of Hydroxyapatite/Sodium Alginate Biocomposites', *MATEC Web of Conferences*, 135, p. 00063. doi: 10.1051/matecconf/201713500063.
- Keaveny, T. M. (2004) *Standard Handbook of Biomedical Engineering and Design*, McGraw Hill.
- Khiri, M. Z. A. *et al.* (2016) 'The usability of ark clam shell (*Anadara granosa*) as calcium precursor to produce hydroxyapatite nanoparticle via wet chemical precipitate method in various sintering temperature', *SpringerPlus*. Springer International Publishing, 5(1). doi: 10.1186/s40064-016-2824-y.
- Khiri, M. Z. A. *et al.* (2019) 'Crystallization behavior of low-cost biphasic hydroxyapatite/ β -tricalcium phosphate ceramic at high sintering temperatures derived from high potential calcium waste sources', *Results in Physics*, 12(October 2018), pp. 638–644. doi: 10.1016/j.rinp.2018.12.025.
- Kopeliovich, D. (2013) 'Graphite manufacturing process'. Available at: http://www.substech.com/dokuwiki/doku.php?id=graphite_manufacturing_process.
- Li, Z. *et al.* (2005) 'Chitosan-alginate hybrid scaffolds for bone tissue engineering', *Biomaterials*, 26(18), pp. 3919–3928. doi: 10.1016/j.biomaterials.2004.09.062.
- Liu, D. *et al.* (2019) 'Effect of process parameters on the microstructure and property of hydroxyapatite precursor powders and resultant sintered bodies', *International Journal of Applied Ceramic Technology*, 16(2), pp. 444–454. doi: 10.1111/ijac.13097.
- Ma, H. *et al.* (2018) '3D-printed bioceramic scaffolds: From bone tissue engineering to tumor therapy', *Acta Biomaterialia*. Acta Materialia Inc., 79, pp. 37–59. doi: 10.1016/j.actbio.2018.08.026.
- Maachou, H. *et al.* (2008) '2008-Characterization and In Vitro Bioactivity of Chitosan_Hydroxyapatite composite membrane prepared by freeze-gelatin method.pdf', 22(1).
- Mahammod, B. P. *et al.* (2020) 'Investigation of Physico-mechanical Behavior, Permeability and Wall Shear Stress of Porous HA/PMMA Composite Bone Scaffold', *Arabian Journal for Science and Engineering*. Springer Berlin Heidelberg, 45(7), pp. 5505–5515. doi: 10.1007/s13369-020-04467-w.
- Mallik, P. K., Balani, K. and Basu, B. (2019) 'Nano indentation Analysis of Multi Stage Spark Plasma Sintered Hydroxyapatite-Calcium Titanate Biocomposite', *International Journal of Engineering Sciences*, 12(1). doi: 10.36224/ijes.120102.
- Mao, D. *et al.* (2018) 'Porous stable poly(lactic acid)/ethyl cellulose/hydroxyapatite composite scaffolds prepared by a combined method for bone regeneration', *Carbohydrate Polymers*. Elsevier, 180(July 2017), pp. 104–111. doi: 10.1016/j.carbpol.2017.10.031.

- Masaeli, R. *et al.* (2016) ‘Efficacy of the biomaterials 3 wt%-nanostrontium-hydroxyapatite-enhanced calcium phosphate cement (nanoSr-CPC) and nanoSr-CPC-incorporated simvastatin-loaded poly(lactic-co-glycolic-acid) microspheres in osteogenesis improvement: An explorative multi-phasic’, *Materials Science and Engineering C*. Elsevier B.V., 69, pp. 171–183. doi: 10.1016/j.msec.2016.06.033.
- Matbouei, A. *et al.* (2019) ‘Layered manufacturing of a three-dimensional polymethyl methacrylate (PMMA) scaffold used for bone regeneration’, *Materials Technology*. Taylor & Francis, 34(3), pp. 167–177. doi: 10.1080/10667857.2018.1541212.
- Mondal, S., Pal, U. and Dey, A. (2016) ‘Natural origin hydroxyapatite scaffold as potential bone tissue engineering substitute’, *Ceramics International*. Elsevier, 42(16), pp. 18338–18346. doi: 10.1016/j.ceramint.2016.08.165.
- Monmaturapoj, N. and Yatongchai, C. (2010) ‘Effect of Sintering on Microstructure and Properties of Hydroxyapatite Produced by Different Synthesizing Methods’, *Journal of Metals, Materials and Minerals*, 20(2), pp. 53–61.
- Motealleh, A. *et al.* (2019) ‘Reinforcing 13–93 bioglass scaffolds fabricated by robocasting and pressureless spark plasma sintering with graphene oxide.’, *Journal of the Mechanical Behavior of Biomedical Materials*. Elsevier Ltd, 97(April), pp. 108–116. doi: 10.1016/j.jmbbm.2019.05.016.
- Muralithran, G. and Ramesh, S. (2000) ‘The Effects of sintering temperature on the properties of hydroxyapatite’, *Ceramics International*, 26(2), pp. 221–230. doi: 10.1016/S0272-8842(99)00046-2.
- Nie, J. *et al.* (2019) ‘Effect of TiO₂ doping on densification and mechanical properties of hydroxyapatite by microwave sintering’, *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 45(11), pp. 13647–13655. doi: 10.1016/j.ceramint.2019.04.007.
- Nindhia.T.G.T. (2003) ‘Peningkatan Ketangguhan Retak Bahan Tahan Api Berkadar Alumina Tinggi dengan Penambahan Whisker Silikon Karbida’ disertasi S-3 Jurusan Teknik Mesin Fakultas Teknik UGM, Yogyakarta.
- Obada, D. O. *et al.* (2020) ‘Mechanical properties of natural hydroxyapatite using low cold compaction pressure: Effect of sintering temperature’, *Materials Chemistry and Physics*. Elsevier B.V., 239(September 2019), p. 122099. doi: 10.1016/j.matchemphys.2019.122099.
- Oladapo, B. I., Zahedi, S. A. and Adeoye, A. O. M. (2019) ‘3D printing of bone scaffolds with hybrid biomaterials’, *Composites Part B: Engineering*. Elsevier, 158(September 2018), pp. 428–436. doi: 10.1016/j.compositesb.2018.09.065.
- Oliveira, I. R. *et al.* (2016) ‘Hydroxyapatite synthesis and the benefits of its blend with calcium aluminate cement’, *Ceramics International*. Elsevier, 42(2), pp. 2542–2549. doi: 10.1016/j.ceramint.2015.10.056.

- Padmanabhan, S. K. *et al.* (2015) ‘Synthesis and characterization of collagen scaffolds reinforced by eggshell derived hydroxyapatite for tissue engineering’, *Journal of Nanoscience and Nanotechnology*, 15(1), pp. 504–509. doi: 10.1166/jnn.2015.9489.
- Palacio, C. *et al.* (2017) ‘Study of the suitability of a commercial hydroxyapatite powder to obtain sintered compacts for medical applications’, *Journal of Physics: Conference Series*, 850(1). doi: 10.1088/1742-6596/850/1/012021.
- Park, D. M. *et al.* (2018) ‘Analysis of geometrical characteristics of CNT-Al composite using molecular dynamics and the modified rule of mixture (MROM)’, *Journal of Mechanical Science and Technology*, 32(12), pp. 5845–5853. doi: 10.1007/s12206-018-1133-5.
- Park, J. B. and Lakes, R. S. (2007) ‘Biomaterials: an introduction’, p. 561.
- Pazarlioglu, S. S. and Salman, S. (2019) ‘The effect of alumina additive and sintering temperature on the microstructural, physical, mechanical, and bioactivity properties of hydroxyapatite–alumina composites’, *Journal of the Australian Ceramic Society. Journal of the Australian Ceramic Society*. doi: 10.1007/s41779-019-00345-3.
- Pazarlioglu, S. and Salman, S. (2019) ‘Effect of lanthanum oxide additive on the sinterability, physical/mechanical, and bioactivity properties of hydroxyapatite-alpha alumina composite’, *Journal of the Australian Ceramic Society*. doi: 10.1007/s41779-019-00336-4.
- Pazarlloglu, S. and Salman, S. (2017) ‘Sintering effect on the microstructural, mechanical, and in vitro bioactivity properties of a commercially synthetic hydroxyapatite’, *Journal of the Australian Ceramic Society*, 53(2), pp. 391–401. doi: 10.1007/s41779-017-0048-4.
- Phillips, G. O. and Williams., P. A. (2005) ‘*Handbook of Hydrocolloids*’. Cambridge: Woodhead Publishing.
- Pilia, M., Guda, T. and Appleford, M. (2013) ‘Development of composite scaffolds for load-bearing segmental bone defects’, *BioMed Research International*, 2013. doi: 10.1155/2013/458253.
- Pingan, H. *et al.* (2017) ‘A silica/PVA adhesive hybrid material with high transparency, thermostability and mechanical strength’, *RSC Advances*. Royal Society of Chemistry, 7(5), pp. 2450–2459. doi: 10.1039/C6RA25579E.
- Prakasam, M. *et al.* (2015) ‘Fabrication, properties and applications of dense hydroxyapatite: A review’, *Journal of Functional Biomaterials*, 6(4), pp. 1099–1140. doi: 10.3390/jfb6041099.
- Ramesh, S., Natasha, A. N., *et al.* (2016) ‘Direct conversion of eggshell to hydroxyapatite ceramic by a sintering method’, *Ceramics International*. Elsevier, 42(6), pp. 7824–7829. doi: 10.1016/j.ceramint.2016.02.015.
- Ramesh, S., Jeffrey, C. K. L., *et al.* (2016) ‘Sintering behaviour and properties of

- magnesium orthosilicate-hydroxyapatite ceramic', *Ceramics International*. Elsevier, 42(14), pp. 15756–15761. doi: 10.1016/j.ceramint.2016.07.037.
- Ramesh, S. et al. (2018) 'Characterization of biogenic hydroxyapatite derived from animal bones for biomedical applications', *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 44(9), pp. 10525–10530. doi: 10.1016/j.ceramint.2018.03.072.
- Ramirez-Gutierrez, C. F. et al. (2017) 'Effect of the temperature and sintering time on the thermal, structural, morphological, and vibrational properties of hydroxyapatite derived from pig bone', *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 43(10), pp. 7552–7559. doi: 10.1016/j.ceramint.2017.03.046.
- Roger.W and Rhodes.J (1997) “Pressureless of Whiske Reinforced Alumina”. United State Patent, No. 5,656, 217.
- Roleček, J. et al. (2019) 'Bioceramic scaffolds fabrication: Indirect 3D printing combined with ice-templating vs. robocasting', *Journal of the European Ceramic Society*. Elsevier Ltd, 39(4), pp. 1595–1602. doi: 10.1016/j.jeurceramsoc.2018.12.006.
- Roohani-Esfahani, S. I., Newman, P. and Zreiqat, H. (2016) 'Design and Fabrication of 3D printed Scaffolds with a Mechanical Strength Comparable to Cortical Bone to Repair Large Bone Defects', *Scientific Reports*. Nature Publishing Group, 6(February 2015), pp. 1–8. doi: 10.1038/srep19468.
- Ruys, A. J. et al. (1995) 'Sintering effects on the strength of hydroxyapatite', *Biomaterials*, 16(5), pp. 409–415. doi: 10.1016/0142-9612(95)98859-C.
- Ryshkewitch, E. (1960) "Oxide Ceramics." Academic Press, New York.
- Sadat-Shojaei, M. et al. (2013) 'Synthesis methods for nanosized hydroxyapatite with diverse structures', *Acta Biomaterialia*. Acta Materialia Inc., 9(8), pp. 7591–7621. doi: 10.1016/j.actbio.2013.04.012.
- Saiz, E. et al. (2007) 'Preparation of porous hydroxyapatite scaffolds', *Materials Science and Engineering C*, 27(3), pp. 546–550. doi: 10.1016/j.msec.2006.05.038.
- Santos-Rosales, V. et al. (2020) 'New insights in the morphological characterization and modelling of poly(ϵ -caprolactone) bone scaffolds obtained by supercritical CO₂ foaming', *Journal of Supercritical Fluids*, 166. doi: 10.1016/j.supflu.2020.105012.
- Sara Lee, K. Y. et al. (2012) 'Characterization of forsterite bioceramics', *Advanced Materials Research*, 576(October), pp. 195–198. doi: 10.4028/www.scientific.net/AMR.576.195.
- Sathiskumar, S. et al. (2019) 'Green synthesis of biocompatible nanostructured hydroxyapatite from Cirrhinus mrigala fish scale – A biowaste to biomaterial', *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 45(6), pp. 7804–7810. doi: 10.1016/j.ceramint.2019.01.086.

- Seitz, H. *et al.* (2005) ‘Three-dimensional printing of porous ceramic scaffolds for bone tissue engineering’, *Journal of Biomedical Materials Research - Part B Applied Biomaterials*, 74(2), pp. 782–788. doi: 10.1002/jbm.b.30291.
- Sha, W. and Struct, E. (2019) ‘Production and characterization of ternary sheep hydroxyapatite (SHA) -wollastonite (W) -commercial inert glass (CIG) biocomposite To cite this article Demirkol N , Turan M . Production and characterization of ternary sheep hydroxyapatite Production’.
- Shah, J. J. *et al.* (2006) ‘Surface modification of poly(methyl methacrylate) for improved adsorption of wall coating polymers for microchip electrophoresis’, *Electrophoresis*, 27(19), pp. 3788–3796. doi: 10.1002/elps. 200600118.
- Shao, H. *et al.* (2019) ‘3D gel printing of hydroxyapatite scaffold for bone tissue engineering’, *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 45(1), pp. 1163–1170. doi: 10.1016/j.ceramint.2018.09.300.
- Shavandi, A. *et al.* (2015) ‘Synthesis of nano-hydroxyapatite (nHA) from waste mussel shells using a rapid microwave method’, *Materials Chemistry and Physics*. Elsevier B.V, 149, pp. 607–616. doi: 10.1016/j.matchemphys. 2014.11.016.
- Shi, P. *et al.* (2018) *Characterization of natural hydroxyapatite originated from fish bone and its biocompatibility with osteoblasts*, *Materials Science and Engineering C*. Elsevier B.V. doi: 10.1016/j.msec.2018.04.026.
- Shi, X. *et al.* (2017) ‘The Physical and Antimicrobial Properties of Silver Doped Hydroxyapatite Sintered by Microwave and Conventional Sintering’, *Journal of Inorganic and Organometallic Polymers and Materials*. Springer US, 27(4), pp. 955–961. doi: 10.1007/s10904-017-0542-8.
- Sidane, D. *et al.* (2017) ‘Biocompatibility of sol-gel hydroxyapatite-titania composite and bilayer coatings’, *Materials Science and Engineering C*. Elsevier B.V., 72, pp. 650–658. doi:10.1016/j.msec.2016.11.129.
- Singh, M. K., Zafar, S. and Talha, M. (2019) ‘Development of porous bio-composites through microwave curing for bone tissue engineering’, *Materials Today: Proceedings*. Elsevier Ltd., 18, pp. 731–739. doi: 10.1016/j.matpr.2019.06.478.
- Sujatno, A. *et al.* (2015) ‘Studi Scanning Electron Microscopy (Sem) Untuk Karakterisasi Proses Oxidasi Paduan Zirkonium’, 9(November), pp. 44–50.
- Sun, R. X. *et al.* (2017) ‘Physicochemical and biological properties of bovine-derived porous hydroxyapatite/collagen composite and its hydroxyapatite powders’, *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 43(18), pp. 16792–16798. doi: 10.1016/j.ceramint.2017.09.075.
- Swain, S. K. (2009) ‘Processing of Porous Hydroxyapatite Scaffold Processing of Porous Hydroxyapatite Scaffold’, *Rourkela*. doi: 10.1007/s00340-007-2759-7.

- Taha, M. A., Youness, R. A. and Ibrahim, M. (2020) ‘Biocompatibility, physico-chemical and mechanical properties of hydroxyapatite-based silicon dioxide nanocomposites for biomedical applications’, *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 46(15), pp. 23599–23610. doi: 10.1016/j.ceraint.2020.06.132.
- Takahata, M. et al. (-) ‘A novel technique to generate autogenous graft bone using ultra-high porous hydroxyapatite scaffold on in vivo ilium in preparation for spinal interbody fusion 52nd Annual Meeting of the Orthopaedic Research Society Paper No : 1731’, p. 1731.
- Tangboriboon, N. et al. (2019) ‘Alternative green preparation of mesoporous calcium hydroxyapatite by chemical reaction of eggshell and phosphoric acid’, *International Journal of Applied Ceramic Technology*, 16(5), pp. 1989–1997. doi: 10.1111/ijac.13241.
- Turlybekuly, A. et al. (2019) ‘Synthesis, characterization, in vitro biocompatibility and antibacterial properties study of nanocomposite materials based on hydroxyapatite-biphasic ZnO micro- and nanoparticles embedded in Alginate matrix’, *Materials Science and Engineering C*. Elsevier, 104(July), p. 109965. doi: 10.1016/j.msec.2019.109965.
- Turon, P. et al. (2017) ‘Biodegradable and biocompatible systems based on hydroxyapatite nanoparticles’, *Applied Sciences (Switzerland)*, 7(1). doi: 10.3390/app7010060.
- Vassal, M. F. et al. (2019) ‘Microstructural, mechanical and biological properties of hydroxyapatite - CaZrO₃ biocomposites’, *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 45(7), pp. 8195–8203. doi: 10.1016/j.ceramint.2019.01.122.
- Venkatesan, J. and Kim, S. K. (2010) ‘Chitosan composites for bone tissue engineering - An overview’, *Marine Drugs*, 8(8), pp. 2252–2266. doi: 10.3390/md8082252.
- Victoria, E. C. and Robinson M, C. (2019) ‘Comparative studies on synthesis and sintering studies of biologically derived hydroxyapatite from Capra hircus (Goat) and Bos primigenius (Bovine)’, *Vacuum*. Elsevier Ltd, 160, pp. 378–383. doi: 10.1016/j.vacuum.2018.11.019.
- Van Vlack, L. H. (1985) ‘*Elements of Materials Science and Engineering*’. Addison-Wesley Publishing Company, New York.
- Vlădescu, A. et al. (2016) ‘Mechanical properties and biocompatibility of the sputtered Ti doped hydroxyapatite’, *Journal of the Mechanical Behavior of Biomedical Materials*. Elsevier, 63, pp. 314–325. doi: 10.1016/j.jmbbm.2016.06.025.
- Wake, M. C., Patrick, C. W. and Mikos, A. G. (1994) ‘Pore morphology effects on the fibrovascular tissue growth in porous polymer substrates’, *Cell Transplantation*, 3(4), pp. 339–343. doi: 10.1177/096368979400300411.
- Wei, Q. et al. (2017) ‘Molecular dynamics simulation and experimental study of

- the bonding properties of polymer binders in 3D powder printed hydroxyapatite bioceramic bone scaffolds', *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 43(16), pp. 13702–13709. doi: 10.1016/j.ceramint.2017.07.082.
- Whang, K. et al. (1999) 'Engineering Bone Regeneration with Bioabsorbable Scaffolds with Novel Microarchitecture', *Tissue Engineering*, 5(1), pp. 35–51. doi: 10.1089/ten.1999.5.35.
- Wong, J. Y. and Bronzino, J. D. (2007) *Biomaterials*. Fancis.
- World Health Organization (2015) 'Global Status Report on Road', *Global status report on road safety 2015*. World Health Organization. <http://www.who.int/iris/handle/10665/189242>, p. 323. doi: ISBN: 978 92 4 156485 4.
- Xin, P. and Igor, Z. (2005) *Electrodeposition of Composite Hydroxyapatite-Chitosan Films. Materials Chemistry and Physics*. 94. 245-251. 10.1016/j.matchemphys.2005.04.040.
- Ye, W. et al. (2019) 'A mixed-form solution to the macroscopic elastic properties of 2D triaxially braided composites based on a concentric cylinder model and the rule of mixture', *Composites Part B: Engineering*. Elsevier, 156(August 2018), pp. 355–367. doi: 10.1016/j.compositesb.2018.09.008.
- Yetmez, M. et al. (2017) 'Sintering effects of mullite-doping on mechanical properties of bovine hydroxyapatite', *Materials Science and Engineering C*. Elsevier B.V., 77, pp. 470–475. doi: 10.1016/j.msec.2017.03.290.
- Ylinen, P. (2006) *Applications of Coralline Hydroxyapatite With Bioabsorbable Containment and Reinforcement As Bone Graft Substitute*. Medical Faculty of the University of Helsinki.
- Yoshiki, O. (2015) *Hydroxyapatite Shynthesis and Applications*. Momentum Press Engineering 222 East 46th Street, New York, NY 10017. Available at: www.momentumpress.net.
- Zhang, F. et al. (2008) 'Spark plasma sintering of macroporous calcium phosphate scaffolds from nanocrystalline powders', *Journal of the European Ceramic Society*, 28(3), pp. 539–545. doi: 10.1016/j.jeurceramsoc.2007.07.012.
- Zhang, Z. et al. (2020) 'Effect of different dopants on porous calcium silicate composite bone scaffolds by 3D gel-printing', *Ceramics International*, 46(1), pp. 325–330. doi: 10.1016/j.ceramint.2019.08.266.
- Zhou, J., X. Zhang, J. Chen, S. Zeng, and K. D. G. (1993) "High Temperature Characteristics of Synthetic Hydroxyapatite.", *Journal of Material Science: Materials in Medicine* 4, no. 1, p. Available at: <http://dx.doi.org/10.1007/bf00122983>.