

DAFTAR PUSTAKA

1. Dhariwala MY, Ravikumar P. An overview of herbal alternatives in androgenetic alopecia. Vol. 18, *Journal of Cosmetic Dermatology*. Blackwell Publishing Ltd; 2019. p. 966–75.
2. Blumeyer A, Tosti A, Finner A, Marmol V, Trakatelli M, Reygagne P. S 1 guideline for diagnostic evaluation in androgenetic alopecia in men , women and adolescents. *Br J Dermatol*. 2010;164(1):5–15.
3. Patel M, Perez A, Sinclair R. An overview of female pattern hair loss. *Expert Rev Dermatol*. 2011;6(3):317–27.
4. Kabir Y, Goh C. Androgenetic alopecia : update on epidemiology , pathophysiology , and treatment. *J Egypt Women's Dermatologic Soc*. 2013;10(3):107–16.
5. Esen Salman K, Kucukunal NA, Kivanc Altunay I, Aksu Cerman A. Frequency, severity and related factors of androgenetic alopecia in dermatology outpatient clinic: Hospital-based cross-sectional study in Turkey. *An Bras Dermatol*. 2017;92(1):35–40.
6. Legiawati L. Jenis kerontokan rambut dan kebotakan pasien poliklinik kulit dan kelamin RSUPN Dr. Cipto Mangunkusumo tahun 2009-2011. *Mdvi*. 2013;40(4):159–63.
7. Pravitasari DN, Sentyaningrum T. The Profile of New Androgenetic Alopecia Patients at Dermato-venereology outpatient clinic of Dr. Soetomo Hospital Surabaya in 2009-2011. *ResearchgateNet*. 2019;(September):113–9.
8. Davis DS, Callender VD. Review of quality of life studies in women with alopecia. *Int J Women's Dermatol*. 2018;4(1):18–22.
9. Shilpashree P, Clarify S, Jaiswal AK, Shashidhar T. Impact of female pattern hair loss on the quality of life of patients. 2016;26(4):347–52.
10. Price VH. Androgenetic alopecia in women. *J Investig Dermatol Symp Proc*. 2003;8(1):24–7.
11. Fabbrocini G, Cantelli M, Masarà A, Annunziata MC, Marasca C, Cacciapuoti S. Female pattern hair loss: A clinical, pathophysiological, and therapeutic review. *Int J Women's Dermatol*. 2018;4(4):203–11.
12. Ramos PM. Female Pattern Hair Loss : a clinical and pathophysiological review. *An Bras Dermatol*. 2015;90(4):529–43.
13. Sari NR, Agustina R, Girsang APL, Annisa L, Freshy Windy Rosmala Dewi SS, Sulistyowati NP, et al. *Statistik Pemuda Indonesia*. Susilo D, Raden S, Yeni R, Santoso DB, editors. Indonesia: Badan Pusat Statistik; 2020. 9–20 p.

14. Tosti UBA, Whiting DA, Trüeb RM. Hair growth and Disorders. Springer International Publishing; 2008.
15. Mulinari-Brenner F, Bergfeld WF. Hair loss: Diagnosis and management. *Cleve Clin J Med.* 2003;70(8):705–12.
16. Yip L, Sinclair RD. Antiandrogen therapy for androgenetic alopecia. *Expert Rev Dermatol.* 2006;1(2):261–9.
17. Jain PK, Das D, Kumar Jain P. the Wonder of Herbs To Treat -Alopecia. *Artic Int J Pharm Pharm Sci.* 2016;4(5):2–7.
18. Sukanto H. Siklus pertumbuhan rambut. Sjarif E, Cita MW, Hari RSP, Sunarko S, editors. Surabaya: Fakultas Kedokteran Universitas Indonesia; 2014. 10–12 p.
19. Carmina E, Azziz R, Bergfeld W, Escobar-Morreale HF, Futterweit W, Huddleston H, et al. Female Pattern Hair Loss and Androgen Excess: A Report from the Multidisciplinary Androgen Excess and PCOS Committee. *J Clin Endocrinol Metab.* 2019;104(7):2875–91.
20. Blumeyer A, Tosti A, Messenger A, Reygagne P, Del Marmol V, Spuls PI, et al. Evidence-based (S3) guideline for the treatment of androgenetic alopecia in women and in men. *JDDG - J Ger Soc Dermatol.* 2011;9(6):1–57.
21. Stephanie A. Tatalaksana Alopesia Androgenetik. *Cdk.* 2018;45(8):582–7.
22. Legiawati L. Alopesia androgenetik. *Mdvi.* 2013;40(2):96–101.
23. Pratiwi PD, Wiryawan IS, Linawati N made. Kulit dan Menopause manifestasi dan Penatalaksanaan. *Berk Ilmu Kesehat Kulit Kelamin.* 2009;21(1):48–55.
24. Pratiwi PD, Linawati NM, Luh N, Rusyati M, Program M, Pendidikan S, et al. Peran estrogen pada wanita dengan alopesia androgenetik. *e-Jurnal Med Udayana.* 2013;2(8):1333–46.
25. Fortes C, Mastroeni S, Mannooranparampil TJ, Ribuffo M. The combination of overweight and smoking increases the severity of androgenetic alopecia. 2017;1–6.
26. Yip L, Rufaut N, Sinclair R. Role of genetics and sex steroid hormones in male androgenetic alopecia and female pattern hair loss : An update of what we now know. 2011;(November 2010):81–8.
27. Mirmirani P, Mph DMC. The impact of obesity on the folliculosebaceous unit. *J Am Dermatolo.* 2014;71(3):584–5.
28. Ahouansou S, Le Toumelin P, Crickx B, Descamps V. Association of androgenetic alopecia and hypertension. *Eur J Dermatol.* 2007;17(3):220–2.
29. Kim MW, Shin IS, Yoon HS, Cho S, Park HS. Lipid profile in patients

- with androgenetic alopecia : a meta-analysis. *J Eur Acad dermatol Venerol*. 2016;31(6):942–51.
30. Sanke S, Chander R, Jain A, Garg T, Yadav P. A comparison of the hormonal profile of early androgenetic alopecia in men with the phenotypic equivalent of polycystic ovarian syndrome in women. *JAMA Dermatol*. 2016;152(9):986–91.
 31. Alves R. Androgenetic Alopecia: a Review and Emerging Treatments. *J Clin Res Dermatol*. 2017;4(4):1–13.
 32. Ellis JA, Sinclair R, Harrap SB. Androgenetic alopecia: pathogenesis and potential for therapy. *Expert Rev Mol Med*. 2002;2002(November):1–11.
 33. Starace M, Orlando G, Alessandrini A, Piraccini BM. Female Androgenetic Alopecia: An Update on Diagnosis and Management. *Am J Clin Dermatol*. 2020;21(1):69–84.
 34. Kaliyadan F, Nambiar A, Vijayaraghavan S. Androgenetic alopecia: An update. *Indian J Dermatol Venereol Leprol*. 2013;79(5):613–25.
 35. Goren A, Naccarato T. Minoxidil in the treatment of androgenetic alopecia. *Dermatol Ther*. 2018;31(5):1–2.
 36. Design D, Suchonwanit P, Thammarucha S, Leerunyakul K. Minoxidil and its use in hair disorders: a review. *Drug Des Devel Ther*. 2019;13:2777–86.
 37. Iamsurang W, Leerunyakul K, Suchonwanit P. Finasteride and Its Potential for the Treatment of Female Pattern Hair Loss : Evidence to Date. *Drug Des Devel Ther*. 2020;14:951–9.
 38. Dinh QQ, Sinclair R. Female pattern hair loss: current treatment concepts. *Clin Interv Aging*. 2007;2(2):189–99.
 39. Smith KE, Kreder KJ. Overactive bladder in men. *Men's Heal Third Ed*. 2009;(July 2014):314–24.
 40. Whelan EA, Sandier DP, Root JL, Smith KR, Weinberg CR. Menstrual Cycle Patterns and Risk of Breast Cancer. 2018;140(12):1081–90.
 41. Minkin MJ. Menopause: Hormones, Lifestyle, and Optimizing Aging. *Obstet Gynecol Clin North Am*. 2019;46(3):501–14.
 42. Birch MP, Messenger JF, Messenger AG. Hair density , hair diameter and the prevalence of female pattern hair loss. 2010;297–304.
 43. Norwood OT, Hair L, Clinic T, City O. Incidence of Female Androgenetic Alopecia (Female Pattern Alopecia). 2010;53–4.
 44. Chiang LHN, Sue SC. Development of human geography in Taiwan in the last decade. *Japanese J Hum Geogr*. 2006;58(6):25–39.
 45. Wahyuni RS, Suarni E, Pamudji R. Hubungan Efluvium Dengan Pengguna Jilbab Di Fakultas Kedokteran Universitas Muhammadiyah Palembang. *J Mesina*. 2020;Vol. 1: p. 33-47.

46. Kutlu Ö, Metin A. Systemic dexpantenol as a novel treatment for female pattern hair loss. *J Cosmet Dermatol*. 2021;20(4):1325–30.
47. Yi Y, Li X, Jia J, Didier DNG, Qiu J, Fu J, et al. Effect of behavioral factors on severity of female pattern hair loss: An ordinal logistic regression analysis. *Int J Med Sci*. 2020;17(11):1584–8.
48. Mu Z, Yeung WJJ. Internal migration, marriage timing and assortative mating: a mixed-method study in China. *J Ethn Migr Stud*. 2020;46(14):2914–36.
49. Piérard-franchimont C, Piérard GE. Alterations in Hair Follicle Dynamics in Women. 2013;2013.
50. Singal A, Sonthalia S, Verma P. Female pattern hair loss. *Indian J Dermatol Venereol Leprol*. 2013;79(5):626–40.
51. Odhaib SA, Al Hamdi K, Mansour AA. Is There Any Association Between Clinical and Biochemical Hyperandrogenism in Women With Female Pattern Hair Loss? *Cureus*. 2020;12(11):1–19.
52. Zaki MS, Ahmed IZ. Female pattern hair loss : the relation to metabolic syndrome in premenopausal women. 2012; p.18–21.
53. Niswatin D, Agung W, Nur S, Rosida L, Studi P, Dokter P, et al. Literature Review : Hubungan Indeks Massa Tubuh (Imt) Dengan Massa Otot. : p.171–80.
54. Siah TW, Llorenia Muir-Green and JS. Female Pattern Hair Loss: A Retrospective Study in a Tertiary Referral Center. *Int J Trichology*. 2016;2(8):57–61.
55. Choi H-M, Kim S-M. Clinical Study of Patients with Female Pattern Hair Loss Over a 10-year Period. 2020;58:108–14.
56. Garg T, Mendiratta V, Yadav P, Agarwal S. Drug-induced diffuse hair loss in females: An observational study. *Astrocyte*. 2014;1(2):80.
57. Matilainen V, Laakso M, Hirsso P, Koskela P, Rajala U, Keinänen-Kiukaanniemi S. Hair loss, insulin resistance, and heredity in middle-aged women. A population-based study. *Eur J Prev Cardiol*. 2003;10(3):227–31.
58. Kim B, Choe SJ, Chung H, Oh S. Gender-specific risk factors for androgenetic alopecia in the Korean general population : Associations with medical comorbidities and general health behaviors. 2018;183–92.
59. Deo K, Sharma YK, Wadhokar M, Tyagi N. Clinicoepidemiological Observational Study of Acquired Alopecias in Females Correlating with Anemia and Thyroid Function. *Dermatol Res Pract*. 2016;2016:10–5.
60. Saeedeh, Farajzadeh, et al. Evaluation of lipid profile in women with female pattern alopecia. *Iran J Dermatol*. 2010;13:78–81.

61. Contreras F, Rivera M, Vasquez J, de la Parte MA, Velasco M. Diabetes and hypertension physiopathology and therapeutics. *J Hum Hypertens*. 2000;14(April 2014):S26–31.
62. Sinclair R, Patel M, Dawson TL, Yazdabadi A, Yip L, Perez A, et al. Hair loss in women: Medical and cosmetic approaches to increase scalp hair fullness. *Br J Dermatol*. 2011;165(3):12–8.
63. Su L, Chen L, Dds HC. Factors associated with female pattern hair loss and its prevalence in Taiwanese women: A community-based survey. *J Am Dermatol*. 2012;(17):1–9.
64. Markosyan R, Arzumanyan A. Age of Menarche and Related Factors. *Endocrinol Metab Syndr*. 2017;06(05):11–2.
65. Cela E, Robertson C, Rush K, Kousta E, White DM, Wilson H, et al. Prevalence of polycystic ovaries in women with androgenic alopecia. 2003;439–42.
66. Sinclair R, Wewerinke M, Jolley D, Sinclair R. Treatment of female pattern hair loss with oral antiandrogens. 2005;466–73.
67. Redler S, Messenger AG, Betz RC. Genetics and other factors in the aetiology of female pattern hair loss. 2017;(April):510–7.
68. Paik J, Yoon J, Sim W, Kim B, Kim N. The prevalence and types of androgenetic alopecia in Korean men and women. 2010;95–9.
69. Fatemi F, Rahmaniyan N, Vatankhah M, Hashemi F. Prevalence of androgenic alopecia in women of 20-70 years in Isfahan during 2008-2009. *J Pakistan Assoc Dermatologists*. 2010;20(2):75–8.

