

DAFTAR PUSTAKA

- [1] H. H. Park, W. S. Seo, J. S. Kim, C. Park, and J. K. Lee, "Nanomaterials for thermoelectrics," *J. Nanomater.*, vol. 2014, 2014, doi: 10.1155/2014/263080.
- [2] F. Laborda and E. Bolea, *Nanomaterials / Engineered nanomaterials*. Elsevier Inc., 2019.
- [3] Y. Lin *et al.*, "Thermoelectric Power Generation from Lanthanum Strontium Titanium Oxide at Room Temperature through the Addition of Graphene," *ACS Appl. Mater. Interfaces*, vol. 7, no. 29, pp. 15898–15908, 2015, doi: 10.1021/acsami.5b03522.
- [4] K. Koumoto *et al.*, "Thermoelectric ceramics for energy harvesting," *J. Am. Ceram. Soc.*, vol. 96, no. 1, pp. 1–23, 2013, doi: 10.1111/jace.12076.
- [5] H. A. J. L. Mourão, O. F. Lopes, C. Ribeiro, and V. R. Mastelaro, "Rapid hydrothermal synthesis and pH-dependent photocatalysis of strontium titanate microspheres," *Mater. Sci. Semicond. Process.*, vol. 30, pp. 651–657, 2015, doi: 10.1016/j.mssp.2014.09.022.
- [6] K. Nakashima, M. Kera, I. Fujii, and S. Wada, "A new approach for the preparation of SrTiO₃ nanocubes," *Ceram. Int.*, vol. 39, no. 3, pp. 3231–3234, 2013, doi: 10.1016/j.ceramint.2012.10.009.
- [7] A. A. Yaremchenko *et al.*, "Boosting Thermoelectric Performance by Controlled Defect Chemistry Engineering in Ta-Substituted Strontium Titanate," *Chem. Mater.*, vol. 27, no. 14, pp. 4995–5006, 2015, doi: 10.1021/acs.chemmater.5b01389.
- [8] M. G. Kanatzidis, "Nanostructured thermoelectrics: The new paradigm?," *Chem. Mater.*, vol. 22, no. 3, pp. 648–659, 2010, doi: 10.1021/cm902195j.
- [9] Y. E. Putri, S. M. Said, and M. Diantoro, "Nanoarchitected titanium complexes for thermal mitigation in thermoelectric materials," *Renew. Sustain. Energy Rev.*, vol. 101, no. August 2018, pp. 346–360, 2019, doi: 10.1016/j.rser.2018.10.006.
- [10] Y. E. Putri, S. M. Said, R. Refinel, M. Ohtaki, and S. Syukri, "Low Thermal Conductivity of RE-Doped SrO(SrTiO₃)_{1-x} Ruddlesden Popper Phase Bulk

- Materials Prepared by Molten Salt Method,” *Electron. Mater. Lett.*, vol. 14, no. 5, pp. 556–562, 2018, doi: 10.1007/s13391-018-0062-x.
- [11] Y. Eka Putri, R. Rahma Yanti, and D. Vanda Wellia, “Morphology-controlled synthesis of SrTiO₃ nanocube by capping agent-assisted solvothermal method,” *Molekul*, vol. 11, no. 1, pp. 25–32, 2016.
- [12] Y. Hao, X. Wang, and L. Li, “Highly dispersed SrTiO₃ nanocubes from a rapid sol-precipitation method,” *Nanoscale*, vol. 6, no. 14, pp. 7940–7946, 2014, doi: 10.1039/c4nr00171k.
- [13] R. M. Brydson and C. Hammond, “Generic Methodologies for Nanotechnology: Classification and Fabrication,” *Nanoscale Science and Technology*, pp. 1–55, 25-Feb-2005, doi: doi:10.1002/0470020873.ch1.
- [14] M. Nasrollahzadeh, S. M. Sajadi, M. Sajjadi, and Z. Issaabadi, *An Introduction to Nanotechnology*, 1st ed., vol. 28. Elsevier Ltd., 2019.
- [15] S. Bayda, M. Adeel, T. Tuccinardi, M. Cordani, and F. Rizzolio, “The history of nanoscience and nanotechnology: From chemical-physical applications to nanomedicine,” *Molecules*, vol. 25, no. 1, pp. 1–15, 2020, doi: 10.3390/molecules25010112.
- [16] M. Abdullah, Y. Virgus, Nirmin, and Khairurrijal, “Review: Sintesis Nanomaterial,” *J. Nanosains Nanoteknologi*, vol. 1, no. 2, pp. 33–57, 2008.
- [17] A. Stanulis, A. Selskis, R. Ramanauskas, A. Beganskiene, and A. Kareiva, “Low temperature synthesis and characterization of strontium stannate-titanate ceramics,” *Mater. Chem. Phys.*, vol. 130, no. 3, pp. 1246–1250, 2011, doi: 10.1016/j.matchemphys.2011.09.005.
- [18] A. G. H. Smith, *Structural and Defect Properties of Strontium Titanate*. London, 2011.
- [19] Y. E. Putri *et al.*, “Peran Capping Agent terhadap Morfologi SrTiO₃ Bulat Berongga yang Terbentuk dari Susunan Nanokubus melalui Metode Solvothermal,” *J. Kim. Val.*, vol. 5, no. 1, pp. 124–132, 2019, doi: 10.15408/jkv.v5i1.9972.
- [20] G. Sreedhar *et al.*, “A Role of Lithiated Sarcosine TFSI on The Formation of Single Crystalline SrTiO₃ Nanocubes via Hydrothermal Method,” *Mater. Lett.*, vol. 133, pp. 127–131, 2014, doi: 10.1016/j.matlet.2014.06.170.

- [21] G. Canu and V. Buscaglia, "Hydrothermal synthesis of strontium titanate: Thermodynamic considerations, morphology control and crystallisation mechanisms," *CrystEngComm*, vol. 19, no. 28, pp. 3867–3891, 2017, doi: 10.1039/c7ce00834a.
- [22] E. A. R. Assirey, "Perovskite synthesis, properties and their related biochemical and industrial application," *Saudi Pharm. J.*, vol. 27, no. 6, pp. 817–829, 2019, doi: 10.1016/j.jsps.2019.05.003.
- [23] U. Sulaeman, S. Yin, and T. Sato, "Solvothermal synthesis and photocatalytic properties of chromium-doped SrTiO₃ nanoparticles," *Appl. Catal. B Environ.*, vol. 105, no. 1–2, pp. 206–210, 2011, doi: 10.1016/j.apcatb.2011.04.017.
- [24] H. Yang, K. Kan, J. Ouyang, and Y. Li, "Solvothermal synthesis and optical properties of Mn²⁺-doped SrTiO₃ powders," *J. Alloys Compd.*, vol. 485, no. 1–2, pp. 351–355, 2009, doi: 10.1016/j.jallcom.2009.05.109.
- [25] J. Xu *et al.*, "Solvothermal synthesis nitrogen doped SrTiO₃ with high visible light photocatalytic activity," *Ceram. Int.*, vol. 40, no. 7 PART B, pp. 10583–10591, 2014, doi: 10.1016/j.ceramint.2014.03.037.
- [26] N. H. Park, F. Dang, C. Wan, W. S. Seo, and K. Koumoto, "Self-originating two-step synthesis of core-shell structured La-doped SrTiO₃ nanocubes," *J. Asian Ceram. Soc.*, vol. 1, no. 1, pp. 35–40, 2013, doi: 10.1016/j.jascer.2013.02.004.
- [27] H. Bantawal, U. S. Shenoy, and D. K. Bhat, "Vanadium-Doped SrTiO₃ Nanocubes: Insight into role of vanadium in improving the photocatalytic activity," *Appl. Surf. Sci.*, vol. 513, no. February, p. 145858, 2020, doi: 10.1016/j.apsusc.2020.145858.
- [28] D. Park, H. Ju, and J. Kim, "One-pot fabrication of Ag–SrTiO₃ nanocomposite and its enhanced thermoelectric properties," *Ceram. Int.*, vol. 45, no. 14, pp. 16969–16975, 2019, doi: 10.1016/j.ceramint.2019.05.245.
- [29] F. Azough *et al.*, "Self-Nanostructuring in SrTiO₃: A Novel Strategy for Enhancement of Thermoelectric Response in Oxides," *ACS Appl. Mater. Interfaces*, vol. 11, no. 36, pp. 32833–32843, 2019, doi: 10.1021/acsami.9b06483.

- [30] V. M. Arole and S. V Munde, "Fabrication of Nanomaterials Top-Down and Bottom-Up Approaches - An Overview," *JAASTMaterial Sci. (Special Issue)*, vol. 1, no. 2, pp. 2–89, 2014.
- [31] S. J. Cho, M. J. Uddin, and P. Alaboina, *Review of Nanotechnology for Cathode Materials in Batteries*. Elsevier Inc., 2017.
- [32] K. Nakashima, Y. Toshima, Y. Kobayashi, and M. Kakihana, "Effects of raw materials on NaNbO_3 nanocube synthesis via the solvothermal method," *J. Asian Ceram. Soc.*, vol. 7, no. 1, pp. 36–41, 2019, doi: 10.1080/21870764.2018.1559913.
- [33] S. . Dann, *Reaction and Characterization of Solids*, vol. 53, no. 9. 2000.
- [34] S. Ahda, Mardiyanto, and A. Mahyudin, "Aplikasi metode molten salt untuk sintesis bahan piezoelektrik $\text{Bi}_{0,5}(\text{Na}_{0,75}\text{K}_{0,25})_{0,5}\text{TiO}_3$," *J Sci Mater Ina*, vol. 4, no. 14, pp. 284 – 289, 2013.
- [35] K. Byrappa, N. Keerthiraj, and S. M. Byrappa, *Hydrothermal Growth of Crystals-Design and Processing*, Second Edi., vol. 2. Elsevier B.V., 2015.
- [36] M. Aliofkhazraei, "Handbook of nanoparticles," *Handb. Nanoparticles*, no. February 2018, pp. 1–1426, 2015, doi: 10.1007/978-3-319-15338-4.
- [37] Y. E. Putri, "Study on $(\text{Bi}_{1-y}\text{ByS})_n(\text{Ti}_{1-x}\text{AxS}_2)_2$ Misfit Layer Sulfide as a Novel Thermoelectric Material," 2013.
- [38] Ryanuargo, S. Anwar, and S. P. Sari, "Generator Mini dengan Prinsip Termoelektrik dari Uap Panas Kondensor pada Sistem Pendingin," *J. Rekayasa Elektr.*, vol. 10, no. 4, pp. 180–185, 2014, doi: 10.17529/jre.v10i4.1108.
- [39] J. He, Y. Liu, and R. Funahashi, "Oxide Thermoelectrics: The Challenges, Progress, and Outlook," *J. Mater. Res.*, vol. 26, no. 15, pp. 1762–1772, 2011, doi: 10.1557/jmr.2011.108.
- [40] L. M. Daniels *et al.*, "Phonon-glass electron-crystal behaviour by A site disorder in n-type thermoelectric oxides," *Energy Environ. Sci.*, vol. 10, no. 9, pp. 1917–1922, 2017, doi: 10.1039/c7ee01510k.
- [41] C. Gayner and K. K. Kar, "Recent advances in thermoelectric materials," *Prog. Mater. Sci.*, vol. 83, pp. 330–382, 2016, doi: 10.1016/j.pmatsci.2016.07.002.

- [42] P. P. Shang, B. P. Zhang, Y. Liu, J. F. Li, and H. M. Zhu, "Preparation and thermoelectric properties of La-doped SrTiO₃ ceramics," *J. Electron. Mater.*, vol. 40, no. 5, pp. 926–931, 2011, doi: 10.1007/s11664-010-1452-5.
- [43] X. Li *et al.*, "Synthesis and properties of Y-doped SrTiO₃ as an anode material for SOFCs," *J. Power Sources*, vol. 166, no. 1, pp. 47–52, 2007, doi: 10.1016/j.jpowsour.2007.01.008.
- [44] P. P. Shang, B. P. Zhang, J. F. Li, and N. Ma, "Effect of sintering temperature on thermoelectric properties of La-doped SrTiO₃ ceramics prepared by sol-gel process and spark plasma sintering," *Solid State Sci.*, vol. 12, no. 8, pp. 1341–1346, 2010, doi: 10.1016/j.solidstatesciences.2010.05.005.
- [45] F. Dang, C. Wan, N. Park, K. Tsuruta, W. Seo, and K. Koumoto, "Thermoelectric Performance of SrTiO₃ Enhanced by Nanostructuring □ Self-Assembled Particulate Film of Nanocubes," pp. 10933–10937, 2013.
- [46] M. T. Buscaglia *et al.*, "Effect of nanostructure on the thermal conductivity of La-doped SrTiO₃ ceramics," *J. Eur. Ceram. Soc.*, vol. 34, no. 2, pp. 307–316, 2014, doi: 10.1016/j.jeurceramsoc.2013.08.009.
- [47] N. Wang, H. He, Y. Ba, C. Wan, and K. Koumoto, "Thermoelectric properties of Nb-doped SrTiO₃ ceramics enhanced by potassium titanate nanowires addition," *J. Ceram. Soc. Japan*, vol. 118, no. 1383, pp. 1098–1101, 2010, doi: 10.2109/jcersj2.118.1098.
- [48] A. E. Danks, S. R. Hall, and Z. Schnepp, "The evolution of 'sol-gel' chemistry as a technique for materials synthesis," *Mater. Horizons*, vol. 3, no. 2, pp. 91–112, 2016, doi: 10.1039/c5mh00260e.
- [49] R. I. Walton, "Solvothermal synthesis of cerium oxides," *Prog. Cryst. Growth Charact. Mater.*, vol. 57, no. 4, pp. 93–108, 2011, doi: 10.1016/j.pcrysgrow.2011.10.002.
- [50] Y. Zhao, Y. Yu, and F. Gao, "InP nanowires synthesized via solvothermal process with CTAB assisted," *J. Cryst. Growth*, vol. 371, pp. 148–154, 2013, doi: 10.1016/j.jcrysgro.2013.02.018.
- [51] H. Xu, S. Q. Wei, H. Wang, M. K. Zhu, R. Yu, and H. Yan, "Preparation of shape controlled SrTiO₃ crystallites by sol-gel-hydrothermal method," *J. Cryst. Growth*, vol. 292, no. 1, pp. 159–164, 2006, doi:

10.1016/j.jcrysgr.2006.04.089.

- [52] F. A. Rabuffetti *et al.*, “Synthesis-dependent first-order Raman scattering in SrTiO₃ nanocubes at room temperature,” *Chem. Mater.*, vol. 20, no. 17, pp. 5628–5635, 2008, doi: 10.1021/cm801192t.
- [53] Z. Zheng, B. Huang, X. Qin, X. Zhang, and Y. Dai, “Facile synthesis of SrTiO₃ hollow microspheres built as assembly of nanocubes and their associated photocatalytic activity,” *J. Colloid Interface Sci.*, vol. 358, no. 1, pp. 68–72, 2011, doi: 10.1016/j.jcis.2011.02.032.
- [54] F. Dang *et al.*, “Growth of monodispersed SrTiO₃ nanocubes by thermohydrolysis method,” *CrystEngComm*, vol. 13, no. 11, pp. 3878–3883, 2011, doi: 10.1039/c1ce05296a.
- [55] S. T. Huang, W. W. Lee, J. L. Chang, W. S. Huang, S. Y. Chou, and C. C. Chen, “Hydrothermal synthesis of SrTiO₃ nanocubes: Characterization, photocatalytic activities, and degradation pathway,” *J. Taiwan Inst. Chem. Eng.*, vol. 45, no. 4, pp. 1927–1936, 2014, doi: 10.1016/j.jtice.2014.02.003.
- [56] Y. Liu, Q. Qian, J. Li, X. Zhu, M. Zhang, and T. Zhang, “Photocatalytic properties of SrTiO₃ nanocubes synthesized through molten salt modified Pechini route,” *J. Nanosci. Nanotechnol.*, vol. 16, no. 12, pp. 12321–12325, 2016, doi: 10.1166/jnn.2016.12979.
- [57] S. Shahabuddin *et al.*, “Polyaniline-SrTiO₃ nanocube based binary nanocomposite as highly stable electrode material for high performance supercapattery,” *Ceram. Int.*, vol. 45, no. 9, pp. 11428–11437, 2019, doi: 10.1016/j.ceramint.2019.03.009.
- [58] M. Govindasamy, S. F. Wang, W. C. Pan, B. Subramanian, R. J. Ramalingam, and H. Al-lohedan, “Facile sonochemical synthesis of perovskite-type SrTiO₃ nanocubes with reduced graphene oxide nanocatalyst for an enhanced electrochemical detection of α -amino acid (tryptophan),” *Ultrason. Sonochem.*, vol. 56, no. April, pp. 193–199, 2019, doi: 10.1016/j.ultsonch.2019.04.004.
- [59] S. Wan, M. Chen, M. Ou, and Q. Zhong, “Plasmonic Ag nanoparticles decorated SrTiO₃ nanocubes for enhanced photocatalytic CO₂ reduction and H₂ evolution under visible light irradiation,” *J. CO₂ Util.*, vol. 33, no. June,

- pp. 357–364, 2019, doi: 10.1016/j.jcou.2019.06.024.
- [60] X. Lin, “Synthesis and Characterization of Self-assembled Perovskite Oxide Nanocubes for Resistive Random Access Memory Applications,” no. May, 2013.
- [61] J. Lai, W. Niu, R. Luque, and G. Xu, “Solvothermal synthesis of metal nanocrystals and their applications,” *Nano Today*, vol. 10, no. 2, pp. 240–267, 2015, doi: 10.1016/j.nantod.2015.03.001.
- [62] K. Kato *et al.*, “BaTiO₃ nanocube and assembly to ferroelectric supracrystals,” *J. Mater. Res.*, vol. 28, no. 21, pp. 2932–2945, 2013, doi: 10.1557/jmr.2013.299.
- [63] Z. M. Sui *et al.*, “Capping effect of CTAB on positively charged Ag nanoparticles,” *Phys. E Low-Dimensional Syst. Nanostructures*, vol. 33, no. 2, pp. 308–314, 2006, doi: 10.1016/j.physe.2006.03.151.
- [64] E. Yuliantika and F. Ui, “Studi Pendahuluan Oksidasi Katalis Miselar Stirena menjadi Benzaldehida menggunakan sol Ti(OH)₄ sebagai Katalis,” 2009.
- [65] Y. Sun and Y. Xia, “Shape-Controlled Synthesis of Gold and Silver Nanoparticles,” vol. 298, no. December, pp. 2176–2180, 2002.
- [66] T. Kimijima, K. Kanie, M. Nakaya, and A. Muramatsu, “Solvothermal synthesis of SrTiO₃ nanoparticles precisely controlled in surface crystal planes and their photocatalytic activity,” *Appl. Catal. B Environ.*, vol. 144, pp. 462–467, 2014, doi: 10.1016/j.apcatb.2013.07.051.
- [67] D. Kritiyani, eko budi Susatyo, and agung tri Prasetya, “PEMANFAATAN ZEOLIT ABU SEKAM PADI UNTUK MENURUNKAN KADAR ION Pb²⁺ PADA AIR SUMUR,” *Indones. J. Chem. Sci.*, vol. 1, no. 1, 2012.
- [68] Q. Ma, K. I. Mimura, and K. Kato, “Diversity in size of barium titanate nanocubes synthesized by a hydrothermal method using an aqueous Ti compound,” *CrystEngComm*, vol. 16, no. 36, pp. 8398–8405, 2014, doi: 10.1039/c4ce01195c.
- [69] Q. Ma, K. I. Mimura, and K. Kato, “Diversity in size of barium titanate nanocubes synthesized by a hydrothermal method using an aqueous Ti compound,” *CrystEngComm*, vol. 16, no. 36, pp. 8398–8405, 2014, doi:

10.1039/c4ce01195c.

- [70] V. Kalyani *et al.*, “Hydrothermal Synthesis of SrTiO₃: Role of Interfaces,” *Cryst. Growth Des.*, vol. 15, no. 12, pp. 5712–5725, 2015, doi: 10.1021/acs.cgd.5b00770.
- [71] P. C. Sadek, *The HPLC Solvent Guide 2nd Edition*. 2004.
- [72] P. Zhang, S. Yin, and T. Sato, “Synthesis of high-activity TiO₂ photocatalyst via environmentally friendly and novel microwave assisted hydrothermal process,” *Appl. Catal. B Environ.*, vol. 89, no. 1–2, pp. 118–122, 2009, doi: 10.1016/j.apcatb.2008.12.002.
- [73] T. H. Wang, A. M. Navarrete-López, S. Li, D. A. Dixon, and J. L. Gole, “Hydrolysis of TiCl₄: Initial steps in the production of TiO₂,” *J. Phys. Chem. A*, vol. 114, no. 28, pp. 7561–7570, 2010, doi: 10.1021/jp102020h.
- [74] J. Wei, A. Ostadhossein, S. Li, and M. Ihme, “Kinetics for the hydrolysis of Ti(OC₃H₇)₄: A molecular dynamics simulation study,” *Proc. Combust. Inst.*, vol. 000, pp. 1–8, 2020, doi: 10.1016/j.proci.2020.06.345.
- [75] K. G. Knauss, M. J. Dibley, W. L. Bourcier, and H. F. Shaw, “Ti(IV) hydrolysis constants derived from rutile solubility measurements made from 100 to 300°C,” *Appl. Geochemistry*, vol. 16, no. 9–10, pp. 1115–1128, 2001, doi: 10.1016/S0883-2927(00)00081-0.
- [76] S. Almajdalawi, “Solvothetmal Synthesis of Advanced Composite Materials Solvotermální syntéza pokročilých kompozitních,” pp. 1–194, 2012.
- [77] M. Mirhosseini, A. Rezania, L. Rosendahl, and B. B. Iversen, “Effect of Thermal Cycling on Zinc Antimonide Thin Film Thermoelectric Characteristics,” *Energy Procedia*, vol. 142, pp. 519–524, 2017, doi: 10.1016/j.egypro.2017.12.081.
- [78] M. M. Lencka and R. E. Riman, “Thermodynamic Modeling of Hydrothermal Synthesis of,” *Chem. Mater.*, vol. 1, no. 8, pp. 61–70, 1993.
- [79] G. Nawaratna, R. Lacey, and S. D. Fernando, “Effect of hydrocarbon tail-groups of transition metal alkoxide based amphiphilic catalysts on transesterification,” *Catal. Sci. Technol.*, vol. 2, no. 2, pp. 364–372, 2012, doi: 10.1039/c1cy00397f.
- [80] Y. Abate, A. Schwartzberg, D. Strasser, and S. R. Leone, “Nanometer-Scale

Size Dependent Imaging of Cetyl Trimethyl Ammonium Bromide (CTAB) Capped and Uncapped Gold Nanoparticles by Apertureless Near-Field Optical Microscopy,” *Chem. Phys. Lett.*, vol. 474, no. 1–3, pp. 146–152, 2009, doi: 10.1016/j.cplett.2009.04.026.

- [81] S. S. Florence, R. John, D. L. Arockiasamy, and M. Umadevi, “Structural, morphological and optical properties of CTAB capped ZnSe nanoflakes,” *Mater. Lett.*, vol. 86, pp. 129–131, 2012, doi: 10.1016/j.matlet.2012.07.057.
- [82] B. L. Phoon, C. W. Lai, J. C. Juan, P. L. Show, and W. H. Chen, “A review of synthesis and morphology of SrTiO₃ for energy and other applications,” *Int. J. Energy Res.*, vol. 43, no. 10, pp. 5151–5174, 2019, doi: 10.1002/er.4505.
- [83] K. Koumoto, Y. Wang, R. Zhang, A. Kosuga, and R. Funahashi, “Oxide thermoelectric materials: A nanostructuring approach,” *Annu. Rev. Mater. Res.*, vol. 40, pp. 363–394, 2010, doi: 10.1146/annurev-matsci-070909-104521.
- [84] Syukri *et al.*, “Jurnal Kimia Universitas Andalas,” *J. Kim. Univ. Andalas*, vol. 4, no. 2303–3401, 2015.
- [85] R. Z. Zhang and K. Koumoto, “Grain-size-dependent thermoelectric properties of SrTiO₃ 3D superlattice ceramics,” *J. Electron. Mater.*, vol. 42, no. 7, pp. 1568–1572, 2013, doi: 10.1007/s11664-012-2324-y.

