

DAFTAR PUSTAKA

- Aharwal, R. P., Kumar, S., & Sandhu, S. S. (2016). Endophytic mycoflora as a source of biotherapeutic compounds for disease treatment. *Journal of Applied Pharmaceutical Science*, 6(10), 242–254.
- Al-Naggar, R. A. (2013). *Principles and Practice of Cancer Prevention and Control*.
- Bahuguna, A., Khan, I., Bajpai, V. K., & Kang, S. C. (2017). MTT assay to evaluate the cytotoxic potential of a drug. *Bangladesh Journal of Pharmacology*, 12(2), Online-Apr.
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R. L., Torre, L. A., & Jemal, A. (2018). Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: A Cancer Journal for Clinicians*, 68(6), 394–424.
- Bunting, P., Rosenqvist, A., Lucas, R., Rebelo, L.-M., Hilarides, L., Thomas, N., Hardy, A., Itoh, T., Shimada, M., & Finlayson, C. (2018). The global mangrove watch—a new 2010 global baseline of mangrove extent. *Remote Sensing*, 10(10), 1669.
- Calò, L., Fornelli, F., Ramires, R., Nenna, S., Tursi, A., Caiaffa, M. F., & Macchia, L. (2004). Cytotoxic effects of the mycotoxin beauvericin to human cell lines of myeloid origin. *Pharmacological Research*, 49(1), 73–77.
- Cheng, Z., Pan, J.-H., Tang, W., Chen, Q., & Lin, Y. (2009). Biodiversity and biotechnological potential of mangrove-associated fungi. *Journal of Forestry Research*, 20(1), 63–72.
- Cheng, Z., Tang, W., Su, Z., Cai, Y., Sun, S., Chen, Q., Wang, F., Lin, Y., She, Z., & Vrijmoed, L. L. P. (2008). Identification of mangrove endophytic fungus 1403 (*Fusarium proliferatum*) based on morphological and molecular evidence. *Journal of Forestry Research*, 19(3), 219.
- Cojocaru, S. I., Stan, M. S., Anton, M., Luca, M. R., Ghiorghita, G., Stoian, G., & Dinischiotu, A. (2016). The cytotoxic activity of sanguinarine in C32 human amelanotic melanoma cells. *Turkish Journal of Biology*, 40(1), 130–138.
- Dachriyanus, D. (2004). Analisis Struktur Senyawa Organik Secara Spektroskopi. *LPTIK Universitas Andalas*.
- Dame, Z. T., Silima, B., Gryzenhout, M., & van Ree, T. (2016). Bioactive compounds from the endophytic fungus *Fusarium proliferatum*. *Natural Product Research*, 30(11), 1301–1304.
- Ferrer, E., Juan-García, A., Font, G., & Ruiz, M. J. (2009). Reactive oxygen species induced by beauvericin, patulin and zearalenone in CHO-K1 cells.

- Toxicology in Vitro*, 23(8), 1504–1509.
- Fessenden, R. J., & Fessenden, J. S. (1982). Organic Chemistry.-Willard Grant Press. *Boston, Mass.*
- Gandjar, I. G. & Rohman, A. (2013). *Analisis Obat Secara Spektrofotometri dan Kromatografi*. Pustaka Pelajar.
- Gottesman, M. M. (2002). Mechanisms of cancer drug resistance. *Annual Review of Medicine*, 53(1), 615–627.
- Hagimori, K., Fukuda, T., Hasegawa, Y., Ōmura, S., & Tomoda, H. (2007). Fungal malformins inhibit bleomycin-induced G2 checkpoint in Jurkat cells. *Biological and Pharmaceutical Bulletin*, 30(8), 1379–1383.
- Hamill, R. L., Higgens, C. E., Boaz, H. E., & Gorman, M. (1969). The structure of beauvericin, a new depsipeptide antibiotic toxic to Artemia salina. *Tetrahedron Letters*, 10(49), 4255–4258.
- Herdiyeni, Y., Zuhud, E. A. M., & Heryanto, R. (2014). Pembangunan database mangrove untuk biodiversity informatics biofarmaka IPB. *Jurnal Ilmu Pertanian Indonesia*, 19(3), 197–203.
- Jow, G.-M., Chou, C.-J., Chen, B.-F., & Tsai, J.-H. (2004). Beauvericin induces cytotoxic effects in human acute lymphoblastic leukemia cells through cytochrome c release, caspase 3 activation: the causative role of calcium. *Cancer Letters*, 216(2), 165–173.
- Kalaiselvam, M. (2015). Marine fungal diversity and bioprospecting. In *Springer Handbook of Marine Biotechnology* (pp. 13–25). Springer.
- Kemenkes RI. (2018). *Hasil Utama Riskesdas 2018*.
- Keydar, I., Chen, L., Karby, S., Weiss, F. R., Delarea, J., Radu, M., Chaitcik, S., & Brenner, H. J. (1979). Establishment and characterization of a cell line of human breast carcinoma origin. *European Journal of Cancer* (1965), 15(5), 659–670.
- Kjer, J., Debbab, A., Aly, A. H., & Proksch, P. (2010). Methods for isolation of marine-derived endophytic fungi and their bioactive secondary products. *Nature Protocols*, 5(3), 479.
- Kumara, P. M., Zuehlke, S., Priti, V., Ramesha, B. T., Shweta, S., Ravikanth, G., Vasudeva, R., Santhoshkumar, T. R., Spiteller, M., & Shaanker, R. U. (2012). Fusarium proliferatum, an endophytic fungus from Dysoxylum binectariferum Hook. f, produces rohitukine, a chromane alkaloid possessing anti-cancer activity. *Antonie Van Leeuwenhoek*, 101(2), 323–329.
- Laura, I. (2019). Kajian Aktivitas Sitotoksik Ekstrak Etil Asetat Jamur Endofit Tanaman Mangrove Lampeni (*Ardisia elliptica* Thunb) dengan Metode Brine

Shrimp Lethality Test (BSLT). *Skripsi.*

- Lin, H.-I., Lee, Y.-J., Chen, B.-F., Tsai, M.-C., Lu, J.-L., Chou, C.-J., & Jow, G.-M. (2005). Involvement of Bcl-2 family, cytochrome c and caspase 3 in induction of apoptosis by beauvericin in human non-small cell lung cancer cells. *Cancer Letters*, 230(2), 248–259.
- Lu, C.-L., Lin, H.-I., Chen, B.-F., & Jow, G.-M. (2016). Beauvericin-induced cell apoptosis through the mitogen-activated protein kinase pathway in human nonsmall cell lung cancer A549 cells. *The Journal of Toxicological Sciences*, 41(3), 429–437.
- Meyer, B. N., Ferrigni, N. R., Putnam, J. E., Jacobsen, L. B., Nichols, D. E. j., & McLaughlin, J. L. (1982). Brine shrimp: a convenient general bioassay for active plant constituents. *Planta Medica*, 45(05), 31–34.
- Moretti, A., Logrieco, A., Bottalico, A., Ritieni, A., & Randazzo, G. (1994). Production of beauvericin by *Fusarium proliferatum* from maize in Italy. *Mycotoxin Research*, 10(2), 73–78.
- Nilanonta, C., Isaka, M., Kittakoop, P., Trakulnaleamsai, S., Tanticharoen, M., & Thebtaranonth, Y. (2002). Precursor-directed biosynthesis of beauvericin analogs by the insect pathogenic fungus *Paecilomyces tenuipes* BCC 1614. *Tetrahedron*, 58(17), 3355–3360.
- Plattner, R. D., & Nelson, P. E. (1994). Production of beauvericin by a strain of *Fusarium proliferatum* isolated from corn fodder for swine. *Appl. Environ. Microbiol.*, 60(10), 3894–3896.
- Pretsch, E., Clerc, T., Seibl, J., & Simon, W. (1989). *UV/VIS BT - Tables of Spectral Data for Structure Determination of Organic Compounds* (E. Pretsch, T. Clerc, J. Seibl, & W. Simon (eds.); pp. 357–387). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-662-10207-7_8
- Prosperini, A., Meca, G., Font, G., & Ruiz, M. J. (2012). Study of the cytotoxic activity of beauvericin and fusaproliferin and bioavailability in vitro on Caco-2 cells. *Food and Chemical Toxicology*, 50(7), 2356–2361.
- Ruddon, R. W. (2007). *Cancer biology*. Oxford University Press.
- Santini, A., Ritieni, A., Fogliano, V., Randazzo, G., Mannina, L., Logrieco, A., & Benedetti, E. (1996). Structure and absolute stereochemistry of fusaproliferin, a toxic metabolite from *Fusarium proliferatum*. *Journal of Natural Products*, 59(2), 109–112.
- Sarah, Q. S., Anny, F. C., & Mir, M. (2017). Brine shrimp lethality assay. *Bangladesh Journal of Pharmacology*, 12(2), 186–189.
- Silva, G. L., Lee, I.-S., & Kinghorn, A. D. (1998). Special problems with the extraction of plants. In *Natural Products Isolation* (pp. 343–363). Springer.

- Silverstein, R. M., Webster, F. X., Kiemle, D. J. (2005). *Spectrometric Identification of Organic Compounds 7th ed.* (7th ed.). John Wiley & Sons, Inc.
- Sridhar, K. R. (2004). Mangrove fungi in India. *Current Science*, 86(12), 1586.
- Taevernier, L., Wynendaele, E., Gevaert, B., & De Spiegeleer, B. (2017). Chemical classification of cyclic depsipeptides. *Current Protein and Peptide Science*, 18(5), 425–452.
- Tedjiotsop Feudjio, F., Dornetshuber, R., Lemmens, M., Hoffmann, O., Lemmens-Gruber, R., & Berger, W. (2010). Beauvericin and enniatin: emerging toxins and/or remedies? *World Mycotoxin Journal*, 3(4), 415–430.
- Tian, J., Han, J., Zhang, X., He, L., Zhang, Y., Bao, L., & Liu, H. (2016). New Cyclohexadepsipeptides from an Entomogenous Fungus *Fusarium proliferatum* and Their Cytotoxicity and Autophagy-Inducing Activity. *Chemistry & Biodiversity*, 13(7), 852–860.
- Van Meerloo, J., Kaspers, G. J. L., & Cloos, J. (2011). Cell sensitivity assays: the MTT assay. In *Cancer cell culture* (pp. 237–245). Springer.
- VanderMolen, K. M., Raja, H. A., El-Elimat, T., & Oberlies, N. H. (2013). Evaluation of culture media for the production of secondary metabolites in a natural products screening program. *Amb Express*, 3(1), 71.
- Wang, Q., & Xu, L. (2012). Beauvericin, a bioactive compound produced by fungi: a short review. *Molecules*, 17(3), 2367–2377.
- Wang, X.-J., Min, C.-L., Ge, M., & Zuo, R.-H. (2014). An endophytic sanguinarine-producing fungus from *Macleaya cordata*, *Fusarium proliferatum* BLH51. *Current Microbiology*, 68(3), 336–341.
- Waskiewicz, A., Golinski, P., Karolewski, Z., Irzykowska, L., Bocianowski, J., Kostecki, M., & Weber, Z. (2010). Formation of fumonisins and other secondary metabolites by *Fusarium oxysporum* and *F. proliferatum*: a comparative study. *Food Additives and Contaminants*, 27(5), 608–615.
- Williams, D. H., & Fleming, I. (1995). *Spectroscopic methods in organic chemistry*. McGraw-Hill.
<http://books.google.com/books?id=3IJCAQAAIAAJ>
- Wu, S.-N., Chen, H., Liu, Y.-C., & Chiang, H.-T. (2002). Block of L-type Ca²⁺ current by beauvericin, a toxic cyclopeptide, in the NG108-15 neuronal cell line. *Chemical Research in Toxicology*, 15(6), 854–860.
- Xiong, Z.-Q., Yang, Y.-Y., Zhao, N., & Wang, Y. (2013). Diversity of endophytic fungi and screening of fungal paclitaxel producer from Anglojap yew, *Taxus x media*. *BMC Microbiology*, 13(1), 71.

Xu, Y., Zhan, J., Wijeratne, E. M. K., Burns, A. M., Gunatilaka, A. A. L., & Molnár, I. (2007). Cytotoxic and antihaptotactic beauvericin analogues from precursor-directed biosynthesis with the insect pathogen Beauveria bassiana ATCC 7159. *Journal of Natural Products*, 70(9), 1467–1471.

Zhan, J., Burns, A. M., Liu, M. X., Faeth, S. H., & Gunatilaka, A. A. L. (2007). Search for cell motility and angiogenesis inhibitors with potential anticancer activity: beauvericin and other constituents of two endophytic strains of Fusarium oxysporum. *Journal of Natural Products*, 70(2), 227–232.

Zhang, H., Ruan, C., Bai, X., Zhang, M., Zhu, S., & Jiang, Y. (2016). Isolation and identification of the antimicrobial agent beauvericin from the endophytic Fusarium oxysporum 5-19 with NMR and ESI-MS/MS. *BioMed Research International*, 2016.

Zhang, Q.-W., Lin, L.-G., & Ye, W.-C. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *Chinese Medicine*, 13(1), 20.

Zhao, J., Fu, Y., Luo, M., Zu, Y., Wang, W., Zhao, C., & Gu, C. (2012). Endophytic fungi from pigeon pea [Cajanus cajan (L.) Millsp.] produce antioxidant cajaninstilbene acid. *Journal of Agricultural and Food Chemistry*, 60(17), 4314–4319.

