

DAFTAR KEPUSTAKAAN

- Aghaei, S. *et al.* (2004) "DLQ1 scores in vitiligo: Reliability and validity of the Persian version," *BMC Dermatology*, 4, hal. 1–5. doi: 10.1186/1471-5945-4-8.
- Ahmad, N. *et al.* (2012) "Biological role of *Piper nigrum* L. (Black pepper): A review," *Asian Pacific Journal of Tropical Biomedicine*, 2(3 SUPPL.), hal. S1945–S1953. doi: 10.1016/S2221-1691(12)60524-3.
- AlGhamdi, K., Kumar, A. dan Moussa, N. (2013) "The role of vitamin D in melanogenesis with an emphasis on vitiligo," *Indian Journal of Dermatology, Venereology and Leprology*, 79(6), hal. 750–758. doi: 10.4103/0378-6323.120720.
- Alghamdi, K. M. *et al.* (2012) "Assessment methods for the evaluation of vitiligo," *Journal of the European Academy of Dermatology and Venereology*. doi: 10.1111/j.1468-3083.2012.04505.x.
- Ali, S. M. dan Yosipovitch, G. (2013) "Skin pH: From basic science to basic skin care," *Acta Dermato-Venereologica*, 93(3), hal. 261–267. doi: 10.2340/00015555-1531.
- Anurogo, D. dan Ikrar, T. (2014) "Vitiligo," *Cermin Dunia Kedokteran*, 41, hal. 666–750.
- Ariviani, S. *et al.* (2015) "Formulasi Dan Stabilitas Mikroemulsi O/W Dengan Metode Emulsifikasi Spontan Menggunakan Vco Dan Minyak Sawit Sebagai Fase Minyak: Pengaruh Rasio Surfaktan-Minyak," *Jurnal Agritech*, 35(01), hal. 27. doi: 10.22146/agritech.9416.
- Ashour, E. A. *et al.* (2016) "Hot melt extrusion as an approach to improve solubility, permeability and oral absorption of a psychoactive natural product, piperine," *Journal of Pharmacy and Pharmacology*, hal. 989–998. doi: 10.1111/jphp.12579.
- Astuti, K. W., Sumirtapura, Y. C. dan S., N. N. W. (2012) "DIFUSI NATRIUM DIKLOFENAK DALAM GEL METHOCEL 400 PADA BERBAGAI pH," *ISSN 1907-9850*, hal. 17–22.
- Badmaev, V., Majeed, M. dan Norkus, E. P. (1999) "Piperine, an alkaloid derived from black pepper increases serum response of beta-carotene during 14-days of oral beta-carotene supplementation," *Nutrition Research*, 19(3), hal. 381–388. doi:

10.1016/S0271-5317(99)00007-X.

Bartosova, L. dan Bajgar, J. (2012) “Transdermal Drug Delivery In Vitro Using Diffusion Cells,” *Current Medicinal Chemistry*, 19(27), hal. 4671–4677. doi: 10.2174/092986712803306358.

Baschong, W. *et al.* (2005) *NanotopeTM: A Novel Ultra-Small Unilamellar Carrier System for Cosmetic Actives, Delivery System Handbook for Personal Care and Cosmetic Products: Technology, Applications and Formulations*. William Andrew Inc. doi: 10.1016/B978-081551504-3.50023-7.

Benson, H. A. E. dan Watkinson, A. C. (2012) *Transdermal and Topical Drug Delivery: Principles and Practice*, *Transdermal and Topical Drug Delivery: Principles and Practice*. doi: 10.1002/9781118140505.

Bilal, A. dan Anwar, I. (2014) “Guidelines for the management of Vitiligo,” *Journal of Pakistan Association of Dermatologists*, 24(1), hal. 68–78.

Boc Sciences (2020) *Piperine*, *Boc Sciences*. Tersedia pada: <https://www.bocsci.com/product/piperine-cas-94-62-2-291161.html?nid=31>.

Bolton, S. dan Bon, C. (2003) *Pharmaceutical statistics: Practical and clinical applications, fourth edition, revised and expanded*, *Pharmaceutical Statistics: Practical and Clinical Applications, Fourth Edition, Revised and Expanded*.

Choi, D., Isedeh, P. dan Hamzavi, I. (2014) “Vitiligo: a review of the pathogenesis,” *Journal of the Egyptian Women’s Dermatologic Society*, 11(3), hal. 145–158. doi: 10.1097/01.EWX.0000450307.76457.a3.

Ciba Specialty Chemicals Inc. (tanpa tanggal) “Ciba® TINODERMTM,” *Ciba Specialty Chemicals*, hal. 1–20.

Damayanti, H., Wikarsa, S. dan Jafar, G. (2019) “FORMULASI NANOEMULGEL EKSTRAK KULIT MANGGIS (*Garcinia Mangostana* L.),” *Jurnal Riset Kefarmasian Indonesia*, 1(3), hal. 166–176. doi: 10.33759/jrki.v1i3.53.

Darmojo, B. *et al.* (2016) “Perpustakaan Universitas Indonesia >> Buku Teks,” *International Journal of Adolescence and Youth*, 3(1), hal. 27–39.

Dash, S. *et al.* (2010) “Kinetic modeling on drug release from controlled drug delivery systems,” *Acta Poloniae Pharmaceutica - Drug Research*, 67(3), hal. 217–223.

Departemen Kesehatan Republik Indonesia (2014) *Farmakope Indonesia Edisi V, Direktorat Jenderal Pengawasan Obat dan Makanan*. Direktorat Jenderal Pengawasan Obat dan Makanan. Tersedia pada: ???

Elsayed, M. M. A. *et al.* (2007) “Lipid vesicles for skin delivery of drugs: Reviewing three decades of research,” *International Journal of Pharmaceutics*, 332(1–2), hal. 1–16. doi: 10.1016/j.ijpharm.2006.12.005.

Faas, L. *et al.* (2008) “In vivo evaluation of piperine and synthetic analogues as potential treatments for vitiligo using a sparsely pigmented mouse model,” *Clinical and Laboratory Investigations*, hal. 941–950. doi: 10.1111/j.1365-2133.2008.08464.x.

Feily, A. (2014) “Vitiligo Extent Tensity Index (VETI) score: a new definition, assessment and treatment evaluation criteria in vitiligo,” *Dermatology Practical & Conceptual*, 4(5), hal. 81–84. doi: 10.5826/dpc.0404a18.

Gauthier, Y. dan Benzekri, L. (2010) “Historical aspects,” in *Vitiligo*. doi: 10.1007/978-3-540-69361-1_1.

Gawkrodger, D. J. *et al.* (2008) “Guideline for the diagnosis and management of vitiligo,” *British Journal of Dermatology*. doi: 10.1111/j.1365-2133.2008.08881.x.

Georg, H. dan Ag, V. (2006) “Ep 0 956 851 b1 (12),” 99(19), hal. 1–19.

Gigliobianco, M. R. *et al.* (2018) “Nanocrystals of poorly soluble drugs: Drug bioavailability and physicochemical stability,” *Pharmaceutics*, 10(3). doi: 10.3390/pharmaceutics10030134.

Gude, D. (2012) “Vitiligo: Newer insights in pathophysiology and treatment,” *Indian Journal of Paediatric Dermatology*, 13(1), hal. 27. doi: 10.4103/2319-7250.102806.

Hamzavi, I. *et al.* (2004) “Parametric modeling of narrowband UV-B phototherapy for vitiligo, using a novel quantitative tool: The vitiligo area scoring index,” *Archives of Dermatology*, 140(6), hal. 677–683. doi: 10.1001/archderm.140.6.677.

Handayani, F. W. *et al.* (2013) “Review : Teknik Peningkatan Kelarutan Obat,” *Farmaka*, 4,

hal. 1–15.

- Hidayat, I. R., Zuhrotun, A. dan Sopyan, I. (2020) “Design-Expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi,” *Majalah Farmasetika*, 6(1), hal. 99–120. doi: 10.24198/mfarmasetika.v6i1.27842.
- Kakran, M. *et al.* (2012) “Fabrication of quercetin nanocrystals: Comparison of different methods,” *European Journal of Pharmaceutics and Biopharmaceutics*, 80(1), hal. 113–121. doi: 10.1016/j.ejpb.2011.08.006.
- Kale, S. N. dan Deore, S. L. (2016) “Solubility enhancement of Nebivolol by micro emulsion technique,” *Journal of Young Pharmacists*, 8(4), hal. 356–367. doi: 10.5530/jyp.2016.4.11.
- Kasumagic-Halilovic, E. *et al.* (2011) “Association between vitiligo and thyroid autoimmunity,” *Journal of Thyroid Research*, 2011, hal. 14–17. doi: 10.4061/2011/938257.
- Kawakami, T. dan Hashimoto, T. (2011) “Disease severity indexes and treatment evaluation criteria in vitiligo,” *Dermatology Research and Practice*, 2011, hal. 4–7. doi: 10.1155/2011/750342.
- Kohli, I., Veenstra, J. dan Hamzavi, I. (2015) “Vitiligo assessment methods - Vitiligo Area Scoring Index and Vitiligo European Task Force assessment,” *British Journal of Dermatology*. doi: 10.1111/bjd.13531.
- Koshoffer, A. dan Boissy, R. E. (2014) “Current Understanding of the Etiology of Vitiligo,” *Current Dermatology Reports*, 3(1), hal. 1–5. doi: 10.1007/s13671-014-0067-0.
- Kumar, S. *et al.* (2018) “Role of Piperine in Chemoresistance,” *Role of Nutraceuticals in Cancer Chemosensitization*, hal. 259–286. doi: 10.1016/B978-0-12-812373-7.00013-9.
- Laher, I. (2014) *Systems biology of free radicals and antioxidants, Systems Biology of Free Radicals and Antioxidants*. doi: 10.1007/978-3-642-30018-9.
- latha Samala, M. dan Sridevi, G. (2016) “Role of Polymers as Gelling Agents in the Formulation of Emulgels,” *Polymer science*. doi: 10.4172/2471-9935.100010.

- Lin, Z. *et al.* (1999) "Stimulation of Mouse Melanocyte Proliferation by Piper nigrum Fruit Extract and its Main Alkaloid, Piperine," *Planta Med*, 65, hal. 600–603.
- Lotti, T. dan D'Erme, A. M. (2014) "Vitiligo as a systemic disease," *Clinics in Dermatology*, 32(3), hal. 430–434. doi: 10.1016/j.clindermatol.2013.11.011.
- Maddela, R. *et al.* (2017) "A novel and rapid LC-MS/MS assay for the determination of mycophenolate and mycophenolic acid in human plasma," *Journal of Young Pharmacists*, 9(1), hal. 106–113. doi: 10.5530/jyp.2017.9.20.
- Martin, A., J, S. dan A, C. (1993) *Farmasi Fisik Edisi 3 Jilid II*, Universitas Indonesia Press. doi: 10.1016/S2222-18081260149-2.
- Meghwal, M. dan Goswami, T. K. (2013) "Piper nigrum and Piperine : An Update," *Phytotherapy Research*, 1130(January), hal. 1121–1130.
- Menaldi, S. L. S. (2015) *Atlas tentang Penyakit Kulit dan Kelamin, penyakit kulit dan kelamin*.
- Mu, L. dan Sprando, R. L. (2010) "Application of nanotechnology in cosmetics," *Pharmaceutical Research*, 27(8), hal. 1746–1749. doi: 10.1007/s11095-010-0139-1.
- Naseera Nagar, M. (2018) "Isolation, Identification and Quantitative Analysis of Piperine From Piper Nigrum Linn. of Various Regions of Kerala By Rp-Hplc Method," *Ajmal. World Journal of Pharmacy and Pharmaceutical Sciences*, 7(6), hal. 1023–1049. doi: 10.20959/wjpps20186-11743.
- O., D. (2015) "Assessment Methods in Vitiligo," *Journal of Pigmentary Disorders*. doi: 10.4172/2376-0427.1000160.
- Ortonne, J.-P., Mosher, D. B. dan Fitzpatrick, T. B. (1983) *Vitiligo and Other Hypomelanoses of Hair and Skin, Vitiligo and Other Hypomelanoses of Hair and Skin*. doi: 10.1007/978-1-4615-9272-3.
- Parmar, V. S. *et al.* (1997) "Phytochemistry of the genus Piper," *Phytochemistry*, 46(4), hal. 597–673. doi: 10.1016/S0031-9422(97)00328-2.
- Parsad, D. (2010) "Natural history and prognosis," in *Vitiligo*. doi: 10.1007/978-3-540-69361-1_19.

- Parsons, J. (2009) "Fitzpatrick's Color Atlas and Synopsis of Clinical Dermatology 6th Edition [Book Review]," *Australian Family Physician*.
- Picardo, M. dan Taïeb, A. (2010) "Pathophysiology overview," in *Vitiligo*. doi: 10.1007/978-3-540-69361-1_21.
- Pubchem (2020) *Piperine, National Library of Medicine National Center for Biotechnology Information*. Tersedia pada: <https://pubchem.ncbi.nlm.nih.gov/compound/638024>.
- Putri, E., Yenny, S. dan Lestari, S. (2014) "Karakteristik Pasien Vitiligo di Poliklinik Ilmu Kesehatan Kulit dan Kelamin RS Dr. M Djamil Padang Priode Januari 2010 - Desember 2013," *Kongres Nasional Perdoksi*, hal. 1–6.
- Ramam, M. dan Krishna, S. G. (2012) "Measuring the severity of vitiligo," *Indian Journal of Dermatology, Venereology and Leprology*. doi: 10.4103/0378-6323.90939.
- Ravindran, P. N. (2000) *Black pepper : piper nigrum*. Harwood Academic.
- Rezaei, N. et al. (2007) "Autoimmunity as an aetiological factor in vitiligo," *Journal of the European Academy of Dermatology and Venereology*, 21(7), hal. 865–876. doi: 10.1111/j.1468-3083.2007.02228.x.
- Rizal, Y. dan Lestari, K. (2007) "Insiden Vitiligo di Poliklinik Kulit dan Kelamin RSUP Dr. M. Djamil Padang Tahun 2001-2006," *2nd Conference Of The Asian Society Pigmentary Cell Reseach*, hal. 1–5.
- Saha, K., Seal, H. dan Noor, M. (2014) "Isolation and characterization of piperine from the fruits of black pepper (*Piper nigrum*)," *Journal of the Bangladesh Agricultural University*, 11(1), hal. 11–16. doi: 10.3329/jbau.v11i1.18197.
- Sehgal, V. N. dan Srivastava, G. (2007) "Vitiligo: Compendium of clinico-epidemiological features," *Indian Journal of Dermatology, Venereology and Leprology*. doi: 10.4103/0378-6323.32708.
- Setiawan, S. D. et al. (2018) "Study of self nano-emulsifying drug delivery system (Snedds) loaded red fruit oil (*pandanus conoideus lamk.*) as an eliminated cancer cell mcf-7," *International Journal of Drug Delivery Technology*, 8(4), hal. 229–232.
- Shafiee, A. (2018) "The effect of topical piperine combined with narrowband UVB on

vitiligo treatment : A clinical trial study,” *Phytotherapy Research*, (December 2017), hal. 1–6. doi: 10.1002/ptr.6116.

Shao, B. *et al.* (2015) “Enhanced oral bioavailability of piperine by self-emulsifying drug delivery systems: In vitro, in vivo and in situ intestinal permeability studies,” *Drug Delivery*, 22(6), hal. 740–747. doi: 10.3109/10717544.2014.898109.

Soewolo (2003) “Common Textbook Fisiologi Manusia,” *Universitas Negri Malang*.

Sohail, M. *et al.* (2018) “An approach to enhanced stability: Formulation and characterization of Solanum lycopersicum derived lycopene based topical emulgel,” *Saudi Pharmaceutical Journal*. doi: 10.1016/j.jsps.2018.07.005.

Soumyanath, A. *et al.* (2006) “UV Irradiation Affects Melanocyte Stimulatory Activity and Protein Binding of Piperine,” *Photochemistry and Photobiology*, 82(6), hal. 1541. doi: 10.1562/2006-04-21-ra-882.

Suaniti, N., Manurung, M. dan Hartasiwi, N. (2014) “Uji Sifat Virgin Coconut Oil (Vco) Hasil Ekstraksi Enzimatis Terhadap Berbagai Produk Minyak Kelapa Hasil Publikasi,” *Jurnal Kimia*, 8(2), hal. 171–177.

Sunil, J. (1990) “Pharmaceutical Dosage Forms: Tablets. Vol. 1.,” *Journal of Pharmaceutical Sciences*. doi: 10.1002/jps.2600791123.

Taïeb, A. dan Picardo, M. (2010) “Epidemiology, definitions and classification,” in *Vitiligo*. doi: 10.1007/978-3-540-69361-1_2.

Thakkar, H. *et al.* (2011) “Formulation and characterization of lipid- based drug delivery system of raloxifene- microemulsion and self-microemulsifying drug delivery system,” 3(3), hal. 442–449. doi: 10.4103/0975-7406.84463.

Thakker, K. D. dan Chern, W. H. (2003) “Development and validation of in vitro release tests for semisolid dosage forms—case study,” *Dissolution Technologies*, 10(2), hal. 10–15. doi: 10.14227/DT100203P10.

Tian, R. *et al.* (2006) “Large-pore mesoporous SBA-15 silica particles with submicrometer size as stationary phases for high-speed CEC separation,” *Electrophoresis*, 27(4), hal. 742–748. doi: 10.1002/elps.200500630.

- Vasavirama, K. dan Upender, M. (2014) "Piperine: A valuable alkaloid from piper species," *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(4), hal. 34–38.
- Venkatasamy, R. *et al.* (2004) "Effects of piperine analogues on stimulation of melanocyte proliferation and melanocyte differentiation," *Bioorganic and Medicinal Chemistry*, 12(8), hal. 1905–1920. doi: 10.1016/j.bmc.2004.01.036.
- Vinod, K. R., Santhosha, D. dan Anbazhagan, S. (2011) "Formulation and evaluation of Piperine creama new herbal dimensional approach for Vitiligo patients," *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(SUPPL. 2), hal. 29–33.
- Wasitaatmadja, S. . (1997) "Penuntun Ilmu Kosmetik Medik," *Universitas Indonesia Press*.
- Witt, K. dan Bucks, D. (2003) "Skin Preparation and Drug Release to Optimize Dermatological Formulations," *Pharmaceutical Technology*, 2003(3), hal. 22–27.
- Yadav, S. K. *et al.* (2016) "Emulgel: a New Approach for Enhanced Topical Drug Delivery," *International Journal of Current Pharmaceutical Research*, 9(1), hal. 15. doi: 10.22159/ijcpr.2017v9i1.16628.
- Yaghoobi, R., Omidian, M. dan Bagherani, N. (2011) "Vitiligo: A review of the published work," *Journal of Dermatology*, 38(5), hal. 419–431. doi: 10.1111/j.1346-8138.2010.01139.x.

