

## DAFTAR KEPUSTAKAAN

- Adkins, J. C. dan Faulds, D. (1997) "Micronised Fenofibrate," *Drugs*, 54(4), hal. 615–633. doi: 10.2165/00003495-199754040-00007.
- Ahuja, S and Dong, M. (2005) *Handbook of Pharmaceutical Analysis by HPLC, Separation Science and Technology*.
- Alagona, P. (2010) "Fenofibric acid: A new fibrate approved for use in combination with statin for the treatment of mixed dyslipidemia," *Vascular Health and Risk Management*, 6(1), hal. 351–362. doi: 10.2147/vhrm.s6714.
- Baishya, H. (2017) "Application of Mathematical Models in Drug Release Kinetics of Carbidopa and Levodopa ER Tablets," *Journal of Developing Drugs*. doi: 10.4172/2329-6631.1000171.
- Barikah, K. Z. (2018) "Traditional and Novel Methods for Cocrystal Formation: A Mini Review," *Systematic Reviews in Pharmacy*, 9(1), hal. 79–82.
- Bazzo, G. C., Pezzini, B. R. dan Stulzer, H. K. (2020) "Eutectic Mixtures as an Approach to Enhance Solubility, Dissolution Rate and Oral Bioavailability of Poorly Water-Soluble Drugs," *International Journal of Pharmaceutics*. Elsevier B.V., 588, hal. 119741. doi: 10.1016/j.ijpharm.2020.119741.
- Berry, D. J. dan Steed, J. W. (2017) "Pharmaceutical cocrystals, salts and multicomponent systems; intermolecular interactions and property based design," *Advanced Drug Delivery Reviews*. Elsevier B.V., 117, hal. 3–24. doi: 10.1016/j.addr.2017.03.003.
- Burke, R. W. *et al.* (1974) "Mechanisms of the Liebermann Burchard and Zak color reactions for cholesterol," *Clinical Chemistry*, 20(7), hal. 794–801. doi: 10.1093/clinchem/20.7.794.
- Cayman Chemical (2016) "Product Information. Syringic Acid," *Cayman Chemical Company*.
- Cayman Chemical (2017) "Product Information. Fenofibric Acid," *Cayman Chemical Company*.
- Chandra Gupta, P. *et al.* (2015) "Cocrystals: an Alternative Approach To Modify Physicochemical Properties of Drugs," *Ijpcbs 2015*, 5(2), hal. 427–436.

- Cherukuvada, S. dan Nangia, A. (2012) "Fast dissolving eutectic compositions of two anti-tubercular drugs," *CrystEngComm*, 14(7), hal. 2579–2588. doi: 10.1039/c2ce06391c.
- Christopher Vimalson, D. *et al.* (2016) "Techniques to enhance solubility of hydrophobic drugs: An overview," *Asian Journal of Pharmaceutics*.
- D. R. Laurence dan A. L. Bacharach. (1965) "Evaluation of drug activities: Pharmacometrics.," *Journal of Pharmaceutical Sciences*. doi: 10.1002/jps.2600540740.
- Davis, R. dan Lorimer, K. (2004) "Studies of phase relationships in cocrystal systems," *Crystals in supramolecular chemistry*.
- Dedhiya, P. P. *et al.* (2014) "Determination of fenofibric acid (Related substance) in marketed formulations of fenofibrate by RP-HPLC," *Journal of Pharmaceutical Sciences and Research*, 6(10), hal. 313–320.
- Departemen Kesehatan Republik Indonesia (2014) *Farmakope Indonesia Edisi V, Direktorat Jenderal Pengawasan Obat dan Makanan*.
- Desiraju, G. R. (1991) "Hydration in organic crystals: Prediction from molecular structure," *Journal of the Chemical Society, Chemical Communications*, (6), hal. 426–428. doi: 10.1039/C39910000426.
- Dwichandra, O. *et al.* (2016) "Isostructural Multicomponent Gliclazide Crystals with Improved Solubility," *Crystal Growth & Design*. doi: 10.1021/acs.cgd.6b01279.
- Elena I. Korotkova dan Kratochvil, B. (2010) "Pharmaceutical cocrystals," *Progress in Chemistry*. Elsevier Ltd., 22(5), hal. 829–836. doi: 10.1016/j.proche.2014.10.079.
- Febriyenti *et al.* (2020) "Preparation and characterization of quercetin-polyvinylpyrrolidone K-30 spray dried solid dispersion," *Journal of Pharmacy and Pharmacognosy Research*, 8(2), hal. 127–134.
- Filippatos, T. D. dan Elisaf, M. S. (2011) "Fenofibrate plus simvastatin (fixed-dose combination) for the treatment of dyslipidaemia," *Expert Opinion on Pharmacotherapy*, 12(12), hal. 1945–1958. doi: 10.1517/14656566.2011.593509.
- Ganong *et al.* (2012) *Ganong Buku Ajar Fisiologi Kedokteran, Memórias do Instituto Oswaldo Cruz*.

- Gardner, C. R. *et al.* (2004) "Application of high throughput technologies to drug substance and drug product development," *Computers and Chemical Engineering*, 28, hal. 943–953. doi: 10.1016/j.compchemeng.2003.09.028.
- Godfrey, A. R., DiGiacinto, J. dan Davis, M. W. (2011) "Single-Dose Bioequivalence of 105-mg Fenofibric Acid Tablets Versus 145-mg Fenofibrate Tablets Under Fasting and Fed Conditions: A Report of Two Phase I, Open-Label, Single-Dose, Randomized, Crossover Clinical Trials," *Clinical Therapeutics*. Elsevier Inc., 33(6), hal. 766–775. doi: 10.1016/j.clinthera.2011.05.047.
- Guillory, J. K. (2003) "Handbook of Pharmaceutical Salts: Properties, Selection, and Use," *Journal of Medicinal Chemistry*.
- Hall, J. E. dan Guyton, A. C. (2016) "Guyton and Hall Physiology," *Guyton and Hall Physiology Review*.
- Haneef, J. dan Chadha, R. (2018) "Antioxidant-Based Eutectics of Irbesartan: Viable Multicomponent Forms for the Management of Hypertension," *AAPS PharmSciTech*. AAPS PharmSciTech, 19(3), hal. 1191–1204. doi: 10.1208/s12249-017-0930-y.
- Harmita (2004) "Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya," *Majalah ilmu kefarmasian*, 1(3), hal. 117–135.
- Harmonised, I. C. H. dan Guideline, T. (1994) "Validation of Analytical Procedures: Text and Methodology," *ICH Harmonised Tripartite Guideline*.
- He, G., Chow, P. S. dan Tan, R. B. H. (2009) "Predicting multicomponent crystal formation: The interplay between homomeric and heteromeric interactions," *Crystal Growth and Design*, 9(10), hal. 4529–4532. doi: 10.1021/cg900538g.
- Katzung, B. dan Trevor, A. (2015) "Katzung's Basic & Clinical Pharmacology," *Basic and clinical Pharmacology*, hal. 313–329.
- Khankari, R. K., Law, D. dan Grant, D. J. W. (1992) "Determination of water content in pharmaceutical hydrates by differential scanning calorimetry," *International Journal of Pharmaceutics*, 82(1–2), hal. 117–127. doi: 10.1016/0378-5173(92)90080-L.
- Kim, K. S. *et al.* (2016) "Effect of magnesium carbonate on the solubility, dissolution and oral bioavailability of fenofibric acid powder as an

alkalising solubilizer,” *Archives of Pharmacal Research*. Pharmaceutical Society of Korea, 39(4), hal. 531–538. doi: 10.1007/s12272-015-0701-9.

Ling (2013) “A Review of Currently Available Fenofibrate and Fenofibric Acid Formulations,” *Cardiology Research*, 4(2), hal. 47–55. doi: 10.4021/cr270w.

Lipsy, R. J. (2003) “The National Cholesterol Education Program Adult Treatment Panel III Guidelines,” *Journal of Managed Care Pharmacy*, 9(1 Supp A), hal. 2–5. doi: 10.18553/jmcp.2003.9.s1.2.

Luo, S., Lutkenhaus, J. L. dan Nasrabadi, H. (2018) “Use of differential scanning calorimetry to study phase behavior of hydrocarbon mixtures in nano-scale porous media,” *Journal of Petroleum Science and Engineering*. Elsevier, 163, hal. 731–738. doi: 10.1016/j.petrol.2016.12.019.

Malviya, R. *et al.* (2010) “High performance liquid chromatography: A short review,” *Journal of Global Pharma Technology*.

Martin, A., J. S. dan A. C. (1993) *Farmasi Fisik Edisi 3 Jilid II*, Universitas Indonesia Press. doi: 10.1016/S2222-18081260149-2.

Moore, M. D. dan Wildfong, P. L. D. (2009) “Aqueous solubility enhancement through engineering of binary solid composites: Pharmaceutical applications,” *Journal of Pharmaceutical Innovation*, 4(1), hal. 36–49. doi: 10.1007/s12247-009-9053-7.

Munoz, A., Guichard, J. P. dan Reginault, P. (1994) “Micronised fenofibrate,” *Atherosclerosis*, 110(SUPPL.), hal. 45–48. doi: 10.1016/0021-9150(94)05375-S.

Noubigh, A. dan Akermi, A. (2017) “Solubility and Thermodynamic Behavior of Syringic Acid in Eight Pure and Water + Methanol Mixed Solvents,” *Journal of Chemical and Engineering Data*, 62(10), hal. 3274–3283. doi: 10.1021/acs.jced.7b00333.

Patole, T. dan Deshpande, A. (2014) “Co-Crystallization-a Technique for Solubility Enhancement,” *International Journal of Pharmaceutical Sciences and Research*, 5(9), hal. 3566. doi: 10.13040/IJPSR.0975-8232.5(9).3566-76.

Pradana, M. S. dan Suryanto, I. (2017) “Terapi Hiperkolesterol pada Mencit (*Mus musculus*) strain Balb/C Betina Umur 2 Bulan Menggunakan Sari Bawang Putih,” *Biota*, 3(2), hal. 71. doi: 10.19109/biota.v3i2.1313.



- Pralhad, T. dan Rajendrakumar, K. (2004) "Study of freeze-dried quercetin-cyclodextrin binary systems by DSC, FT-IR, X-ray diffraction and SEM analysis," *Journal of Pharmaceutical and Biomedical Analysis*, 34(2), hal. 333–339. doi: 10.1016/S0731-7085(03)00529-6.
- Ravisankar, P. *et al.* (2015) "A Review on Step-by-Step Analytical Method Validation," *IOSR Journal Of Pharmacy*, 5(10), hal. 7–19.
- Reimer, L. (2000) "Scanning Electron Microscopy: Physics of Image Formation and Microanalysis, Second Edition," *Measurement Science and Technology*. doi: 10.1088/0957-0233/11/12/703.
- Rodrigues, M. *et al.* (2018) "Pharmaceutical cocrystallization techniques. Advances and challenges," *International Journal of Pharmaceutics*. Elsevier, 547(1–2), hal. 404–420. doi: 10.1016/j.ijpharm.2018.06.024.
- Roni, M. A. dan Dipu, M. H. (2011) "Dissolution Enhancement of Poorly Soluble Carbamazepine By Using," *International Journal of Pharmaceutical Sciences And Research*, 2(1), hal. 49–57.
- Rosenson, R. S. (2008) "Fenofibrate: Treatment of hyperlipidemia and beyond," *Expert Review of Cardiovascular Therapy*, 6(10), hal. 1319–1330. doi: 10.1586/14779072.6.10.1319.
- Setyari, P. R., Wirasutha, I. G. dan Junitha, I. K. (2008) "Metode Analisis Kualitatif Dan Kuantitatif LDL-C ( Rosi S ., Gelgel W ., Junitha ) Metode Analisis Kualitatif Dan Kuantitatif LDL-C ( Rosi S ., Gelgel W ., Junitha )," hal. 24–30.
- Shabrina, A. dan Widriyanti, Y. N. (2019) "Disolusi dan Karakter Fisikokimia Asam Fenofibrat dalam Dispersi Padat Permukaan dengan Sodium Starch Glycolate," *Ilmiah Cendekia Eksakta*, hal. 39–44.
- Shargel, L., Wu-Pong, S. dan Yu, A. B. C. (2004) "Applied Biopharmaceutics and Pharmacokinetics, Fifth Edition," *Journal of Clinical Pharmacy and Therapeutics*. doi: 10.1111/j.1365-2710.1981.tb01006.x.
- Sinko, P. J. dan Singh, Y. (2011) *Martin's physical pharmacy and pharmaceutical sciences: Physical chemical and biopharmaceutical principles in the pharmaceutical sciences: Sixth edition, Physical Chemical and Biopharmaceutical Principles in the Pharmaceutical Sciences: Sixth Edition*.
- Smith, B. T. (2016) *Remington Education: Physical Pharmacy, Physical Pharmacy*.

- Srinivasulu, C. *et al.* (2018) "Syringic acid (SA) – A Review of Its Occurrence, Biosynthesis, Pharmacological and Industrial Importance," *Biomedicine and Pharmacotherapy*, hal. 547–557. doi: 10.1016/j.biopha.2018.09.069.
- Stapleton, P. A. *et al.* (2010) "Hypercholesterolemia and microvascular dysfunction: Interventional strategies," *Journal of Inflammation*, 7, hal. 1–10. doi: 10.1186/1476-9255-7-54.
- Sun, T. *et al.* (2009) "Fenofibric Acid Polymorphs: Methods of Making: And Methods of Use Thereof," *US Patent Application Publication*.
- Susanti, M. dan Dachriyanus (2017) *Kromatografi Cair Tinggi, Universitas Andalas Padang, Sumatera Barat, Indonesia*.
- Swarbrick, J. (2013) *Encyclopedia of Pharmaceutical Technology, Encyclopedia of Pharmaceutical Technology*. doi: 10.1201/b19309.
- Thakur, T. S. dan Thakuria, R. (2020) "Crystalline multi-component solids , an alternative for addressing the hygroscopicity issue in pharmaceutical materials Crystalline multi-component solids , an alternative for addressing the hygroscopicity issue in pharmaceutical materials," *Crystal Growth & Design*. doi: 10.1021/acs.cgd.0c00654.
- Thipparaboina, R. *et al.* (2016) "Syringic Acid: Structural Elucidation and Co-Crystallization," *Crystal Growth and Design*, 16(8), hal. 4679–4687. doi: 10.1021/acs.cgd.6b00750.
- Trask, A. V. *et al.* (2006) "Screening for crystalline salts via mechanochemistry," *Chemical Communications*, (1), hal. 51–53. doi: 10.1039/b512626f.
- Tsume, Y. *et al.* (2014) "The Biopharmaceutics Classification System: Subclasses for in vivo predictive dissolution (IPD) methodology and IVIVC," *European Journal of Pharmaceutical Sciences*. Elsevier B.V., 57(1), hal. 152–163. doi: 10.1016/j.ejps.2014.01.009.
- Umesh V. Banakar (1991) *Pharmaceutical Dissolution Testing, informa healthcare*. doi: 10.1017/CBO9781107415324.004.
- Vogel, G. (2002) *Drug Discovery and Evaluation Pharmacological Assays Second Edition, Human & Experimental Toxicology*.
- Vogt, M., Kunath, K. dan Dressman, J. B. (2008) "Dissolution enhancement of fenofibrate by micronization, cogrinding and spray-drying: Comparison with commercial preparations," *European Journal of Pharmaceutics and Biopharmaceutics*, 68(2), hal. 283–288. doi: 10.1016/j.ejpb.2007.05.010.

- Wei, X. *et al.* (2017) "Absolute oral bioavailability of fenofibric acid and choline fenofibrate in rats determined by ultra-performance liquid chromatography tandem mass spectrometry," *Biomedical Chromatography*, 31(4). doi: 10.1002/bmc.3832.
- West, A. (2014) *Solid State Chemistry and its Applications, 2nd Edition, Student Edition, WILEY.*
- Windriyati, Y. N., Sumirtapura, Y. C. dan Pamudji, J. S. (2019) "Dissolution enhancement and physicochemical characterization of fenofibric acid in surface solid dispersion with croscarmellose sodium," *Marmara Pharmaceutical Journal*, 23(2), hal. 315–325. doi: 10.12991/jrp.2019.139.
- Windriyati, Y. N., Sumirtapura, Y. C. dan Pamudji, J. S. (2020) "Comparative in vitro and in vivo evaluation of fenofibric acid as an antihyperlipidemic drug," *Turkish Journal of Pharmaceutical Sciences*, 17(2), hal. 203–210. doi: 10.4274/tjps.galenos.2019.27147.
- Yousaf, A. M. *et al.* (2018) "Fabrication and in vitro characterization of fenofibric acid-loaded hyaluronic acid–polyethylene glycol polymeric composites with enhanced drug solubility and dissolution rate," *International Journal of Polymeric Materials and Polymeric Biomaterials*. Informa UK Limited, trading as Taylor & Francis Group, 68(9), hal. 510–515. doi: 10.1080/00914037.2018.1466137.
- Zaini, E. *et al.* (2010) "Cocrystalline phase transformation of binary mixture of trimethoprim and sulfamethoxazole by slurry technique," *Asian Journal of Pharmaceutical and Clinical Research*, 3(4), hal. 26–29.
- Zaini, E. *et al.* (2011) "Peningkatan Laju Pelarutan Trimetoprim melalui Metode Ko-Kristalisasi dengan Nikotinamida," *Jurnal Farmasi Indonesia*, 5.
- Zaini, E., Sumirtapura, Y. C. dan Soewandhi, S. N. (2010) "Identifikasi interaksi fisika antara trimetoprim dan sulfametoksazol dengan metode kontak kofler dan reaksi kristalisasi Identification of physical interaction trimethoprim and sulfamethoxazole by contact method," *Majalah Farmasi Indonesia*, 21(1), hal. 32–39.
- Zhu, T. *et al.* (2010) "Comparison of the gastrointestinal absorption and bioavailability of fenofibrate and fenofibric acid in humans," *Journal of Clinical Pharmacology*, 50(8), hal. 914–921. doi: 10.1177/0091270009354995.